

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by execution of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 10/19/2015 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised NTB No. 5821; Revised Bid Items; Revised or Added Plan Sheet Nos. 2, 10, 15-17, 26-27, 30-38, 1001-1003; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

 President Address

 Secretary Address

 Treasurer Address

The following is my (our) itemized proposal.

Revised 07/2015

HSIP-0054-01(055) / 106626301

Copiah County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 5821

DATE: 10/19/2015

SUBJECT: Specialty Items

PROJECT: HSIP-0054-01(055)/106626301 - COPIAH

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: CURBING, SIDEWALKS, GUTTERS

Line No	Pay Item	Description
0370	609-B003	Concrete Curb, Special Design
0380	609-C001	Concrete Curb, Integral, Type 1
0390	609-D002	Combination Concrete Curb and Gutter Type 2
0400	609-D005	Combination Concrete Curb and Gutter Type 3B Modified

CATEGORY: DISPOSAL OF BUILDINGS, RIGHT OF WAY CLEA

Line No	Pay Item	Description
0050	202-B076	Removal of Traffic Stripe

CATEGORY: EROSION CONTROL

Line No	Pay Item	Description
0170	211-B001	Topsoil for Slope Treatment, Contractor Furnished
0180	217-A001	Ditch Liner
0190	219-A001	Watering
0200	220-A001	Insect Pest Control
0210	221-A001	Portland Cement Concrete Paved Ditch
0220	235-A001	Temporary Erosion Checks
0230	239-A001	Temporary Slope Drains
0700	907-216-A001	Solid Sodding
0710	907-225-A001	Grassing
0720	907-225-B001	Agricultural Limestone
0730	907-225-C001	Mulch, Vegetative Mulch
0740	907-226-A001	Temporary Grassing
0760	907-234-C002	Super Silt Fence
0770	907-237-A003	Wattles, 20"
0780	907-245-A001	Triangular Silt Dike
0790	907-246-B002	Rockbags
0800	907-249-A001	Riprap for Erosion Control

CATEGORY: LANDSCAPING

Line No	Pay Item	Description
---------	----------	-------------

CATEGORY: LANDSCAPING

Line No	Pay Item	Description
0750	907-230-A029	Shrub Planting, Dwarf Juniper

CATEGORY: LIGHTING, ALUMINUM TRUSSED ARM

Line No	Pay Item	Description
0630	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
0640	682-C009	Structure Mounted Branch Circuit, AWG 10, 2 Conductor
0650	682-C010	Structure Mounted Branch Circuit, AWG 10, 3 Conductor
0660	682-E001	Underground Junction Box
0670	682-E002	Structure Mounted Junction Box
0680	682-F001	Secondary Power Controllers
0690	683-B149	Lighting Assembly, Low Mast, Type 30-1-4-150

CATEGORY: PAVEMENT STRIPING AND MARKING

Line No	Pay Item	Description
0510	627-K001	Red-Clear Reflective High Performance Raised Markers
0520	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
0980	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0990	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1000	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1010	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1020	907-626-H010	Thermoplastic Double Drop Legend, White

CATEGORY: SURVEY AND STAKING

Line No	Pay Item	Description
1030	907-699-A002	Roadway Construction Stakes

CATEGORY: TRAFFIC CONTROL - PERMANENT

Line No	Pay Item	Description
0530	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0540	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0550	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0560	630-C001	Steel U-Section Posts, 2.0 lb/ft
0570	630-C003	Steel U-Section Posts, 3.0 lb/ft
0580	630-D002	Structural Steel Beams, S4 x 7.7
0590	630-D003	Structural Steel Beams, W6 x 9
0600	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
0610	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0620	630-K001	Welded & Seamless Steel Pipe Posts, 3"

CATEGORY: TRAFFIC CONTROL - TEMPORARY

Line No	Pay Item	Description
0410	619-A1001	Temporary Traffic Stripe, Continuous White
0420	619-A2001	Temporary Traffic Stripe, Continuous Yellow
0430	619-A5001	Temporary Traffic Stripe, Detail
0440	619-A6002	Temporary Traffic Stripe, Legend
0450	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
0460	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
0462	619-D4001	Directional Signs
0470	619-G4005	Barricades, Type III, Double Faced
0480	619-G5001	Free Standing Plastic Drums
0490	619-G7001	Warning Lights, Type "B"
0970	907-619-E3001	Changeable Message Sign

Intersection Improvements on SR 27 at Lee Avenue/Old HWY 27, known as Federal Aid Project No. HSIP-0054-01(055) / 106626301 in Copiah County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B005		6,137	Square Yard	Removal of Asphalt Pavement, All Depths
0030	202-B042		6	Each	Removal of Flared End Section, All Sizes
0040	202-B070		6	Each	Removal of Sign Including Post & Footing
0050	202-B076		1,940	Linear Feet	Removal of Traffic Stripe
0060	202-B125		2	Each	Removal of Signal Pole Including Hardware and Wiring
0070	202-B132		1	Each	Removal of Traffic Signal
0080	202-B152		2	Each	Removal of Right-Of-Way Marker
0090	202-B162		1	Each	Removal of Secondary Power Controller
0100	202-B218		1	Each	Removal of Inlet Tops
0110	202-B260		1	Each	Removal of Power Pole
0120	203-EX017	(E)	19,847	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0130	203-G003	(E)	12	Cubic Yard	Excess Excavation, FM, AH
0140	203-H003	(E)	5,455	Cubic Yard	Surplus Excavation, FM, AH
0150	206-A001	(S)	43	Cubic Yard	Structure Excavation
0160	209-A004		12,890	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0170	211-B001	(E)	3,237	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0180	217-A001		80	Square Yard	Ditch Liner
0190	219-A001		32	Thousand Gallon	Watering [\$20.00]
0200	220-A001		6	Acre	Insect Pest Control [\$30.00]
0210	221-A001	(S)	1	Cubic Yard	Portland Cement Concrete Paved Ditch
0220	235-A001		41	Bale	Temporary Erosion Checks
0230	239-A001		468	Linear Feet	Temporary Slope Drains
0240	321-A001		1	Mile	6" In-Grade Preparation
0250	907-406-A001		1,854	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0260	501-D001		93	Linear Feet	Expansion Joints, With Dowels
0270	501-H001		66	Each	Dowels, Installed
0280	602-A001	(S)	49	Pounds	Reinforcing Steel
0290	603-CA002	(S)	120	Linear Feet	18" Reinforced Concrete Pipe, Class III
0300	603-CA003	(S)	56	Linear Feet	24" Reinforced Concrete Pipe, Class III
0310	603-CA005	(S)	44	Linear Feet	36" Reinforced Concrete Pipe, Class III
0320	603-CB001	(S)	4	Each	18" Reinforced Concrete End Section
0330	603-CB002	(S)	1	Each	24" Reinforced Concrete End Section

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	603-CB004	(S)	1	Each	36" Reinforced Concrete End Section
0350	603-SB038	(S)	1	Each	18" Branch Connections, Stub into Inlet
0360	604-B001		127	Pounds	Gratings
0370	609-B003	(S)	593	Linear Feet	Concrete Curb, Special Design
0380	609-C001	(S)	389	Linear Feet	Concrete Curb, Integral, Type 1
0390	609-D002	(S)	651	Linear Feet	Combination Concrete Curb and Gutter Type 2
0400	609-D005	(S)	1,936	Linear Feet	Combination Concrete Curb and Gutter Type 3B Modified
0410	619-A1001		11,341	Linear Feet	Temporary Traffic Stripe, Continuous White
0420	619-A2001		10,006	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0430	619-A5001		13,139	Linear Feet	Temporary Traffic Stripe, Detail
0440	619-A6002		90	Square Feet	Temporary Traffic Stripe, Legend
0450	619-D1001		253	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0460	619-D2001		264	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0462	619-D4001		308	Square Feet	Directional Signs
0470	619-G4005		12	Linear Feet	Barricades, Type III, Double Faced
0480	619-G5001		95	Each	Free Standing Plastic Drums
0490	619-G7001		4	Each	Warning Lights, Type "B"
0500	620-A001		1	Lump Sum	Mobilization
0510	627-K001		16	Each	Red-Clear Reflective High Performance Raised Markers
0520	627-L001		82	Each	Two-Way Yellow Reflective High Performance Raised Markers
0530	630-A001		109	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0540	630-A002		103	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0550	630-B001		308	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Grou Mounted
0560	630-C001		14	Linear Feet	Steel U-Section Posts, 2.0 lb/ft
0570	630-C003		355	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0580	630-D002		86	Linear Feet	Structural Steel Beams, S4 x 7.7
0590	630-D003		105	Linear Feet	Structural Steel Beams, W6 x 9
0600	630-E001		136	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
0610	630-E004		40	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0620	630-K001		30	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
0630	682-A031		1,000	Linear Feet	Underground Branch Circuit, AWG 6, 3 Conductor
0640	682-C009		50	Linear Feet	Structure Mounted Branch Circuit, AWG 10, 2 Conductor
0650	682-C010		400	Linear Feet	Structure Mounted Branch Circuit, AWG 10, 3 Conductor

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0660	682-E001		136	Each	Underground Junction Box
0670	682-E002		1	Each	Structure Mounted Junction Box
0680	682-F001		1	Each	Secondary Power Controllers
0690	683-B149		8	Each	Lighting Assembly, Low Mast, Type 30-1-4-150
0700	907-216-A001		891	Square Yard	Solid Sodding
0710	907-225-A001		12	Acre	Grassing
0720	907-225-B001		6	Ton	Agricultural Limestone
0730	907-225-C001		24	Ton	Mulch, Vegetative Mulch
0740	907-226-A001		6	Acre	Temporary Grassing
0750	907-230-A029		160	Each	Shrub Planting, Dwarf Juniper
0760	907-234-C002		4,000	Linear Feet	Super Silt Fence
0770	907-237-A003		300	Linear Feet	Wattles, 20"
0780	907-245-A001		60	Linear Feet	Triangular Silt Dike
0790	907-246-B002		400	Each	Rockbags
0800	907-249-A001		100	Ton	Riprap for Erosion Control
0810	907-304-B002	(GT)	3,191	Ton	Granular Material, Class 5, Group D
0820	907-403-A019	(BA1)	1,487	Ton	19-mm, ST, Asphalt Pavement
0830	907-403-A027	(BA1)	576	Ton	9.5-mm, HT, Asphalt Pavement
0840	907-403-A028	(BA1)	1,193	Ton	12.5-mm, HT, Asphalt Pavement
0850	907-403-A029	(BA1)	1,338	Ton	19-mm, HT, Asphalt Pavement
0860	907-403-B021	(BA1)	727	Ton	12.5-mm, HT, Asphalt Pavement, Leveling
0870	907-407-A001	(A2)	1,715	Gallon	Asphalt for Tack Coat
0880	907-601-A001	(S)	13	Cubic Yard	Class "B" Structural Concrete
0890	907-601-B003	(S)	9	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0900	907-604-PP003		1	Each	Modify Existing Inlet, Per Plans
0910	907-616-C004	(S)	10,494	Square Feet	Colored and Imprinted Concrete Median and Island Pavement, 4-incl Thickness
0920	907-616-C006	(S)	629	Square Feet	Colored and Imprinted Concrete Median and Island Pavement, 10-in Thickness
0930	907-616-C007	(S)	4,987	Square Feet	Colored and Imprinted Concrete Median and Island Pavement, 12-in Thickness
0940	907-617-A001		14	Each	Right-of-Way Marker
0950	907-618-A001		1	Lump Sum	Maintenance of Traffic
0960	907-618-B001		1	Square Feet	Additional Construction Signs [\$10.00]
0970	907-619-E3001		4	Each	Changeable Message Sign
0980	907-626-C007		3,469	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0990	907-626-E005		2,268	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1000	907-626-G006		2,087	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
1010	907-626-G007		7,932	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
1020	907-626-H010		359	Square Feet	Thermoplastic Double Drop Legend, White
1030	907-699-A002		1	Lump Sum	Roadway Construction Stakes
ALTERNATE GROUP AA NUMBER 1					
1040	907-304-F002	(GT)	7,860	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
1050	907-304-F003	(GT)	7,860	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
1060	907-304-F004	(GT)	7,860	Ton	Size 825B Crushed Stone Base

ADDENDUM

SUMMARY OF QUANTITIES (SHEET 3)

PAY ITEM NO.	PAY ITEM	UNIT	PRELIMINARY	FINAL
907-618-A001	MAINTENANCE OF TRAFFIC	LS	100%	
907-618-B001	ADDITIONAL CONSTRUCTION SIGNS	SF	1	
619-A1001	TEMPORARY TRAFFIC STRIPE, CONTINUOUS WHITE	LF	11,341	
619-A2001	TEMPORARY TRAFFIC STRIPE, CONTINUOUS YELLOW	LF	10,006	
619-A5001	TEMPORARY TRAFFIC STRIPE, DETAIL	LF	13,139	
619-A6002	TEMPORARY TRAFFIC STRIPE, LEGEND	SF	90	
619-D1001	STANDARD ROADSIDE CONSTRUCTION SIGNS, LESS THAN 10 SQUARE FEET	SF	253	
619-D2001	STANDARD ROADSIDE CONSTRUCTION SIGNS, 10 SQUARE FEET OR MORE	SF	264	
619-D4001	DIRECTIONAL SIGNS	SF	308	
907-619-E3001	CHANGEABLE MESSAGE SIGN	EA	4	
619-G4005	BARRICADES, TYPE III, DOUBLE FACED	LF	12	
619-G5001	FREE STANDING PLASTIC DRUMS	EA	95	
619-G7001	WARNING LIGHTS, TYPE "B"	EA	4	
620-A001	MOBILIZATION	LS	100%	
907-626-C007	6" THERMOPLASTIC DOUBLE DROP EDGE STRIPE, CONTINUOUS WHITE	LF	3,469	
907-626-E005	6" THERMOPLASTIC DOUBLE DROP TRAFFIC STRIPE, CONTINUOUS YELLOW	LF	2,268	
907-626-G006	THERMOPLASTIC DOUBLE DROP DETAIL STRIPE, WHITE	LF	2,087	
907-626-G007	THERMOPLASTIC DOUBLE DROP DETAIL STRIPE, YELLOW	LF	7,932	
907-626-H010	THERMOPLASTIC DOUBLE DROP LEGEND, WHITE	SF	359	
627-K001	RED-CLEAR REFLECTIVE HIGH PERFORMANCE RAISED MARKERS	EA	16	
627-L001	TWO-WAY YELLOW REFLECTIVE HIGH PERFORMANCE RAISED MARKERS	EA	82	
630-A001	STANDARD ROADSIDE SIGNS, SHEET ALUMINUM, 0.080" THICKNESS	SF	109	
630-A002	STANDARD ROADSIDE SIGNS, SHEET ALUMINUM, 0.125" THICKNESS	SF	103	
630-B001	INTERSTATE DIRECTIONAL SIGNS, BOLTED EXTRUDED ALUMINUM PANELS, GROUND MOUNTED	SF	308	
630-C001	STEEL U-SECTION POSTS, 2.0 LB/FT	LF	14	
630-C003	STEEL U-SECTION POSTS, 3.0 LB/FT	LF	355	
630-D002	STRUCTURAL STEEL BEAMS, S4 X 7.7	LF	86	
630-D003	STRUCTURAL STEEL BEAMS, W6 X 9	LF	105	
630-E001	STRUCTURAL STEEL ANGLES & BARS, 3" X 3" X 1/4" ANGLES	LBS	136	
630-E004	STRUCTURAL STEEL ANGLES & BARS, 7/16" X 2 1/2" FLAT BAR	LBS	40	
630-K001	WELDED & SEAMLESS STEEL PIPE POSTS, 3"	LF	30	
682-A031	UNDERGROUND BRANCH CIRCUIT, AWG 6, 3 CONDUCTOR	LF	1,000	
682-C009	STRUCTURE MOUNTED BRANCH CIRCUIT, AWG 10, 2 CONDUCTOR	LF	50	
682-C010	STRUCTURE MOUNTED BRANCH CIRCUIT, AWG 10, 3 CONDUCTOR	LF	400	
682-E001	UNDERGROUND JUNCTION BOX	EA	1	
682-E002	STRUCTURE MOUNTED JUNCTION BOX	EA	1	
682-F001	SECONDARY POWER CONTROLLERS	EA	1	
683-B149	LIGHTING ASSEMBLY, LOW MAST, TYPE 30-1-4-150	EA	8	
907-699-A002	ROADWAY CONSTRUCTION STAKES	LS	100%	

10/13/15	REVISION TO TCR AND PSP	DFS
9/14/15	QUANT. REVIEW	DFS
DATE	REVISION	BY

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

PROJ. NO.: HSIP-0054-01(055)
 COUNTY: COPIAH

WORKING NUMBER
SQS-3

FILENAME: sqs-sh.dgn
 DESIGN TEAM PICKERING CHECKED DFS DATE
 SHEET NUMBER
 10

STATE	PROJECT NO.
MISS.	HSIP-0054-01(055)

ADDENDUM

SIGNS REQUIRED

Table with columns: SIGN NO., SIZE, UNIT AREA SQ.FT., QUAN. REQ'D., TOTAL SIGN AREA SQ.FT., REMARKS. Includes rows for signs G20, M1-M6, M3-M4, M4-M6, and R1-R2.

SIGNS REQUIRED

Table with columns: SIGN NO., SIZE, UNIT AREA SQ.FT., QUAN. REQ'D., TOTAL SIGN AREA SQ.FT., REMARKS. Includes rows for signs R1-R6, R11-R16, W1-W6, and W11-W17.

SIGNS REQUIRED

Table with columns: SIGN NO., SIZE, UNIT AREA SQ.FT., QUAN. REQ'D., TOTAL SIGN AREA SQ.FT., REMARKS. Includes rows for signs W1-W6, W11-W17, W20-W21, and various pavement and detour signs.

SIGNS REQUIRED

Table with columns: SIGN NO., SIZE, UNIT AREA SQ.FT., QUAN. REQ'D., TOTAL SIGN AREA SQ.FT., REMARKS. Includes rows for signs W21-W26, VP-IL, VP-IR, OM-3L, OM-3R, and total sign area calculations.


NOTES: 1 INTERSTATE ROUTE MARKER, 2 UNITED STATES ROUTE MARKER, 3 STATE ROUTE MARKER, 4 COLORS OF CARDINAL DIRECTION MARKERS AND DIRECTIONAL ARROWS SHALL BE APPROPRIATE TO MATCH ACCOMPANYING ROUTE MARKERS.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION ESTIMATED QUANTITIES FOR TRAFFIC CONTROL SIGNS. Includes project details, revision table, and drawing information.

ADDENDUM

STATE PROJECT NO.
MISS. HSIP-0054-01(055)

NOTE: LOCATION AND SPACING OF THE CHANGEABLE MESSAGE SIGN BOARDS SHOWN ON THIS SHEET ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.




MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL
CONSTRUCTION SIGNING

DATE	BY	REVISION
10/13/15	DFS	REMOVED, ADDED, REVISED SIGNS


PROJ. NO.: HSIP-0054-01(055)
COUNTY: COPIAH
FILENAME: dcs_sh.dgn
DESIGN TEAM: PICKERING CHECKED: DFS DATE: _____

WORKING NUMBER: DCS-1
SHEET NUMBER: 26



ADDENDUM

TRAFFIC CONTROL - CONSTRUCTION PHASING

- PHASE 1
TRAFFIC REMAINS ON EXISTING LANES.
BUILD TEMPORARY PAD AS WIDENING OF EXISTING LANES. AS DIRECTED BY THE ENGINEER, CLOSE THE LANE ADJACENT TO DROP-OFFS DURING CONSTRUCTION IN ACCORDANCE WITH STD. DWG. TCP-1 AND WK. SHT. SDD-1.
CONTRACTOR IS RESPONSIBLE FOR GRADING THE TEMPORARY PAD TO PROPERLY DRAIN THE SURFACE AND SUBGRADE.
CONSTRUCT EACH SR 27 APPROACH LANE TO FINAL GRADE UP TO ITS INTERSECTION WITH THE TEMPORARY PAD.
 INSTALL TEMPORARY GUIDE SIGNAGE UPSTREAM ON APPROACHES BUT KEEP IT COVERED UNTIL TRAFFIC IS ROUTED AROUND THE TEMPORARY ROUNDABOUT IN PHASE 2. THE MESSAGE SHALL BE SUBSTANTIALLY IDENTICAL TO THAT OF THE SIGNS DETAILED ON WK. SH. PSD-1.
- PHASE 2
SET TEMPORARY REGULATORY AND WARNING AND GUIDE SIGNS AROUND THE TEMPORARY ROUNDABOUT.
REVEAL PERMANENT GUIDE SIGNAGE INSTALLED IN PHASE 1.
TRAFFIC IS MOVED ONTO SR 27 APPROACH LANES AND INTO TEMPORARY LANES ON THE TEMPORARY PAD.
CONSTRUCT CENTRAL ISLAND CONCRETE APRON AND CONCRETE APRON RAMP. APPLY ASPHALT PAVEMENT LIFTS AS NECESSARY TO BRING THE FINAL LANES AND PHASE 3 LANES TO 1.5 INCHES BELOW FINAL GRADE.
- PHASE 3
RESET TEMPORARY REGULATORY AND WARNING AND GUIDE SIGNS AROUND THE FINAL ROUNDABOUT.
TRAFFIC IS MOVED ONTO FINAL LANES WITH THE EXCEPTION OF INBOUND HWY. 27 TRAFFIC, WHICH IS ROUTED TO THE PART OF THE TEMPORARY PAD OUTSIDE THE APPROACH APRONS.
CONSTRUCT THE OUTSIDE APRONS ALONG THE INBOUND HWY. 27 LANES AND THE HWY. 27 SPLITTER ISLANDS.
SAW CUT ALONG THE BACK OF THE CENTRAL ISLAND APRON AND REMOVE EXCESS PAVEMENT IN THE CENTRAL ISLAND. PLACE FILL IN THE CENTRAL ISLAND.
- PHASE 4
RESET TEMPORARY REGULATORY AND WARNING AND GUIDE SIGNS AROUND THE FINAL ROUNDABOUT.
TRAFFIC IS MOVED ONTO FINAL LANES.
SAW CUT ALONG THE OUTSIDE EDGE OF FINAL LANES AND REMOVE EXCESS PAVEMENT. USE CRUSHED STONE TO AVOID DROP-OFFS ADJACENT TO LANES.
SAW CUT ALONG THE BACK OF THE CENTRAL ISLAND APRON AND REMOVE EXCESS PAVEMENT IN THE CENTRAL ISLAND. PLACE FILL IN THE CENTRAL ISLAND.
SAW CUT ALONG BOUNDARIES OF SPLITTER ISLANDS AND REMOVE PAVEMENT, OR MILL TO NECESSARY DEPTH, WHERE SPLITTER ISLANDS WILL BE CONSTRUCTED. TEMPORARILY REPLACE WITH CRUSHED STONE OR IMMEDIATELY INSTALL THE SPLITTER ISLAND CURB.
INSTALL PERIMETER CURB. INSTALL LOCAL ROAD SPLITTER ISLANDS AND PERMANENT SIGNAGE THROUGHOUT.
- PHASE 5
TRAFFIC REMAINS IN FINAL LANES.
APPLY FINAL LIFT IN THE PAVEMENT STRUCTURE.
INSTALL PERMANENT SIGNAGE.


GENERAL NOTES - TRAFFIC CONTROL (TYPICAL ALL PHASES):

- ALL TRAFFIC CONTROL DEVICES SHALL BE INSTALLED AND MAINTAINED IN ACCORDANCE WITH THE LATEST EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (M.U.T.C.D.) AND SECTIONS 618 AND 619 OF THE STANDARD SPECIFICATIONS.
- THIS PLAN DOES NOT RELIEVE THE CONTRACTOR OF THE RESPONSIBILITY OF INSTALLING TRAFFIC CONTROL DEVICES IN ACCORDANCE WITH THE M.U.T.C.D. OTHER SIGNS AND TRAFFIC CONTROL DEVICES MAY BE REQUIRED DURING THE VARIOUS PHASES OF CONSTRUCTION. ANY MODIFICATIONS TO THIS PLAN SHALL BE PREPARED BY A LICENSED ENGINEER, AND SUBMITTED TO THE ENGINEER FOR REVIEW AND APPROVAL PRIOR TO IMPLEMENTATION.
- EXISTING GUIDE, REGULATORY, AND WARNING SIGNS THAT CONFLICT WITH CONSTRUCTION TRAFFIC CONTROL SIGNAGE SHALL BE REMOVED DURING CONSTRUCTION AND REINSTALLED AFTER CONSTRUCTION, OR RELOCATED DURING CONSTRUCTION AS REQUIRED BY THE DRAWINGS OR AS DIRECTED BY THE ENGINEER. THE COST OF SAID SIGNAGE ADJUSTMENTS IS TO BE INCLUDED IN THE PRICE BID FOR ITEM 618-A001 MAINTENANCE OF TRAFFIC.
- THE COST OF ADJUSTMENT, RELOCATION, AND MAINTENANCE OF TRAFFIC CONTROL DEVICES AS CONSTRUCTION PROGRESSES IS TO BE INCLUDED IN THE PRICE BID FOR ITEM 618-A001 MAINTENANCE OF TRAFFIC.
- SEE WK. NO. TCP-SC FOR PAVEMENT DROP-OFF NOTES.
- CHANGEABLE MESSAGE SIGNS SHALL BE POSTED AT TIMES AND AT LOCATIONS AS DIRECTED BY THE ENGINEER.
- ONE LANE IN EACH DIRECTION ON STATE ROUTE 27 AND ALL SIDE ROADS SHALL REMAIN OPEN AT ALL TIMES DURING CONSTRUCTION, EXCEPT DURING SPECIAL WORK AS SPECIFICALLY APPROVED BY THE ENGINEER.
- ACCESS TO ALL PRIVATE DRIVES SHALL REMAIN OPEN AT ALL TIMES UNLESS OTHERWISE APPROVED BY THE ENGINEER. WHEN DRIVEWAYS ARE REQUIRED TO MAINTAIN CONTINUOUS SERVICE, TEMPORARY DRIVEWAYS SHALL BE CONSTRUCTED WITH GRANULAR MATERIAL (CRUSHED STONE) AS DIRECTED BY THE ENGINEER. THE COST OF TEMPORARY DRIVEWAY REMOVAL WILL NOT BE MEASURED AND PAID FOR SEPARATELY BUT WILL BE CONSIDERED SUBSIDIARY TO THE CONTRACT.
- FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED IN PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.
- THE LOCATION AND SPACING OF SIGNS AS SHOWN ON THE TRAFFIC CONTROL PLANS ARE APPROXIMATE AND MAY REQUIRE ADJUSTMENT TO ACCOMMODATE FIELD CONDITIONS.
- ALL DIAMOND SHAPED TRAFFIC CONTROL SIGNS SHALL BE A MINIMUM OF 48" x 48".
- ALL BARRICADES SHALL BE DOUBLE FACED TYPE III WITH R11-2 SIGN ("ROAD CLOSED", 48" x 30") ON THE PUBLIC ROAD SIDE AND R1-1 SIGN ("STOP", 36" x 36") ON THE CONSTRUCTION SIDE, UNLESS OTHERWISE DIRECTED BY THE ENGINEER OR OTHERWISE SHOWN ON THE PLANS.
- CHANNELIZING DEVICES OTHER THAN REFLECTORIZED FREE-STANDING PLASTIC DRUMS ARE ACCEPTABLE IF APPROVED BY THE ENGINEER. IF DRUMS ARE UTILIZED, THEY SHALL HAVE A BALLASTING COLLAR MADE FROM RECYCLED TRUCK TIRES OR OTHER SUITABLE MATERIAL.
- ANY CONSTRUCTION PHASES THAT REQUIRE A MINIMUM OF THREE (3) MONTHS OF DURATION SHALL UTILIZE RAISED PAVEMENT MARKERS IN ADDITION TO THE TEMPORARY PAVEMENT MARKINGS.
- CONTRACTOR IS RESPONSIBLE FOR CONTACTING AND COORDINATING WITH OPERATORS OF OVERSIZE/ OVERWEIGHT AND OTHER PERMIT VEHICLES TO MAINTAIN A CLEAR PATH THROUGH THE WORK ZONE.

DATE	BY	REVISION

10/13/15	DATE	GUIDE SIGNAGE NOTE




MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
TRAFFIC CONTROL	
GENERAL NOTES	
WORKING NUMBER	TC-CN
PROJECT NO.:	HSIP-0054-01(055)
COUNTY:	COPIAH
FILENAME: tcp-cn-sh.dgn	DESIGN TEAM
PICKERING	CHECKED
DFS	DATE
SHEET NUMBER	27



STATE	PROJECT NO.
MISS.	HSIP-0054-01(055)

ADDENDUM

STATE PROJECT NO.
MISS. HSIP-0054-01(055)



DATE	REMOVED SIGNS	REVISION	BY
10/13/15			DFS

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL
PHASE 1
HIGHWAY 27

PROJ. NO.: HSIP-0054-01(055)
COUNTY: COPIAH

FILENAME: TC1-3-sh.dgn
DESIGN TEAM: PICKERING CHECKED: DFS DATE: _____

WORKING NUMBER
TC1-3
SHEET NUMBER
31



ADDENDUM

PROJECT NO. HSP-0054-01(055)
STATE MISS.


1 W1-8L 18x24

2 R1-2 36x36x36

3 R6-1R 36x12
R6-4 30x24
BLACK ON WHITE

4 R4-7 24x30

* NOTE: EXISTING STREET NAME SIGN TO BE REUSED



25 W2-6 36x36
BLACK ON YELLOW


W13-1 24x24

27 M1-5 24x24

M6-2R 21x15

25 W13-1 24x24

25 M.P.H.



NORTH

27 M1-5 24x24

M6-2R 21x15

M3-1 24x12

W3-2a 36x36

W2-6 36x36
BLACK ON YELLOW

W13-1 24x24

25 M.P.H.

NOTE: CONTRACTOR SHALL ENSURE THAT GUIDE SIGNS SHALL BE POSTED PRIOR TO ADVANCING TO PHASE 2 TRAFFIC CONTROL. THE TEMPORARY SIGNAGE SHALL BE THE PERMANENT GUIDE SIGNS OR SUBSTANTIALLY SIMILAR AS DIRECTED BY THE ENGINEER.

ITEM NO	DESCRIPTION	UNIT	TOTAL
619-A1001	4" CONTINUOUS EDGE WHITE	LF	2,626
619-A2001	4" CONTINUOUS YELLOW	LF	2,715
619-A5001	4" DETAIL YELLOW	LF	317
619-A1001	4" DETAIL WHITE	LF	616
619-A6002	LEGEND WHITE	SF	30

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL
PHASE 2
HIGHWAY 27

DATE	REVISIONS	BY
10/13/15	REVISED SIGNS	DFS






PROJ. NO.: HSP-0054-01(055)
COUNTY: COPIAH

WORKING NUMBER TC2-1
SHEET NUMBER 33

FILENAME: TC2-1-SH.DGN
DESIGN TEAM PICKERING CHECKED DFS DATE

ADDENDUM

STATE MISS.
PROJECT NO. HSIP-0054-01(055)



SEE SHEET TC2-2

ITEM NO	DESCRIPTION	UNIT	TOTAL
619-A1001	4" CONTINUOUS EDGE WHITE	LF	1,948
619-A2001	4" CONTINUOUS YELLOW	LF	1,936


MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL
PHASE 2
HIGHWAY 27

PROJ. NO.: HSIP-0054-01(055)
COUNTY: COPIAH


WORKING NUMBER: TC2-2
SHEET NUMBER: 34

FILENAME: TC2-2.sh.dgn
DESIGN TEAM: PICKERING CHECKED: DFS DATE: 10/13/15
RELLOCATED SIGN: DATE: _____
REVISION: _____
BY: _____


ADDENDUM




1




3



2



2





4

* NOTE: EXISTING STREET NAME SIGN TO BE REUSED

PROJECT NO.
STATE MISS.
HSIP-0054-01(055)

25
M.P.H.
W13-1
24x24

W2-6
36x36
BLACK ON YELLOW



ITEM NO	DESCRIPTION	UNIT	TOTAL
619-A1001	4\"/>		

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL
PHASE 3
HIGHWAY 27

PROJ. NO.: HSIP-0054-01(055)
COUNTY: COPIAH





WORKING NUMBER
TC3-1

SHEET NUMBER
35

DATE: 10/13/15
DESIGNER: DFS
CHECKER: DFS



FILENAME: TC3-1-SH.DGN
DESIGN TEAM: PICKERING

ADDENDUM



R6-1R
36x12
R6-4
30x24
BLACK ON WHITE


1
2
3



STATE	PROJECT NO.
MISS.	HSIP-0054-01(055)

NOTE: SEE WK. SH. PMD-1
FOR FINAL STRIPE LAYOUT

ITEM NO	DESCRIPTION	UNIT	TOTAL
619-A1001	4" CONTINUOUS EDGE WHITE	LF	1,815
619-A2001	4" CONTINUOUS YELLOW	LF	1,592
619-A5001	4" DETAIL YELLOW	LF	5,573
619-A1001	4" DETAIL WHITE	LF	1,964
619-A6002	LEGEND WHITE	SF	30



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL
PHASE 4
HIGHWAY 27

PROJ. NO.: HSIP-0054-01(055)
COUNTY: COPIAH

WORKING NUMBER
TC4-1

FILENAME: TC4-1_SH.dgn
DESIGN TEAM PICKERING CHECKED
DATE REVISIONS
DATE REVISIONS


MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL
PHASE 4
HIGHWAY 27

PROJ. NO.: HSIP-0054-01(055)
COUNTY: COPIAH

WORKING NUMBER
TC4-1

FILENAME: TC4-1_SH.dgn
DESIGN TEAM PICKERING CHECKED
DATE REVISIONS
DATE REVISIONS


ADDENDUM




R4-7
24x30

2


W3-2a
36x36



4" CONTINUOUS
EDGE YELLOW



W2-6
36x36
BLACK ON YELLOW



W13-1
24x24



25
M.P.H.

W21-5
48x48



25
M.P.H.

W13-1
24x24



STATE MISS.
PROJECT NO. HSIP-0054-01(055)

NOTE: SEE WK. SH. PMD-1
FOR FINAL STRIPE LAYOUT

ITEM NO	DESCRIPTION	UNIT	TOTAL
619-A1001	4" CONTINUOUS EDGE WHITE	LF	1,654
619-A2001	4" CONTINUOUS YELLOW	LF	676
619-A5001	4" DETAIL YELLOW	LF	2,359
619-A1001	4" DETAIL WHITE	LF	123

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL
PHASE 4
HIGHWAY 27


PROJ. NO.: HSIP-0054-01(055)
COUNTY: COPIAH

WORKING NUMBER
TC4-2






DATE: 10/13/15
BY: DFS
REVISION: _____
REVISOR: _____


FILENAME: TC4-2_SH.DGN
DESIGN TEAM: _____
PICKERING: _____
CHECKED: _____
DATE: _____

SHEET NUMBER
38








ADDENDUM

- 1 
- 2 
- 3  
- 4 




STATE MISS.
PROJECT NO. HSIP-0054-01(055)

LEE AVENUE



MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
PERMANENT SIGNING PLAN	
PROJ. NO.: HSIP-0054-01(055)	WORKING NUMBER PSP-1
COUNTY: COPIAH	SHEET NUMBER 1001
FILENAME: psp-1-sh.dgn	DATE
DESIGN TEAM	PICKERING CHECKED
DFS	DATE
REMOVED SMS, REVISED SIGN SIZES	DATE
REVISION	DATE
BY	DATE

ADDENDUM



BORDER
R=3"
TH=0.75"


6.0" 145.0" 6.0"

6.0" 18.0" 6.0" 22.2" 67.4"

6.0" 15.8" 28.9" 55.6"

6.0" 20.5" 8.0" 10.8" 6.0" 51.0" 6.0" 16.0" 8.0" 18.7" 6.0"

Panel Style: guide_con_destination.ssi
M.U.T.C.D.: 2009 Edition




S	O	U	T	H
5.05	4.86	4.46	4.14	3.65

G	e	o	r	g	e	t	o	w	n
7.94	5.28	5.94	3.90	5.82	5.16	4.50	5.28	7.86	3.96

O	l	d
8.72	3.06	3.96

H	w	y
8.14	7.20	5.10

A	v	e
8.95	5.82	3.96



BORDER
R=3"
TH=0.75"

6.75" 77.7" 6.65"


6.65" 10.125" 6.0" 12.0" 6.0" 30.925"

6.65" 6.0" 6.0" 15.8" 8.0" 20.5" 8.0" 10.8" 9.25"

6.65" 12.0" 6.0" 22.2" 28.5" 9.0" 6.65"

6.65" 55.6" 13.1" 9.0" 6.65"

Panel Style: guide_con_destination.ssi
M.U.T.C.D.: 2009 Edition




N	O	R	T	H
5.20	4.86	4.32	4.14	3.65

O	l	d	H	w	y
8.72	3.06	3.96	8.14	7.20	5.10

S	O	U	T	H
5.05	4.86	4.46	4.14	3.65

G	e	o	r	g	e	t	o	w	n
7.94	5.28	5.94	3.90	5.82	5.16	4.50	5.28	7.86	3.96



BORDER
R=3"
TH=0.75"

6.0" 145.0" 6.0"

6.0" 19.3" 7.8" 50.0" 31.2"

6.0" 104.0" 6.0" 20.5" 8.0" 10.8" 6.0"

Panel Style: guide_con_destination.ssi
M.U.T.C.D.: 2009 Edition



N	O	R	T	H
5.20	4.86	4.32	4.14	3.65

L	e	e	A	v	e
6.74	5.28	3.96	8.00	8.95	5.82

T	O
3.96	3.78

O	l	d
8.72	3.06	3.96

H	w	y
8.14	7.20	5.10

2	7
8.00	5.88



BORDER
R=3"
TH=0.75"

6.75" 77.7" 6.65"


6.65" 10.125" 6.0" 12.0" 6.0" 28.025"

6.65" 10.125" 6.0" 55.6"

6.65" 6.0" 6.0" 8.0" 18.7" 29.65"

6.65" 12.0" 6.0" 19.3" 31.4" 9.0" 6.65"

Panel Style: guide_con_destination.ssi
M.U.T.C.D.: 2009 Edition



S	O	U	T	H
5.05	4.86	4.46	4.14	3.65



G	e	o	r	g	e	t	o	w	n
7.94	5.28	5.94	3.90	5.82	5.16	4.50	5.28	7.86	3.96

L	e	e	A	v	e
6.74	5.28	3.96	8.00	8.95	5.82

N	O	R	T	H
5.20	4.86	4.32	4.14	3.65

ADDENDUM

STATE	PROJECT NO.
MISS.	HSIP-0054-01(055)



10/13/15	REVISD SIGN DIMENSIONS		
DATE	REVISION	BY	DFS
MISSISSIPPI DEPARTMENT OF TRANSPORTATION STANDARD ROADSIDE SIGN DETAIL HIGHWAY 27			
PROJ. NO.: HSIP-0054-01(055) COUNTY: COPIAH			
DESIGN TEAM	PICKERING	CHECKED	DATE
FILENAME: PSD-2-sh.dgn	SHEET NUMBER	PSD-2	
	WORKING NUMBER	1003	

