


Proposal & Plan Sales Will Begin on October 5, 2015



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For October - October 27, 2015



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR OCTOBER - Tuesday, October 27, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 5, 2015

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	HSIP-0054-01(055)/106626301	COPIAH
02	HSIP-0010-01(150)/106964301	JACKSON
03	STP-0008-04(046) / 102127301	HOLMES
04	CM-0017-00(041) / 106852301	DESOTO
05	STP-0020-02(090)/107007301	NEWTON

CALL No. 01

Intersection Improvements on SR 27 at Lee Avenue/Old HWY 27, known as Federal Aid Project No. HSIP-0054-01(055) / 106626301 in Covich County.

PROJECT COMPLETION: 147 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
6,137	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6	Each	202-B042	Removal of Flared End Section, All Sizes
6	Each	202-B070	Removal of Sign Including Post & Footing
1,940	Linear Feet	202-B076	Removal of Traffic Stripe
2	Each	202-B125	Removal of Signal Pole Including Hardware and Wiring
1	Each	202-B132	Removal of Traffic Signal
2	Each	202-B152	Removal of Right-Of-Way Marker
1	Each	202-B162	Removal of Secondary Power Controller
1	Each	202-B218	Removal of Inlet Tops
1	Each	202-B260	Removal of Power Pole
19,847	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
12	Cubic Yard	203-G003	Excess Excavation, FM, AH
5,455	Cubic Yard	203-H003	Surplus Excavation, FM, AH
43	Cubic Yard	206-A001	Structure Excavation
12,890	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3,237	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
80	Square Yard	217-A001	Ditch Liner
32	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
1	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
41	Bale	235-A001	Temporary Erosion Checks
468	Linear Feet	239-A001	Temporary Slope Drains
1	Mile	321-A001	6" In-Grade Preparation

1,854	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
93	Linear Feet	501-D001	Expansion Joints, With Dowels
66	Each	501-H001	Dowels, Installed
49	Pounds	602-A001	Reinforcing Steel
120	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
44	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
4	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-SB038	18" Branch Connections, Stub into Inlet
127	Pounds	604-B001	Gratings
593	Linear Feet	609-B003	Concrete Curb, Special Design
389	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
651	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
1,936	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
11,341	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
10,006	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13,139	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
90	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
143	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
95	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
16	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
82	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
147	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
95	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

275 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
14 Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
386 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
111 Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
136 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
116 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
40 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
30 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
1,000 Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
50 Linear Feet	682-C009	Structure Mounted Branch Circuit, AWG 10, 2 Conductor
400 Linear Feet	682-C010	Structure Mounted Branch Circuit, AWG 10, 3 Conductor
1 Each	682-E001	Underground Junction Box
1 Each	682-E002	Structure Mounted Junction Box
1 Each	682-F001	Secondary Power Controllers
8 Each	683-B149	Lighting Assembly, Low Mast, Type 30-1-4-150
891 Square Yard	907-216-A001	Solid Sodding
12 Acre	907-225-A001	Grassing
6 Ton	907-225-B001	Agricultural Limestone
24 Ton	907-225-C001	Mulch, Vegetative Mulch
6 Acre	907-226-A001	Temporary Grassing
160 Each	907-230-A029	Shrub Planting, Dwarf Juniper
4,000 Linear Feet	907-234-C002	Super Silt Fence
300 Linear Feet	907-237-A003	Wattles, 20"
60 Linear Feet	907-245-A001	Triangular Silt Dike
400 Each	907-246-B002	Rockbags
100 Ton	907-249-A001	Riprap for Erosion Control
3,191 Ton	907-304-B002	Granular Material, Class 5, Group D
1,487 Ton	907-403-A019	19-mm, ST, Asphalt Pavement
576 Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
1,193 Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement

1,338	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
727	Ton	907-403-B021	12.5-mm, HT, Asphalt Pavement, Leveling
1,715	Gallon	907-407-A001	Asphalt for Tack Coat
13	Cubic Yard	907-601-A001	Class "B" Structural Concrete
9	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Each	907-604-PP003	Modify Existing Inlet, Per Plans
10,494	Square Feet	907-616-C004	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
629	Square Feet	907-616-C006	Colored and Imprinted Concrete Median and Island Pavement, 10-inch Thickness
4,987	Square Feet	907-616-C007	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness
14	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Each	907-619-E3001	Changeable Message Sign
3,469	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,268	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,087	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
7,932	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
359	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

7,860	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

7,860	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

7,860	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

CALL No. 02

ITS Installation on I-10 from Harrison/ Jackson County Line to Alabama State Line, known as Federal Aid Project No. HSIP-0010-01(150) / 106964301 in Jackson County.

PROJECT COMPLETION: OCTOBER 28, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4 Acre	201-B001	Clearing and Grubbing
193 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
31 Thousand Gallon	219-A001	Watering
3,990 Linear Feet	234-A001	Temporary Silt Fence
3,525 Linear Feet	606-B001	Guard Rail, Class A, Type 1
7 Each	606-C003	Guard Rail, Cable Anchor, Type 1
1 Each	606-D006	Guard Rail, Bridge End Section, Type G
8 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
70 Linear Feet	607-B017	96" Type I Chain Link Fence, Class I
1 Each	607-G044	Gate, 10' x 8' Chain Link
3 Each	607-P1011	Line Post, 12' x 2" Galvanized Steel
3 Each	607-P2012	Brace Post, 12' x 2 1/2" Galvanized Steel
2 Each	607-P3010	Gate Post, 12' x 3 1/2" Galvanized Steel
277 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,831 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,000 Each	619-D3001	Remove and Reset Signs, All Sizes
2 Each	619-E1001	Flashing Arrow Panel, Type C
492 Linear Feet	619-G4001	Barricades, Type III, Single Faced
120 Each	619-G5001	Free Standing Plastic Drums
21 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
88 Each	630-F001	Delineators, Guard Rail, White
173 Each	647-A003	Pullbox, Type 4
132 Each	647-A004	Pullbox, Type 5
179 Each	647-A005	Pullbox, Type 2

19,575	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
26,980	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
500	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
2,020	Linear Feet	666-B042	Electric Cable, Underground in Conduit, THHN, AWG #1, 4 Conductor
5,100	Linear Feet	666-B046	Electric Cable, Underground in Conduit, THHN, AWG #4, 4 Conductor
5,150	Linear Feet	666-B052	Electric Cable, Underground in Conduit, THHN, AWG #6, 4 Conductor
15,015	Linear Feet	666-B058	Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor
30	Linear Feet	666-B059	Electric Cable, Underground in Conduit, THHN, AWG #3, 1 Conductor
1,573	Square Yard	907-216-A001	Solid Sodding
6	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
13	Ton	907-225-C001	Mulch, Vegetative Mulch
3,192	Linear Feet	907-237-A002	Wattles, 12"
798	Each	907-246-A002	Sandbags
237	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	907-630-M003	Pedestal Sign Support, Assembly No 5, Contractor Designed
1	Lump Sum	907-630-M006	Pedestal Sign Support, Assembly No 3, Contractor Designed
1	Lump Sum	907-630-M007	Pedestal Sign Support, Assembly No 4, Contractor Designed
1	Lump Sum	907-630-M008	Pedestal Sign Support, Assembly No 6, Contractor Designed
1	Lump Sum	907-630-M009	Pedestal Sign Support, Assembly No 7, Contractor Designed
4	Each	907-630-O003	Remove and Reset Sign, All Sizes
1	Lump Sum	907-630-Q004	Post Sign Support, Assembly No. 8, Contractor Designed
1	Lump Sum	907-630-Q007	Post Sign Support, Assembly No. 9, Contractor Designed
1	Lump Sum	907-630-Q009	Post Sign Support, Assembly No. 10, Contractor Designed
30	Each	907-637-A001	Equipment Cabinet, Type B
4	Each	907-637-A002	Equipment Cabinet, Type C

4	Each	907-637-A003	Equipment Cabinet, Type A
20	Each	907-637-B001	ITS Equipment Cabinet Modifications
3	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
24	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
2	Each	907-639-E006	Camera Pole with Foundation, 80' Pole
6	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
14	Each	907-642-B002	Solid State Traffic Actuated Controller Modification, Per Plans
38	Each	907-647-A001	Pullbox, Aerial Supported
2	Each	907-648-D003	Radio Interconnect, Broadband, Long Range
68	Each	907-650-A002	On Street Video Equipment, Fixed Type
30	Each	907-650-A003	On Street Video Equipment, PTZ Type
2	Each	907-650-A003	On Street Video Equipment, PTZ Type HD
5	Each	907-655-A001	Highway Advisory Radio System
14	Each	907-655-B001	Highway Advisory Radio Flashing Beacon
1	Lump Sum	907-655-C001	Highway Advisory Radio System Software and Server
2	Each	907-656-A001	Dynamic Message Sign, Type 1
5	Each	907-656-A002	Dynamic Message Sign, Type 2
3	Each	907-656-A004	Dynamic Message Sign, Type 3
197,160	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
25,205	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM Aerial Supported
26,045	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
63	Each	907-658-A005	Network Switch, Type A
12	Each	907-658-A006	Network Switch, Type B
2	Each	907-658-A007	Network Switch, Type C
1	Each	907-658-A009	Network Switch, Type E
34	Each	907-658-B001	Terminal Server
5,920	Linear Feet	907-658-C001	Category 6 Cable, Installed in Conduit
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training

2	Each	907-660-B002	Communications Hut
3	Each	907-661-D001	Rest Area Video Kiosk
2	Each	907-662-A002	Video Encoder
1	Lump Sum	907-663-A001	Central Management Signal Control Software
2	Each	907-664-A002	Roadway Weather Information System
2	Each	907-664-B003	FOG AHEAD Sign with Flashing Beacons
21	Each	907-666-F001	Ground Mounted Transformer Enclosure
12,895	Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
106,930	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
42,120	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
1,080	Linear Feet	907-668-E004	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 4 @ 2"
125	Linear Feet	907-668-E005	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 5 @ 2"
7,760	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2"
26,065	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
2,320	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 3 @ 2"
150	Linear Feet	907-668-F004	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 5 @ 2"
420	Linear Feet	907-668-G001	Traffic Signal Conduit Bank, Aerial Supported, Type I, 3 @ 2"
26,035	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @ 2"
32	Each	907-670-A001	ITS Radar Detection System
2,245	Linear Feet	907-670-B001	ITS RDS Comm Cable
22	Each	907-697-A001	Bluetooth Detection System, Type A
22	Each	907-697-C001	Bluetooth Detection System Server Licensing

ALTERNATE GROUP AA NUMBER 1

1,719	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

1,719	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,719	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

CALL No. 03

Construction necessary to create a Railroad Overpass on US 49E at Bee Lake, known as Federal Aid Project No. STP-0008-04(046) / 102127301 in Holmes County.

PROJECT COMPLETION: 304 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,362	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
7	Meter	202-B107	Removal of Pipe (All Sizes)
13,376	Cubic Meter	203-G004	Excess Excavation (LVM) (AH)
469	Cubic Meter	206-A001	Structure Excavation
11,143	Cubic Meter	211-B001	Topsoil for Slope Treatment(Contractor Furnished) (LVM)
3	Metric Ton	213-B001	Combination Fertilizer (13-13-13)
11	Metric Ton	213-C001	Superphosphate
8	thousand liter	219-A001	Watering
6	Hectare	220-A001	Insect Pest Control
91	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
1,720	Square Meter	224-A001	Soil Reinforcing Mat
1,482	Bale	235-A001	Temporary Erosion Checks
2,290	Liter	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
57	Meter	501-E001	Expansion Joints (Without Dowels)
341	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
16	Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
31	Meter	603-C-A004	750-mm Reinforced Concrete Pipe, Class III
112	Meter	603-C-A005	900-mm Reinforced Concrete Pipe, Class III
2	Each	603-C-B002	600-mm Reinforced Concrete End Section
2	Each	603-C-B003	750-mm Reinforced Concrete End Section
2	Each	603-C-B004	900-mm Reinforced Concrete End Section
275	Meter	606-B001	Guard Rail (Class A, Type 1)
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
75	Meter	609-D003	Combination Concrete Curb and Gutter Type 3
24	Meter	615-A016	Concrete Bridge End Barrier, 850-mm

21	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
22	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
95	Meter	619-G4001	Barricades (Type III) (Single Faced)
29	Meter	619-G4005	Barricades (Type III) (Double Faced)
116	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
9	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
59	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
40	Meter	630-C003	Steel U-Section Posts (4.46 kg/m)
44	Each	630-F001	Delineators (Guard Rail)(White)
8	Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
1	Lump Sum	907-201-A001	Clearing and Grubbing
304,381	Cubic Meter	907-203-EX012	Borrow Excavation (AH)(LVM) (Class B9)
738	Square Meter	907-216-A001	Solid Sodding
750	Square Meter	907-217-A001	Ditch Liner
4	Hectare	907-223-A001	Mowing
9	Hectare	907-225-A001	Grassing
41	Metric Ton	907-225-C001	Mulch, Vegetative Mulch
9	Hectare	907-226-A002	Temporary Grassing
2,010	Meter	907-234-A002	Temporary Silt Fence
4,920	Meter	907-234-C002	Super Silt Fence
3,000	Meter	907-237-A002	Wattles, 500-mm
90	Meter	907-245-A001	Triangular Silt Dike
1,500	Meter	907-246-B001	Rockbags
2,904	Metric Ton	907-304-B002	Granular Material (Class 5, Group E)
2,060	Metric Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,177	Metric Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
1,480	Metric Ton	907-403-B021	19-mm, HT, Asphalt Pavement, Leveling
170	Metric Ton	907-403-C009	19-mm, MT, Asphalt Pavement, Trench Widening
6,000	Liter	907-407-A001	Asphalt for Tack Coat

20	Meter	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavment
3	Kilometer	907-423-A001	Rumble Strips (Ground In)
331	Square Meter	907-501-K001	Transverse Grooving
1	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
17	Meter	907-603-ALT13	900-mm Type A Alternate Pipe
8	Each	907-606-E001	Guard Rail, Terminal End Section
21	Each	907-617-A003	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,300	Meter	907-619-A2001	Temporary Traffic Stripe (Continuous Yellow) (Paint)
2,050	Meter	907-619-A4006	Temporary Traffic Stripe, Skip Yellow
178	Meter	907-626-AA006	150-mm Thermoplastic Double Drop Traffic Stripe (Skip White)(2.25-mm min.)
4,202	Meter	907-626-CC005	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min)
1,830	Meter	907-626-DD004	150-mm Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,087	Meter	907-626-EE005	150-mm Thermoplastic Double Drop Traffic Stripe, Continuous Yellow, 2.25-mm min
404	Meter	907-626-GG009	Thermoplastic Double Drop Detail Stripe, White
136	Meter	907-626-GG010	Thermoplastic Double Drop Detail Stripe, Yellow
88	Meter	907-626-U001	High Performance Thermoplastic Legend)(White)(3.00-mm min.)
60	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
140	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-699-A001	Roadway Construction Stakes
1	Lump Sum	907-899-A001	Railway Highway Provisions
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

220	Metric Ton	907-308-A001	Portland Cement
20,234	Square Meter	907-308-B003	Soil-Cement-Water Mixing, (Optional Mixers)
22,902	Liter	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP AA NUMBER 2

20,234	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
178	Metric Ton	907-311-B001	Lime
710	Metric Ton	907-311-C001	Fly Ash (Class C)

22,902	Liter	907-311-S001	Bituminous Curing Seal
--------	-------	--------------	------------------------

ALTERNATE GROUP BB NUMBER 1

1,830	Meter	907-626-K003	150-mm Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
-------	-------	--------------	---

404	Meter	907-626-M003	Inverted Profile Thermoplastic Detail Traffic Stripe (150-mm Equivalent Length)(White)
-----	-------	--------------	--

4,202	Meter	907-626-M004	Inverted Profile Thermoplastic Detail Traffic Stripe (150-mm Equivalent Length)(Yellow)
-------	-------	--------------	---

ALTERNATE GROUP BB NUMBER 2

404	Meter	907-628-BB002	150-mm Cold Plastic Traffic Stripe, Continuous White
-----	-------	---------------	--

1,830	Meter	907-628-DD002	150-mm Cold Plastic Traffic Stripe, Skip Yellow
-------	-------	---------------	---

4,202	Meter	907-628-EE001	150-mm Cold Plastic Traffic Stripe (Continuous Yellow)
-------	-------	---------------	--

Bridge Items

289,815	Kilogram	805-A001	Reinforcement
---------	----------	----------	---------------

803	Meter	813-A005	Concrete Railing (815-mm)
-----	-------	----------	---------------------------

231	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
-----	------------	----------	-----------------------------

235	Cubic Meter	815-D001	Concrete Slope Paving
-----	-------------	----------	-----------------------

4,800	Square Meter	907-501-K001	Transverse Grooving
-------	--------------	--------------	---------------------

2	Each	907-803-B002	Conventional Static Pile Load Test
---	------	--------------	------------------------------------

480	Meter	907-803-C001	350-mm x 350-mm Prestressed Concrete Piling
-----	-------	--------------	---

782	Meter	907-803-C002	400-mm x 400-mm Prestressed Concrete Piling
-----	-------	--------------	---

4	Each	907-803-I001	PDA Test Pile
---	------	--------------	---------------

4	Each	907-803-J001	Pile Restrike
---	------	--------------	---------------

351	Meter	907-803-M004	Drilled Shaft (1500-mm Diameter)
-----	-------	--------------	----------------------------------

291	Meter	907-803-M010	Drilled Shaft (1675-mm Diameter)
-----	-------	--------------	----------------------------------

1	Each	907-803-N004	Test Shafts (1500-mm Diameter)
---	------	--------------	--------------------------------

1	Each	907-803-N013	Test Shafts (1675-mm Diameter)
---	------	--------------	--------------------------------

24	Meter	907-803-O004	Trial Shafts (1500-mm Diameter)
----	-------	--------------	---------------------------------

25	Meter	907-803-O013	Trial Shafts (1675-mm Diameter)
----	-------	--------------	---------------------------------

45	Meter	907-803-P001	Exploration
----	-------	--------------	-------------

36	Meter	907-803-R003	Permanent Casing (1500-mm Diameter)
----	-------	--------------	-------------------------------------

118	Meter	907-803-R007	Temporary Casing (1500-mm Diameter)
-----	-------	--------------	-------------------------------------

145	Meter	907-803-R022	Permanent Casing (1675-mm Diameter)
-----	-------	--------------	-------------------------------------

2,591	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
1,077	Meter	907-804-C001	30-m Prestressed Concrete Beams, Type IV
279	Meter	907-804-C014	40-m Prestressed Concrete Beams, Type BT-1830
518	Meter	907-804-C030	29-m Prestressed Concrete Beams, Type IV
554	Meter	907-804-C058	31-m Prestressed Concrete Beams, Type IV
984	Square Meter	907-815-E001	Geotextile Fabric under Riprap

CALL No. 04

Installation of Fiber Optic Cable, Signal Controller, and Software, known as Federal Aid Project No. CM-0017-00(041) / 106852301 in Desoto County.

PROJECT COMPLETION: JUNE 15, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Base Bid Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Each	202-B090	Removal of Terminal End Section
22	Each	202-B247	Removal of Pull Box
447	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
63	Thousand Gallon	219-A001	Watering
4,320	Linear Feet	234-A001	Temporary Silt Fence
93	Pounds	602-A001	Reinforcing Steel
1,441	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
5	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
352	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,150	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,044	Linear Feet	619-G4001	Barricades, Type III, Single Faced
44	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
228	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
140	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
135	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
43	Each	630-F001	Delineators, Guard Rail, White
159	Each	647-A003	Pullbox, Type 4
187	Each	647-A004	Pullbox, Type 5
157	Each	647-A005	Pullbox, Type 2
7,620	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
9,205	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
4,970	Linear Feet	666-B042	Electric Cable, Underground in Conduit, THHN, AWG #1, 4 Conductor

1,915	Linear Feet	666-B046	Electric Cable, Underground in Conduit, THHN, AWG #4, 4 Conductor
2,160	Linear Feet	666-B052	Electric Cable, Underground in Conduit, THHN, AWG #6, 4 Conductor
2,800	Linear Feet	666-B058	Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor
3,170	Square Yard	907-216-A001	Solid Sodding
8	Acre	907-225-A001	Grassing
26	Ton	907-225-B001	Agricultural Limestone
16	Ton	907-225-C001	Mulch, Vegetative Mulch
3,456	Linear Feet	907-237-A002	Wattles, 12"
864	Each	907-246-A002	Sandbags
54	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
143	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
134	Gallon	907-407-A001	Asphalt for Tack Coat
3	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
1	Lump Sum	907-630-M003	Pedestal Sign Support, Assembly No 5, Contractor Designed
1	Each	907-630-O003	Remove and Reset Sign, All Sizes
1	Lump Sum	907-630-Q004	Post Sign Support, Assembly No. 8, Contractor Designed
1	Lump Sum	907-630-Q005	Post Sign Support, Assembly No. 6, Contractor Designed
1	Lump Sum	907-630-Q006	Post Sign Support, Assembly No. 7, Contractor Designed
1	Lump Sum	907-630-Q007	Post Sign Support, Assembly No. 9, Contractor Designed
52	Each	907-637-A001	Equipment Cabinet, Type B
3	Each	907-637-A002	Equipment Cabinet, Type C
64	Each	907-637-B001	ITS Equipment Cabinet Modifications
18	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
1	Each	907-639-B002	Traffic Signal Equipment Lateral Ext., video camera mount
26	Each	907-639-E001	Camera Pole with Foundation, 50' Pole

1	Each	907-639-E006	Camera Pole with Foundation, 80' Pole
24	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
52	Each	907-642-B002	Solid State Traffic Actuated Controller Modification, Per Plans
18	Each	907-648-D002	Radio Interconnect, Broadband, Short Range
104	Each	907-650-A002	On Street Video Equipment, Fixed Type
44	Each	907-650-A003	On Street Video Equipment, PTZ Type
4	Each	907-656-A001	Dynamic Message Sign, Type 1
1	Each	907-656-A002	Dynamic Message Sign, Type 2
4	Each	907-656-A004	Dynamic Message Sign, Type 3
273,930	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
31,640	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
116	Each	907-658-A005	Network Switch, Type A
16	Each	907-658-A006	Network Switch, Type B
1	Each	907-658-A007	Network Switch, Type C
2	Each	907-658-A009	Network Switch, Type E
37	Each	907-658-B001	Terminal Server
6,765	Linear Feet	907-658-C001	Category 6 Cable, Installed in Conduit
3	Each	907-658-D001	Cellular Modem
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
2	Each	907-660-A001	OTN Node
1	Each	907-660-B001	OTN Node Communications Hut
1	Lump Sum	907-660-C001	OTN Node Training
2	Each	907-661-D001	Rest Area Video Kiosk
16	Each	907-662-A002	Video Encoder
1	Lump Sum	907-663-A001	Central Management Signal Control Software
3	Each	907-666-F001	Ground Mounted Transformer Enclosure
16	Each	907-666-F002	Ground Mounted Meter Enclosure
7,685	Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"

101,250	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
12,615	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
520	Linear Feet	907-668-E004	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 4 @ 2"
10,275	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2"
58,045	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
4,200	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 3 @ 2"
310	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @ 2"
41	Each	907-670-A001	ITS Radar Detection System
3	Each	907-674-A001	Travel Time Sign
1	Lump Sum	907-674-B001	Travel Time Sign Training
44	Each	907-697-A001	Bluetooth Detection System, Type A
44	Each	907-697-C001	Bluetooth Detection System Server Licensing
1	Lump Sum	907-699-A002	Roadway Construction Stakes
1	Lump Sum	907-899-A001	Railway-Highway Provisions
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1-Base Bid

304	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 2-Base Bid

304	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

ALTERNATE GROUP AA NUMBER 3-Base Bid

304	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

Add Option 1 Items

78	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
150	Linear Feet	234-A001	Temporary Silt Fence
235	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
36	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
60	Linear Feet	619-G4001	Barricades, Type III, Single Faced
3	Each	619-G7001	Warning Lights, Type "B"

1	Lump Sum	620-A001	Mobilization
7	Each	630-F001	Delineators, Guard Rail, White
9	Each	647-A003	Pullbox, Type 4
10	Each	647-A004	Pullbox, Type 5
5	Each	647-A005	Pullbox, Type 2
665	Linear Feet	666-B046	Electric Cable, Underground in Conduit, THHN, AWG #4, 4 Conductor
1,225	Linear Feet	666-B058	Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor
1	Acre	907-225-A001	Grassing
1	Ton	907-225-B001	Agricultural Limestone
1	Ton	907-225-C001	Mulch, Vegetative Mulch
120	Linear Feet	907-237-A002	Wattles, 12"
30	Each	907-246-A002	Sandbags
10	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
25	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
24	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-630-M015	Pedestal Sign Support, Assembly No 10, Contractor Designed
1	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
2	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Each	907-656-A002	Dynamic Message Sign, Type 2
13,250	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
30	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
1	Each	907-658-A005	Network Switch, Type A
1	Each	907-658-A006	Network Switch, Type B
1	Each	907-658-B001	Terminal Server
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1	Each	907-666-F002	Ground Mounted Meter Enclosure

11,145	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
1,120	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
200	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2"
765	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
1	Each	907-670-A001	ITS Radar Detection System
1	Each	907-697-A001	Bluetooth Detection System, Type A
1	Each	907-697-C001	Bluetooth Detection System Server Licensing
ALTERNATE GROUP BB NUMBER 1-Add Option 1			
43	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP BB NUMBER 2-Add Option 1			
43	Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 3-Add Option 1			
43	Ton	907-304-F002	Size 610 Crushed Stone Base
Add Option 2 Items			
60	Linear Feet	234-A001	Temporary Silt Fence
1	Lump Sum	620-A001	Mobilization
1	Each	647-A003	Pullbox, Type 4
2	Each	647-A005	Pullbox, Type 2
15	Linear Feet	666-B052	Electric Cable, Underground in Conduit, THHN, AWG #6, 4 Conductor
48	Linear Feet	907-237-A002	Wattles, 12"
12	Each	907-246-A002	Sandbags
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-630-Q008	Post Sign Support, Assembly No. 11, Contractor Designed
1	Each	907-656-A004	Dynamic Message Sign, Type 3
15	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
1	Each	907-658-A005	Network Switch, Type A
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1	Each	907-666-F002	Ground Mounted Meter Enclosure
-100	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"

100 Linear Feet

907-668-E003 Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"

CALL No. 05

I-20/SR 15 Interchange Lighting, known as Federal Aid Project No. STP-0020-02(090) / 107007301 in Newton County.

PROJECT COMPLETION: AUGUST 24, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

24	Square Yard	202-B025	Removal of Concrete Paved Ditch
10	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
100	Linear Feet	234-A001	Temporary Silt Fence
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
224	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1,120	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
3,480	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
4,200	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
200	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
430	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
9	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
1	Each	683-D001	Portable Electric Power Units
9	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
28	Cubic Yard	684-A005	Pole Foundation, 42" Diameter
38	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
22	Linear Feet	684-B004	Slip Casing, 36" Diameter
22	Linear Feet	684-B005	Slip Casing, 42" Diameter
11	Linear Feet	684-B007	Slip Casing, 30" Diameter
100	Linear Feet	907-237-A003	Wattles, 20"
100	Each	907-246-B002	Rockbags
1	Lump Sum	907-618-A001	Maintenance of Traffic
23	Each	907-682-E001	Underground Junction Box With Concrete Pad

2	Each	907-683-A002	Lighting Assembly, High Mast, LED, Type 100-4-S
2	Each	907-683-A003	Lighting Assembly, High Mast, LED, Type 120-4-S
2	Each	907-683-A004	Lighting Assembly, High Mast, LED, Type 120-4-A
23	Each	907-683-B016	Lighting Assembly, Low Mast, LED, Type 40-1-15-284

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR