


Proposal & Plan Sales Will Begin on November 2, 2015



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For November - November 24, 2015



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR NOVEMBER - Tuesday, November 24, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 2, 2015

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
01	HSIP-0021-01(061)/106779302	DESOTO
02	STP-0002-05(072) / 107174301	MONROE
03	EXB-2902-00(011) / 102533301	CLARKE

CALL No. 01

Work necessary for Intersection Improvements on SR 302 from I-55 to Marshall County Line, known as Federal Aid Project No. HSIP-0021-01(061) / 106779302 in Desoto County.

PROJECT COMPLETION: NOVEMBER 30, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
24	Square Yard	202-B025	Removal of Concrete Paved Ditch
5	Each	202-B057	Removal of Inlets, All Sizes
38	Square Feet	202-B059	Removal of Legend, All Types
84	Linear Feet	202-B064	Removal of Pipe, 8" And Above
75	Linear Feet	202-B076	Removal of Traffic Stripe
3,604	Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,952	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
32	Each	202-B107	Removal of Sign, Ground Mounted with Posts
1	Each	202-B170	Removal of Concrete Junction Box, Manhole and Inlet, All Sizes
873	Square Yard	202-B216	Removal of Island Pavement, All Types
3	Each	202-B218	Removal of Inlet Tops
1	Each	202-B219	Removal of and Replacement of SS-2 Inlet Top
989	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
2,737	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
21	Cubic Yard	206-A001	Structure Excavation
100	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
3,891	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
13,295	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-C001	Superphosphate
105	Square Yard	217-A001	Ditch Liner
266	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control

27	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4,640	Linear Feet	234-A001	Temporary Silt Fence
2,614	Linear Feet	503-C005	Saw Cut, 8-inch
1,780	Linear Feet	503-C007	Saw Cut, Full Depth
3,970	Pounds	602-A001	Reinforcing Steel
128	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
395	Pounds	604-A001	Castings
1,135	Pounds	604-B001	Gratings
331	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
3,906	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
617	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
9,851	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
20,672	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,183	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
558	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
128	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
784	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
502	Linear Feet	619-G4005	Barricades, Type III, Double Faced
400	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
409	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
311	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
40	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
239	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
196	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
423	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
346	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
32	Each	640-A016	Traffic Signal Heads, Type 1 LED

4	Each	640-A017	Traffic Signal Heads, Type 2 LED
2	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
10	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
4	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
12	Each	644-A001	Optical Detector
3	Each	644-C002	Phase Selector, 4 Channel
1	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
6	Each	647-A001	Pullbox, Type 1
6	Each	647-A002	Pullbox, Type 3
1	Each	647-A003	Pullbox, Type 4
2	Each	647-A004	Pullbox, Type 5
19	Each	647-A005	Pullbox, Type 2
4,506	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3 Conductor
2,952	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
4,255	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
2,111	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
906	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
255	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
1,873	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
3	Ton	815-A006	Loose Riprap, Size 100
64	Square Yard	815-E001	Geotextile under Riprap
13,295	Square Yard	907-216-A001	Solid Sodding
2	Acre	907-226-A001	Temporary Grassing
6	Each	907-234-D001	Inlet Siltation Guard
1,122	Linear Feet	907-237-A003	Wattles, 20"
100	Each	907-246-A002	Sandbags
20	Ton	907-249-A001	Riprap for Erosion Control
1,147	Ton	907-304-B009	Granular Material, Class 3, Group D
295	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
113	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement

751	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
2,287	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
418	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
24,268	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
1,909	Gallon	907-407-A001	Asphalt for Tack Coat
31	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
5,536	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,333	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
15,304	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,582	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,407	Linear Feet	907-626-H004	Thermoplastic Legend, White
734	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
2	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
2	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
2	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
3	Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
1	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
2	Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
2	Each	907-639-A202	Traffic Signal Equipment Pole, Type II, 17' Shaft, 85' Arm
33	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
15	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
4	Each	907-641-C001	Signal Radar Detection System
1	Lump Sum	907-641-D001	Signal Radar Detection Training
1	Each	907-642-C001	GPS Clock System
2,974	Linear Feet	907-644-B001	Optical Detector Cable
12	Each	907-644-D001	Confirmation Light

6	Each	907-644-E001	Rotating Beacon
4	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
4	Each	907-654-A001	Battery Back-up System
149	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2"
204	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
1	Lump Sum	907-699-A002	Roadway Construction Stakes
25	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

1,737	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,737	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,737	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

CALL No. 02

Mill & Overlay approximately 13 miles of US 45 from Lowndes County Line to just north of SR 25, known as Federal Aid Project No. STP-0002-05(072) / 107174301 in Monroe County.

PROJECT COMPLETION: 136 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

247	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
10,688	Linear Feet	202-B076	Removal of Traffic Stripe
150	Cubic Yard	203-G003	Excess Excavation, FM, AH
43	Mile	423-A001	Rumble Strips, Ground In
37	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
41	Mile	619-A3006	Temporary Traffic Stripe, Skip White
143,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,220	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
519	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
286	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,110	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
120	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16,600	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
57,000	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
51,150	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
467,500	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
212	Square Yard	907-406-E001	Fine Milling of Concrete Pavement, All Depths
23,500	Gallon	907-407-A001	Asphalt for Tack Coat
1,700	Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
1,500	Cubic Yard	907-410-C007	Seal Aggregate Cover Material, Size 89, Limestone
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
24	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

21 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
18 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
46,950 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
38,270 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,432 Linear Feet	907-626-H004	Thermoplastic Legend, White
260 Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

5,391 Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,670 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
4,670 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

5,391 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,670 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,670 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 03

Replacing Bridges #135.8 & #136.2 at Souinlovey Creek, known as State Project No. EXB-2902-00(011) / 102533301 in Clarke County.

PROJECT COMPLETION: 189 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
9,574	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
900	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
24	Linear Feet	202-B064	Removal of Pipe, 8" And Above
21,262	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
22,288	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
8,867	Cubic Yard	203-F002	Channel Excavation, LVM
6,013	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
12,245	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
12	Ton	213-C001	Superphosphate
507	Square Yard	217-A001	Ditch Liner
4	Thousand Gallon	219-A001	Watering
12	Acre	220-A001	Insect Pest Control
23	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
23	Acre	223-A001	Mowing
356	Square Yard	224-A001	Soil Reinforcing Mat
1,350	Linear Feet	234-A001	Temporary Silt Fence
100	Bale	235-A001	Temporary Erosion Checks
7	Each	236-A004	Silt Basin, Type D
2	Mile	423-A001	Rumble Strips, Ground In
147	Linear Feet	501-E001	Expansion Joints, Without Dowels
319	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
850	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I

8	Each	606-E002	Guard Rail, Terminal End Section, Flared
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
268	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
141	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
50	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
57	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
132	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
52	Each	630-F001	Delineators, Guard Rail, White
5,345	Ton	815-A009	Loose Riprap, Size 300
5,334	Square Yard	815-E001	Geotextile under Riprap
173	Square Yard	907-216-A001	Solid Sodding
23	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
46	Ton	907-225-C001	Mulch, Vegetative Mulch
23	Acre	907-226-A001	Temporary Grassing
2,550	Linear Feet	907-234-C002	Super Silt Fence
100	Linear Feet	907-234-F001	Turbidity Barrier
500	Linear Feet	907-237-A003	Wattles, 20"
280	Each	907-246-B002	Rockbags
35	Ton	907-249-A001	Riprap for Erosion Control
1,083	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,167	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
1,348	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
19	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening

1,067	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
1,637	Gallon	907-407-A001	Asphalt for Tack Coat
112	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
144	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
24	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Each	907-622-A001	Engineer's Field Office Building, Type 2
8,100	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,020	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,020	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1	Lump Sum	907-699-A002	Roadway Construction Stakes
187	Ton	907-815-F001	Sediment Control Stone
ALTERNATE GROUP AA NUMBER 1			
5,320	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
5,320	Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
5,320	Ton	907-304-F002	Size 610 Crushed Stone Base
Bridge Items			
2,993	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
4,425	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,330	Linear Feet	803-D007	HP 14 x 89 Steel Piling
931	Linear Feet	803-F009	20" Pre-Formed Pile Hole
8	Each	803-I001	PDA Test Pile
4	Each	803-J001	Pile Restrike
241,465	Pounds	805-A001	Reinforcement
1,802	Linear Feet	813-A002	Concrete Railing, 32"
2,694	Ton	815-A009	Loose Riprap, Size 300
3,070	Square Yard	815-E001	Geotextile under Riprap

1,298	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
689	Linear Feet	907-804-C014	138' Prestressed Concrete Beam, Type BT-72
2,949	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
798	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR