


**Proposal & Plan Sales Will Begin on January 4, 2016**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For January - January 26, 2016**



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JANUARY - Tuesday, January 26, 2016

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 4, 2016

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, January 26, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	NH-0010-01(136)/101204303	JACKSON
02	STP-0014-01(063)/107182301	PIKE
* 03	NH-0014-03(070)/107189301	FORREST
04	IM-0059-03(092)/106188301	LAUDERDALE
05	EXB-0070-02(013)/102624301 & EXB-0070-02(014)/102624302 & BR-0070-02(011) / 102625301 & EXB-0070-01(006)/102733308 & EXB-0070-03(014)/103164302	QUITMAN, COAHOMA, QUITMAN, PANOLA
06	STP-1681-00(018)/107207301	MADISON
07	SP-0019-02(054) / 102168302 & MDA-0019-02(053) / 102168303	LAFAYETTE
* 08	SP-0023-02(057)/107017301	LEAKE
09	EXB-0011-03(068) / 107139302	LOWNDES
10	EXB-0037-04(040) / 107139307	MADISON
11	EXB-0051-02(021) / 102383301	TALLAHATCHIE
12	EXB-0068-01(008) / 107139303	LOWNDES
13	EXB-0072-05(004) / 107139306	PANOLA
14	EXB-0858-00(015) / 107139308	PONTOTOC



CALL No. 01

Construction Necessary to Widen I-10 from SR 609 to SR 57, known as Federal Aid Project No. NH-0010-01(136) / 101204303 in Jackson County.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1 Lump Sum	201-A001	Clearing and Grubbing
400 Linear Feet	202-B038	Removal of Curb, All Types
33 Each	202-B042	Removal of Flared End Section, All Sizes
164,000 Linear Feet	202-B076	Removal of Traffic Stripe
2,840 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
65 Each	202-B107	Removal of Sign, Ground Mounted with Posts
36,743 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
97,971 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
222 Cubic Yard	206-A001	Structure Excavation
29 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
548,220 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
57 Ton	213-C001	Superphosphate
9 Thousand Gallon	219-A001	Watering
57 Acre	220-A001	Insect Pest Control
2 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
113 Acre	223-A001	Mowing
152,470 Linear Feet	234-A001	Temporary Silt Fence
560 Bale	235-A001	Temporary Erosion Checks
122,673 Square Yard	409-A002	Geotextile Fabric For Underseal, Type V
16 Mile	423-A001	Rumble Strips, Ground In
228 Linear Feet	501-D001	Expansion Joints, With Dowels
351 Linear Feet	501-E001	Expansion Joints, Without Dowels
854 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
11,158 Pounds	602-A001	Reinforcing Steel

32 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
52 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
72 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
36 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
56 Linear Feet	603-CA092	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
12 Linear Feet	603-CA094	54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2 Each	603-CB002	24" Reinforced Concrete End Section
8 Each	603-CB003	30" Reinforced Concrete End Section
3 Each	603-CB004	36" Reinforced Concrete End Section
5 Each	603-CB005	42" Reinforced Concrete End Section
1 Each	603-CB007	54" Reinforced Concrete End Section
24 Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
32 Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
32 Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
88 Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
20 Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
2 Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2 Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
7 Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2 Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
500 Pounds	604-B001	Gratings
2,475 Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
12 Each	606-D012	Guard Rail, Bridge End Section, Type I
12 Each	606-E001	Guard Rail, Terminal End Section
400 Linear Feet	609-B001	Concrete Curb, Header
220 Linear Feet	615-A002	Concrete Type III Cast-in-Place Median Barrier
62 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
62 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
63 Mile	619-A3006	Temporary Traffic Stripe, Skip White

17,608	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,462	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
139	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,048	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
21,200	Linear Feet	619-F1001	Concrete Median Barrier, Precast
63,600	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
42	Each	619-F3003	Delineators, Guard Rail, Yellow
42	Each	619-F3004	Delineators, Guard Rail, White
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
8	Each	619-G7001	Warning Lights, Type "B"
4	Unit	619-J1002	Impact Attenuator, 50 MPH
2	Unit	619-J2004	Impact Attenuator, 50 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
2,888	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
154	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
540	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,208	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
488	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
767	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
28	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
506	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,627	Square Yard	815-E001	Geotextile under Riprap
452	Square Yard	907-216-A001	Solid Sodding
113	Acre	907-225-A001	Grassing
339	Ton	907-225-B001	Agricultural Limestone
226	Ton	907-225-C001	Mulch, Vegetative Mulch
113	Acre	907-226-A001	Temporary Grassing
874	Linear Feet	907-234-C002	Super Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard

2,265	Linear Feet	907-237-A003	Wattles, 20"
1,040	Linear Feet	907-245-A001	Triangular Silt Dike
5,200	Linear Feet	907-246-A001	Sandbags
1,179	Ton	907-249-A001	Riprap for Erosion Control
125	Cubic Yard	907-249-B001	Remove and Reset Riprap
500	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
19,278	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
20,500	Gallon	907-402-B001	Bituminous Tack Coat
44	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
59	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
18,538	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
14,846	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
31,176	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
64,197	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
29,076	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
38,767	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
64	Mile	907-403-S004	Joint Sealant
139,805	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
2,089	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
150,157	Gallon	907-407-A001	Asphalt for Tack Coat
62	Cubic Yard	907-601-A001	Class "B" Structural Concrete
33	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
31	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
408	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
16	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,504	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
585	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow



115 Square Feet	907-626-H005	Thermoplastic Legend, White
1 Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1 Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1 Lump Sum	907-699-A002	Roadway Construction Stakes
1,040 Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

41,200 Ton	907-304-F002	Size 610 Crushed Stone Base
------------	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

41,200 Ton	907-304-F003	3/4" and Down Crushed Stone Base
------------	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

41,200 Ton	907-304-F004	Size 825B Crushed Stone Base
------------	--------------	------------------------------

**Bridge Items**

308 Square Yard	202-B036	Removal of Concrete Slope Paving
878 Square Yard	202-B122	Removal of Bridge Deck, Curb and Railing
24 Each	202-B273	Removal of Bridge Footing
247 Cubic Yard	801-A001	Foundation Excavation for Bridges
3 Each	803-B002	Conventional Static Pile Load Test
9,110 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,980 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,870 Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
715 Linear Feet	803-F009	20" Pre-Formed Pile Hole
10 Each	803-I001	PDA Test Pile
10 Each	803-J001	Pile Restrike
240 Linear Feet	803-N001	Exploration
360 Linear Feet	803-O008	Temporary Casing, 48" Diameter
404,020 Pounds	805-A001	Reinforcement
3,512 Linear Feet	813-A002	Concrete Railing, 32"
2,622 Ton	815-A009	Loose Riprap, Size 300
187 Cubic Yard	815-D001	Concrete Slope Paving
5,874 Square Yard	815-E001	Geotextile under Riprap

860	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
75	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
1,953	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,431	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
479	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,191	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
874	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
897	Linear Feet	907-804-C154	75' Prestressed Concrete Beam, Type III
1,420	Linear Feet	907-804-C268	89' Prestressed Concrete Beam, Type III
1	Lump Sum	907-824-PP093	Bridge Repair, Joint Repair, Per Plans

CALL No. 02

Mill and Overlay US 98 (Pressley Blvd.) approximately 4 miles from Railroad Bridge East to the end of the 5-Lane in McComb, known as Federal Aid Project No. STP-0014-01(063) / 107182301 in Pike County.

PROJECT COMPLETION: 46 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

400 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,380 Linear Feet	202-B076	Removal of Traffic Stripe
1 Mile	423-A001	Rumble Strips, Ground In
400 Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
11 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13 Mile	619-A3006	Temporary Traffic Stripe, Skip White
10 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,228 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,864 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,386 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
936 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,255 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36 Each	630-F001	Delineators, Guard Rail, White
644 Linear Feet	635-A001	Vehicle Loop Assemblies
159 Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
2,109 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
9,358 Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
122,698 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
10,563 Gallon	907-407-A001	Asphalt for Tack Coat
2,486 Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CQS-1H
1,734 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs

7 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,469 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,290 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,740 Linear Feet	907-626-H004	Thermoplastic Legend, White
2,386 Square Feet	907-626-H005	Thermoplastic Legend, White
5 Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers

CALL No. 03

Overlaying approximately 8 miles of US 98 from East of US 49 to the Perry County Line, known as Federal Aid Project No. NH-0014-03(070) / 107189301 in Forrest County.

PROJECT COMPLETION: 71 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

26 Mile	423-A001	Rumble Strips, Ground In
12 Each	606-E002	Guard Rail, Terminal End Section, Flared
28 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
24 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
29 Mile	619-A3006	Temporary Traffic Stripe, Skip White
3,800 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
180 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
120 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,530 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18 Each	630-F001	Delineators, Guard Rail, White
18 Each	630-F002	Delineators, Guard Rail, Yellow
19 Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
19 Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
11,500 Ton	907-304-F004	Size 825B Crushed Stone Base
7,000 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
10,000 Ton	907-403-B020	9.5-mm, HT, Asphalt Pavement, Leveling
19,800 Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
9,100 Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
12,900 Gallon	907-407-A001	Asphalt for Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
14 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9,000 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White

14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13,500	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
12	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
11,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,100	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
640	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 04

Mill and Overlay approximately 11 miles of I-59 from US 45 to Russell Intersection, known as Federal Aid Project No. IM-0059-03(092) / 106188301 in Lauderdale County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4 Acre	201-C001	Random Clearing and Grubbing
900 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,160 Linear Feet	202-B076	Removal of Traffic Stripe
400 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,775 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
122 Acre	223-A001	Mowing
1,600 Linear Feet	234-A001	Temporary Silt Fence
18 Mile	423-A001	Rumble Strips, Ground In
1,384 Linear Feet	503-C007	Saw Cut, Full Depth
27 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
26 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17 Mile	619-A3006	Temporary Traffic Stripe, Skip White
31,800 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
400 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
96 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
992 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72 Linear Feet	619-G4001	Barricades, Type III, Single Faced
1 Lump Sum	620-A001	Mobilization
1,740 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
25 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1 Each	630-F006	Delineators, Post Mounted, Single White
1 Each	630-F007	Delineators, Post Mounted, Single Yellow
1 Each	630-F008	Delineators, Post Mounted, Double White
100 Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
7,088 Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture

30,150	Gallon	907-402-B001	Bituminous Tack Coat
4,435	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
525	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
180	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
265	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
12,930	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
7,910	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
302,210	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
16,040	Gallon	907-407-A001	Asphalt for Tack Coat
27,775	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
11	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
975	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
13	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
15,550	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
400	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
<b>ALTERNATE GROUP AA NUMBER 1</b>			
400	Ton	907-304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
400	Ton	907-304-F003	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
400	Ton	907-304-F004	Size 825B Crushed Stone Base



CALL No. 05

Bridge Replacement of 11 Bridges on SR 6 between US 61 and the Panola County Line, & Bridge Repairs on SR 6 at the Tallahatchie River, known as Federal Aid Project No. BR-0070-02(011)/102625301 and State Project Nos. EXB-0070-02(013)/102624301, EXB-0070-02(014)/102624302, EXB-0070-01(006)/102733308, & EXB-0070-03(014)/103164302 in Quitman, Coahoma, & Panola Counties.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
6	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
39,878	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
17	Square Yard	202-B025	Removal of Concrete Paved Ditch
12,383	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
475	Linear Feet	202-B038	Removal of Curb, All Types
6,670	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
497	Linear Feet	202-B064	Removal of Pipe, 8" And Above
52	Each	202-B070	Removal of Sign Including Post & Footing
20,070	Linear Feet	202-B076	Removal of Traffic Stripe
50	Linear Feet	202-B103	Removal of Retaining Wall
12	Each	202-B111	Removal of Bridge Piling
1	Each	202-B189	Removal of Impact Attenuator
36,778	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
146,093	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
61,179	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,772	Cubic Yard	206-A001	Structure Excavation
156	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
26,129	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4,500	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
40	Ton	213-C001	Superphosphate
2,400	Square Yard	217-A001	Ditch Liner
11	Thousand Gallon	219-A001	Watering

40	Acre	220-A001	Insect Pest Control
57	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
103	Acre	223-A001	Mowing
25,300	Linear Feet	234-A001	Temporary Silt Fence
70	Bale	235-A001	Temporary Erosion Checks
14	Each	236-A004	Silt Basin, Type D
1,200	Linear Feet	239-A001	Temporary Slope Drains
7	Mile	423-A001	Rumble Strips, Ground In
1,706	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
616	Linear Feet	503-C007	Saw Cut, Full Depth
102,389	Pounds	602-A001	Reinforcing Steel
48	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
20	Each	603-CB001	18" Reinforced Concrete End Section
4	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
1,750	Linear Feet	606-B001	Guard Rail, Class A, Type 1
32	Each	606-D012	Guard Rail, Bridge End Section, Type I
31	Each	606-E002	Guard Rail, Terminal End Section, Flared
1	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
553	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
320	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
907	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15,169	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
32,370	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
14,865	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,313	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
645	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker

963 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,492 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
108 Each	619-F3004	Delineators, Guard Rail, White
978 Linear Feet	619-G4001	Barricades, Type III, Single Faced
132 Linear Feet	619-G4005	Barricades, Type III, Double Faced
555 Each	619-G5001	Free Standing Plastic Drums
57 Each	619-G7001	Warning Lights, Type "B"
36 Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
36 Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1 Lump Sum	620-A001	Mobilization
1 Each	621-A001	Field Laboratory
471 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
88 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
228 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
25 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
552 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
30 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
27 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
20 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
129 Each	630-F001	Delineators, Guard Rail, White
32 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
17 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
5,213 Ton	815-A009	Loose Riprap, Size 300
2,668 Square Yard	815-E001	Geotextile under Riprap
454 Square Yard	907-216-A001	Solid Sodding
108 Acre	907-225-A001	Grassing
40 Ton	907-225-B001	Agricultural Limestone
214 Ton	907-225-C001	Mulch, Vegetative Mulch
108 Acre	907-226-A001	Temporary Grassing
14,445 Linear Feet	907-234-C002	Super Silt Fence

2,425	Linear Feet	907-237-A003	Wattles, 20"
1,346	Linear Feet	907-245-A001	Triangular Silt Dike
1,346	Linear Feet	907-246-A001	Sandbags
3	Each	907-247-A001	Temporary Stream Diversion
476	Ton	907-249-A001	Riprap for Erosion Control
280	Cubic Yard	907-249-B001	Remove and Reset Riprap
1,527	Linear Feet	907-253-A001	Coir Fiber Baffle
45,851	Ton	907-304-B009	Granular Material, Class 3, Group D
75	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
99	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
8,464	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
6,730	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
8,209	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
15,374	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
7,919	Gallon	907-407-A001	Asphalt for Tack Coat
1,217	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
296	Cubic Yard	907-601-A001	Class "B" Structural Concrete
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,428	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
40	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
36	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
64	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
11,751	Linear Feet	907-618-E001	Detour Bridge Piling
1	Lump Sum	907-618-F003	Detour Bridge PDA Test Pile
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4,778	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,973	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White

832	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,349	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
422	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
572	Ton	907-815-F001	Sediment Control Stone

**ALTERNATE GROUP AA NUMBER 1**

10,422	Ton	907-304-F002	Size 610 Crushed Stone Base
--------	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

10,422	Ton	907-304-F003	3/4" and Down Crushed Stone Base
--------	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

10,422	Ton	907-304-F004	Size 825B Crushed Stone Base
--------	-----	--------------	------------------------------

**Bridge Items**

8,979	Square Yard	501-K001	Transverse Grooving
11	Each	803-B002	Conventional Static Pile Load Test
805	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
5,605	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,035	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
9,715	Linear Feet	803-D006	HP 14 x 117 Steel Piling
7,505	Linear Feet	803-D008	HP 16 x 121 Steel Piling
8	Each	803-I002	PDA Test Pile, Concrete Pile
15	Each	803-I003	PDA Test Pile, HP Steel Pile
4	Each	803-I004	PDA Test Pile, Steel Pipe Pile
22	Each	803-J001	Pile Restrike
721,289	Pounds	805-A001	Reinforcement
246,948	Pounds	810-A003	Structural Steel, A 709, Grade 50
4,065	Linear Feet	813-A002	Concrete Railing, 32"
7,617	Ton	815-A009	Loose Riprap, Size 300
6,879	Square Yard	815-E001	Geotextile under Riprap
825	Linear Feet	907-803-P002	30" Steel Pipe Piling, Wall Thickness 0.500"
825	Linear Feet	907-803-P003	24" Steel Pipe Piling, Wall Thickness 0.500"

6	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,194	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
2,702	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
809	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
8,274	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,076	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
1,318	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
509	Linear Feet	907-804-C172	85' Prestressed Concrete Beam, Type IV
1	Lump Sum	907-824-PP093	Bridge Repair, Remove & Replace Existing Timber Caps, Per Plan
1	Lump Sum	907-824-PP093	Bridge Repair, Repair Truss Members, Per Plans

CALL No. 06

Mill and Overlay approximately 6 miles of US 51 from North of Loring Road to Yazoo County Line, known as Federal Aid Project No. STP-1681-00(018) / 107207301 in Madison County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

120 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
120 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
950 Linear Feet	202-B076	Removal of Traffic Stripe
250 Cubic Yard	203-G004	Excess Excavation, LVM, AH
100 Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
11 Mile	423-A001	Rumble Strips, Ground In
360 Linear Feet	503-C007	Saw Cut, Full Depth
11 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
400 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
272 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
155 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
52 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
1 Lump Sum	620-A001	Mobilization
45 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
600 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,000 Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
10,200 Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
6,700 Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
63,500 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
3,200 Gallon	907-407-A001	Asphalt for Tack Coat
5,600 Linear Feet	907-413-D002	Cleaning and Filling Joints in PCC Pavement, 10" or Less
18,044 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement

1	Lump Sum	907-618-A001	Maintenance of Traffic
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
325	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
75	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
272	Linear Feet	907-626-H004	Thermoplastic Legend, White



Grade, Drain, and Bridge Construction on SR 7, known as State Project Nos. SP-0019-02(054) & MDA-0019-02(053) / 102168302 & 303 in Lafayette County.

PROJECT COMPLETION: 291 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1 Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
6,138 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B007	Removal of Box Bridge
944 Linear Feet	202-B064	Removal of Pipe, 8" And Above
5,212 Linear Feet	202-B076	Removal of Traffic Stripe
2,054 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
279 Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
107 Square Yard	202-B138	Removal of Riprap
4,817 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
66,399 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
9,871 Cubic Yard	203-F001	Channel Excavation, FM
1,029 Cubic Yard	206-A001	Structure Excavation
9,083 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4 Ton	213-C001	Superphosphate
1,227 Square Yard	217-A001	Ditch Liner
16 Thousand Gallon	219-A001	Watering
8 Acre	220-A001	Insect Pest Control
50 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
8 Acre	223-A001	Mowing
160 Square Yard	224-A001	Soil Reinforcing Mat
2,965 Linear Feet	234-A001	Temporary Silt Fence
2 Each	236-A004	Silt Basin, Type D
1,186 Linear Feet	239-A001	Temporary Slope Drains
1 Mile	423-A001	Rumble Strips, Ground In

225	Linear Feet	501-E001	Expansion Joints, Without Dowels
535	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
9,145	Pounds	602-A001	Reinforcing Steel
551	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
159	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
664	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
304	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
88	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
2	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
12	Each	603-CB004	36" Reinforced Concrete End Section
4	Each	603-CB008	60" Reinforced Concrete End Section
732	Pounds	604-A001	Castings
1,247	Pounds	604-B001	Gratings
500	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
425	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
2,901	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
1,026	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
735	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
148	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
395	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
14	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
11,060	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
1,471	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
13,956	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,471	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
270	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow

4,427	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
920	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
486	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
66	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
803	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
180	Linear Feet	619-F1001	Concrete Median Barrier, Precast
336	Linear Feet	619-G4001	Barricades, Type III, Single Faced
84	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
42	Linear Feet	619-G4005	Barricades, Type III, Double Faced
26	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
2	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
45	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
368	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
69	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
116	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
109	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
146	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
42	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
51	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
68	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
2	Each	647-A002	Pullbox, Type 3
1	Each	647-A005	Pullbox, Type 2

288	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
332	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
326	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
288	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
46	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
120	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,615	Ton	815-A009	Loose Riprap, Size 300
1,515	Square Yard	815-E001	Geotextile under Riprap
782	Square Yard	907-216-A001	Solid Sodding
10	Acre	907-225-A001	Grassing
21	Ton	907-225-B001	Agricultural Limestone
19	Ton	907-225-C001	Mulch, Vegetative Mulch
10	Acre	907-226-A001	Temporary Grassing
1	Each	907-234-D001	Inlet Siltation Guard
1	Each	907-234-E001	Reset Inlet Siltation Guard
1,655	Linear Feet	907-237-A003	Wattles, 20"
120	Linear Feet	907-245-A001	Triangular Silt Dike
1,146	Each	907-246-A002	Sandbags
500	Ton	907-249-A001	Riprap for Erosion Control
166	Cubic Yard	907-249-B001	Remove and Reset Riprap
405	Linear Feet	907-253-A001	Coir Fiber Baffle
4,350	Ton	907-304-B009	Granular Material, Class 3, Group D
2,277	Cubic Yard	907-304-C008	Granular Material, AEA, Class 9, Group B
5,319	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
72	Ton	907-307-D001	Lime
1,330	Gallon	907-307-S001	Bituminous Curing Seal
2,348	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,854	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,035	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
2,277	Ton	907-403-A024	19-mm, MT, Asphalt Pavement

3,155	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
2,777	Gallon	907-407-A001	Asphalt for Tack Coat
225	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
105	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
717	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
320	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
33	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
7,566	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,050	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
9,238	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,472	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,866	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,441	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
872	Linear Feet	907-626-H004	Thermoplastic Legend, White
375	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-639-A063	Traffic Signal Equipment Pole, Type 1, 30' Shaft
13	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1	Each	907-641-A002	Signal Stop Bar Radar Detection
1	Lump Sum	907-699-A002	Roadway Construction Stakes
132	Ton	907-815-F001	Sediment Control Stone

**ALTERNATE GROUP AA NUMBER 1**

3,900	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

3,900	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

**ALTERNATE GROUP AA NUMBER 3**

3,900	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

**ALTERNATE GROUP BB NUMBER 1**

92	Ton	907-308-A001	Portland Cement
4,073	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

5,319 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
2,348 Gallon	907-308-S001	Bituminous Curing Seal

**ALTERNATE GROUP BB NUMBER 2**

9,392 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
71 Ton	907-311-B001	Lime
284 Ton	907-311-C001	Fly Ash, Class C
2,348 Gallon	907-311-S001	Bituminous Curing Seal

**Bridge Items**

1,794 Square Yard	501-K001	Transverse Grooving
2 Each	803-B002	Conventional Static Pile Load Test
2,880 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,400 Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
5 Each	803-I002	PDA Test Pile, Concrete Pile
3 Each	803-J001	Pile Restrike
225 Linear Feet	803-N001	Exploration
345 Linear Feet	803-O004	Permanent Casing, 60" Diameter
330,591 Pounds	805-A001	Reinforcement
1,472 Linear Feet	813-A002	Concrete Railing, 32"
503 Linear Feet	813-E001	Concrete Pedestrian Sidewalk Railing
13,044 Ton	815-A009	Loose Riprap, Size 300
13,143 Square Yard	815-E001	Geotextile under Riprap
1,020 Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
155 Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
882 Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
897 Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
1,417 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,076 Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
537 Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
1,316 Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

CALL No. 08

Mill & Overlay approximately 10 miles of SR 35 from Scott County Line to Pleasant Hill Road, known as State Project No. SP-0023-02(057) / 107017301 in Leake County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,760	Linear Feet	202-B001	Removal of Asphalt Curb
4,000	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
13	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,100	Linear Feet	202-B076	Removal of Traffic Stripe
938	Linear Feet	202-B102	Removal of Guard Rail
250	Cubic Yard	203-G004	Excess Excavation, LVM, AH
50	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
14	Mile	423-A001	Rumble Strips, Ground In
16	Linear Feet	503-C007	Saw Cut, Full Depth
750	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
34	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
537	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
388	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
60	Each	619-F3004	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
720	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

8 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
5,725 Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
15,000 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
1,285 Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
450 Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
162,500 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
10,000 Gallon	907-407-A001	Asphalt for Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
17 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,800 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,300 Linear Feet	907-626-H004	Thermoplastic Legend, White
66 Square Feet	907-626-H005	Thermoplastic Legend, White



CALL No. 09

Bridge Repair on US 82 Luxapalila Creek Bridge No. 175.8, known as State Project No. EXB-0011-03(068) / 107139302 in Lowndes County

PROJECT COMPLETION: SEPTEMBER 22, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

46	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

**Bridge Items**

480	Linear Feet	808-A001	Joint Preparation
5,552	Ton	815-A009	Loose Riprap, Size 300
2,460	Square Yard	815-E001	Geotextile under Riprap
240	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
480	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-824-PP093	Bridge Repair, Repair Concrete Riser at Bent 4, Per Plans
1	Lump Sum	907-824-PP093	Bridge Repair, Repair concrete Riser at Bent 7, Per Plans
1	Lump Sum	907-824-PP093	Bridge Repair, Repair Concrete Riser at Bent 9, Per Plans
24	Each	907-824-PP095	Bridge Repair, Install Laminated Pad for 40' Beam, Per Plans
48	Each	907-824-PP095	Bridge Repair, Install Laminated Pad for 60' Beam, Per Plans
678	Linear Feet	907-824-PP097	Bridge Repair, Concrete Encasement for Piling at Bents 5 & 6 Beam, Per Plans
14	Cubic Feet	907-824-PP101	Bridge Repair, Repair Spalled Concrete with Epoxy Mortar, Per Plans

CALL No. 10

Bridge Repair on SR 43 Relief Bridge No. 184.7, known as State Project No. EXB-0037-04(040) / 107139307 in Madison County.

PROJECT COMPLETION: APRIL 27, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
128	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

**Bridge Items**

5	Each	907-824-PP095	Bridge Repair, Install Girder Support Plates (2) and Angles (2)
17	Each	907-824-PP095	Bridge Repair, Pressure Wash and Clean Bent
10,255	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structures
81	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair

Bridge Replacement on SR 32 between Webb & Charleston, known as State Project No. EXB-0051-02(021)/ 102383301 in Tallahatchie County.

PROJECT COMPLETION: 294 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
193	Linear Feet	202-B064	Removal of Pipe, 8" And Above
31	Each	202-B070	Removal of Sign Including Post & Footing
8,106	Linear Feet	202-B076	Removal of Traffic Stripe
22,225	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,870	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
47,719	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
460,495	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
25,386	Cubic Yard	203-G004	Excess Excavation, LVM, AH
630	Cubic Yard	206-A001	Structure Excavation
46	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
32,179	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
23	Ton	213-C001	Superphosphate
2,071	Square Yard	217-A001	Ditch Liner
7	Thousand Gallon	219-A001	Watering
23	Acre	220-A001	Insect Pest Control
38	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
92	Acre	223-A001	Mowing
3,935	Square Yard	224-A001	Soil Reinforcing Mat
20,000	Linear Feet	234-A001	Temporary Silt Fence
9	Each	236-A004	Silt Basin, Type D
921	Linear Feet	239-A001	Temporary Slope Drains
1,647	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1

4 Mile	423-A001	Rumble Strips, Ground In
859 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
42,983 Pounds	602-A001	Reinforcing Steel
272 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
232 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
6 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
4 Each	603-CB005	42" Reinforced Concrete End Section
1,700 Linear Feet	606-B001	Guard Rail, Class A, Type 1
16 Each	606-D012	Guard Rail, Bridge End Section, Type I
16 Each	606-E002	Guard Rail, Terminal End Section, Flared
555 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
80 Linear Feet	610-A001	Drainage Wicks
160 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
31,343 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
16,389 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
12,012 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5,241 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,482 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
250 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,086 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
348 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
120 Each	619-G5001	Free Standing Plastic Drums
6 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
259 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
104 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
62 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

390	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
72	Each	630-F001	Delineators, Guard Rail, White
1,164	Ton	815-A009	Loose Riprap, Size 300
203	Square Yard	815-E001	Geotextile under Riprap
16	Each	907-207-A001	Settlement Plate
374	Square Yard	907-216-A001	Solid Sodding
46	Acre	907-225-A001	Grassing
23	Ton	907-225-B001	Agricultural Limestone
92	Ton	907-225-C001	Mulch, Vegetative Mulch
46	Acre	907-226-A001	Temporary Grassing
1,200	Linear Feet	907-237-A003	Wattles, 20"
724	Linear Feet	907-245-A001	Triangular Silt Dike
1,447	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
724	Ton	907-249-A001	Riprap for Erosion Control
2	Each	907-252-A001	VW Piezometer
1,028	Linear Feet	907-253-A001	Coir Fiber Baffle
19,800	Ton	907-304-B009	Granular Material, Class 3, Group D
3,578	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
4,169	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
3,881	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
800	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
3,523	Gallon	907-407-A001	Asphalt for Tack Coat
391	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
848	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
168	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
24	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic

5 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,641 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
494 Linear Feet	907-626-H004	Thermoplastic Legend, White
1 Lump Sum	907-699-A002	Roadway Construction Stakes
387 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
175 Ton	907-815-F001	Sediment Control Stone
1 Lump Sum	907-899-A001	Railway-Highway Provisions

**ALTERNATE GROUP AA NUMBER 1**

13,200 Ton	907-304-F002	Size 610 Crushed Stone Base
------------	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

13,200 Ton	907-304-F003	3/4" and Down Crushed Stone Base
------------	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

13,200 Ton	907-304-F004	Size 825B Crushed Stone Base
------------	--------------	------------------------------

**Bridge Items**

3,385 Square Yard	501-K001	Transverse Grooving
4 Each	803-B002	Conventional Static Pile Load Test
1,280 Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
5,905 Linear Feet	803-D006	HP 14 x 117 Steel Piling
1,400 Linear Feet	803-D008	HP 16 x 121 Steel Piling
2 Each	803-I002	PDA Test Pile, Concrete Pile
9 Each	803-I003	PDA Test Pile, HP Steel Pile
2 Each	803-I004	PDA Test Pile, Steel Pipe Pile
8 Each	803-J001	Pile Restrike
305,348 Pounds	805-A001	Reinforcement
1,918 Linear Feet	813-A002	Concrete Railing, 32"
6,976 Ton	815-A009	Loose Riprap, Size 300
131 Cubic Yard	815-D001	Concrete Slope Paving
3,755 Square Yard	815-E001	Geotextile under Riprap
270 Linear Feet	907-607-PP019	Safety Fence, Per Plans

855	Linear Feet	907-803-P002	30" Steel Pipe Piling, Wall Thickness 0.500"
586	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
1,036	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
671	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
2,560	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
477	Linear Feet	907-804-C027	96' Prestressed Concrete Beam, Type BT-72
499	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
502	Linear Feet	907-804-C272	101' Prestressed Concrete Beam, Type BT-72

CALL No. 12

Bridge Repair on SR 69 Over McCrary Creek Bridge No. 11.8, known as State Project No. EXB-0068-01(008) / 107139303 in Lowndes County.

PROJECT COMPLETION: SEPTEMBER 14, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
64	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
260	Linear Feet	907-234-C002	Super Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic

**Bridge Items**

295	Ton	815-A009	Loose Riprap, Size 300
455	Square Yard	815-E001	Geotextile under Riprap
7	Each	907-824-PP095	Bridge Repair, Slab Bracket, Per Plans
330	Linear Feet	907-824-PP097	Bridge Repair, Pile Encasements Repairs, Per Plan
2,150	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structure, Per Plans
7	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair, Per Plans



CALL No. 13

Bridge Repair, SR 3 Fowler Creek Bridge No. 174.0, known as State Project No. EXB-0072-05(004) / 107139306 in Panola County.

PROJECT COMPLETION: 23 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
128	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

**Bridge Items**

108	Linear Feet	202-B298	Removal of Existing Joint Material
108	Linear Feet	808-A001	Joint Preparation
1,660	Pounds	810-A003	Structural Steel, A 709, Grade 50
54	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
108	Linear Feet	907-823-B001	Saw Cut, Type I
1,000	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structures
5	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair, Per Plans

CALL No. 14

Bridge Repair on SR 346 Across Cane Creek Bridge No. 2.9, known as State Project No. EXB-0858-00(015) / 107139308 in Pontotoc County.

PROJECT COMPLETION: AUGUST 16, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

46	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
100	Linear Feet	907-234-C002	Super Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic

**Bridge Items**

44	Linear Feet	803-D006	HP 14 x 117 Steel Piling
3,841	Pounds	805-A001	Reinforcement
208	Linear Feet	808-A001	Joint Preparation
118	Ton	815-A009	Loose Riprap, Size 300
218	Square Yard	815-E001	Geotextile under Riprap
33	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
104	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
208	Linear Feet	907-823-B001	Saw Cut, Type I
128	Linear Feet	907-824-PP097	Bridge Repair, Concrete Pile Encasement for Bents 2 & 4, Per Plans
24	Linear Feet	907-824-PP097	Bridge Repair, Steel Pile Repair for Bent 3, Per Plans
25	Cubic Feet	907-824-PP101	Bridge Repair, Repair Spalled Concrete with Epoxy Mortar, Per Plans

CALL No. 15

Bridge Repair on I-20/I-59 Bridge No. 153.0B, known as State Project No. EXB-1232-00(005) / 107139304 in Lauderdale County.

PROJECT COMPLETION: MAY 26, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
556	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

**Bridge Items**

794	Linear Feet	202-B298	Removal of Existing Joint Material
1,236	Linear Feet	808-A001	Joint Preparation
412	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
206	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
794	Linear Feet	907-823-B001	Saw Cut, Type I
396	Linear Feet	907-823-B002	Saw Cut, Type II
1	Lump Sum	907-824-PP093	Bridge Repair, Pin and Bearing Reset
26	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair
1	Lump Sum	907-845-A002	Coating Existing Structural Steel

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR