


Proposal & Plan Sales Will Begin on February 1, 2016



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For February - February 23, 2016



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 23, 2016

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 1, 2016

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, January 26, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	NH-0007-01(079) / 1001743020 & NH-0007-01(079)/1001743021	MARSHALL
02	IM-0055-01(103)/105618301	PIKE
* 03	STP-0008-01(135)/107097301	HARRISON
* 04	NH-0008-01(136) / 107188301	STONE
* 05	STP-0008-05(029) / 107204301	LEFLORE
* 06	NH-0011-02(086) / 107203301	LEFLORE
07	SP-0019-02(054) / 102168302 & MDA-0019-02(053) / 102168303	LAFAYETTE
* 08	IM-0020-01(202)/105923301	WARREN
09	STP-0022-04(040)/102607301	PONTOTOC
10	EXB-0037-04(040) / 107139307	MADISON
11	EXB-0051-02(021) / 102383301	TALLAHATCHIE
12	STP-0071-06(009)/107199301	TIPPAH
13	NH-0079-01(033)/107198301	CLAY
14	IM-0055-04(097)/106531301	DESOTO
15	SP-0021-01(062) / 106779303	DESOTO
16	SP-0022-04(060)/102607305	PONTOTOC

Sealed bids for Call # 17 will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi until 10:00 o'clock A.M., Tuesday, February 23, 2016; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Office Administration Building, Jackson, Mississippi for:

17 BWO-7125-57(002)/502964301

PIKE

CALL No. 01

Grade, Drain, Bridge, & Pave on US 72 from SR 302 to the TN. State Line, known as Federal Aid Project Nos. NH-0007-01(079)/1001743020 & 3021 in Marshall County, Mississippi & Fayette County, Tennessee.

PROJECT COMPLETION: 293 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Hectare	201-B001	Clearing and Grubbing
5,083	Square Meter	202-B002	Removal of Asphalt Driveways (All Depths)
43,051	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
230	Square Meter	202-B018	Removal of Concrete Driveways (All Depths)
83	Meter	202-B039	Removal of Curb (All Types)
119	Meter	202-B055	Removal of Guard Rail Including Post, Blockouts & Hardware
1	Each	202-B059	Removal of Inlets (All Sizes)
1,950	Meter	202-B076	Removal of Traffic Stripe
80	Meter	202-B082	Removal of Box Culvert
892	Meter	202-B107	Removal of Pipe (All Sizes)
78	Each	202-B130	Removal of Signs
1	Each	202-B138	Removal of Traffic Signal
2,000	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
5,260	Cubic Meter	206-A001	Structure Excavation
527	Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
46	Metric Ton	213-C001	Superphosphate
217	thousand liter	219-A001	Watering
23	Hectare	220-A001	Insect Pest Control
580	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
8,415	Square Meter	224-A001	Soil Reinforcing Mat
1,160	Bale	235-A001	Temporary Erosion Checks
46	Each	236-A004	Silt Basin (Type D)
72	Meter	501-E001	Expansion Joints (Without Dowels)

421	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
197,225	Kilogram	602-A001	Reinforcing Steel
531	Meter	603-C-A002	450-mm Reinforced Concrete Pipe, Class III
104	Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
95	Meter	603-C-A004	750-mm Reinforced Concrete Pipe, Class III
98	Meter	603-C-A005	900-mm Reinforced Concrete Pipe, Class III
116	Meter	603-C-A007	1200-mm Reinforced Concrete Pipe, Class III
29	Meter	603-C-A128	750-mm Reinforced Concrete Pipe, Class V, Jacked or Bored
37	Each	603-C-B001	450-mm Reinforced Concrete End Section
15	Each	603-C-B002	600-mm Reinforced Concrete End Section
4	Each	603-C-B003	750-mm Reinforced Concrete End Section
4	Each	603-C-B004	900-mm Reinforced Concrete End Section
4	Each	603-C-B006	1200-mm Reinforced Concrete End Section
9	Meter	603-C-E001	560-mm x 345-mm Concrete Arch Pipe, Class A III
36	Meter	603-C-E005	1300-mm x 795-mm Concrete Arch Pipe, Class A III
101	Meter	603-C-E006	1485-mm x 915-mm Concrete Arch Pipe, Class A III
140	Meter	603-C-E007	1650-mm x 1015-mm Concrete Arch Pipe, Class A III
92	Meter	603-C-E008	1855-mm x 1145-mm Concrete Arch Pipe, Class A III
1	Each	603-C-F001	560-mm x 345-mm Concrete Arch Pipe End Section
4	Each	603-C-F005	1300-mm x 795-mm Concrete Arch Pipe End Section
8	Each	603-C-F006	1485-mm x 915-mm Concrete Arch Pipe End Section
8	Each	603-C-F007	1650-mm x 1015-mm Concrete Arch Pipe End Section
6	Each	603-C-F008	1855-mm x 1145-mm Concrete Arch Pipe End Section
2	Each	603-S-B003	450-mm Branch Connections (Stub into Concrete Box Culvert)
4	Each	603-S-B004	600-mm Branch Connections (Stub into Box Culvert)
2	Each	603-S-B018	1855-mm x 1145-mm Branch Connections (Stub into Box Culvert)
215	Kilogram	604-A001	Castings
114	Kilogram	604-B001	Gratings
153	Meter	606-B007	Guard Rail (Class A, Type 1), 'W' Beam
4	Each	606-D012	Guard Rail, Bridge End Section, Type I

179	Meter	609-B001	Concrete Curb, Type Header
872	Meter	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
1,884	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
12	Meter	615-A018	Concrete Bridge End Barrier, 1050 mm
3,719	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
101	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
21	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
299	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
1	Each	619-E003	Flashing Arrow Panel (Type A)
384	Meter	619-F1001	Concrete Median Barrier (Precast)
3	Each	619-F3003	Delineators (Guard Rail) (Yellow)
3	Each	619-F3004	Delineators (Guard Rail) (White)
602	Meter	619-G4001	Barricades (Type III) (Single Faced)
718	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights (Type "B")
1	Lump Sum	619-H1001	Traffic Signals
2	Each	619-K2001	Installation and Removal of Guard Rail (Bridge End Section)
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
50	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
79	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
80	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted)
481	Meter	630-C003	Steel U-Section Posts (4.46 kg/m)
140	Meter	630-D004	Structural Steel Beams (W150 x 14)
84	Kilogram	630-E001	Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm Angles)
298	Kilogram	630-E004	Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)
14	Each	630-F001	Delineators (Guard Rail)(White)
14	Each	630-F002	Delineators (Guard Rail)(Yellow)
18	Each	630-F003	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green)
18	Each	630-F004	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow)

38	Each	630-F006	Delineators (Post Mounted)(Single White)
14	Each	630-F007	Delineators (Post Mounted)(Single Yellow)
79	Each	630-F008	Delineators (Post Mounted)(Double White)
32	Each	630-F009	Delineators (Post Mounted)(Double Yellow)
4	Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
29	Meter	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)
120	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
3,500	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
322,072	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
294,984	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
23,746	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
2,256	Square Meter	907-216-A001	Solid Sodding
12,600	Square Meter	907-217-A001	Ditch Liner
46	Hectare	907-223-A001	Mowing
46	Hectare	907-225-A001	Grassing
308	Metric Ton	907-225-B001	Agricultural Limestone
414	Metric Ton	907-225-C001	Mulch, Vegetative Mulch
46	Hectare	907-226-A002	Temporary Grassing
2,650	Meter	907-234-A002	Temporary Silt Fence
910	Meter	907-234-C002	Super Silt Fence
330	Meter	907-237-A002	Wattles, 500-mm
230	Meter	907-237-A003	Wattles, 300-mm
310	Meter	907-245-A001	Triangular Silt Dike
310	Meter	907-246-A001	Sandbags
8	Each	907-247-A001	Temporary Stream Diversion
1,035	Metric Ton	907-249-A001	Riprap for Erosion Control
101	Kilogram	907-250-A001	Polyacrylamide
736	Meter	907-253-A001	Coir Fiber Baffle
906	Meter	907-254-A001	Sediment Retention Barrier
57,224	Metric Ton	907-304-B001	Granular Material (Class 3, Group D)

78,958	Metric Ton	907-304-B004	Granular Material (Class 9, Group B)
132,591	Square Meter	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)
1,943	Metric Ton	907-307-D001	Lime
150,070	Liter	907-307-S001	Bituminous Curing Seal
1,990	Metric Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,257	Metric Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
30,916	Metric Ton	907-403-A019	19-mm, ST, Asphalt Pavement
577	Metric Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
705	Metric Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
1,057	Metric Ton	907-403-A024	19-mm, MT, Asphalt Pavement
2,080	Metric Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
2,774	Metric Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
33,651	Metric Ton	907-403-A029	19-mm, HT, Asphalt Pavement
3,753	Metric Ton	907-403-B021	19-mm, HT, Asphalt Pavement, Leveling
16,161	Metric Ton	907-403-D009	9.5-mm, HT, Asphalt Pavement, Polymer Modified
21,474	Metric Ton	907-403-D010	12.5-mm, HT, Asphalt Pavement, Polymer Modified
29,694	Square Meter	907-406-A001	Cold Milling of Bituminous Pavement (All Depths)
122,210	Liter	907-407-A001	Asphalt for Tack Coat
64	Meter	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavment
320	Meter	907-413-K001	Saw Cutting Asphalt Pavement (Variable Depth)
23	Kilometer	907-423-A001	Rumble Strips (Ground In)
1,795	Cubic Meter	907-601-A001	Class "B" Structural Concrete
48	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
1,304	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
46	Meter	907-603-ALT05	600-mm Type A Alternate Pipe
76	Meter	907-603-ALT09	750-mm Type A Alternate Pipe
83	Meter	907-603-ALT13	900-mm Type A Alternate Pipe
4	Each	907-606-E001	Guard Rail, Terminal End Section
228	Each	907-617-A003	Right-of-Way Marker

1	Lump Sum	907-618-A001	Maintenance of Traffic
16,445	Meter	907-619-A1001	Temporary Traffic Stripe (Continuous White) (Paint)
314	Meter	907-619-A1002	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)
16,638	Meter	907-619-A2001	Temporary Traffic Stripe (Continuous Yellow) (Paint)
314	Meter	907-619-A2002	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)
177	Meter	907-619-A3007	Temporary Traffic Stripe, Skip White, Paint
2,000	Meter	907-619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
5,615	Meter	907-619-A5001	Temporary Traffic Stripe (Detail) (Paint)
637	Meter	907-619-A6001	Temporary Traffic Stripe (Legend) (Paint)
16	Square Meter	907-619-A6005	Temporary Traffic Stripe (Legend) (Paint)
13	Each	907-619-C6001	Red-Clear Reflective High Performance Raised Marker
267	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
2	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
13,296	Meter	907-626-AA006	150-mm Thermoplastic Double Drop Traffic Stripe (Skip White)(2.25-mm min.)
345	Meter	907-626-BB004	150-mm Thermoplastic Double Drop Traffic Stripe, Continuous White
19,072	Meter	907-626-CC007	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (1.50-mm min)
4,075	Meter	907-626-EE005	150-mm Thermoplastic Double Drop Traffic Stripe, Continuous Yellow, 2.25-mm min
13,053	Meter	907-626-FF008	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (1.50-mm min.)
7,045	Meter	907-626-GG009	Thermoplastic Double Drop Detail Stripe, White
4,214	Meter	907-626-GG010	Thermoplastic Double Drop Detail Stripe, Yellow
1,171	Meter	907-626-HH006	Thermoplastic Double Drop Legend, White
74	Square Meter	907-626-HH007	Thermoplastic Double Drop Legend, White
1,109	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
334	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-639-A006	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (13.7-m Arm)
1	Each	907-639-A016	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (16.8-m Arm)
1	Each	907-639-A023	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (15.0-m Arm)
7	Cubic Meter	907-639-C004	Pole Foundations, 750-mm Diameter
5	Each	907-640-B001	Traffic Signal Heads (Type 1) LED
1	Each	907-640-B004	Traffic Signal Heads (Type 3) LED

1	Each	907-640-B006	Traffic Signal Heads (Type 7) LED
1	Each	907-641-C001	Signal Radar Detection System
1	Lump Sum	907-641-D012	Signal Radar Detection Training
2	Each	907-647-A002	Pullboxes (Type 2)
1	Each	907-647-A003	Pullbox (Type 3)
1	Each	907-687-A016	Traffic Recorder Classification Permanent System
1	Lump Sum	907-699-A001	Roadway Construction Stakes
287	Cubic Meter	907-804-B001	Box Bridge Concrete (Class B)
974	Metric Ton	907-815-A001	Loose Riprap, (Size 45 kg)
2,375	Square Meter	907-815-E001	Geotextile Fabric under Riprap
1,040	Hours	907-906001	Trainees
1	Each	908-642-A007	Solid State Traffic Actuated Controllers (Type 8A)
1	Lump Sum	908-646-A001	Removal of Existing Traffic Signals, Controller & Hardware
10	Meter	908-666-B023	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 8), 3 Conductor
103	Meter	908-666-B036	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14), 8 Conductor
42	Meter	908-666-C017	Electric Cable (Aerial Supported)(IMSA 20-1)(AWG 14), 8 Conductor
10	Meter	908-668-A013	Traffic Signal Conduit (Underground) (Type IV) (DN 25)
18	Meter	908-668-A016	Traffic Signal Conduit (Underground) (Type IV) (DN 50)
42	Meter	908-668-A018	Traffic Signal Conduit (Underground) (Type IV) (DN 75)
52	Meter	908-668-E001	Traffic Signal Conduit (Underground), Rolled Pipe, (DN 75)

ALTERNATE GROUP AA NUMBER 1

9,417	Metric Ton	907-304-D001	20-mm and Down Crushed Stone
-------	------------	--------------	------------------------------

ALTERNATE GROUP AA NUMBER 2

9,417	Metric Ton	907-304-I004	Crushed Stone Base (Size 610)
-------	------------	--------------	-------------------------------

ALTERNATE GROUP AA NUMBER 3

9,417	Metric Ton	907-304-I005	Crushed Stone Base (Size 825 B)
-------	------------	--------------	---------------------------------

ALTERNATE GROUP BB NUMBER 1

2,090	Metric Ton	907-308-A001	Portland Cement
174,410	Square Meter	907-308-B003	Soil-Cement-Water Mixing, (Optional Mixers)
197,404	Liter	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP BB NUMBER 2

174,410	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
1,424	Metric Ton	907-311-B001	Lime
5,690	Metric Ton	907-311-C001	Fly Ash (Class C)
197,404	Liter	907-311-S001	Bituminous Curing Seal

Bridge Items

1,332	Cubic Meter	801-A001	Foundation Excavation for Bridges
274,017	Kilogram	805-A001	Reinforcement
580	Meter	813-A005	Concrete Railing (815-mm)
243	Cubic Meter	815-D001	Concrete Slope Paving
4,140	Square Meter	907-501-K001	Transverse Grooving
2	Each	907-803-B002	Conventional Static Pile Load Test
1,696	Meter	907-803-D003	HP 310 x 125 Steel Piling
2,996	Meter	907-803-D004	HP 360 x 174 Steel Piling
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
1,134	Cubic Meter	907-804-A011	Substructure Concrete (Class AA)
1,108	Cubic Meter	907-804-A012	Superstructure Concrete (Class AA)
919	Meter	907-804-C132	33-m Prestressed Concrete Beams, Type BT-1830
1,085	Meter	907-804-C133	39-m Prestressed Concrete Beams, Type BT-1830

CALL No. 02

Pavement Restoration on I-55 from SR 568 to US 98 West, known as Federal Aid Project No. IM-0055-01(103) / 105618301 in Pike County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Acre	201-B001	Clearing and Grubbing
121,972	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
68	Square Yard	202-B010	Removal of Bridge End Pavement
744	Linear Feet	202-B022	Removal of Concrete Median Barrier
13,426	Square Yard	202-B025	Removal of Concrete Paved Ditch
55,372	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
2,490	Square Yard	202-B036	Removal of Concrete Slope Paving
3	Each	202-B042	Removal of Flared End Section, All Sizes
10,924	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2	Each	202-B057	Removal of Inlets, All Sizes
408	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,000	Linear Feet	202-B076	Removal of Traffic Stripe
6	Each	202-B137	Removal of Guard Rail Cable Anchor
2	Each	202-B142	Removal of Junction Box
1	Each	202-B274	Removal of Guard Rail Bridge Connector
40,123	Linear Feet	202-B299	Removal of Cable Barrier
8	Each	202-B302	Removal of Cable Barrier Terminal Section
46,279	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
5,936	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
1,546	Cubic Yard	203-G004	Excess Excavation, LVM, AH
4,111	Square Yard	204-A003	Geogrid, Type II, Biaxial
80	Cubic Yard	206-A001	Structure Excavation
69,013	Square Yard	209-A001	Geotextile Stabilization, Type V
3,555	Square Yard	209-A007	Geotextile Stabilization, Type VII, Non-Woven
41,129	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished

344	Ton	213-C001	Superphosphate
5,111	Square Yard	217-A001	Ditch Liner
418	Thousand Gallon	219-A001	Watering
117	Acre	220-A001	Insect Pest Control
1,830	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,376	Acre	223-A001	Mowing
71,500	Linear Feet	234-A001	Temporary Silt Fence
979	Bale	235-A001	Temporary Erosion Checks
6,045	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
138,605	Linear Feet	413-B001	Cleaning and Sealing Joints
136	Linear Feet	413-D001	Cleaning and Filling Joints
50	Mile	423-A001	Rumble Strips, Ground In
606	Linear Feet	501-D001	Expansion Joints, With Dowels
35	Linear Feet	501-E001	Expansion Joints, Without Dowels
68	Square Yard	501-K001	Transverse Grooving
68	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,066	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,360	Linear Feet	503-C002	Saw Cut, 3-inch
4,347	Linear Feet	503-C007	Saw Cut, Full Depth
304	Cubic Yard	503-D001	Concrete for Base Repair
3,171	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,007	Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
1,709	Pounds	602-A001	Reinforcing Steel
408	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
24	Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-SB061	32" x 24" Branch Connections, Stub into Box Culvert
6,358	Pounds	604-B001	Gratings
1,400	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V

1,043	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
275	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
5	Each	605-Z002	Underdrain Appurtenances, Small Animal Guard
7,021	Linear Feet	606-B001	Guard Rail, Class A, Type 1
750	Linear Feet	606-B008	Guard Rail, Class A, Type 1, Thrie Beam
90	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
15	Each	606-C003	Guard Rail, Cable Anchor, Type 1
24	Each	606-D012	Guard Rail, Bridge End Section, Type I
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
38	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
5	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
1,348	Linear Feet	615-A022	Concrete Pier Protection Barrier, 54"
416	Linear Feet	615-A023	Concrete Pier Protection Barrier, 32"
98	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
21	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
31	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,566	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
12,989	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,760	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
475	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
109	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
224	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,117	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
63,360	Linear Feet	619-F1001	Concrete Median Barrier, Precast
247,120	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
120	Linear Feet	619-G4001	Barricades, Type III, Single Faced

36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1,370	Each	619-G5001	Free Standing Plastic Drums
26	Each	619-G7001	Warning Lights, Type "B"
6	Unit	619-J1004	Impact Attenuator, 70 MPH
2	Each	619-J2003	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1	Each	622-A002	Engineer's Field Office Building, Type 2
3,232	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
205	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
78	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
286	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
216	Each	630-F001	Delineators, Guard Rail, White
161	Each	630-F002	Delineators, Guard Rail, Yellow
335	Each	630-F006	Delineators, Post Mounted, Single White
446	Each	630-F007	Delineators, Post Mounted, Single Yellow
242	Each	630-F008	Delineators, Post Mounted, Double White
105	Each	630-F009	Delineators, Post Mounted, Double Yellow
42	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
224	Linear Feet	635-A001	Vehicle Loop Assemblies
268	Linear Feet	808-A001	Joint Preparation
713	Ton	815-A009	Loose Riprap, Size 300
415	Cubic Yard	815-D001	Concrete Slope Paving
733	Square Yard	815-E001	Geotextile under Riprap
20,907	Square Yard	907-216-B004	Solid Sodding, Bermuda
117	Acre	907-225-A001	Grassing
59	Ton	907-225-B001	Agricultural Limestone
234	Ton	907-225-C001	Mulch, Vegetative Mulch
59	Acre	907-226-A001	Temporary Grassing
37	Each	907-234-D001	Inlet Siltation Guard
10,000	Linear Feet	907-237-A003	Wattles, 20"

5,000	Linear Feet	907-245-A001	Triangular Silt Dike
2,468	Linear Feet	907-246-A001	Sandbags
1,988	Ton	907-249-A001	Riprap for Erosion Control
64,140	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
1,646	Cubic Yard	907-304-E004	Granular Material, LVM, Size 57
15,718	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
38,105	Gallon	907-402-B001	Bituminous Tack Coat
6,674	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
20,170	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
56,546	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
57,330	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
26,002	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
34,446	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
31	Mile	907-403-S004	Joint Sealant
155,594	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
65,499	Gallon	907-407-A001	Asphalt for Tack Coat
399,600	Pounds	907-420-A001	Undersealing Concrete Pavement
2,759	Square Yard	907-503-A001	9" and Variable Reinforced Concrete Pavement, Broom Finish
174,674	Square Yard	907-507-A001	Rubblizing Existing Portland Cement Concrete Pavement
230	Cubic Yard	907-507-B001	Filler Aggregate
110	Square Yard	907-510-X001	Concrete for Spall Repair
28,000	Pounds	907-512-B006	Portland Cement Pressure Grout Slurry, Type 6
23	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
124,290	Linear Feet	907-605-H002	Prefabricated Edge Drain
13,090	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
550	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
70	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
40,123	Linear Feet	907-606-G001	Cable Barrier
8	Each	907-606-H001	Cable Barrier Terminal Section
79	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts

4	Each	907-606-R002	Repair of Terminal End Section
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
8	Each	907-619-J3001	Remove and Reset Impact Attenuator
1,260	Linear Feet	907-619-P1001	Glare Paddles
15	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
22	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,200	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6,770	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
25	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,130	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
844	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
4,977	Linear Feet	907-626-H004	Thermoplastic Legend, White
66	Square Feet	907-626-H005	Thermoplastic Legend, White
10	Mile	907-626-U004	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
10	Mile	907-626-V004	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
10	Mile	907-626-X004	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
1	Lump Sum	907-699-A002	Roadway Construction Stakes
597	Ton	907-815-F001	Sediment Control Stone
1,040	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
34,328	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
34,328	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
34,328	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
1,876	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,366	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,366	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			

1,876	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,366	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,366	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

112	Linear Feet	202-B298	Removal of Existing Joint Material
17,756	Pounds	805-A001	Reinforcement
908	Linear Feet	813-A002	Concrete Railing, 32"
61	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
20	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
908	Linear Feet	907-824-PP097	Bridge Repair, Saw Cut and Remove Existing Bridge Rail, and Deck

CALL No. 03

Mill & Overlay approximately 4 miles of US 49 from 28th Street to Creosote Road, known as Federal Aid Project No. STP-0008-01(135) / 107097301 in Harrison County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,316	Linear Feet	202-B076	Removal of Traffic Stripe
1,729	Square Yard	202-B078	Removal of Pavement, All Types and Depths
400	Cubic Yard	203-G003	Excess Excavation, FM, AH
78	Linear Feet	503-C007	Saw Cut, Full Depth
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6,725	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
11,627	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2,347	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
7,512	Linear Feet	635-A001	Vehicle Loop Assemblies
2,993	Ton	907-304-F004	Size 825B Crushed Stone Base
1,600	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
358	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
9,385	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
123,138	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
9,363	Gallon	907-407-A001	Asphalt for Tack Coat
29,568	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
26,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

15,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
15,502	Linear Feet	907-626-H004	Thermoplastic Legend, White
6,829	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 04

Widen and Overlay approximately 5 miles of US 49 from 10 Mile Creek North 4.1 miles, known as Federal Aid Project No. NH-0008-01(136) / 107188301 in Stone County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5,850	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
20	Square Yard	202-B078	Removal of Pavement, All Types and Depths
12	Mile	423-A001	Rumble Strips, Ground In
4,655	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
5	Each	606-C003	Guard Rail, Cable Anchor, Type 1
6	Each	606-D001	Guard Rail, Bridge End Section, Type A
10	Each	606-D008	Guard Rail, Bridge End Section, Type H
21	Each	606-E002	Guard Rail, Terminal End Section, Flared
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,380	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
110	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
625	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
81	Each	630-F001	Delineators, Guard Rail, White
83	Each	630-F002	Delineators, Guard Rail, Yellow
2,540	Linear Feet	808-A001	Joint Preparation
1,600	Ton	907-304-F004	Size 825B Crushed Stone Base
6,100	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,850	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
5,000	Ton	907-403-B020	9.5-mm, HT, Asphalt Pavement, Leveling
10,100	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
11,750	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
12,000	Gallon	907-407-A001	Asphalt for Tack Coat

1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
9	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,500	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
7	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8,875	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,270	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,540	Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 05

Mill and Overlay approximately 8 miles of US 49E from Holmes County line to Rising Sun, known as Federal Aid Project No. STP-0008-05(029) / 107204301 in Leflore County.

PROJECT COMPLETION: 65 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,240	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
880	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
1,330	Linear Feet	202-B076	Removal of Traffic Stripe
2,463	Linear Feet	202-B102	Removal of Guard Rail
407	Cubic Yard	203-G003	Excess Excavation, FM, AH
17	Mile	423-A001	Rumble Strips, Ground In
1,353	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
12	Each	606-D010	Guard Rail, Bridge End Section, Type H, Metal Post
20	Each	606-E002	Guard Rail, Terminal End Section, Flared
635	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3B
43	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,450	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
825	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
178	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
118	Each	619-F3004	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
53	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,085	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14,000	Ton	907-304-B009	Granular Material, Class 3, Group D
13,300	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
365	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,800	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling

150	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
144,000	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
14,000	Gallon	907-407-A001	Asphalt for Tack Coat
31,050	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
17	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,450	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,625	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
825	Linear Feet	907-626-H004	Thermoplastic Legend, White
178	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

770	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

770	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

770	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

CALL No. 06

Mill and Overlay approximately 4.5 miles of US 82 from US 49 overpass to Carroll County Line, known as Federal Aid Project No. NH-0011-02(086) / 107203301 in Leflore County.

PROJECT COMPLETION: 75 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

105 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,185 Linear Feet	202-B076	Removal of Traffic Stripe
2,023 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
105 Cubic Yard	203-G003	Excess Excavation, FM, AH
9 Mile	423-A001	Rumble Strips, Ground In
4,135 Linear Feet	503-C007	Saw Cut, Full Depth
105 Linear Feet	609-B001	Concrete Curb, Header
28 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
24 Mile	619-A3006	Temporary Traffic Stripe, Skip White
1 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
21,210 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,820 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,280 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
580 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
525 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,838 Linear Feet	635-A001	Vehicle Loop Assemblies
885 Ton	907-304-B009	Granular Material, Class 3, Group D
2,800 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,000 Ton	907-403-A019	19-mm, ST, Asphalt Pavement
6,050 Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
900 Ton	907-403-B020	9.5-mm, HT, Asphalt Pavement, Leveling
16,250 Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
293,800 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths

23,500	Gallon	907-407-A001	Asphalt for Tack Coat
18,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Each	907-619-E3001	Changeable Message Sign
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,150	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,060	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,820	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,280	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 07

Grade, Drain, and Bridge Construction on SR 7, known as State Project Nos. SP-0019-02(054) & MDA-0019-02(053) / 102168302 & 303 in Lafayette County.

PROJECT COMPLETION: 291 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
6,138 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B007	Removal of Box Bridge
944 Linear Feet	202-B064	Removal of Pipe, 8" And Above
5,212 Linear Feet	202-B076	Removal of Traffic Stripe
2,054 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
279 Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
107 Square Yard	202-B138	Removal of Riprap
4,817 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
66,399 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
9,871 Cubic Yard	203-F001	Channel Excavation, FM
1,029 Cubic Yard	206-A001	Structure Excavation
9,083 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4 Ton	213-C001	Superphosphate
1,227 Square Yard	217-A001	Ditch Liner
16 Thousand Gallon	219-A001	Watering
8 Acre	220-A001	Insect Pest Control
50 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
8 Acre	223-A001	Mowing
160 Square Yard	224-A001	Soil Reinforcing Mat
2,965 Linear Feet	234-A001	Temporary Silt Fence
2 Each	236-A004	Silt Basin, Type D
1,186 Linear Feet	239-A001	Temporary Slope Drains
1 Mile	423-A001	Rumble Strips, Ground In

225	Linear Feet	501-E001	Expansion Joints, Without Dowels
535	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
9,145	Pounds	602-A001	Reinforcing Steel
551	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
159	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
664	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
304	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
88	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
2	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
12	Each	603-CB004	36" Reinforced Concrete End Section
4	Each	603-CB008	60" Reinforced Concrete End Section
732	Pounds	604-A001	Castings
1,247	Pounds	604-B001	Gratings
500	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
425	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
2,901	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
1,026	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
735	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
148	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
395	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
14	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
11,060	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
1,471	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
13,956	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,471	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
270	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow

4,427	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
920	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
486	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
66	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
803	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
180	Linear Feet	619-F1001	Concrete Median Barrier, Precast
336	Linear Feet	619-G4001	Barricades, Type III, Single Faced
84	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
42	Linear Feet	619-G4005	Barricades, Type III, Double Faced
26	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
2	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
45	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
368	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
69	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
116	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
109	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
146	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
42	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
51	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
68	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
2	Each	647-A002	Pullbox, Type 3
1	Each	647-A005	Pullbox, Type 2

288	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
332	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
326	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
288	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
46	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
120	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,615	Ton	815-A009	Loose Riprap, Size 300
1,515	Square Yard	815-E001	Geotextile under Riprap
782	Square Yard	907-216-A001	Solid Sodding
10	Acre	907-225-A001	Grassing
21	Ton	907-225-B001	Agricultural Limestone
19	Ton	907-225-C001	Mulch, Vegetative Mulch
10	Acre	907-226-A001	Temporary Grassing
1	Each	907-234-D001	Inlet Siltation Guard
1	Each	907-234-E001	Reset Inlet Siltation Guard
1,655	Linear Feet	907-237-A003	Wattles, 20"
120	Linear Feet	907-245-A001	Triangular Silt Dike
1,146	Each	907-246-A002	Sandbags
500	Ton	907-249-A001	Riprap for Erosion Control
166	Cubic Yard	907-249-B001	Remove and Reset Riprap
405	Linear Feet	907-253-A001	Coir Fiber Baffle
4,350	Ton	907-304-B009	Granular Material, Class 3, Group D
2,277	Cubic Yard	907-304-C008	Granular Material, AEA, Class 9, Group B
5,319	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
72	Ton	907-307-D001	Lime
1,330	Gallon	907-307-S001	Bituminous Curing Seal
2,348	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,854	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,035	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
2,277	Ton	907-403-A024	19-mm, MT, Asphalt Pavement

3,155	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
2,777	Gallon	907-407-A001	Asphalt for Tack Coat
225	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
105	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
717	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
320	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
33	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
7,566	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,050	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
9,238	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,472	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,866	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,441	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
872	Linear Feet	907-626-H004	Thermoplastic Legend, White
375	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-639-A063	Traffic Signal Equipment Pole, Type 1, 30' Shaft
13	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1	Each	907-641-A002	Signal Stop Bar Radar Detection
1	Lump Sum	907-699-A002	Roadway Construction Stakes
132	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

3,900	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,900	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

ALTERNATE GROUP AA NUMBER 3

3,900	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP BB NUMBER 1

92	Ton	907-308-A001	Portland Cement
4,073	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

5,319	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
2,348	Gallon	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP BB NUMBER 2

9,392	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
71	Ton	907-311-B001	Lime
284	Ton	907-311-C001	Fly Ash, Class C
2,348	Gallon	907-311-S001	Bituminous Curing Seal

Bridge Items

1,794	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
2,880	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,400	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
5	Each	803-I002	PDA Test Pile, Concrete Pile
3	Each	803-J001	Pile Restrike
225	Linear Feet	803-N001	Exploration
345	Linear Feet	803-O004	Permanent Casing, 60" Diameter
330,591	Pounds	805-A001	Reinforcement
1,472	Linear Feet	813-A002	Concrete Railing, 32"
503	Linear Feet	813-E001	Concrete Pedestrian Sidewalk Railing
13,044	Ton	815-A009	Loose Riprap, Size 300
13,143	Square Yard	815-E001	Geotextile under Riprap
1,020	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
155	Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
882	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
897	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
1,417	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,076	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
537	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
1,316	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

CALL No. 08

Mill & Overlay approximately 6 miles of I-20 from RR Bridge near Washington Street to Mile Marker 6 East of Clay Street, known as Federal Aid Project No. IM-0020-01(202) / 105923301 in Warren County.

PROJECT COMPLETION: OCTOBER 23, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

896	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
12,436	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
19	Mile	423-A001	Rumble Strips, Ground In
672	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
936	Linear Feet	503-C002	Saw Cut, 3-inch
408	Linear Feet	503-C003	Saw Cut, 6-inch
936	Linear Feet	503-C005	Saw Cut, 8-inch
408	Linear Feet	503-C009	Saw Cut, 2-inch
5	Cubic Yard	503-D001	Concrete for Base Repair
336	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
10,238	Linear Feet	606-B001	Guard Rail, Class A, Type 1
225	Linear Feet	606-B008	Guard Rail, Class A, Type 1, Thrie Beam
4	Each	606-B017	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
17	Each	606-C003	Guard Rail, Cable Anchor, Type 1
6	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
12	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
34	Each	606-E002	Guard Rail, Terminal End Section, Flared
1	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
80,000	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
22	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
21	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
1	Lump Sum	620-A001	Mobilization
1,217	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
165	Each	630-F001	Delineators, Guard Rail, White
149	Each	630-F002	Delineators, Guard Rail, Yellow

18	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
5,000	Ton	907-304-B002	Granular Material, Class 5, Group D
4,374	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
4,000	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
650	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
17,225	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
15,272	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
20	Mile	907-403-S004	Joint Sealant
3,734	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
16,000	Ton	907-406-A003	Cold Milling of Bituminous Pavement, All Depths
14,000	Gallon	907-407-A001	Asphalt for Tack Coat
2,640	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
624	Square Yard	907-501-A001	8" Reinforced Cement Concrete Pavement, Broom Finish
272	Square Yard	907-501-A002	6" Reinforced Cement Concrete Pavement, Broom Finish
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-E3001	Changeable Message Sign
10	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
43,205	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
22,006	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,581	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow

ALTERNATE GROUP AA NUMBER 1

2,350	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,350	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,350	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

2,350	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,350	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,350	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 09

Grade Bridge on 2 Lanes of SR 15 from SR 76 to the Pontotoc/Union County Line, known as Federal Aid Project No. STP-0022-04(040) / 102607301 in Pontotoc County.

PROJECT COMPLETION: OCTOBER 12, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
2,234	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
15,619	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
385	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
361	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
890	Square Yard	202-B025	Removal of Concrete Paved Ditch
1,180	Linear Feet	202-B038	Removal of Curb, All Types
1,987	Linear Feet	202-B064	Removal of Pipe, 8" And Above
380,931	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
104,994	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
10,000	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,632	Cubic Yard	206-A001	Structure Excavation
205	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
18,894	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
35,804	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
34	Ton	213-C001	Superphosphate
2,882	Square Yard	217-A001	Ditch Liner
19	Thousand Gallon	219-A001	Watering
67	Acre	220-A001	Insect Pest Control
606	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
134	Acre	223-A001	Mowing
19,250	Linear Feet	234-A001	Temporary Silt Fence
396	Bale	235-A001	Temporary Erosion Checks
18	Each	236-A004	Silt Basin, Type D

450	Linear Feet	239-A001	Temporary Slope Drains
736	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
200	Linear Feet	503-C007	Saw Cut, Full Depth
153,094	Pounds	602-A001	Reinforcing Steel
1,624	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
136	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
232	Linear Feet	603-CA010	66" Reinforced Concrete Pipe, Class III
200	Linear Feet	603-CA021	60" Reinforced Concrete Pipe, Class IV
28	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB005	42" Reinforced Concrete End Section
1	Each	603-CB008	60" Reinforced Concrete End Section
2	Each	603-CB009	66" Reinforced Concrete End Section
296	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
96	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
120	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
6	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
750	Pounds	604-B001	Gratings
140	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
385	Square Yard	614-B001	Concrete Driveway, With Reinforcement
120	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,413	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
837	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
830	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,160	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

2,978	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
810	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
70	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,100	Ton	815-A009	Loose Riprap, Size 300
4,112	Square Yard	815-E001	Geotextile under Riprap
11,757	Square Yard	907-216-A001	Solid Sodding
67	Acre	907-225-A001	Grassing
200	Ton	907-225-B001	Agricultural Limestone
134	Ton	907-225-C001	Mulch, Vegetative Mulch
67	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
500	Linear Feet	907-234-F001	Turbidity Barrier
990	Linear Feet	907-237-A003	Wattles, 20"
990	Linear Feet	907-245-A001	Triangular Silt Dike
990	Linear Feet	907-246-A001	Sandbags
5	Each	907-247-A001	Temporary Stream Diversion
594	Ton	907-249-A001	Riprap for Erosion Control
396	Cubic Yard	907-249-B001	Remove and Reset Riprap
2,691	Linear Feet	907-253-A001	Coir Fiber Baffle
2,733	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
1,047	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
711	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
3,285	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
2,400	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
1,112	Gallon	907-407-A001	Asphalt for Tack Coat
854	Cubic Yard	907-601-A001	Class "B" Structural Concrete
12	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

2,824	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,024	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
432	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
240	Linear Feet	907-607-PP001	Temporary Construction Fence
227	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
7	Each	907-619-E3001	Changeable Message Sign
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,413	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
837	Linear Feet	907-626-H004	Thermoplastic Legend, White
35	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	907-699-A002	Roadway Construction Stakes
1,500	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

6,089	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-------	------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

6,089	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-------	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

6,089	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
-------	------------	--------------	-----------------------------------

Bridge Items

3,640	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
5,685	Linear Feet	803-D006	HP 14 x 117 Steel Piling
1,810	Linear Feet	803-D012	HP 12 x 84 Steel Piling
10	Each	803-I003	PDA Test Pile, HP Steel Pile
6	Each	803-J001	Pile Restrike
311,839	Pounds	805-A001	Reinforcement
4,370	Square Feet	809-A004	Mechanically Stabilized Earth Wall System
1,833	Linear Feet	813-A002	Concrete Railing, 32"
9,554	Ton	815-A009	Loose Riprap, Size 300

10,781	Square Yard	815-E001	Geotextile under Riprap
640	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
1,350	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
2,834	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,914	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
659	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

CALL No. 10

Bridge Repair on SR 43 Relief Bridge No. 184.7, known as State Project No. EXB-0037-04(040) / 107139307 in Madison County.

PROJECT COMPLETION: MAY 27, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
128	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

5	Each	907-824-PP095	Bridge Repair, Install Girder Support Plates (2) and Angles (2)
17	Each	907-824-PP095	Bridge Repair, Pressure Wash and Clean Bent
10,255	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structures
81	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair

CALL No. 11

Bridge Replacement on SR 32 between Webb & Charleston, known as State Project No. EXB-0051-02(021) / 102383301 in Tallahatchie County.

PROJECT COMPLETION: 393 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
193	Linear Feet	202-B064	Removal of Pipe, 8" And Above
31	Each	202-B070	Removal of Sign Including Post & Footing
8,106	Linear Feet	202-B076	Removal of Traffic Stripe
22,225	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,870	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
47,719	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
460,495	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
25,386	Cubic Yard	203-G004	Excess Excavation, LVM, AH
630	Cubic Yard	206-A001	Structure Excavation
46	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
35,939	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
23	Ton	213-C001	Superphosphate
2,071	Square Yard	217-A001	Ditch Liner
7	Thousand Gallon	219-A001	Watering
23	Acre	220-A001	Insect Pest Control
38	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
92	Acre	223-A001	Mowing
3,935	Square Yard	224-A001	Soil Reinforcing Mat
20,000	Linear Feet	234-A001	Temporary Silt Fence
9	Each	236-A004	Silt Basin, Type D
921	Linear Feet	239-A001	Temporary Slope Drains
1,647	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1

4 Mile	423-A001	Rumble Strips, Ground In
859 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
42,983 Pounds	602-A001	Reinforcing Steel
272 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
232 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
6 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
4 Each	603-CB005	42" Reinforced Concrete End Section
6,800 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,700 Linear Feet	606-B001	Guard Rail, Class A, Type 1
16 Each	606-D012	Guard Rail, Bridge End Section, Type I
16 Each	606-E002	Guard Rail, Terminal End Section, Flared
555 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
79,200 Linear Feet	610-A001	Drainage Wicks
160 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
31,343 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
16,389 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
12,012 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5,241 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,482 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
250 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,086 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
348 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
120 Each	619-G5001	Free Standing Plastic Drums
6 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
259 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
104 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

62	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
390	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
72	Each	630-F001	Delineators, Guard Rail, White
1,164	Ton	815-A009	Loose Riprap, Size 300
203	Square Yard	815-E001	Geotextile under Riprap
16	Each	907-207-A001	Settlement Plate
374	Square Yard	907-216-A001	Solid Sodding
46	Acre	907-225-A001	Grassing
23	Ton	907-225-B001	Agricultural Limestone
92	Ton	907-225-C001	Mulch, Vegetative Mulch
46	Acre	907-226-A001	Temporary Grassing
1,200	Linear Feet	907-237-A003	Wattles, 20"
724	Linear Feet	907-245-A001	Triangular Silt Dike
1,447	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
724	Ton	907-249-A001	Riprap for Erosion Control
2	Each	907-252-A001	VW Piezometer
1,028	Linear Feet	907-253-A001	Coir Fiber Baffle
19,800	Ton	907-304-B009	Granular Material, Class 3, Group D
3,578	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
4,169	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
3,881	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
800	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
3,523	Gallon	907-407-A001	Asphalt for Tack Coat
391	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
848	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
168	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
24	Each	907-617-A001	Right-of-Way Marker

1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,641	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
494	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
387	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
175	Ton	907-815-F001	Sediment Control Stone
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

13,200	Ton	907-304-F002	Size 610 Crushed Stone Base
--------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

13,200	Ton	907-304-F003	3/4" and Down Crushed Stone Base
--------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

13,200	Ton	907-304-F004	Size 825B Crushed Stone Base
--------	-----	--------------	------------------------------

Bridge Items

3,385	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
1,280	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
5,905	Linear Feet	803-D006	HP 14 x 117 Steel Piling
1,400	Linear Feet	803-D008	HP 16 x 121 Steel Piling
2	Each	803-I002	PDA Test Pile, Concrete Pile
9	Each	803-I003	PDA Test Pile, HP Steel Pile
2	Each	803-I004	PDA Test Pile, Steel Pipe Pile
8	Each	803-J001	Pile Restrike
305,348	Pounds	805-A001	Reinforcement
1,918	Linear Feet	813-A002	Concrete Railing, 32"
6,976	Ton	815-A009	Loose Riprap, Size 300
131	Cubic Yard	815-D001	Concrete Slope Paving
3,755	Square Yard	815-E001	Geotextile under Riprap

270	Linear Feet	907-607-PP019	Safety Fence, Per Plans
855	Linear Feet	907-803-PP002	30" Steel Pipe Piling, Wall Thickness 0.500"
586	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
1,036	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
671	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
2,560	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
477	Linear Feet	907-804-C027	96' Prestressed Concrete Beam, Type BT-72
499	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
502	Linear Feet	907-804-C272	101' Prestressed Concrete Beam, Type BT-72

CALL No. 12

Mill & Overlay approximately 24 miles of SR 4 from SR 15 to Prentiss County Line, known as Federal Aid Project No. STP-0071-06(009) / 107199301 in Tippah County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,385	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,510	Linear Feet	202-B076	Removal of Traffic Stripe
1,600	Cubic Yard	203-G003	Excess Excavation, FM, AH
25	Mile	423-A001	Rumble Strips, Ground In
855	Linear Feet	609-B001	Concrete Curb, Header
102	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
63	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,760	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
860	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
60	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,825	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,300	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
29,400	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
475	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
115,700	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
20,600	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
30	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
21	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

4,785	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,275	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,640	Linear Feet	907-626-H004	Thermoplastic Legend, White
192	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

2,000	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-------	------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

2,000	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-------	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

2,000	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
-------	------------	--------------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

2,180	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,150	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
200	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,180	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,150	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
200	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 13

Mill & overlay approximately 3 miles of US 45A from beginning 5-lane to hospital entrance, known as Federal Aid Project No. NH-0079-01(033)/107198301 in Clay County.

PROJECT COMPLETION: 75 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

800	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
300	Linear Feet	202-B038	Removal of Curb, All Types
2	Each	202-B057	Removal of Inlets, All Sizes
56	Linear Feet	202-B064	Removal of Pipe, 8" And Above
500	Cubic Yard	203-EX020	Borrow Excavation, AH, LVM, Class B10
450	Cubic Yard	203-G003	Excess Excavation, FM, AH
475	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1,500	Linear Feet	503-C007	Saw Cut, Full Depth
500	Pounds	602-A001	Reinforcing Steel
48	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
79	Pounds	604-A001	Castings
12	Linear Feet	609-A001	Concrete Gutter, Special Design
450	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
1	Each	613-D004	Adjustment of Inlet
150	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
15	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
8,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,900	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,500	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
330	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

2,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	638-A002	Loop Detector Amplifier, 4 Channel
100	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
85	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
8,500	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
2,950	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
50	Ton	907-403-D012	19-mm, HT, Asphalt Pavement, Polymer Modified
104,100	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
8,000	Gallon	907-407-A001	Asphalt for Tack Coat
5	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
35	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,600	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,900	Linear Feet	907-626-H004	Thermoplastic Legend, White
3,500	Square Feet	907-626-H005	Thermoplastic Legend, White
60	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
2,098	Linear Feet	907-635-C001	Preformed Inductive Loops
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

118	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-----	------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

118	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-----	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

118 Cubic Yard

907-304-H004 Size 825B Crushed Stone Base, LVM

CALL No. 14

Slide Repair & Erosion/Surface Drainage Remediation on I-55, known as Federal Aid Project No. IM-0055-04(097) / 106531301 in Desoto County.

PROJECT COMPLETION: 59 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
352	Square Yard	202-B025	Removal of Concrete Paved Ditch
1,350	Linear Feet	202-B041	Removal of Fence, All Types
98	Linear Feet	202-B064	Removal of Pipe, 8" And Above
9,950	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
3,400	Cubic Yard	203-G003	Excess Excavation, FM, AH
120	Cubic Yard	206-A001	Structure Excavation
3,360	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2,700	Linear Feet	234-A001	Temporary Silt Fence
300	Linear Feet	239-A001	Temporary Slope Drains
400	Pounds	602-A001	Reinforcing Steel
16	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
16	Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
66	Linear Feet	603-CA108	72" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
1	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB010	72" Reinforced Concrete End Section
570	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
1,350	Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
1	Each	607-G115	Gate, 12' x 5' Aluminum
13	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
9	Each	607-P1010	Line Post, 10' x 2" Galvanized Steel
62	Each	607-P1027	Line Post, 7' x 2" Galvanized Steel
24	Each	607-P2009	Brace Post, 8' x 2 1/2" Galvanized Steel
5	Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel

4	Each	607-P2012	Brace Post, 12' x 2 1/2" Galvanized Steel
2	Each	607-P3001	Gate Post, 8' x 6" Timber
1	Lump Sum	620-A001	Mobilization
12,600	Linear Feet	803-D007	HP 14 x 89 Steel Piling
1,030	Ton	815-A006	Loose Riprap, Size 100
2,785	Ton	815-A009	Loose Riprap, Size 300
1,931	Square Yard	815-E001	Geotextile under Riprap
4	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
1,350	Linear Feet	907-237-A003	Wattles, 20"
83	Ton	907-249-A001	Riprap for Erosion Control
2,960	Ton	907-304-D003	Granular Material, Size 57
5	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
360	Linear Feet	907-605-O005	8" Perforated Sewer Pipe for Underdrains, SDR 35
100	Linear Feet	907-605-P006	8" Non-perforated Sewer Pipe for Underdrains, SDR 35
6	Each	907-617-A001	Right-of-Way Marker
15	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	907-699-A002	Roadway Construction Stakes
50	Ton	907-815-F001	Sediment Control Stone

CALL No. 15

Work necessary for intersection improvements on MS 302 From Allen Drive to Horn Lake Road, known as State Project No. SP-0021-01(062) / 106779303 in Desoto County.

PROJECT COMPLETION: DECEMBER 07, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

188	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
38	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
8	Each	202-B070	Removal of Sign Including Post & Footing
6,480	Linear Feet	202-B076	Removal of Traffic Stripe
1	Each	202-B132	Removal of Traffic Signal
1	Ton	213-C001	Superphosphate
10	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
1,000	Linear Feet	234-A001	Temporary Silt Fence
3,380	Linear Feet	503-C007	Saw Cut, Full Depth
1,744	Linear Feet	609-B003	Concrete Curb, Special Design
4,438	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
52	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3B
1,405	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,520	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6,621	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
102	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
1,416	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
306	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
36	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C

132	Linear Feet	619-G4001	Barricades, Type III, Single Faced
366	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
347	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
34	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
55	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
114	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
318	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
4	Each	644-A001	Optical Detector
1	Each	644-C002	Phase Selector, 4 Channel
2	Each	647-A002	Pullbox, Type 3
3	Each	647-A005	Pullbox, Type 2
29	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
585	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
182	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
50	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
290	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
500	Square Yard	907-216-A001	Solid Sodding
1	Ton	907-225-B001	Agricultural Limestone
400	Linear Feet	907-237-A003	Wattles, 20"
400	Linear Feet	907-246-A001	Sandbags
50	Ton	907-304-B009	Granular Material, Class 3, Group D
2,591	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
33,772	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
1,656	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

603	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
5,762	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,779	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
984	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,069	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
8	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
2	Each	907-639-F003	Detector Pole with Foundation, 20' Pole
775	Linear Feet	907-644-B001	Optical Detector Cable
4	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
2	Each	907-651-B009	Magnetometer Detection System Component, Repeater
4	Each	907-651-B013	Magnetometer Detection System Component, Wireless Detection Sensor
2	Each	907-651-B017	Magnetometer Detection System Component, SPP Digital Radio
1	Each	907-651-B018	Magnetometer Detection System Component, Access Point Controller Card
1	Lump Sum	907-699-A002	Roadway Construction Stakes

CALL No. 16

Road Relocation of QT Todd Road (Grade 2 Lanes) at SR 15 and Ashley, known as State Project No. SP-0022-04(060) / 102607305 in Pontotoc County.

PROJECT COMPLETION: 103 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1,330	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
380	Linear Feet	202-B041	Removal of Fence, All Types
595	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,100	Linear Feet	202-B076	Removal of Traffic Stripe
16,120	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
21,818	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
6,458	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
24,899	Cubic Yard	203-G003	Excess Excavation, FM, AH
435	Cubic Yard	206-A001	Structure Excavation
24,366	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
25,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
7	Ton	213-C001	Superphosphate
95	Thousand Gallon	219-A001	Watering
15	Acre	220-A001	Insect Pest Control
245	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
30	Acre	223-A001	Mowing
2,400	Linear Feet	234-A001	Temporary Silt Fence
40	Bale	235-A001	Temporary Erosion Checks
1,311	Pounds	602-A001	Reinforcing Steel
248	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
40	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
264	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
3	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section

4	Each	603-CB006	48" Reinforced Concrete End Section
320	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
128	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
4	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
725	Pounds	604-A001	Castings
400	Pounds	604-B001	Gratings
485	Linear Feet	609-B001	Concrete Curb, Header
1,237	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
115	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
234	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
904	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
264	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
94	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
264	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
604	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
137	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
44	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
116	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
15	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
50	Ton	815-A009	Loose Riprap, Size 300
4,745	Square Yard	907-216-A001	Solid Sodding
15	Acre	907-225-A001	Grassing

15	Ton	907-225-B001	Agricultural Limestone
30	Ton	907-225-C001	Mulch, Vegetative Mulch
15	Acre	907-226-A001	Temporary Grassing
5,500	Linear Feet	907-234-C002	Super Silt Fence
100	Linear Feet	907-237-A002	Wattles, 12"
100	Linear Feet	907-237-A003	Wattles, 20"
100	Linear Feet	907-245-A001	Triangular Silt Dike
120	Linear Feet	907-246-A001	Sandbags
35	Ton	907-249-A001	Riprap for Erosion Control
4,070	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
3,237	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
6,473	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
800	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
3,025	Gallon	907-407-A001	Asphalt for Tack Coat
19	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,032	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
8	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
21	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,210	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
8,016	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
7,604	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,887	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
11,048	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
556	Linear Feet	907-626-H004	Thermoplastic Legend, White
426	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
9	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

13,330	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
--------	------------	--------------	-----------------------------------

ALTERNATE GROUP AA NUMBER 2

13,330 Cubic Yard 907-304-G002 Size 610 Crushed Stone Base, AEA

ALTERNATE GROUP AA NUMBER 3

13,330 Cubic Yard 907-304-G003 Size 3/4" and Down Crushed Stone Base, AEA

CALL No. 17

Replace the Existing HVAC in District 7 Materials Lab at McComb, known as State Project No. BWO-7125-57(002) / 502964301 in Pike County.

PROJECT COMPLETION: SEPTEMBER 30, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Lump Sum	1530-A001	Replace Existing HVAC in District 7 Materials Lab
------------	-----------	---

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR