


Proposal & Plan Sales Will Begin on February 29, 2016



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For March - March 22, 2016



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MARCH - Tuesday, March 22, 2016

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 29, 2016

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 22, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

	CALL	CONTRACT	COUNTY
*	01	NH-0009-01(133)/107211301	CLAIBORNE
	02	IM-0055-02(246)/106023309	HINDS
	03	NHPP-0006-02(029) / 104095311	UNION
	04	NHPP-0009-01(130)/106654301	ADAMS
	05	IM-0020-01(201) / 105617301	RANKIN
	06	IM-0020-01(205)/106388301 & IM-0055-02(227)/106388302 & IM-0020-01(205)/106388303	HINDS, RANKIN, HINDS
*	07	STP-6947-00(005) / 107138308	MADISON
	08	SP-0110-00(017) / 107136301	LOWNDES
	09	SP-0303-00(012)/107179301	CLAIBORNE
	10	EXB-0040-02(036) / 107139309 & EXB-0040-02(036)/107139309100	ITAWAMBA, MONROE
	11	EXB-0611-00(006) / 107139305	BOLIVAR
	12	EXB-2835-00(006) / 107139310	ITAWAMBA
*	14	LWO-9002-25(007)/502995301	HINDS

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, March 22, 2016; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi for Call(s):

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
13	BWO-7149-46(001)/502689301 & BWO-7079-46(003)/502689302 & LWO-7061-46(003)/502689303	MARION

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 26, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	STP-0029-02(018) / 102556306 & STP-0029-02(018) / 102556307 & STP-0029-03(015) / 102556318	DESOTO, MARSHALL

CALL No. 01

Overlaying approximately 8 miles of US Hwy 61 from North of Port Gibson to Big Black River, known as Federal Aid Project No. NH-0009-01(133) / 107211301 in Claiborne County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,700	Linear Feet	202-B076	Removal of Traffic Stripe
30	Mile	423-A001	Rumble Strips, Ground In
15	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
15	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
15	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
15,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
5,000	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
1,750	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
325	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,500	Ton	907-304-B002	Granular Material, Class 5, Group D
2,700	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
23,200	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,000	Ton	907-406-A003	Cold Milling of Bituminous Pavement, All Depths
15,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
15	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,000	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

2,500	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
-------	-------------	--------------	--

2,500	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,500	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

2,500	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,500	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,500	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Reconstruction of approximately 8 miles of I-55 from South of the Byram Interchange to North of McDowell Road (Phase 2) known as Federal Aid Project No. IM-0055-02(246) / 106023309 in Hinds County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
25,809	Linear Feet	202-B022	Removal of Concrete Median Barrier
88,826	Linear Feet	202-B023	Removal of Concrete Median Barrier, Precast
459	Square Yard	202-B025	Removal of Concrete Paved Ditch
298	Square Yard	202-B036	Removal of Concrete Slope Paving
19	Each	202-B042	Removal of Flared End Section, All Sizes
95	Each	202-B057	Removal of Inlets, All Sizes
2	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
3,049	Linear Feet	202-B064	Removal of Pipe, 8" And Above
137	Each	202-B070	Removal of Sign Including Post & Footing
1,000	Square Yard	202-B072	Removal of Soil Cement Treated Base, All Depths
340,959	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,942	Linear Feet	202-B102	Removal of Guard Rail
1	Each	202-B132	Removal of Traffic Signal
7	Each	202-B142	Removal of Junction Box
4	Mile	202-B149	Removal of Traffic Stripe
17	Each	202-B189	Removal of Impact Attenuator
11,144	Linear Feet	202-B196	Removal of Debris and Sand From Pipe, All Sizes
2	Each	202-B247	Removal of Pull Box
1	Each	202-B248	Removal of Manhole
400	Linear Feet	202-B295	Removal of Trench Drain, All Sizes, All Types
1	Each	202-B297	Removal of Existing Demarcation Cabinet and Equipment
1,000	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
1,000	Cubic Yard	203-B004	Rock Excavation, LVM, AH
500,065	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6

419,997	Cubic Yard	203-G003	Excess Excavation, FM, AH
8,502	Cubic Yard	206-A001	Structure Excavation
89,643	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
33,680	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
64	Ton	213-C001	Superphosphate
3,306	Square Yard	217-A001	Ditch Liner
186	Thousand Gallon	219-A001	Watering
64	Acre	220-A001	Insect Pest Control
2,240	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,000	Acre	223-A001	Mowing
2,680	Square Yard	224-A001	Soil Reinforcing Mat
1,305	Linear Feet	234-A001	Temporary Silt Fence
400	Linear Feet	239-A001	Temporary Slope Drains
28	Mile	423-A001	Rumble Strips, Ground In
288	Linear Feet	501-E001	Expansion Joints, Without Dowels
298	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
75,080	Linear Feet	503-C007	Saw Cut, Full Depth
16	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
26,573	Pounds	602-A001	Reinforcing Steel
8,240	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,128	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
184	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
208	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
104	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
72	Linear Feet	603-CA126	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
9	Each	603-CB001	18" Reinforced Concrete End Section
7	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB005	42" Reinforced Concrete End Section
848	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III

2,536	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
248	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
248	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
240	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
5	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
6	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB020	18" Branch Connections, Stub into Concrete Pipe
32,696	Pounds	604-A001	Castings
31,329	Pounds	604-B001	Gratings
10,634	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
1,094	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
7,635	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
19	Each	605-Z002	Underdrain Appurtenances, Small Animal Guard
19	Each	605-Z004	Underdrain Appurtenances, Sign
19	Each	605-Z005	Underdrain Appurtenances, Concrete Apron, Precast or Cast-In-Place
9,350	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
3	Each	606-D012	Guard Rail, Bridge End Section, Type I
1	Each	606-E002	Guard Rail, Terminal End Section, Flared
16	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
455	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
5	Each	613-D004	Adjustment of Inlet
26,628	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
20	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
38,579	Linear Feet	615-A020	Concrete Type III Modified Cast-in-Place Median Barrier, 42" High
120	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
32	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
71	Mile	619-A1002	Temporary Traffic Stripe, Continuous White

60	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
63	Mile	619-A3006	Temporary Traffic Stripe, Skip White
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
107,133	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,721	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
4,018	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
3,420	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
73	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
605	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
126	Square Feet	619-D4001	Directional Signs
2,500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24,580	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
612	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1,479	Each	619-G5001	Free Standing Plastic Drums
17	Unit	619-J1003	Impact Attenuator, 60 MPH
5	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
5,912	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,554	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
199	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,469	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
330	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
3,611	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
52	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
908	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
131	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
170	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
199	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,135	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar

269	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
86	Each	630-F006	Delineators, Post Mounted, Single White
33	Each	630-F007	Delineators, Post Mounted, Single Yellow
94	Each	630-F008	Delineators, Post Mounted, Double White
7	Each	630-F009	Delineators, Post Mounted, Double Yellow
6	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
99	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
324	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
393	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
143	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
1,488	Linear Feet	635-A001	Vehicle Loop Assemblies
1,610	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
5	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
12	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
6	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
5	Each	644-A001	Optical Detector
4	Each	644-C002	Phase Selector, 4 Channel
1	Each	647-A002	Pullbox, Type 3
13	Each	647-A003	Pullbox, Type 4
7	Each	647-A004	Pullbox, Type 5
34	Each	647-A005	Pullbox, Type 2
54	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
475	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
55	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1,700	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
5,260	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
3,695	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
340	Linear Feet	666-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor

1,475	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
290	Linear Feet	666-B055	Electric Cable, Underground in Conduit, THHN, AWG #3/0, 3 Conductor
170	Linear Feet	666-C006	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
297	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
825	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
95	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
4,845	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1,280	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
665	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,150	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
125	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
21,495	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
100	Linear Feet	682-A020	Underground Branch Circuit, AWG 2/0, 3 Conductor
2,620	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
8,920	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
330	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
100	Linear Feet	682-B002	Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor
65	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
1,145	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
100	Linear Feet	682-B021	Underground Branch Circuit, Jacked or Bored, AWG 2/0, 3 Conductor
150	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
100	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
100	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
6	Each	682-D001	Underground Pull Box
4	Each	682-D003	Structure Mounted Pull Box
146	Each	683-B108	Lighting Assembly, Low Mast, Type 50-1-0-400
205	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
16	Linear Feet	684-B003	Slip Casing, 24" Diameter
451	Ton	815-A009	Loose Riprap, Size 300
8	Cubic Yard	815-D001	Concrete Slope Paving

705 Square Yard	815-E001	Geotextile under Riprap
9,317 Square Yard	907-216-A001	Solid Sodding
127 Acre	907-225-A001	Grassing
64 Ton	907-225-B001	Agricultural Limestone
253 Ton	907-225-C001	Mulch, Vegetative Mulch
127 Acre	907-226-A001	Temporary Grassing
44 Each	907-234-D001	Inlet Siltation Guard
5 Each	907-234-E001	Reset Inlet Siltation Guard
4,000 Linear Feet	907-237-A003	Wattles, 20"
1,305 Linear Feet	907-245-A001	Triangular Silt Dike
4,738 Each	907-246-B002	Rockbags
470 Ton	907-249-A001	Riprap for Erosion Control
1 Lump Sum	907-251-A001	Maintenance of Existing Erosion Control Devices
1 Lump Sum	907-270-A001	Temporary Site Drainage
124,950 Ton	907-304-B005	Granular Material, Class 9, Group C
20,160 Ton	907-304-B007	Granular Material, Class 5, Group E
1,769 Ton	907-304-D003	Granular Material, Size 57
177,271 Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
2,394 Ton	907-307-D001	Lime
354,541 Square Yard	907-307-PP001	12" Soil-Lime-Water Mixing, Class C
44,319 Gallon	907-307-S001	Bituminous Curing Seal
21,926 Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
39,864 Gallon	907-402-B001	Bituminous Tack Coat
8,577 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
5,695 Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
66,048 Ton	907-403-A019	19-mm, ST, Asphalt Pavement
17,915 Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
375 Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
152,570 Ton	907-403-A029	19-mm, HT, Asphalt Pavement

42,078 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
34,577 Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
4,100 Ton	907-403-B021	12.5-mm, HT, Asphalt Pavement, Leveling
30 Mile	907-403-S004	Joint Sealant
58,155 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
95,368 Gallon	907-407-A001	Asphalt for Tack Coat
706 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
86,500 Square Yard	907-503-M001	Repair of Failed Areas in Asphalt and/or Concrete Pavement
7 Cubic Yard	907-601-A001	Class "B" Structural Concrete
274 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
144 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,389 Linear Feet	907-604-A001	8" Trench Drain
12,330 Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
900 Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
2,240 Linear Feet	907-606-G001	Cable Barrier
2 Each	907-606-H001	Cable Barrier Terminal Section
1 Lump Sum	907-618-1M001	Service Patrol
1 Lump Sum	907-618-A001	Maintenance of Traffic
7 Each	907-619-E3001	Changeable Message Sign
13 Each	907-619-J3001	Remove and Reset Impact Attenuator
45,000 Linear Feet	907-619-P1001	Glare Paddles
1 Each	907-622-A002	Engineer's Field Office Building, Type 3
32 Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4,419 Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
50 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
23 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
18 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
43,095 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
12,725 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow

144	Square Feet	907-626-H005	Thermoplastic Legend, White
4,973	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
2,203	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
16	Mile	907-626-U004	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
19	Mile	907-626-V004	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
18	Mile	907-626-X004	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
21,096	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
1	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
1	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
1	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
1	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
1	Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed
1	Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed
1	Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed
1	Lump Sum	907-630-I012	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed
1	Lump Sum	907-630-I013	Metal Overhead Sign Supports, Assembly No. 12, Contractor Designed
1	Lump Sum	907-630-I014	Metal Overhead Sign Supports, Assembly No. 13, Contractor Designed
1	Lump Sum	907-630-I015	Metal Overhead Sign Supports, Assembly No. 14, Contractor Designed
1	Lump Sum	907-630-I016	Metal Overhead Sign Supports, Assembly No. 15, Contractor Designed
1	Lump Sum	907-630-I017	Metal Overhead Sign Supports, Assembly No. 16, Contractor Designed
1	Lump Sum	907-630-I018	Metal Overhead Sign Supports, Assembly No. 17, Contractor Designed
1	Lump Sum	907-630-I019	Metal Overhead Sign Supports, Assembly No. 18, Contractor Designed
1	Lump Sum	907-630-I020	Metal Overhead Sign Supports, Assembly No. 19, Contractor Designed
1	Lump Sum	907-630-I021	Metal Overhead Sign Supports, Assembly No. 20, Contractor Designed
1	Lump Sum	907-630-I022	Metal Overhead Sign Supports, Assembly No. 21, Contractor Designed
1	Lump Sum	907-630-I023	Metal Overhead Sign Supports, Assembly No. 22, Contractor Designed
1,350	Cubic Yard	907-631-A001	Flowable Fill, Excavatable

95 Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
8 Each	907-637-A001	Equipment Cabinet, Type B
2 Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1 Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1 Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1 Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1 Each	907-639-A115	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 45' Arms
3 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
9 Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
3 Each	907-639-E001	Camera Pole with Foundation, 50' Pole
4 Each	907-639-F001	Detector Pole with Foundation, 35' Pole
2 Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
1,110 Linear Feet	907-644-B001	Optical Detector Cable
3 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
3 Each	907-649-D002	Multi-Sensor Detection System, 1 Sensor
14 Each	907-650-A003	On Street Video Equipment, PTZ Type
2 Each	907-656-A001	Dynamic Message Sign, Type 1
1 Lump Sum	907-656-B001	Dynamic Message Sign Training
39,675 Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
4,185 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
21 Each	907-658-A005	Network Switch, Type A
1 Each	907-658-A007	Network Switch, Type C
1 Lump Sum	907-659-A001	Traffic Management Center Modifications
1 Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1 Each	907-660-A001	OTN Node
1 Lump Sum	907-660-C001	OTN Node Training
1 Lump Sum	907-660-PP001	Communications Hut Modification, Per Plans
150 Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
8 Each	907-670-A001	ITS Radar Detection System
19 Each	907-681-A1002	Wire Testing

121	Each	907-681-B1001	Conduit Testing
100	Linear Feet	907-682-A1001	Branch Circuit Wire, AWG #1, 3 Conductor
1,950	Linear Feet	907-682-A1002	Branch Circuit Wire, AWG #1/0, 3 Conductor
2,420	Linear Feet	907-682-A1004	Branch Circuit Wire, AWG #2, 3 Conductor
1,200	Linear Feet	907-682-A1007	Branch Circuit Wire, AWG #4, 3 Conductor
670	Linear Feet	907-682-A1011	Branch Circuit Wire, AWG #6, 3 Conductor
660	Linear Feet	907-682-A1013	Branch Circuit Wire, AWG #8, 3 Conductor
100	Linear Feet	907-682-A1031	Branch Circuit Wire, AWG #2/0, 3 Conductor
1	Each	907-687-A018	Traffic Recorder Classification Permanent System
1	Lump Sum	907-699-A002	Roadway Construction Stakes
2,080	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
116,588	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
116,588	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
116,588	Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
1,596	Ton	907-308-A001	Portland Cement
177,271	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
44,319	Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NUMBER 2			
177,271	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,197	Ton	907-311-B001	Lime
4,787	Ton	907-311-C001	Fly Ash, Class C
44,319	Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP CC NUMBER 1			
4,388	Ton	907-308-A001	Portland Cement
354,541	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
88,636	Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP CC NUMBER 2			

354,541	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
2,394	Ton	907-311-B001	Lime
9,573	Ton	907-311-C001	Fly Ash, Class C
88,636	Gallon	907-311-S001	Bituminous Curing Seal

Bridge Items

1,038	Cubic Yard	206-A001	Structure Excavation
5,000	Square Feet	802-A001	Permanent Steel Sheet Piling
23,540	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
11,460	Linear Feet	803-D007	HP 14 x 89 Steel Piling
3	Each	803-I001	PDA Test Pile
427,669	Pounds	805-A001	Reinforcement
343	Linear Feet	813-E009	42" Concrete Bridge Median Barrier Railing
5,772	Cubic Yard	907-804-A014	Bridge Concrete, Class B
287	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
80	Linear Feet	907-824-PP097	Bridge Repair, End Wall Repair, Per Plans
160	Square Feet	907-824-PP098	Bridge Repair, Remove & Replace Bridge Deck, Per Plans
1,252	Square Feet	907-825-A001	Soil Nail Retaining Walls
5	Each	907-825-B001	Soil Nail Verification Tests

CALL No. 03

US 78 Bridge Repair on Little Tallahatchie River Bridge and Central/Carter Avenue Bridges, known as Federal Aid Project No. NHPP-0006-02(029) / 104095311 in Union County.

PROJECT COMPLETION: SEPTEMBER 30, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

11,981	Linear Feet	202-B076	Removal of Traffic Stripe
2,055	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
1	Acre	220-A001	Insect Pest Control
200	Linear Feet	234-A001	Temporary Silt Fence
15,788	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
14,541	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
330	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,270	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
16	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
4,720	Linear Feet	619-F1001	Concrete Median Barrier, Precast
4,180	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
240	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
321	Each	619-G5001	Free Standing Plastic Drums
3	Unit	619-J1003	Impact Attenuator, 60 MPH
3	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
350	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50	Ton	815-A009	Loose Riprap, Size 300
1	Acre	907-225-A001	Grassing
1	Ton	907-225-B001	Agricultural Limestone
6	Ton	907-225-C001	Mulch, Vegetative Mulch
1	Acre	907-226-A001	Temporary Grassing

200	Linear Feet	907-237-A003	Wattles, 20"
54	Each	907-246-B002	Rockbags
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-J3001	Remove and Reset Impact Attenuator
6,638	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
6,638	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4,524	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,524	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
6,507	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,507	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
1,677	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,677	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White

ALTERNATE GROUP AA NUMBER 1

4,200	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,685	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,685	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
18	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White

ALTERNATE GROUP AA NUMBER 2

4,200	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,685	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,685	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
18	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White

Bridge Items

1,484	Linear Feet	202-B298	Removal of Existing Joint Material
120,614	Pounds	805-A001	Reinforcement
1,484	Linear Feet	808-A001	Joint Preparation
3,000	Square Yard	907-202-B004	Removal of Bridge Deck, Hydrodemolition
435	Cubic Yard	907-804-A001	Bridge Concrete, Class AA

180	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
29,760	Pounds	907-810-A001	Structural Steel, A 709, Grade 50W
2,084	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
219	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1	Lump Sum	907-824-PP096	Bridge Raising Debris Removal
40,341	Square Feet	907-824-PP098	Bridge Repair, Deck Sealing
650	Square Feet	907-824-PP098	Bridge Repair, Epoxy Repair
16,376	Square Feet	907-824-PP098	Bridge Repair, Removal of Bridge Deck

CALL No. 04

Slide Repair at US 61 & Highland Boulevard Intersection, known as Federal Aid Project No. NHPP-0009-01(130) / 106654301 in Adams County.

PROJECT COMPLETION: 158 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
80	Square Yard	202-B025	Removal of Concrete Paved Ditch
20	Linear Feet	202-B064	Removal of Pipe, 8" And Above
96,000	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
14,000	Cubic Yard	203-F002	Channel Excavation, LVM
1,500	Cubic Yard	203-G004	Excess Excavation, LVM, AH
240	Cubic Yard	206-A001	Structure Excavation
3,200	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
18	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
1	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,900	Linear Feet	234-A001	Temporary Silt Fence
1	Each	236-A001	Silt Basin, Type A
1	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
152	Pounds	602-A001	Reinforcing Steel
285	Linear Feet	603-CA095	24" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
1	Each	603-CB002	24" Reinforced Concrete End Section
200	Pounds	604-B001	Gratings
140	Linear Feet	604-C001	Precast Manhole, 48" Diameter
4,445	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
30	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
530	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
688	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,268	Linear Feet	619-F1001	Concrete Median Barrier, Precast

48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
16	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
3,480	Ton	815-A006	Loose Riprap, Size 100
4,500	Ton	815-A009	Loose Riprap, Size 300
892	Square Yard	907-216-A001	Solid Sodding
4	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
10,000	Square Yard	907-228-A001	Erosion Control Blanket, Type I
793	Square Yard	907-229-A001	Erosion Mat
1	Each	907-234-D001	Inlet Siltation Guard
1,900	Linear Feet	907-237-A003	Wattles, 20"
1,655	Ton	907-304-D003	Granular Material, Size 57
4	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
310	Square Yard	907-605-CC001	Prefabricated Sheet Drain
475	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
545	Linear Feet	907-605-O006	12" Perforated Sewer Pipe for Underdrains, SDR 35
180	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	907-605-P007	12" Non-Perforated Sewer Pipe for Underdrains, SDR 35
2	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

1,445	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

1,445	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,445 Ton

907-304-F004 Size 825B Crushed Stone Base

CALL No. 05

Mill & Overlay approximately 14 miles of I-20 between East Brandon Interchange and Scott County Line, known as Federal Aid Project No. IM-0020-01(201) / 105617301 in Rankin County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
58	Acre	201-D002	Random Clearing
15,337	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,457	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
2,857	Square Yard	202-B025	Removal of Concrete Paved Ditch
2,800	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
226	Linear Feet	202-B038	Removal of Curb, All Types
11,566	Linear Feet	202-B041	Removal of Fence, All Types
2,800	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,800	Square Yard	202-B068	Removal of Reinforced Concrete Pavement, All Depths
316	Each	202-B086	Removal of Guard Post
6,450	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2	Mile	202-B149	Removal of Traffic Stripe
430	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,396	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
20,667	Cubic Yard	203-G004	Excess Excavation, LVM, AH
6,334	Square Yard	203-I001	Site Grading
10	Cubic Yard	206-A001	Structure Excavation
17,552	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-C001	Superphosphate
500	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
268	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
861	Acre	223-A001	Mowing
2,667	Linear Feet	234-A001	Temporary Silt Fence

53	Mile	423-A001	Rumble Strips, Ground In
971	Each	501-H001	Dowels, Installed
252	Linear Feet	501-I001	Joint Filler, Wooden Board
3,884	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
3,788	Linear Feet	503-C002	Saw Cut, 3-inch
3,788	Linear Feet	503-C005	Saw Cut, 8-inch
94	Cubic Yard	503-D001	Concrete for Base Repair
998	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,664	Each	512-A001	Holes
1,317	Pounds	602-A001	Reinforcing Steel
24	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
240	Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
3	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
100	Cubic Yard	605-X001	Filter Material for Filter Beds, Type A
5	Each	605-Z005	Underdrain Appurtenances, Concrete Apron, Precast or Cast-In-Place
1	Lump Sum	605-Z006	Underdrain Appurtenances, Elbows, Couplings, etc.
10	Each	606-A001	Guard Posts
5,100	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
8	Each	606-D002	Guard Rail, Bridge End Section, Type C
70	Each	606-E002	Guard Rail, Terminal End Section, Flared
20	Each	606-F001	Special Sections, Bridge Connector
11,566	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
35	Each	607-G111	Gate, 12' x 5' Galvanized Metal
16	Each	607-G119	Gate, 3' x 52" Chain Link
591	Each	607-P1020	Line Post, 7' x 4" Timber
324	Each	607-P2001	Brace Post, 8' x 6" Timber
60	Each	607-P3001	Gate Post, 8' x 6" Timber

32	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
56	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
56	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
81	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
6,824	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
6,400	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
176	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
920	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
3	Unit	619-J1003	Impact Attenuator, 60 MPH
1	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
3,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
252	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
519	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,307	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
293	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
254	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
341	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
224	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
275	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
165	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
230	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
635	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
323	Each	630-F001	Delineators, Guard Rail, White
146	Each	630-F002	Delineators, Guard Rail, Yellow
75	Each	630-F006	Delineators, Post Mounted, Single White
28	Each	630-F007	Delineators, Post Mounted, Single Yellow
90	Each	630-F008	Delineators, Post Mounted, Double White

26	Each	630-F009	Delineators, Post Mounted, Double Yellow
60	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
60	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
78	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
97	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
349	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
3	Ton	907-213-A001	Agricultural Limestone
1,830	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-225-A001	Grassing
2	Ton	907-225-C001	Mulch, Vegetative Mulch
1	Acre	907-226-A001	Temporary Grassing
1,340	Linear Feet	907-237-A003	Wattles, 20"
500	Each	907-246-B002	Rockbags
27,095	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
24,591	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
52,671	Gallon	907-402-B001	Bituminous Tack Coat
13,679	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
18,440	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
1,786	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,697	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
2,823	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
7,946	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
36,894	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
49,291	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
1,364	Ton	907-403-E007	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
18,177	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths (3.5' width)
533	Square Yard	907-406-B001	Cold Milling of Concrete Pavement, All Depths
609,447	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
122,367	Gallon	907-407-A001	Asphalt for Tack Coat
2,620	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement

1,152	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2,186	Square Yard	907-503-A002	8" and Variable Continuously Reinforced Concrete Pavement, room Finish
689	Square Yard	907-503-A003	8" and Variable Jointed Concrete Pavement
10,340	Pounds	907-512-B006	Portland Cement Pressure Grout Slurry, Type 6
4	Cubic Yard	907-601-A001	Class "B" Structural Concrete
42	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
100	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
10	Each	907-607-PP015	Remove and Reset Gate, All Sizes
1	Lump Sum	907-618-A001	Maintenance of Traffic
9	Each	907-619-J3001	Remove and Reset Impact Attenuator
27	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
28	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
28	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,824	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
121	Square Feet	907-630-PP018	Roadside Directional Signs, Overlay
75	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

13,176	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
--------	------------	--------------	-----------------------------------

ALTERNATE GROUP AA NUMBER 2

13,176	Cubic Yard	907-304-G002	Size 610 Crushed Stone Base, AEA
--------	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

13,176	Cubic Yard	907-304-G003	Size 3/4" and Down Crushed Stone Base, AEA
--------	------------	--------------	--

Bridge Items

54	Square Yard	202-B036	Removal of Concrete Slope Paving
1,408	Linear Feet	202-B298	Removal of Existing Joint Material
2,304	Linear Feet	808-A001	Joint Preparation
2,590	Ton	815-A009	Loose Riprap, Size 300
6	Cubic Yard	815-D001	Concrete Slope Paving
2,990	Square Yard	815-E001	Geotextile under Riprap

160	Linear Feet	907-413-D002	Cleaning and Filling Joints in PCC Pavement, 10" or Less
1,200	Pounds	907-420-A001	Undersealing Concrete Pavement
422	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
1,152	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,304	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-824-PP093	Bridge Repair, Pressure wash and Clean, Per Plans
1	Lump Sum	907-824-PP093	Bridge Repair, Remove and Replace Bridge Railing and Deck, Per Plans
12	Each	907-824-PP095	Bridge Repair, Pressure Relief Joint, Per Plans
126	Each	907-824-PP095	Bridge Repair, Remove and Replace Bearings, Per Plans
300	Linear Feet	907-824-PP097	Bridge Repair, Bridge Deck Crack Sealing, Per Plans
124	Linear Feet	907-824-PP097	Bridge Repair, End Wall Repair, Per Plans
10	Linear Feet	907-824-PP097	Bridge Repair, Epoxy Injection Repair, Per Plans
39	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy repair, Per Plans

CALL No. 06

Mill & Overlay approximately 13 miles of I-20 from Hwy 18 to the Stack, known as Federal Aid Project Nos. IM-0020-01(205)/106388301, 106388303 & IM-0055-02(227)106388302 in Hinds & Rankin Counties.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

360	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
360	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
98,820	Linear Feet	202-B076	Removal of Traffic Stripe
3,189	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
49,281	Linear Feet	413-B001	Cleaning and Sealing Joints
22	Mile	423-A001	Rumble Strips, Ground In
378	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,080	Linear Feet	503-C002	Saw Cut, 3-inch
1,080	Linear Feet	503-C007	Saw Cut, Full Depth
32	Cubic Yard	503-D001	Concrete for Base Repair
252	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
7	Each	606-D002	Guard Rail, Bridge End Section, Type C
44	Each	606-E001	Guard Rail, Terminal End Section
44	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
44	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
50	Mile	619-A3006	Temporary Traffic Stripe, Skip White
81,261	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
776	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
866	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
7,400	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
272	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,860	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
120	Linear Feet	619-G4001	Barricades, Type III, Single Faced

1	Lump Sum	620-A001	Mobilization
9,900	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
35	Each	630-F002	Delineators, Guard Rail, Yellow
1,182	Linear Feet	635-A001	Vehicle Loop Assemblies
4,154	Ton	907-304-B007	Granular Material, Class 5, Group E
23,167	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
48,714	Gallon	907-402-B001	Bituminous Tack Coat
5,985	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
5,236	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
21,772	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
1,373	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
486	Ton	907-403-B013	12.5-mm, ST, Asphalt Pavement, Leveling
3,888	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,916	Ton	907-403-E007	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
35	Mile	907-403-S004	Joint Sealant
37,381	Ton	907-406-A003	Cold Milling of Bituminous Pavement, All Depths
26,000	Gallon	907-407-A001	Asphalt for Tack Coat
10,173	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
51,640	Pounds	907-420-A002	Undersealing (DEEP PENETRATION FOAM INJECTION)
360	Square Yard	907-503-A002	8" and Variable Continuously Reinforced Concrete Pavement, room Finish
9,448	Linear Feet	907-606-PP007	Guard Rail Repair, 'W' Beam, Per Plans (ADJUST HEIGHT)
1	Lump Sum	907-618-A001	Maintenance of Traffic
42	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
40	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
40	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
69,769	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,908	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,479	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
520	Hours	907-906001	Trainees

CALL No. 07

Cleaning and Painting of Bridge # 1.5 on SR 463, known as Federal Aid Project No. STP-6947-00(005) / 107138308 in Madison County.

PROJECT COMPLETION: JULY 22, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Each	907-202-B007	Removal of Bird Debris
1 Lump Sum	907-255-A001	Bird Netting System
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
75 Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structures

CALL No. 08

Construction of a Bike Path on Columbus Riverwalk Extension, known as State Project No. SP-0110-00(017) / 107136301 in Lowndes County.

PROJECT COMPLETION: NOVEMBER 14, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
350	Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
25	Cubic Yard	206-A001	Structure Excavation
1	Ton	213-C001	Superphosphate
2	Thousand Gallon	219-A001	Watering
1,100	Linear Feet	234-A001	Temporary Silt Fence
10	Bale	235-A001	Temporary Erosion Checks
850	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
1	Each	607-G001	Gate, 12' x 52" Aluminum
1,100	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1	Lump Sum	620-A001	Mobilization
2,707	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
200	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
796	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
219	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
5	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
125	Ton	815-A009	Loose Riprap, Size 300
440	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
2	Ton	907-225-C001	Mulch, Vegetative Mulch
40	Linear Feet	907-237-A003	Wattles, 20"
20	Linear Feet	907-245-A001	Triangular Silt Dike
10	Each	907-246-A002	Sandbags

4	Each	907-603-PE203	15" Corrugated Polyethylene End Section
140	Linear Feet	907-603-PE212	15" Corrugated Polyethylene Pipe
9	Each	907-683-PP001	Lighting Assembly, Low Mast, Type 15-1-0-175
9	Each	907-684-PP002	Pole Foundation, Auger Base
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

350	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-----	------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

350	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-----	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

350	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
-----	------------	--------------	-----------------------------------

Upgrade and Repair of SR 552, known as State Project No. SP-0303-00(012) / 107179301 in Claiborne County.

PROJECT COMPLETION: NOVEMBER 18, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	201-A001 Clearing and Grubbing
400 Linear Feet	202-B041 Removal of Fence, All Types
150 Linear Feet	202-B064 Removal of Pipe, 8" And Above
7 Each	202-B077 Removal of Trees Greater Than 6"
620 Square Yard	202-B078 Removal of Pavement, All Types and Depths
20 Linear Feet	202-B094 Removal of Curb &/or Curb and Gutter, All Types
34,000 Cubic Yard	203-A003 Unclassified Excavation, FM, AH
26,000 Cubic Yard	203-EX017 Borrow Excavation, AH, FME, Class B9
1,200 Cubic Yard	206-A001 Structure Excavation
3,300 Square Yard	209-A004 Geotextile Stabilization, Type V, Non-Woven Type 2
22,000 Square Yard	211-A001 Topsoil for Slope Treatment, From Right-of-Way
30 Cubic Yard	211-D001 Topsoil for Plant Pits, Contractor Furnished
3 Ton	213-C001 Superphosphate
120 Thousand Gallon	219-A001 Watering
5 Acre	220-A001 Insect Pest Control
1 Thousand	232-A002 Fertilizer for Woody Plant Material, Tablet, 21 gram
4,625 Pounds	602-A001 Reinforcing Steel
632 Linear Feet	603-CA002 18" Reinforced Concrete Pipe, Class III
472 Linear Feet	603-CA005 36" Reinforced Concrete Pipe, Class III
4 Each	603-CB001 18" Reinforced Concrete End Section
742 Linear Feet	603-CE002 29" x 18" Concrete Arch Pipe, Class A III
104 Linear Feet	603-CE004 44" x 27" Concrete Arch Pipe, Class A III
3 Each	603-CF002 29" x 18" Concrete Arch Pipe End Section
1 Each	603-CF004 44" x 27" Concrete Arch Pipe End Section
7,842 Pounds	604-B001 Gratings

950 Linear Feet	607-B009 72" Type I Chain Link Fence, Class I
1,400 Square Yard	608-A001 Concrete Sidewalk, Without Reinforcement
5,566 Linear Feet	609-D006 Combination Concrete Curb and Gutter Type 1 Modified
176 Linear Feet	609-D007 Combination Concrete Curb and Gutter Type 2 Modified
170 Square Yard	616-A001 Concrete Median and/or Island Pavement, 4-inch
2,700 Linear Feet	619-A1001 Temporary Traffic Stripe, Continuous White
2,700 Linear Feet	619-A2001 Temporary Traffic Stripe, Continuous Yellow
376 Square Feet	619-D4001 Directional Signs
1 Lump Sum	620-A001 Mobilization
15,576 Linear Feet	625-E001 Detail Traffic Stripe
242 Square Feet	625-F001 Legend
24 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
50 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
108 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
51 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
75 Square Feet	630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
390 Linear Feet	630-C004 Steel U-Section Posts, 3.0 to 3.5 lb/ft
309 Linear Feet	630-D003 Structural Steel Beams, W6 x 9
314 Pounds	630-E001 Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
2 Each	647-A003 Pullbox, Type 4
4,250 Linear Feet	668-A016 Traffic Signal Conduit, Underground, Type 4, 1"
1,560 Linear Feet	668-A018 Traffic Signal Conduit, Underground, Type 4, 2"
1,360 Linear Feet	682-A009 Underground Branch Circuit, AWG 10, 3 Conductor
6,560 Linear Feet	682-A016 Underground Branch Circuit, AWG 2, 4 Conductor
1,320 Linear Feet	682-A031 Underground Branch Circuit, AWG 6, 3 Conductor
7,260 Linear Feet	682-A036 Underground Branch Circuit, AWG 8, 3 Conductor
30 Linear Feet	682-B018 Underground Branch Circuit, Jacked or Bored, AWG 2, 4 Conductor
290 Linear Feet	682-B036 Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
4 Each	682-D001 Underground Pull Box
2 Each	682-F001 Secondary Power Controllers

18	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
107	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
4,000	Square Feet	809-A005	Modular Block Retaining Wall System
15,000	Square Yard	907-216-B001	Solid Sodding, Centipede
4	Acre	907-225-A001	Grassing
18	Ton	907-225-B001	Agricultural Limestone
12	Ton	907-225-C001	Mulch, Vegetative Mulch
300	Square Yard	907-228-A002	Erosion Control Blanket, Type II
19	Each	907-230-B002	Tree Planting, Bald Cypress
18	Each	907-230-B022	Tree Planting, Drake Elm
18	Each	907-230-B026	Tree Planting, Nuttall Oak
11	Each	907-230-B034	Tree Planting, Tulip Poplar
17	Each	907-230-B047	Tree Planting, Live Oak
19	Each	907-230-B069	Tree Planting, Red Maple
28	Each	907-230-B101	Tree Planting, Chaste Tree
15	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
25	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
8,000	Linear Feet	907-234-C002	Super Silt Fence
600	Linear Feet	907-237-A003	Wattles, 20"
660	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
500	Each	907-246-B002	Rockbags
300	Ton	907-249-A001	Riprap for Erosion Control
1	Each	907-258-G001	Travel Trailer Sewage Dump Station
330	Linear Feet	907-258-PP006	Handrail
10	Each	907-258-PP026	Car Stop
4,300	Linear Feet	907-262-A003	6" PVC Pipe, C-900, Class 100
5,500	Pounds	907-265-C002	Ductile Iron Fittings
13	Each	907-265-D003	6" Gate Valve and Value Box
2	Each	907-265-F001	Fire Hydrant Assembly
66	Each	907-265-J004	Water Service Connections

2,300	Linear Feet	907-265-L001	1" Diameter Water Service Line
1	Each	907-265-O005	6"x6" Tapping Sleeve & 6" Valve
66	Each	907-282-PP001	Water Meter Box, Per Plans
130	Each	907-282-PP003	Slow Release Irrigation Bag, Per Plans
2,400	Cubic Yard	907-304-C002	Granular Material, AEA, Class 5, Group D
3,000	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
3,300	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
4,300	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
300	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
330	Gallon	907-407-A001	Asphalt for Tack Coat
7,000	Square Yard	907-501-A002	6" Reinforced Cement Concrete Pavement, Broom Finish
71	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Each	907-607-PP005	Gate, Barrier Fence, Per Plans Type 1
1	Each	907-607-PP005	Gate, Barrier Fence, Per Plans Type 2
4	Each	907-607-PP014	Masonry Column, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
453	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
62	Square Feet	907-625-F003	Legend, Blue-ADA
1,574	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2,553	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
4,994	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
658	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,155	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
661	Linear Feet	907-626-H004	Thermoplastic Legend, White
340	Square Feet	907-626-H005	Thermoplastic Legend, White
10	Each	907-682-F002	Secondary Power Controllers, Per Plans
66	Each	907-682-J001	RV Campground Electrical Pedestal
8	Each	907-683-B020	Lighting Assembly, Low Mast, LED, Type 40-4-0-220
35	Each	907-683-B021	Lighting Assembly, Low Mast, LED, Type 40-1-10-220
20	Each	907-683-B022	Lighting Assembly, Low Mast, LED, Type 15-1-0-90

1	Lump Sum	907-699-A002	Roadway Construction Stakes
100	Cubic Yard	907-815-F002	Sediment Control Stone
ALTERNATE GROUP AA NUMBER 1			
7,500	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
7,500	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
7,500	Ton	907-304-F004	Size 825B Crushed Stone Base

CALL No. 10

Bridge Repair on SR 25 Across Bull Mountain Creek Bridge No. 147.1, known as State Project Nos. EXB-0040-02(036) / 1071393090 & 1071393091 in Itawamba & Monroe Counties.

PROJECT COMPLETION: SEPTEMBER 12, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,500	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
46	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Acre	907-225-A001	Grassing
1	Acre	907-226-A001	Temporary Grassing
500	Linear Feet	907-234-C002	Super Silt Fence
200	Linear Feet	907-237-A002	Wattles, 12"
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

104	Linear Feet	202-B298	Removal of Existing Joint Material
1,560	Linear Feet	808-A001	Joint Preparation
728	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
52	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,456	Linear Feet	907-823-B001	Saw Cut, Type I
104	Linear Feet	907-823-B002	Saw Cut, Type II
33	Each	907-824-PP095	Bridge Repair, Repair End of Degraded 30' Steel Girder with 3' Support Plate, Per Plans
76	Each	907-824-PP095	Bridge Repair, Repair End of Degraded 30' Steel Girder with 4' Support Plate, Per Plans
19	Each	907-824-PP095	Bridge Repair, Repair End of Degraded 30' Steel Girder with 5' Support Plate, Per Plans
2	Each	907-824-PP095	Bridge Repair, Repair end of Degraded 30' Steel Girder with 6' Support Plate, Per Plans
3	Each	907-824-PP095	Bridge Repair, Replace Bottom Flange Cover Plate of Steel Girder, Per Plans
2	Each	907-824-PP095	Bridge Repair, Re-weld Riser to Bottom of 30' Steel Girder, Per Plans

1,379	Linear Feet	907-824-PP097	Bridge Repair, Concrete Encasement for Piling at Bents 2, 3, & 5 thru 29, Per Plans
104	Linear Feet	907-824-PP097	Bridge Repair, Fill Intermediate Bridge Deck Joints, Per Plans
235	Linear Feet	907-824-PP097	Bridge Repair, Structural Concrete Encasement for Piling at Bent 4, Per Plans
9,340	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structure, Per Plans
85	Cubic Feet	907-824-PP101	Bridge Repair, Repair Spalled Concrete with Epoxy Mortar, Per Plans

CALL No. 11

Bridge Repair on SR 450 over Bouge Phalia Bridge No. 14.9, known as State Project No. EXB-0611-00(006) / 107139305 in Bolivar County.

PROJECT COMPLETION: OCTOBER 14, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
287	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
10	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
54	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
489	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
25	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic

ALTERNATE GROUP AA NUMBER 1

360	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
50	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

360	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
50	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

Bridge Items

156	Linear Feet	202-B298	Removal of Existing Joint Material
312	Linear Feet	808-A001	Joint Preparation
15,321	Pounds	810-A003	Structural Steel, A 709, Grade 50
475	Square Yard	907-202-B004	Removal of Bridge Deck, Hydrodemolition
62	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
168	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
312	Linear Feet	907-823-B001	Saw Cut, Type I
1,040	Square Feet	907-824-PP098	Bridge Repair, Removal of Bridge Deck

15 Cubic Feet

907-824-PP101 Bridge Repair, Epoxy Repair

CALL No. 12

Bridge Repair on SR 178 over the Mantachie Canal Bridge No. 102.7, known as State Project No. EXB-2835-00(006) / 107139310 in Itawamba County.

PROJECT COMPLETION: OCTOBER 14, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

15	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
225	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-M1002	Portable Smart Work Zone, Additional Device, Portable Changeable Message Sign

Bridge Items

104	Linear Feet	202-B298	Removal of Existing Joint Material
104	Linear Feet	808-A001	Joint Preparation
104	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
104	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-824-PP093	Bridge Repair, Bearing Reset, Per Plans
1	Lump Sum	907-824-PP093	Bridge Repair, Truss Members, Per Plans
2	Each	907-824-PP095	Bridge Repair, Pressure Relief Joint, Per Plans
6	Each	907-824-PP095	Bridge Repair, Pressure Wash and Clean Bent, Per Plans
32	Each	907-824-PP095	Bridge Repair, T-Beam Support, Per Plans
30	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair, Per Plans
1	Lump Sum	907-845-A002	Coating Existing Structural Steel

CALL No. 13

Building, Renovating, and Lot work of the Foxworth Project Office, known as State Project Nos. BWO-7149-46(001), BWO-7079-46(003), and LWO-7061-46(003) / 502689301, 302, & 303 in Marion County.

PROJECT COMPLETION: JUNE 30, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

1	Lump Sum	907-242-A006	Construction of Project Office Building
1	Lump Sum	907-242-A015	Renovation of Existing Building

Lot Work Items

1	Lump Sum	201-A001	Clearing and Grubbing
12	Square Yard	202-B035	Removal of Concrete Sidewalk
52	Linear Feet	202-B038	Removal of Curb, All Types
1	Each	202-B306	Removal of Flag Pole
225	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
816	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
24	Thousand Gallon	219-A001	Watering
240	Linear Feet	234-A001	Temporary Silt Fence
101	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
40	Linear Feet	609-B001	Concrete Curb, Header
53	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
1	Lump Sum	620-A001	Mobilization
2	Each	647-A005	Pullbox, Type 2
136	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
1,200	Square Yard	907-216-B004	Solid Sodding, Bermuda
100	Linear Feet	907-237-A003	Wattles, 20"
1	Lump Sum	907-242-PP001	Water and Sewer Improvements, Per Plans
2	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans
14	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
7	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
9	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
3	Gallon	907-407-A001	Asphalt for Tack Coat

378	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
60	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
40	Linear Feet	907-625-F004	Legend, Blue-ADA
1	Lump Sum	907-699-A002	Roadway Construction Stakes

CALL No. 14

Repaving sections of Jackson Shop Complex, known as State Project No. LWO-9002-25(007) / 502995301 in Hinds County.

PROJECT COMPLETION: JUNE 15, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

136	Linear Feet	202-B001	Removal of Asphalt Curb
160	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
1	Lump Sum	620-A001	Mobilization
5	Each	907-258-PP024	Speed Hump
1,345	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
15,920	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
796	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
4,260	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
250	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
140	Square Feet	907-625-F001	Legend, 4" Equivalent Length
23	Square Feet	907-625-F003	Legend, Blue-ADA

CALL No. 01

Paving on SR 304 / I-269 from SR 305 to SR 302, known as Federal Aid Project Nos. STP-0029-02(018) and STP-0029-03(015) / 102556306, 307, & 318 in Desoto and Marshall Counties.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
4,165	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,090	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
1	Each	202-B042	Removal of Flared End Section, All Sizes
27	Each	202-B070	Removal of Sign Including Post & Footing
31,560	Linear Feet	202-B076	Removal of Traffic Stripe
240	Linear Feet	202-B275	Removal of Barricade, All Types
117,123	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
10,844	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
48,986	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
338,072	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,509	Cubic Yard	206-A001	Structure Excavation
63	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
158,321	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
5,500	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
129	Ton	213-C001	Superphosphate
1,575	Square Yard	217-A001	Ditch Liner
68	Thousand Gallon	219-A001	Watering
301	Acre	220-A001	Insect Pest Control
395	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2,787	Acre	223-A001	Mowing
1,700	Square Yard	224-A001	Soil Reinforcing Mat
19,455	Linear Feet	234-A001	Temporary Silt Fence
1	Each	236-A004	Silt Basin, Type D

2	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
528	Linear Feet	239-A001	Temporary Slope Drains
14	Mile	321-A001	6" In-Grade Preparation
2,950	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
53	Mile	423-A001	Rumble Strips, Ground In
2,305	Linear Feet	501-E001	Expansion Joints, Without Dowels
5,098	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
67,275	Pounds	602-A001	Reinforcing Steel
56	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
96	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
96	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
216	Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
152	Linear Feet	603-CA041	36" Reinforced Concrete Pipe, Class IV, Class B Bedding
4	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
3	Each	603-CB004	36" Reinforced Concrete End Section
2,440	Pounds	604-A001	Castings
2,000	Pounds	604-B001	Gratings
1,667	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
140	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
152	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
207	Each	606-A001	Guard Posts
5,588	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
42	Each	606-D012	Guard Rail, Bridge End Section, Type I
41	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4	Each	607-G041	Gate, 12' x 6' Chain Link
40	Linear Feet	609-C002	Concrete Curb, Integral, Type 2
2,669	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2

5,424	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
4,523	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
2,194	Linear Feet	615-A008	Concrete Type I Cast-in-Place Median Barrier, 32" High
840	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
7,200	Linear Feet	615-B001	Precast Concrete Median Barrier
5,356	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
231	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
17,287	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
15,321	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
15,405	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
19,955	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
9,000	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
19,959	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
16,234	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,595	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
256	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
77	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
304	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,719	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
588	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
111	Each	619-G5001	Free Standing Plastic Drums
10	Each	619-G7001	Warning Lights, Type "B"
4	Unit	619-J1003	Impact Attenuator, 60 MPH
2	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
6,040	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
575	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A002	Vehicular Impact Attenuator, 60 MPH

561 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
2,464 Square Feet	630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
3,403 Square Feet	630-B001 Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
4,775 Square Feet	630-B002 Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
461 Linear Feet	630-C001 Steel U-Section Posts, 2.0 lb/ft
1,155 Linear Feet	630-C003 Steel U-Section Posts, 3.0 lb/ft
1,015 Linear Feet	630-D003 Structural Steel Beams, W6 x 9
482 Linear Feet	630-D005 Structural Steel Beams, W6 x 15
348 Linear Feet	630-D006 Structural Steel Beams, W8 x 18
100 Linear Feet	630-D007 Structural Steel Beams, W8 x 21
222 Linear Feet	630-D008 Structural Steel Beams, W10 x 22
1,024 Pounds	630-E001 Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
995 Pounds	630-E002 Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
662 Pounds	630-E003 Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
2,735 Pounds	630-E004 Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
174 Each	630-F001 Delineators, Guard Rail, White
140 Each	630-F002 Delineators, Guard Rail, Yellow
365 Each	630-F006 Delineators, Post Mounted, Single White
78 Each	630-F007 Delineators, Post Mounted, Single Yellow
414 Each	630-F008 Delineators, Post Mounted, Double White
59 Each	630-F009 Delineators, Post Mounted, Double Yellow
17 Each	630-G001 Type 3 Object Markers, OM-3R, Post Mounted
12 Each	630-G002 Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
17 Each	630-G003 Type 3 Object Markers, OM-3L, Post Mounted
506 Linear Feet	630-K001 Welded & Seamless Steel Pipe Posts, 3"
325 Linear Feet	630-K002 Welded & Seamless Steel Pipe Posts, 3 1/2"
1,112 Linear Feet	630-K003 Welded & Seamless Steel Pipe Posts, 4"
63 Linear Feet	630-K004 Welded & Seamless Steel Pipe Posts, 5"
28 Each	640-A016 Traffic Signal Heads, Type 1 LED
5 Each	640-A056 Traffic Signal Heads, Type 2 FYA LED

4	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
3	Each	647-A002	Pullbox, Type 3
79	Each	647-A003	Pullbox, Type 4
43	Each	647-A004	Pullbox, Type 5
53	Each	647-A005	Pullbox, Type 2
12	Each	650-A002	On Street Video Equipment, Fixed Type
6	Each	650-A003	On Street Video Equipment, PTZ Type
42	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
20,130	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2,581	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
180	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1,615	Linear Feet	666-B027	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
3,060	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
3,690	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
660	Linear Feet	666-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
1,971	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
630	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
486	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
68	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
10,580	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
6,219	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
784	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,778	Ton	815-A009	Loose Riprap, Size 300
2,381	Square Yard	815-E001	Geotextile under Riprap
3,365	Square Yard	907-216-A001	Solid Sodding
257	Acre	907-225-A001	Grassing
129	Ton	907-225-B001	Agricultural Limestone
514	Ton	907-225-C001	Mulch, Vegetative Mulch

257	Acre	907-226-A001	Temporary Grassing
87	Each	907-234-D001	Inlet Siltation Guard
55	Each	907-234-E001	Reset Inlet Siltation Guard
800	Linear Feet	907-237-A002	Wattles, 12"
41,100	Linear Feet	907-237-A003	Wattles, 20"
170	Linear Feet	907-245-A001	Triangular Silt Dike
8,270	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
100	Ton	907-249-A001	Riprap for Erosion Control
360	Cubic Yard	907-249-B001	Remove and Reset Riprap
899	Pounds	907-250-A001	Polyacrylamide (PAM)
54	Linear Feet	907-253-A001	Coir Fiber Baffle
107,787	Ton	907-304-B009	Granular Material, Class 3, Group D
422,614	Ton	907-304-B011	Granular Material, Class 9, Group B
234,446	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
3,165	Ton	907-307-D001	Lime
58,612	Gallon	907-307-S001	Bituminous Curing Seal
26,274	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
45,520	Gallon	907-402-B001	Bituminous Tack Coat
16,436	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
40,343	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
104,579	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,535	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,076	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
4,755	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
2,174	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
59,865	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
96,393	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
36,480	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
48,749	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture

8,785	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
11,951	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
54	Mile	907-403-S004	Joint Sealant
135,721	Gallon	907-407-A001	Asphalt for Tack Coat
2,267	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
284	Cubic Yard	907-601-A001	Class "B" Structural Concrete
90	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,195	Linear Feet	907-605-O003	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
520	Linear Feet	907-605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1	Lump Sum	907-618-A001	Maintenance of Traffic
35	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
344	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
47	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,213	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
47	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
21,297	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,685	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
47,567	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
10,379	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
884	Linear Feet	907-626-H004	Thermoplastic Legend, White
337	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
1	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
1	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
1	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
1	Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed

1	Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed
1	Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed
1	Lump Sum	907-630-I012	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed
1	Lump Sum	907-630-I013	Metal Overhead Sign Supports, Assembly No. 12, Contractor Designed
1	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed
1	Lump Sum	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed
1	Lump Sum	907-630-M006	Pedestal Sign Support, Assembly No 3, Contractor Designed
1,678	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
14	Each	907-637-A001	Equipment Cabinet, Type B
2	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
3	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
3	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A119	Traffic Signal Equipment Pole, Type II, 17' Shaft, 80' Arm
1	Each	907-639-A158	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 50' Arms
7	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
20	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
14	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1	Lump Sum	907-639-PP001	Installation of Camera Pole with Foundation
1	Each	907-641-C001	Signal Radar Detection System
3	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
6	Each	907-649-D002	Multi-Sensor Detection System, 1 Sensor
16	Each	907-650-A002	On Street Video Equipment, Fixed Type
8	Each	907-650-A003	On Street Video Equipment, PTZ Type
4	Each	907-656-A002	Dynamic Message Sign, Type 2
1	Lump Sum	907-656-B001	Dynamic Message Sign Training
87,785	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
5,195	Linear Feet	907-657-A002	Fiber Optic Cable, 12 SM

2,050	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
17	Each	907-658-A005	Network Switch, Type A
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1	Lump Sum	907-660-PP001	Communications Hut Modification, Per Plans
70,725	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
8,110	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
265	Linear Feet	907-668-G001	Traffic Signal Conduit Bank, Aerial Supported, Type I, 3 @ 2"
4,645	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @ 2"
3,830	Linear Feet	907-668-G003	Traffic Signal Conduit Bank, Aerial Supported, Type FRP, 2@ 2"
13	Each	907-670-A001	ITS Radar Detection System
3	Each	907-697-A001	Bluetooth Detection System, Type A
1	Lump Sum	907-699-A002	Roadway Construction Stakes
33	Ton	907-815-F001	Sediment Control Stone
2,548	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
3,341	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,680	Linear Feet	907-823-B001	Saw Cut, Type I
612	Linear Feet	907-823-B002	Saw Cut, Type II
2,080	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

72,705	Ton	907-304-F002	Size 610 Crushed Stone Base
--------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

72,705	Ton	907-304-F003	3/4" and Down Crushed Stone Base
--------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

72,705	Ton	907-304-F004	Size 825B Crushed Stone Base
--------	-----	--------------	------------------------------

ALTERNATE GROUP BB NUMBER 1

15,940	Ton	907-308-A001	Portland Cement
885,186	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
666,959	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
388,038	Gallon	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP BB NUMBER 2

1,552,145	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
11,314	Ton	907-311-B001	Lime
45,254	Ton	907-311-C001	Fly Ash, Class C
388,038	Gallon	907-311-S001	Bituminous Curing Seal

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR