

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 4/21/2016 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised or Added Plan Sheet Nos. 2, 5, & 13; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

 President Address

 Secretary Address

 Treasurer Address

The following is my (our) itemized proposal.

IM-0010-01(137)/106178301

Harrison County(ies)

ADDENDUM

STATE	PROJECT NO.
MISS.	IM-0010-01(137)

DESCRIPTION OF SHEET	REVISION DATE	WKG. NO.	SH. NO.
TITLE SHEET			1
DETAILED INDEX		DI-1	2
GENERAL NOTES		GN-1	3
TYPICAL SECTION SHEETS (8)			
TYPICAL SECTION - MAIN FACILITY		TS-1	4
TYPICAL SECTION - MAIN FACILITY		TS-2	5
TYPICAL SECTION - CEDAR LAKE ROAD AND SHRINERS BLVD.		TS-3	6
TYPICAL SECTION - INTERCHANGE RAMPS		TS-4	7
TYPICAL SECTION - INTERCHANGE RAMPS		TS-5	8
TYPICAL SECTION - PAVING DETAILS		TS-6	9
TYPICAL SECTION - RUMBLE STRIP DETAILS		TS-7	10
TYPICAL SECTION - PAVING DETAILS AT RAMPS		TS-8	11
QUANTITY SHEETS (7)			
SUMMARY OF QUANTITIES		SQ-1	12
SUMMARY OF QUANTITIES		SQ-2	13
ESTIMATED QUANTITIES - GUARDRAIL REMOVAL ITEMS		EQ-1	14
ESTIMATED QUANTITIES - GUARDRAIL REQUIRED		EQ-2	15
ESTIMATED QUANTITIES - JOINT REPAIR		EQ-3	16
ESTIMATED QUANTITIES - JOINT REPAIR		EQ-4	17
ESTIMATED QUANTITIES FOR TRAFFIC CONTROL SIGNS		TCP-EQ	18
PLAN AND PROFILE SHEETS (13)			
STA. 1515+00 (BOP) TO STA. 1520+00		3	19
STA. 1520+00 TO STA. 1549+00		4	20
STA. 1549+00 TO STA. 1578+00		5	21
STA. 1578+00 TO STA. 1608+00		6	22
DETAIL OF RAMPS - SHRINERS BLVD.		6A	23
STA. 1608+00 TO STA. 1638+00		7	24
STA. 1638+00 TO STA. 1668+00		8	25
STA. 1668+00 TO STA. 1698+00		9	26
STA. 1668+00 TO STA. 1728+00		10	27
DETAIL OF RAMPS - CEDAR LAKE ROAD		10A	28
DETAIL OF RAMPS - CEDAR LAKE ROAD		10B	29
STA. 1728+00 TO STA. 1758+00		11	30
STA. 1758+00 TO STA. 1787+76.350 (EOP)		12	31

DESCRIPTION OF SHEET	REVISION DATE	WKG. NO.	SH. NO.
SPECIAL DESIGN SHEETS (12)			
TRAFFIC CONTROL PLAN - DETAILS FOR CONSTRUCTION SIGNING		TCP-17	32
TRAFFIC CONTROL PLAN - DETAILS FOR CONSTRUCTION SIGNING		TCP-18	33
PAVEMENT MARKING DETAILS FOR INTERCHANGE ENTRANCE RAMPS (PARALLEL AND TAPERS)		SDPM-3	34
PAVEMENT MARKING DETAILS FOR INTERCHANGE EXIT RAMPS (PARALLEL AND TAPERS)		SDPM-4	35
JOINT REPAIR - SILICONE SEALED EXPANSION JOINTS		JR-1	36
JOINT REPAIR - COMPRESSION EXPANSION JOINTS		JR-2	37
JOINT REPAIR - AC SEALED EXPANSION JOINTS		JR-3	38
END WALL REPAIR		EW-1	39
TYPICAL INSTALLATION AND DETAILS OF DELINEATORS AND DISTANCE REFERENCE SIGNS		SDSN-8	40
HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS		SDTCP-10	41
GUARDRAIL: RUB RAIL HARDWARE SHEET		GR-RR	42
GUARDRAIL: BRIDGE END SECTIONS TYPE "I" (STEEL POSTS)		GR-2G	43
STANDARD DRAWINGS (16)			
PAVEMENT MARKING DETAILS FOR 2-LANE AND 4-LANE DIVIDED HIGHWAYS	(12-01-99)	PM-1	6120
PAVEMENT MARKING DETAILS FOR 4-LANE AND 5-LANE UNDIVIDED HIGHWAYS	(12-01-99)	PM-2	6121
PAVEMENT MARKING LEGEND DETAILS		PM-5	6124
PAVEMENT MARKING LEGEND DETAILS		PM-6	6125
GUARDRAIL: "W" BEAM (STEEL POSTS)	(03-01-02)	GR-1B	6182
GUARDRAIL: BRIDGE END SECTIONS TYPE "D" MODIFIED		GR-2B	6186
GUARDRAIL: TYPE 1 CABLE ANCHORAGE (FOUNDATION TUBE)	(03-01-02)	GR-3	6192
GUARDRAIL: TYPE 1 CABLE ANCHORAGE (CONCRETE FOOTING)	(03-01-02)	GR-3A	6193
GUARDRAIL: TYPICAL INSTALLATION AT BRIDGE APPROACHES FOR DIVIDED HIGHWAYS	(12-01-99)	GR-4	6194
GUARDRAIL: MISCELLANEOUS HARDWARE	(03-01-02)	GR-HW	6202
TYPICAL GUARDRAIL DELINEATION	(03-01-02)	SN-8C	6236
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 OR 70 MPH (INTERSTATES AND OTHER 4-LANE DIVIDED HIGHWAYS)(MEDIAN LANE OR OUTSIDE LANE CLOSURE)(WORK DAY ONLY)		TCP-5	6254
TRAFFIC CONTROL PLAN - MOBILE OPERATIONS; MULTILANE ROADS AND TWO-LANE ROADS	(12-01-99)	TCP-11	6260
DETAILS OF OUTSIDE LANE CLOSURE AT EXIT AND ENTRANCE RAMPS		TCP-12	6261
TRAFFIC CONTROL PLANS FOR UNEVEN PAVEMENT DETAILS		TCP-14	6263
TEMPORARY STRIPING FOR TRAFFIC CONTROL 2-LANE AND 4-LANE DIVIDED HIGHWAYS		TCP-15	6264
TOTAL SHEETS (58)			

4/11/2016 15:48:21 DI.DGN


PS & E PLANS- 02/16/2016		
FMS CON. # 106178/301000		
REVISIONS		
DATE	SHEET NO.	BY
4/11/16	5 & 13	KRS

REVISION	MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
	DETAILED INDEX	
	COUNTY: HARRISON	
	PROJ. NUM.: IM-0010-01(137)	
DATE	FILENAME: DI.DGN	WORKING NUMBER
	DESIGN TEAM SIXTH CHECKED DATE	DI-1
		SHEET NUMBER
		2




ADDENDUM

STATE	PROJECT NO.
MISS.	IM-0010-01(137)



**TYPICAL SECTION
STA. 1597+00 TO STA. 1650+00**

- ① 2" & VAR. DEPTH COLD MILLING REQ'D
- ② 2" DEPTH ASPHALT REQ'D.
1@2", (SMA), 12.5mm MIX
(TRAVELED LANES ONLY)
- ③ 1½" DEPTH ASPHALT REQ'D.
1@1½", (SMA), 9.5mm MIX
(TRAVELED LANES ONLY)
- ④ 1" DEPTH OPEN GRADED FRICTION COURSE REQ'D
1@1", (OGFC), 9.5mm MIX
- ⑤ 2" DEPTH ASPHALT REQ'D
1@2", (ST), 12.5mm MIX
- ⑥ 1½" DEPTH ASPHALT REQ'D
1@1½", (ST), 9.5mm MIX
- ⑦ 1½" & VAR. DEPTH CRUSHED STONE BASE REQ'D
- ⑧ CLEANING OF PAVED DITCH REQ'D.
THIS SHALL INCLUDE REMOVING ALL TRASH AND DEBRIS AS
WELL AS ALL VEGETATIVE MATERIALS AND SOILS.
(TO BE PAID UNDER PAY ITEM NO. 202-B169, REMOVAL OF DEBRIS)
- ⑨ 4.25" DEPTH ASPHALT IN PLACE
- ⑩ CONCRETE IN PLACE
- ⑪ 4" BITUMINOUS BASE LAYER IN PLACE
- ⑫ 8" OF ASPHALT IN PLACE
- ⑬ 16" OF SUBBASE IN PLACE
- ⑭ VARIABLE DEPTH ASPHALT BASE IN PLACE
- ⑮ EDGE DRAIN IN PLACE
- △⑯ PAVED DITCH IN PLACE



SAFETY EDGE REQ'D TOP 2 LIFTS ONLY
(NOT A PAY ITEM)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION TYPICAL SECTION MAIN FACILITY		
COUNTY: HARRISON PROJ. NUM.: IM-0010-01(137)		
FILENAME: TYPICALS.DGN DESIGN TEAM: SIXTH CHECKED: _____ DATE: 5.19.15	WORKING NUMBER TS-2 SHEET NUMBER 5	DATE: _____ BY: KRIS REVISION: _____

4/11/2016 15:50:07 TYPICALS.DGN MISSISSIPPI DEPARTMENT OF TRANSPORTATION

ADDENDUM

STATE	PROJECT NO.
MISS.	IM-0010-01(137)

SUMMARY OF QUANTITIES (SHEET 2)

PAY ITEM NO.	PAY ITEM	UNIT	PRELIMINARY	FINAL
619-D1001	STANDARD ROADSIDE CONSTRUCTION SIGNS, LESS THAN 10 SQUARE FEET	SF	64	
619-D2001	STANDARD ROADSIDE CONSTRUCTION SIGNS, 10 SQUARE FEET OR MORE	SF	232	
619-G4001	BARRICADES, TYPE III, SINGLE FACED	LF	48	
620-A001	MOBILIZATION	LS	1	
907-626-A003	6" THERMOPLASTIC TRAFFIC STRIPE, SKIP WHITE	MI	21	
907-626-B003	6" THERMOPLASTIC TRAFFIC STRIPE, CONTINUOUS WHITE	LF	3,532	
907-626-C003	6" THERMOPLASTIC DOUBLE DROP EDGE STRIPE, CONTINUOUS WHITE	MI	13	
907-626-E003	6" THERMOPLASTIC TRAFFIC STRIPE, CONTINUOUS YELLOW	LF	4,030	
907-626-F003	6" THERMOPLASTIC DOUBLE DROP EDGE STRIPE, CONTINUOUS YELLOW	MI	12	
907-626-G004	THERMOPLASTIC DETAIL STRIPE, WHITE	LF	12,057	
907-626-G005	THERMOPLASTIC DETAIL STRIPE, YELLOW	LF	4,677	
907-626-H004	THERMOPLASTIC LEGEND, WHITE	LF	1,343	
907-626-H005	THERMOPLASTIC LEGEND, WHITE	SF	986	
627-K001	RED-CLEAR REFLECTIVE HIGH PERFORMANCE RAISED MARKERS	EA	2,991	
627-L001	TWO-WAY YELLOW REFLECTIVE HIGH PERFORMANCE RAISED MARKERS	EA	53	
630-F001	DELINEATORS, GUARD RAIL, WHITE	EA	68	
630-F002	DELINEATORS, GUARD RAIL, YELLOW	EA	50	
630-G002	TYPE 3 OBJECT MARKERS, OM-3R OR OM-3L, POST MOUNTED	EA	15	
△ 635-A001	△ VEHICLE LOOP ASSEMBLIES	△ LF	△ 1,464	
808-A001	JOINT PREPARATION	LF	14,048	
907-823-A001	PREFORMED JOINT SEAL, TYPE I	LF	7,140	
907-823-B001	SAW CUT, TYPE I	LF	14,048	

GENERAL NOTES

△ ① LOOPS ARE TO BE INSTALLED PRIOR TO PLACEMENT OF ASPHALT SURFACE LIFT.

① △

4/11/2016 15:49:12 SQS-SH.DGN

4-11-16 DATE DESIGN TEAM SIXTH CHECKED DATE 6.10.15	ADDED PAY ITEM AND NOTE	KRS	BY	MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES COUNTY: HARRISON PROJ. NUM.: IM-0010-01(137) FILENAME: SQS_SH.DGN WORKING NUMBER SQ-2 SHEET NUMBER 13
	REVISION			

