SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| ADDENDUM NO. | 1 DATED | 5/18/201 | 6 ADDENDUM N | NO. DATED | |
|-------------------------------------|---|--------------------------------|---|--|----------|
| ADDENDUM NO | DATED | | ADDENDUM N | | |
| Number 1 Revised Table 5880; Add N | Description e of Contents; Revised TB No. 6371; Revised B BS Download Required. | NTB No. Sid Items; F F C P | TOTAL ADDENDA: (Must agree with total Respectfully Submitted DATE | addenda issued prior to opening of bids) | |
| | | | E-MAIL | | |
| To be filled in if a corp | | Laws of the | | and the r | |
| itles and business addre | esses of the executives a | are as follow | S: | und the i | iairies, |
| | | | | | |
| Pres | sident | | | Address | |
| | • | | | | |
| Sec | retary | | | Address | |
| Trea | asurer | | | Address | |

The following is my (our) itemized proposal.

EXB-0008-01(111) / 105273301

Forrest County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

PROJECT: EXB-0008-01(111) / 105273301 - Forrest

Section 901 - Advertisement

| Section 904 - Notice to | o Bidders |
|-------------------------|--|
| #1 | Governing Specifications |
| #151 | Gopher Tortoises |
| #640 | Fiber Reinforced Concrete |
| #1322 | Non-Use of Precast Drainage Units |
| #1405 | Errata & Modifications to 2004 Standard Specifications |
| #1928 | Federal Bridge Formula |
| #2382 | Status of ROW, w/ Attachments |
| #3131 | Temporary Traffic Paint |
| #3581 | Storm Water Discharge Associated w/ Construction Activities (>5 Acres) |
| #3612 | Additional Erosion Control Requirements |
| #3893 | Petroleum Products Base Price |
| #4084 | Stay-In-Place Metal Forms |
| #4189 | Rumble Stripe |
| #4214 | Safety Apparel |
| #4473 | Alternate Crushed Stone Base Bid Items |
| #4526 | Electronic Addendum Process |
| #4565 | Manual on Uniform Traffic Control Devices (MUTCD) |
| #4738 | Detour Bridge Railing |
| #5044 | Questions Regarding Bidding |
| #5053 | Contractor Correspondence |
| #5194 | Intermediate Diaphragms |
| #5252 | Terminal End Sections |
| #5405 | Traffic Control Devices |
| #5412 | Weight Limits |
| #5824 | Adjustments for Bituminous Materials |
| #5865 | Non-Quality Control / Quality Assurance Concrete |
| #5866 | Payroll Requirements |
| #5878 | Contract Time |
| #5879 | Specialty Items |
| #5880 | Placement of Fill Material in Federally Regulated Areas |
| #5881 | Lane Closure Restrictions |
| #6371 | Correct Pay Item |
| Section 907 - Special 1 | Provisions |
| 907-101-4 | Definitions |
| 907-102-12 | Bidding Requirements and Conditions |
| 907-103-11 | Award and Execution |
| 907-104-5 | Scope of Work |
| 907-104-6 | Partnering Process |
| 907-105-8 | Control of Work |
| 907-107-13 | Legal Relations and Responsibility to Public, w/Supplement |
| | |

PROJECT: EXB-0008-01(111) / 105273301 - Forrest

| 007 107 14 | |
|------------------|--|
| 907-107-14 | Contractor's Protection Plan, w/ Supplement |
| 907-108-38 | Prosecution and Progress |
| 907-109-8 | Measurement and Payment |
| 907-216-1 | Solid Sodding |
| 907-225-5 | Grassing |
| 907-226-3 | Temporary Grassing |
| 907-227-10 | Hydroseeding |
| 907-237-4 | Wattles |
| 907-240-2 | Interlocking Flexible Block Erosion Control System |
| 907-249-1 | Riprap for Erosion Control |
| 907-253-2 | Coir Fiber Baffle |
| 907-304-13 | Granular Courses |
| 907-401-7 | Asphalt Pavements, w/ Supplement |
| 907-403-14 | Asphalt Pavements |
| 907-407-2 | Tack Coat |
| 907-413-5 | Sawing & Sealing Transverse Joints in Asphalt Pavement |
| 907-601-1 | Structural Concrete |
| 907-603-8 | Culverts & Storm Drains |
| 907-617-4 | Right-Of-Way Markers |
| 907-618-9 | Placement of Temporary Traffic Stripe |
| 907-618-12 | Construction and Removal of Detour Bridge |
| 907-618-13 | Temporary Construction Signs |
| 907-619-5 | Changeable Message Signs |
| 907-626-25 | Thermoplastic Traffic Markings |
| 907-631-1 | Flowable Fill |
| 907-699-5 | Construction Stakes |
| 907-701-5 | Hydraulic Cement, w/ Supplement |
| 907-702-5 | Specifications for Bituminous Materials |
| 907-703-12 | Aggregates, w/ Supplement |
| 907-708-6 | Non-Metal Drainage Structures |
| 907-709-1 | Metal Pipe |
| 907-710-1 | Fast Dry Solvent Traffic Paint |
| 907-711-4 | Synthetic Structural Fiber Reinforcement |
| 907-713-6 | Admixtures for Concrete |
| 907-714-8 | Miscellaneous Materials |
| 907-715-4 | Roadside Development Materials |
| 907-720-2 | Pavement Marking Materials |
| 907-804-19 | Concrete Bridges and Structures, w/ Supplement |
| 907-815-2 | Sediment Control Stone |
| 701 010 <u>2</u> | Seament Control Stone |

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

State Board of Contractors Requirement

State Certification Regarding Non-Collusion, Debarment and Suspensions

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Pile Data Form

Progress Schedule

PROJECT: EXB-0008-01(111) / 105273301 - Forrest

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

05/17/2016 01:45 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 5880

CODE (SP)

DATE: 5/16/2016

SUBJECT: Placement of Fill Material in Federally Regulated Areas

PROJECT: EXB-0008-01(111) / 105273301 - Forrest County

A Permit (404, General, Nationwide, etc.) for placing fill material federally regulated sites is required.

The Department has acquired the following permit for permanently filling at regulated sites that are identified during project development:

Nationwide Permit No. 23 (Wetlands and Waters of U.S) All sites as noted on plans. ID No. SAM-2015-1320.

Copies of said permit(s) are on file with the Department.

Securing a permit(s) for the filling of any other regulated site, the purpose of which is temporary construction for the convenience of the Contractor, shall be the responsibility of the Contractor.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 6371 CODE: (SP)

DATE: 5/17/2016

SUBJECT: Correct Pay Item

PROJECT: EXB-0008-01(111) / 105273301 – Forrest County

Bidders are hereby advised that the quantities for the following pay items have been revised/amended from what is shown in the plans:

• 907-601-A001 – Class "B" Structural Concrete,

- 907-601-B003 Class "B" Structural Concrete, Minor Structures &
- <u>803-D002</u> HP 12x53 Steel Piling

The correct quantities/changes for the above mentioned pay items are below:

• **Deleted**: 907-601-A001 Class "B" Structural Concrete

• Revised Quantity: 907-601-B003 – Class "B" Structural Concrete, Minor Structures – 16 CY

• Revised Quantity: 803-D002 – HP 12x53 Steel Piling – 2,050 LF.

The pay items have been corrected in the proposal and bid documents.

Proposal (Sheet 2 - 1)

FORREST

Bridge Replacement on US 49 between Brooklyn & Camp Shelby SB Lane Bridge Nos. 51.4A, 52.5, 54.7, 56.3, & 57.0A, known as State Project No. EXB-0008-01(111) / 105273301 in Forrest County.

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|---------------|-----------|----------|----------|-----------------|--|
| Roadway Items | | | | | |
| 0010 | 201-A001 | | 1 | Lump Sum | Clearing and Grubbing |
| 0020 | 202-A001 | | 1 | Lump Sum | Removal of Obstructions |
| 0030 | 202-B053 | | 2,065 | Linear Feet | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 0040 | 202-B064 | | 227 | Linear Feet | Removal of Pipe, 8" And Above |
| 0050 | 202-B076 | | 8,000 | Linear Feet | Removal of Traffic Stripe |
| 0060 | 202-B078 | | 26,485 | Square Yard | Removal of Pavement, All Types and Depths |
| 0070 | 202-B193 | | 56 | Linear Feet | Removal of Box Bridge |
| 0800 | 203-A003 | (E) | 24,906 | Cubic Yard | Unclassified Excavation, FM, AH |
| 0090 | 203-EX038 | (E) | 48,290 | Cubic Yard | Borrow Excavation, AH, FME, Class B7-6 |
| 0100 | 203-G003 | (E) | 8,695 | Cubic Yard | Excess Excavation, FM, AH |
| 0110 | 206-A001 | (S) | 253 | Cubic Yard | Structure Excavation |
| 0120 | 206-B001 | (E) | 50 | Cubic Yard | Select Material for Undercuts, Contractor Furnished, FM |
| 0130 | 209-A004 | | 22,462 | Square Yard | Geotextile Stabilization, Type V, Non-Woven |
| 0140 | 211-A001 | | 27,372 | Square Yard | Topsoil for Slope Treatment, From Right-of-Way |
| 0150 | 213-C001 | | 12 | Ton | Superphosphate |
| 0160 | 217-A001 | | 1,000 | Square Yard | Ditch Liner |
| 0170 | 219-A001 | | 3 | Thousand Gallon | Watering [\$20.00] |
| 0180 | 220-A001 | | 12 | Acre | Insect Pest Control [\$30.00] |
| 0190 | 221-A001 | (S) | 27 | Cubic Yard | Portland Cement Concrete Paved Ditch |
| 0200 | 223-A001 | | 41 | Acre | Mowing [\$50.00] |
| 0210 | 234-A001 | | 5,000 | Linear Feet | Temporary Silt Fence |
| 0220 | 236-A004 | | 4 | Each | Silt Basin, Type D |
| 0230 | 423-A001 | | 4 | Mile | Rumble Strips, Ground In |
| 0240 | 501-E001 | | 185 | Linear Feet | Expansion Joints, Without Dowels |
| 0250 | 502-A001 | (C) | 395 | Square Yard | Reinforced Cement Concrete Bridge End Pavement |
| 0260 | 602-A001 | (S) | 109,265 | Pounds | Reinforcing Steel |
| 0270 | 603-CA088 | (S) | 64 | Linear Feet | 18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0280 | 603-CA095 | (S) | 56 | Linear Feet | 24" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets |
| 0290 | 603-CA097 | (S) | 40 | Linear Feet | 36" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets |
| 0300 | 603-CA104 | (S) | 16 | Linear Feet | 60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket |
| 0310 | 603-CA112 | (S) | 224 | Linear Feet | 30" Reinforced Concrete Pipe, Class V, Rubber Type Gaskets |
| 0320 | 603-CB001 | (S) | 6 | Each | 18" Reinforced Concrete End Section |
| | 300 02001 | (-) | Č | | The state of the s |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|-----------|----------|----------|-------------|---|
| 0330 | 603-CB002 | (S) | 3 | Each | 24" Reinforced Concrete End Section |
| 0340 | 603-CB003 | (S) | 1 | Each | 30" Reinforced Concrete End Section |
| 0350 | 603-CB004 | (S) | 1 | Each | 36" Reinforced Concrete End Section |
| 0360 | 603-CB008 | (S) | 2 | Each | 60" Reinforced Concrete End Section |
| 0370 | 603-CE040 | (S) | 72 | Linear Feet | 51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 0380 | 603-CF005 | (S) | 1 | Each | 51" x 31" Concrete Arch Pipe End Section |
| 0390 | 603-PA015 | (S) | 90 | Linear Feet | 12' x 4' Precast Concrete Box Culvert |
| 0400 | 603-PB012 | (S) | 2 | Each | 12' x 4' Precast Concrete Box Culvert End Section |
| 0410 | 603-SB003 | (S) | 6 | Each | 18" Branch Connections, Stub into Concrete Box Culvert |
| 0420 | 603-SB004 | (S) | 1 | Each | 24" Branch Connections, Stub into Box Culvert |
| 0430 | 603-SB005 | (S) | 1 | Each | 36" Branch Connections, Stub into Box Culvert |
| 0440 | 604-B001 | | 1,750 | Pounds | Gratings |
| 0450 | 606-B001 | | 650 | Linear Feet | Guard Rail, Class A, Type 1 |
| 0460 | 606-D012 | | 4 | Each | Guard Rail, Bridge End Section, Type I |
| 0470 | 606-E001 | | 4 | Each | Guard Rail, Terminal End Section |
| 0480 | 615-A018 | (S) | 80 | Linear Feet | Concrete Bridge End Barrier, 33.5" |
| 0490 | 619-A1007 | | 24,553 | Linear Feet | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 0500 | 619-A2007 | | 16,837 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 0510 | 619-A3001 | | 7,600 | Linear Feet | Temporary Traffic Stripe, Skip White |
| 0520 | 619-A5001 | | 11,372 | Linear Feet | Temporary Traffic Stripe, Detail |
| 0530 | 619-D1001 | | 349 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 0540 | 619-D2001 | | 1,730 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More |
| 0550 | 619-E1001 | | 4 | Each | Flashing Arrow Panel, Type C |
| 0560 | 619-F3003 | | 12 | Each | Delineators, Guard Rail, Yellow |
| 0570 | 619-F3004 | | 12 | Each | Delineators, Guard Rail, White |
| 0580 | 619-G4001 | | 288 | Linear Feet | Barricades, Type III, Single Faced |
| 0590 | 619-G5001 | | 452 | Each | Free Standing Plastic Drums |
| 0600 | 619-G7001 | | 28 | Each | Warning Lights, Type "B" |
| 0610 | 619-K1001 | | 200 | Linear Feet | Installation and Removal of Guard Rail, Type I, Class A |
| 0620 | 619-K4001 | | 8 | Each | Installation and Removal of Guardrail, Terminal End Section |
| 0630 | 620-A001 | | 1 | Lump Sum | Mobilization |
| 0640 | 627-J001 | | 18 | Each | Two-Way Clear Reflective High Performance Raised Markers |
| 0650 | 627-K001 | | 187 | Each | Red-Clear Reflective High Performance Raised Markers |
| 0660 | 630-F001 | | 14 | Each | Delineators, Guard Rail, White |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|---------------|----------|----------|-------------|---|
| 0670 | 630-F002 | | 14 | Each | Delineators, Guard Rail, Yellow |
| 0680 | 815-A006 | (S) | 80 | Ton | Loose Riprap, Size 100 |
| 0690 | 815-A009 | (S) | 252 | Ton | Loose Riprap, Size 300 |
| 0700 | 815-E001 | (S) | 145 | Square Yard | Geotextile under Riprap |
| 0710 | 907-216-A001 | | 120 | Square Yard | Solid Sodding |
| 0720 | 907-225-A001 | | 41 | Acre | Grassing |
| 0730 | 907-225-B001 | | 13 | Ton | Agricultural Limestone |
| 0740 | 907-225-C001 | | 81 | Ton | Mulch, Vegetative Mulch |
| 0750 | 907-226-A001 | | 16 | Acre | Temporary Grassing |
| 0760 | 907-237-A003 | | 5,000 | Linear Feet | Wattles, 20" |
| 0770 | 907-240-A001 | | 2,250 | Square Yard | Interlocking Flexible Block Erosion Control System |
| 0780 | 907-249-A001 | | 100 | Ton | Riprap for Erosion Control |
| 0790 | 907-253-A001 | | 252 | Linear Feet | Coir Fiber Baffle |
| 0800 | 907-403-A019 | (BA1) | 2,543 | Ton | 19-mm, ST, Asphalt Pavement |
| 0810 | 907-403-A027 | (BA1) | 3,772 | Ton | 9.5-mm, HT, Asphalt Pavement |
| 0820 | 907-403-A028 | (BA1) | 4,187 | Ton | 12.5-mm, HT, Asphalt Pavement |
| 0830 | 907-403-A029 | (BA1) | 4,545 | Ton | 19-mm, HT, Asphalt Pavement |
| 0840 | 907-403-C011 | (BA1) | 239 | Ton | 19-mm, MT, Asphalt Pavement, Trench Widening |
| 0850 | 907-407-A001 | (A2) | 3,000 | Gallon | Asphalt for Tack Coat |
| 0860 | 907-413-E001 | | 3,116 | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 0880 | 907-601-B003 | (S) | 16 | Cubic Yard | Class "B" Structural Concrete, Minor Structures |
| 0890 | 907-603-ALT01 | (S) | 604 | Linear Feet | 18" Type A Alternate Pipe |
| 0900 | 907-603-ALT02 | (S) | 592 | Linear Feet | 24" Type A Alternate Pipe |
| 0910 | 907-603-ALT03 | (S) | 96 | Linear Feet | 30" Type A Alternate Pipe |
| 0920 | 907-617-A001 | | 40 | Each | Right-of-Way Marker |
| 0930 | 907-618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 0940 | 907-618-C001 | | 1 | Lump Sum | Construction and Removal of Detour Bridge |
| 0950 | 907-618-E001 | | 3,700 | Linear Feet | Detour Bridge Piling |
| 0960 | 907-618-F003 | | 1 | Lump Sum | Detour Bridge PDA Test Pile |
| 0970 | 907-619-E3001 | | 2 | Each | Changeable Message Sign |
| 0980 | 907-626-A003 | | 3 | Mile | 6" Thermoplastic Traffic Stripe, Skip White |
| 0990 | 907-626-C003 | | 2 | Mile | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 1000 | 907-626-F003 | | 2 | Mile | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| | | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|--------------|----------|-------------|---------------|---|
| 1010 | 907-626-G004 | | 359 | Linear Feet | Thermoplastic Detail Stripe, White |
| 1020 | 907-626-G005 | | 614 | Linear Feet | Thermoplastic Detail Stripe, Yellow |
| 1030 | 907-631-B001 | | 145 | Cubic Yard | Flowable Fill, Non-Excavatable |
| 1040 | 907-699-A002 | | 1 | Lump Sum | Roadway Construction Stakes |
| 1050 | 907-804-B001 | (S) | 972 | Cubic Yard | Box Bridge Concrete, Class B |
| 1060 | 907-815-F001 | (S) | 53 | Ton | Sediment Control Stone |
| | | | ALTERNATE O | ROUP AA NUMBE | R 1 |
| 1070 | 907-304-F002 | (GT) | 20,570 | Ton | Size 610 Crushed Stone Base |
| | | | ALTERNATE O | ROUP AA NUMBE | R 2 |
| 1080 | 907-304-F003 | (GT) | 20,570 | Ton | 3/4" and Down Crushed Stone Base |
| | | | ALTERNATE O | ROUP AA NUMBE | R 3 |
| 1090 | 907-304-F004 | (GT) | 20,570 | Ton | Size 825B Crushed Stone Base |
| | | | Bri | dge Items | |
| 1100 | 501-K001 | | 1,760 | Square Yard | Transverse Grooving |
| 1110 | 803-B002 | (S) | 2 | Each | Conventional Static Pile Load Test [\$5,000.00] |
| 1120 | 803-D002 | (S) | 2,050 | Linear Feet | HP 12 x 53 Steel Piling |
| 1130 | 803-D003 | (S) | 1,425 | Linear Feet | HP 14 x 73 Steel Piling |
| 1140 | 803-D006 | (S) | 2,860 | Linear Feet | HP 14 x 117 Steel Piling |
| 1150 | 803-1003 | (S) | 6 | Each | PDA Test Pile, HP Steel Pile |
| 1160 | 803-J001 | (S) | 4 | Each | Pile Restrike |
| 1170 | 805-A001 | (S) | 146,202 | Pounds | Reinforcement |
| 1180 | 813-A002 | (S) | 888 | Linear Feet | Concrete Railing, 32" |
| 1190 | 815-A009 | (S) | 3,022 | Ton | Loose Riprap, Size 300 |
| 1200 | 815-E001 | (S) | 4,431 | Square Yard | Geotextile under Riprap |
| 1210 | 907-804-A018 | (S) | 297 | Cubic Yard | Bridge Concrete, Substructure, Class AA |
| 1220 | 907-804-A019 | (S) | 531 | Cubic Yard | Bridge Concrete, Superstructure, Class AA |
| 1230 | 907-804-C002 | (S) | 598 | Linear Feet | 60' Prestressed Concrete Beam, Type III |
| 1240 | 907-804-C016 | (S) | 398 | Linear Feet | 40' Prestressed Concrete Beam, Type I+2 |
| 1250 | 907-804-C026 | (S) | 449 | Linear Feet | 90' Prestressed Concrete Beam, Type IV |
| 1260 | 907-804-C145 | (S) | 741 | Linear Feet | 50' Prestressed Concrete Beam, Type II + 2 |
| | | | | | · · · · · · · · · · · · · · · · · · · |