

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 5/18/2016 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised Table of Contents; Add NTB No.6374; Add SP 907-619-11; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

 President Address

 Secretary Address

 Treasurer Address

The following is my (our) itemized proposal.

MP-7043-33(004) / 305730301

Jefferson Davis County(ies)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

PROJECT: MP-7043-33(004) / 305730301 - Jefferson Davis

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specifications
#3	Final Cleanup
#1405	Errata & Modifications to 2004 Standard Specifications
#1928	Federal Bridge Formula
#3131	Temporary Traffic Paint
#3893	Petroleum Products Base Price
#4214	Safety Apparel
#4473	Alternate Crushed Stone Base Bid Items
#4526	Electronic Addendum Process
#4565	Manual on Uniform Traffic Control Devices (MUTCD)
#5044	Questions Regarding Bidding
#5053	Contractor Correspondence
#5252	Terminal End Sections
#5405	Traffic Control Devices
#5412	Weight Limits
#5824	Adjustments for Bituminous Materials
#5866	Payroll Requirements
#6266	Contract Time
#6374	Plan Correction

Section 907 - Special Provisions

907-101-4	Definitions
907-102-12	Bidding Requirements and Conditions
907-103-11	Award and Execution
907-104-5	Scope of Work
907-104-6	Partnering Process
907-105-8	Control of Work
907-107-13	Legal Relations and Responsibility to Public, w/Supplement
907-108-38	Prosecution and Progress
907-109-8	Measurement and Payment
907-304-13	Granular Courses
907-401-7	Asphalt Pavements, w/ Supplement
907-403-14	Asphalt Pavements
907-406-4	Cold Milling
907-407-2	Tack Coat
907-412-3	Pre-Grinding Existing Pavement
907-413-5	Sawing & Sealing Transverse Joints in Asphalt Pavement
907-618-9	Placement of Temporary Traffic Stripe
907-618-13	Temporary Construction Signs
907-619-11	Temporary Portable Rumble Strips
907-626-5	Inverted Profile Thermoplastic Traffic Stripe

PROJECT: MP-7043-33(004) / 305730301 - Jefferson Davis

907-626-25	Thermoplastic Traffic Markings
907-626-26	Audible Thermoplastic Traffic Markings
907-702-5	Specifications for Bituminous Materials
907-703-12	Aggregates, w/ Supplement
907-710-1	Fast Dry Solvent Traffic Paint
907-720-2	Pavement Marking Materials

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal
State Board of Contractors Requirement
State Certification Regarding Non-Collusion, Debarment and Suspensions
Section 902 - Contract Form
Section 903 - Contract Bond Forms

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

05/17/2016 04:32 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 6374

CODE: (SP)

DATE: 5/16/2016

SUBJECT: Plan Correction

PROJECT: MP-7043-33(004) / 305730301 – Jefferson Davis County

The Bidder's attention is called to the Summary of Quantities in the Contract Plans. Pay Item 907-619-B001, Temporary Portable Rumble Strips, was inadvertently omitted from the plans. The Bid Sheets in the Proposal are correct.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-619-11

CODE: (SP)

DATE: 01/12/2016

SUBJECT: Temporary Portable Rumble Strips

Section 619, Traffic Control for Construction Zones, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows.

907-619.02--Materials. After Subsection 619.02.13 on page 424, add the following.

907-619.02.16--Temporary Portable Rumble Strips. Temporary portable rumble strips shall be made of engineered polymers and may be composed of interlocking segments or may have a hinge at the midpoint. The rumble strips shall consist of the following:

- capable of being installed without adhesives or bolts,
- have a minimum weight of 100 pounds,
- have a minimum overall length of 11 feet,
- have a minimum width of 12 inches, and
- have a maximum height of 3/4 inch.

Temporary portable rumble strips shall be installed in accordance with the attached details, or as directed by the Engineer.

907-619.03--Construction Requirements. After Subsection 619.03.9 on page 427, add the following.

907-619.03.12--Temporary Portable Rumble Strips. Temporary portable rumble strips shall be placed at locations shown on the traffic control plans, attached drawing, or as directed by the Engineer. The rumble strips shall be removed when lane closures are removed, relocated when lane closures are relocated, or as directed by the Engineer.

Prior to placement of the rumble strips, the roadway shall be cleaned to be free of dust, sand, and other materials that may cause slippage. The minimum roadway temperature at the time of installation shall be in accordance with manufacturer recommendations.

A minimum of three (3) temporary portable rumble strips shall be arranged in an array. The spacing of temporary portable rumble strips in each array shall be on 10-foot centers. Two arrays of three (3) strips each shall be used in the lane. The rumble strips shall be regularly monitored and maintained to ensure they stay in place under traffic.


907-619.04--Method of Measurement. At the end of Subsection 619.04 on page 428, add the following.

Temporary Portable Rumble Strips will be measured for payment by the linear foot only when a pay item for temporary portable rumble strips is included in the contract. Otherwise, temporary portable rumble strips will be included in the cost of pay item 907-618, Maintenance of Traffic. The quantity of temporary portable rumble strips will be the length of rumble strips approved by the Engineer to be in-place on the project at any one time.

907-619.05--Basis of Payment. Temporary Portable Rumble Strips measured as prescribed above, will be paid for at the contract unit price per linear foot, which price shall be full compensation for cleaning the roadway surface, installing the rumble strips, maintenance and repair of the strips, cleaning and resetting of the strips, removal and replacement, and for all labor, equipment, tools, and incidentals necessary to complete the work.

Add the following to the list of pay items on page 429.

907-619-B: Temporary Portable Rumble Strips - per linear foot



Detail of Temporary Portable Rumble Strips

Overlay approximately 5 miles of SR 43 from the Lawrence / Jefferson Davis County Line to SR 13, known as State Project No. MP-7043-33(004) / 305730301 in Jefferson Davis County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	202-B006		47	Square Yard	Removal of Asphalt Pavement, Failed Areas
0020	202-B053		648	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware
0030	202-B076		469	Linear Feet	Removal of Traffic Stripe
0040	606-B005		575	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam
0050	606-D007		12	Each	Guard Rail, Bridge End Section, Type G, Modified
0060	606-E003		18	Each	Guard Rail, Terminal End Section, Non-Flared
0070	619-A1002		17	Mile	Temporary Traffic Stripe, Continuous White
0080	619-A2002		15	Mile	Temporary Traffic Stripe, Continuous Yellow
0090	619-A4006		1	Mile	Temporary Traffic Stripe, Skip Yellow
0100	619-A5001		956	Linear Feet	Temporary Traffic Stripe, Detail
0110	619-A6001		328	Linear Feet	Temporary Traffic Stripe, Legend
0120	620-A001		1	Lump Sum	Mobilization
0130	627-J001		141	Each	Two-Way Clear Reflective High Performance Raised Markers
0140	627-L001		543	Each	Two-Way Yellow Reflective High Performance Raised Markers
0150	630-F001		74	Each	Delineators, Guard Rail, White
0160	907-304-A003	(GY)	1,446	Cubic Yard	Granular Material, LVM, Class 6, Group D
0170	907-403-A017	(BA1)	5,650	Ton	9.5-mm, ST, Asphalt Pavement
0180	907-403-A019	(BA1)	267	Ton	19-mm, ST, Asphalt Pavement
0190	907-403-B012	(BA1)	2,002	Ton	9.5-mm, ST, Asphalt Pavement, Leveling
0200	907-406-A001		3,299	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0210	907-407-A001	(A2)	6,352	Gallon	Asphalt for Tack Coat
0220	907-412-A002		6,923	Square Feet	Pre-Grinding [\$3.25]
0230	907-413-E001		240	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0240	907-618-A001		1	Lump Sum	Maintenance of Traffic
0250	907-618-B001		1	Square Feet	Additional Construction Signs [\$10.00]
0252	907-619-B001		132	Linear Feet	Temporary Portable Rumble Strips
0260	907-626-C009		9	Mile	6" Thermoplastic Edge Stripe, Continuous White, Audible Bump
0270	907-626-D003		1	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
0280	907-626-E004		8	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
0290	907-626-G004		670	Linear Feet	Thermoplastic Detail Stripe, White
0300	907-626-G005		286	Linear Feet	Thermoplastic Detail Stripe, Yellow
0310	907-626-H004		328	Linear Feet	Thermoplastic Legend, White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
ALTERNATE GROUP AA NUMBER 1					
0320	907-304-F002	(GT)	23	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
0330	907-304-F003	(GT)	23	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
0340	907-304-F004	(GT)	23	Ton	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1					
0350	907-626-J003		286	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
0360	907-626-K003		40	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
0370	907-626-L001		143	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2					
0380	628-J002		286	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
0390	628-L002		40	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
0400	628-M002		143	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow