


Proposal & Plan Sales Will Begin on May 2, 2016



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For May - May 24, 2016



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Tuesday, May 24, 2016

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 2, 2016

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, May 24, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
*	01 BR-0010-01(155)/107225301	HARRISON
	02 STP-0023-01(079)/107243301	COVINGTON
	03 STP/EXB-2920-00(014)/105335301 & STP/EXB-2920-00(014)/105335302	TATE, DESOTO
*	04 BR-9999-06(017)/107019305 & BR-9999- 06(017)/107019305	CLARKE, WAYNE
*	05 SP-0020-01(233) / 107241301	HINDS
	06 EXB-0008-01(111)/105273301	FORREST
	07 EXB-0040-02(036) / 107139309 & EXB-0040- 02(036)/107139309100	ITAWAMBA, MONROE
	08 EXB-0051-02(021) / 102383301	TALLAHATCHIE
	09 EXB-0051-02(025)/102383304	TALLAHATCHIE
	10 EXB-0068-01(008) / 107139303	LOWNDES
	11 EXB-0398-00(002) / 100585301	HINDS
	12 EXB-0858-00(015) / 107139308	PONTOTOC
	13 EXB-1232-00(005) / 107139304	LAUDERDALE
	14 MP-1012-53(007)/305722301	OKTIBBEHA
	15 MP-1050-13(010)/305750301	CLAY
	16 MP-1178-73(006)/305721301	UNION

*	17	MP-2014-04(006) / 305770301	ATTALA
*	18	MP-2035-04(010)/305773301	ATTALA
*	19	MP-3000-00(106)/305841301 & MP-3000-00(106)/305841302	HOLMES, YAZOO
*	20	MP-5051-45(011) / 305743301	MADISON
*	21	MP-6018-31(011)/305797301	JASPER
*	22	MP-6026-55(015) / 305799301	PEARL RIVER
*	23	MP-6029-34(014)/305781301	JONES
*	24	MP-6589-37(008)/305798301	LAMAR
	25	MP-7043-33(004)/305730301	JEFFERSON DAVIS
	26	ER-1164-00(014)/107274301	LAMAR

CALL No. 01

Bridge Painting on I-10 over Tchoutacabouffa & Biloxi Rivers(Bridge Nos. 45.0A, 45.0B, 40.7A, & 40.7B), known as Federal Aid Project No. BR-0010-01(155)/ 107225301 in Harrison County.

PROJECT COMPLETION: JULY 21, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs

Bridge Items

1	Lump Sum	907-845-A002	Coating Existing Structural Steel (Bridge ID No. 11285) Bridge #40.7A
1	Lump Sum	907-845-A002	Coating Existing Structural Steel (Bridge ID No. 11286) Bridge #40.7B
1	Lump Sum	907-845-A002	Coating Existing Structural Steel (Bridge ID No. 11304) Bridge #45.0A
1	Lump Sum	907-845-A002	Coating Existing Structural Steel (Bridge ID No. 11305) Bridge #45.0B

CALL No. 02

Widen & Overlay approximately 3 miles of SR 35 from Junction US 49 North to Smith County Line, known as Federal Aid Project No. STP-0023-01(079) / 107243301 in Covington County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

600	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,250	Linear Feet	202-B076	Removal of Traffic Stripe
5	Mile	423-A001	Rumble Strips, Ground In
275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,862	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
920	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
126	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
270	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
305	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
26	Each	630-F001	Delineators, Guard Rail, White
1,728	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
4,663	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
569	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
6,946	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
3,747	Gallon	907-407-A001	Asphalt for Tack Coat
258	Square Feet	907-412-A002	Pre-Grinding
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,710	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,152	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
920	Linear Feet	907-626-H004	Thermoplastic Legend, White
126	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NUMBER 1			
1,963	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
982	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP AA NUMBER 2			
1,963	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
982	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 03

Bridge Replacement on US 51 (#278.3) & Bridge Repair on I-55 (#272.9A & #272.9B), known as Federal Aid Project Nos. STP/EXB-2920-00(014) / 105335301 & 302 in Tate and Desoto Counties.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions (bridge)
12,134	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
640	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
33,174	Square Yard	202-B036	Removal of Concrete Slope Paving
15	Each	202-B070	Removal of Sign Including Post & Footing
754	Linear Feet	202-B102	Removal of Guard Rail
955	Square Yard	202-B138	Removal of Riprap
2,611	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
224,690	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
48,459	Cubic Yard	203-G003	Excess Excavation, FM, AH
11,197	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10	Ton	213-C001	Superphosphate
600	Square Yard	217-A001	Ditch Liner
4	Thousand Gallon	219-A001	Watering
11	Acre	220-A001	Insect Pest Control
34	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
42	Acre	223-A001	Mowing
15,859	Linear Feet	234-A001	Temporary Silt Fence
2,676	Linear Feet	239-A001	Temporary Slope Drains
80	Linear Feet	413-D001	Cleaning and Filling Joints
3	Mile	423-A001	Rumble Strips, Ground In
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,238	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I

4	Each	606-E002	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
161	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
131	Each	627-D001	Two-Way Yellow Reflective Raised Markers
18	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
115	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
40	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
3,360	Square Feet	809-A003	Retaining Wall System
1,559	Ton	815-A006	Loose Riprap, Size 100
14,620	Ton	815-A009	Loose Riprap, Size 300
20,899	Square Yard	815-E001	Geotextile under Riprap
169	Square Yard	907-216-A001	Solid Sodding
21	Acre	907-225-A001	Grassing
63	Ton	907-225-B001	Agricultural Limestone
42	Ton	907-225-C001	Mulch, Vegetative Mulch
42	Ton	907-225-D001	Mulch, Hydromulch
42	Acre	907-226-A001	Temporary Grassing
1,385	Linear Feet	907-234-C002	Super Silt Fence
15,230	Linear Feet	907-234-F001	Turbidity Barrier
300	Linear Feet	907-237-A003	Wattles, 20"
120	Ton	907-249-A001	Riprap for Erosion Control
700	Cubic Yard	907-249-B001	Remove and Reset Riprap
4,692	Ton	907-304-B009	Granular Material, Class 3, Group D

10,993	Ton	907-304-B011	Granular Material, Class 9, Group B
17,289	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
234	Ton	907-307-D001	Lime
4,323	Gallon	907-307-S001	Bituminous Curing Seal
2,171	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,667	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
3,026	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
137	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening
1,578	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
2,457	Gallon	907-407-A001	Asphalt for Tack Coat
26,300	Square Yard	907-410-D001	High Friction Surface Treatment
94	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
56	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Each	907-619-E3001	Changeable Message Sign
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
158	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
534	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
224	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1	Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)
1	Each	907-630-O006	Remove and Reset Signs, Post Mounted
47	Square Feet	907-630-PP008	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
1	Lump Sum	907-699-A002	Roadway Construction Stakes
24	Ton	907-815-F001	Sediment Control Stone
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NUMBER 1
352	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2

352	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
352	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
440	Ton	907-308-A001	Portland Cement
25,148	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
17,289	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
10,610	Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NUMBER 2			
42,437	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
311	Ton	907-311-B001	Lime
1,241	Ton	907-311-C001	Fly Ash, Class C
10,610	Gallon	907-311-S001	Bituminous Curing Seal
Bridge Items			
8,600	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
2,210	Linear Feet	803-D007	HP 14 x 89 Steel Piling
2	Each	803-I003	PDA Test Pile, HP Steel Pile
5	Each	803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	803-J001	Pile Restrike
240	Linear Feet	803-N001	Exploration
960	Linear Feet	803-O018	Permanent Casing, 72" Diameter
912,062	Pounds	805-A001	Reinforcement
3,875	Linear Feet	813-A002	Concrete Railing, 32"
8,493	Ton	815-A009	Loose Riprap, Size 300
8,088	Square Yard	815-E001	Geotextile under Riprap
1,680	Linear Feet	907-803-K010	Drilled Shaft, 72" Diameter
1	Each	907-803-L006	Test Shaft, 72" Diameter
144	Linear Feet	907-803-M008	Trial Shaft, 72" Diameter
5,500	Linear Feet	907-803-PP003	30" Steel Pipe Piling, Wall Thickness 0.750"
861	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA

2,594	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
7,878	Linear Feet	907-804-C271	120' Prestressed Concrete Beam, Type BT-63
1,533,376	Pounds	907-810-A001	Structural Steel, A 709, Grade 50W
20	Each	907-811-D001	Disc Bearing Device
92	Linear Feet	907-822-B004	2" Reinforced Elastomeric Molded Rubber Expansion Joint
92	Linear Feet	907-822-B008	4" Reinforced Elastomeric Molded Rubber Expansion Joint

CALL No. 04

Bridge Joint Repair on various Routes in District 6, known as Federal Aid Project Nos. BR-9999-06(017) / 107019305000 & 107019305100 in Clarke & Wayne Counties.

PROJECT COMPLETION: NOVEMBER 18, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs

Bridge Items

107	Linear Feet	202-B298	Removal of Existing Joint Material
49	Gallon	413-A001	Joint Sealer Material
10,180	Linear Feet	808-A001	Joint Preparation
4,380	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
414	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
9,068	Linear Feet	907-823-B001	Saw Cut, Type I
768	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 05

Overlay of I-20 Frontage Road, known as State Project No. SP-0020-01(233) / 107241301 in Hinds County.

PROJECT COMPLETION: 40 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

3,329	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,000	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
1,128	Cubic Yard	203-G004	Excess Excavation, LVM, AH
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
736	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
238	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,576	Ton	907-304-B007	Granular Material, Class 5, Group E
5,568	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
8,789	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
286	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening
400	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
4,690	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
7	Mile	907-626-C002	4" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D002	4" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E002	4" Thermoplastic Traffic Stripe, Continuous Yellow
368	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 06

Bridge Replacement on US 49 between Brooklyn & Camp Shelby SB Lane Bridge Nos. 51.4A, 52.5, 54.7, 56.3, & 57.0A, known as State Project No. EXB-0008-01(111) / 105273301 in Forrest County.

PROJECT COMPLETION: 282 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
2,065	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
227	Linear Feet	202-B064	Removal of Pipe, 8" And Above
8,000	Linear Feet	202-B076	Removal of Traffic Stripe
26,485	Square Yard	202-B078	Removal of Pavement, All Types and Depths
56	Linear Feet	202-B193	Removal of Box Bridge
24,906	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
48,290	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
8,695	Cubic Yard	203-G003	Excess Excavation, FM, AH
253	Cubic Yard	206-A001	Structure Excavation
50	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
22,462	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
27,372	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
12	Ton	213-C001	Superphosphate
1,000	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
12	Acre	220-A001	Insect Pest Control
27	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
41	Acre	223-A001	Mowing
5,000	Linear Feet	234-A001	Temporary Silt Fence
4	Each	236-A004	Silt Basin, Type D
4	Mile	423-A001	Rumble Strips, Ground In
185	Linear Feet	501-E001	Expansion Joints, Without Dowels
395	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement

109,265 Pounds	602-A001	Reinforcing Steel
64 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
56 Linear Feet	603-CA095	24" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
40 Linear Feet	603-CA097	36" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
16 Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
224 Linear Feet	603-CA112	30" Reinforced Concrete Pipe, Class V, Rubber Type Gaskets
6 Each	603-CB001	18" Reinforced Concrete End Section
3 Each	603-CB002	24" Reinforced Concrete End Section
1 Each	603-CB003	30" Reinforced Concrete End Section
1 Each	603-CB004	36" Reinforced Concrete End Section
2 Each	603-CB008	60" Reinforced Concrete End Section
72 Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1 Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
90 Linear Feet	603-PA015	12' x 4' Precast Concrete Box Culvert
2 Each	603-PB012	12' x 4' Precast Concrete Box Culvert End Section
6 Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1 Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1 Each	603-SB005	36" Branch Connections, Stub into Box Culvert
1,750 Pounds	604-B001	Gratings
650 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E001	Guard Rail, Terminal End Section
80 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
24,553 Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
16,837 Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
7,600 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
11,372 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
349 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,730 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4 Each	619-E1001	Flashing Arrow Panel, Type C

12	Each	619-F3003	Delineators, Guard Rail, Yellow
12	Each	619-F3004	Delineators, Guard Rail, White
288	Linear Feet	619-G4001	Barricades, Type III, Single Faced
452	Each	619-G5001	Free Standing Plastic Drums
28	Each	619-G7001	Warning Lights, Type "B"
200	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
8	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
18	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
187	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
80	Ton	815-A006	Loose Riprap, Size 100
252	Ton	815-A009	Loose Riprap, Size 300
145	Square Yard	815-E001	Geotextile under Riprap
120	Square Yard	907-216-A001	Solid Sodding
41	Acre	907-225-A001	Grassing
13	Ton	907-225-B001	Agricultural Limestone
81	Ton	907-225-C001	Mulch, Vegetative Mulch
16	Acre	907-226-A001	Temporary Grassing
5,000	Linear Feet	907-237-A003	Wattles, 20"
2,250	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
100	Ton	907-249-A001	Riprap for Erosion Control
252	Linear Feet	907-253-A001	Coir Fiber Baffle
2,543	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
3,772	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
4,187	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
4,545	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
239	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening

3,000	Gallon	907-407-A001	Asphalt for Tack Coat
3,116	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
245	Cubic Yard	907-601-A001	Class "B" Structural Concrete
33	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
604	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
592	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
96	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
40	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
3,700	Linear Feet	907-618-E001	Detour Bridge Piling
1	Lump Sum	907-618-F003	Detour Bridge PDA Test Pile
2	Each	907-619-E3001	Changeable Message Sign
3	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
359	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
614	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
145	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	907-699-A002	Roadway Construction Stakes
972	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
53	Ton	907-815-F001	Sediment Control Stone
			ALTERNATE GROUP AA NUMBER 1
20,570	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
20,570	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
20,570	Ton	907-304-F004	Size 825B Crushed Stone Base
			Bridge Items
1,760	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test

1,970	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,425	Linear Feet	803-D003	HP 14 x 73 Steel Piling
2,860	Linear Feet	803-D006	HP 14 x 117 Steel Piling
6	Each	803-I003	PDA Test Pile, HP Steel Pile
4	Each	803-J001	Pile Restrike
146,202	Pounds	805-A001	Reinforcement
888	Linear Feet	813-A002	Concrete Railing, 32"
3,022	Ton	815-A009	Loose Riprap, Size 300
4,431	Square Yard	815-E001	Geotextile under Riprap
297	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
531	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
598	Linear Feet	907-804-C002	60' Prestressed Concrete Beam, Type III
398	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
449	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
741	Linear Feet	907-804-C145	50' Prestressed Concrete Beam, Type II + 2

CALL No. 07

Bridge Repair on SR 25 Across Bull Mountain Creek Bridge No. 147.1, known as State Project Nos. EXB-0040-02(036) / 1071393090 & 1071393091 in Itawamba & Monroe Counties.

PROJECT COMPLETION: APRIL 12, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,500	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
46	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
500	Linear Feet	907-234-C002	Super Silt Fence
200	Linear Feet	907-237-A002	Wattles, 12"
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

104	Linear Feet	202-B298	Removal of Existing Joint Material
1,560	Linear Feet	808-A001	Joint Preparation
728	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
52	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,456	Linear Feet	907-823-B001	Saw Cut, Type I
104	Linear Feet	907-823-B002	Saw Cut, Type II
33	Each	907-824-PP095	Bridge Repair, Repair End of Degraded 30' Steel Girder with 3' Support Plate, Per Plans
76	Each	907-824-PP095	Bridge Repair, Repair End of Degraded 30' Steel Girder with 4' Support Plate, Per Plans
19	Each	907-824-PP095	Bridge Repair, Repair End of Degraded 30' Steel Girder with 5' Support Plate, Per Plans
2	Each	907-824-PP095	Bridge Repair, Repair end of Degraded 30' Steel Girder with 6' Support Plate, Per Plans
3	Each	907-824-PP095	Bridge Repair, Replace Bottom Flange Cover Plate of Steel Girder, Per Plans
2	Each	907-824-PP095	Bridge Repair, Re-weld Riser to Bottom of 30' Steel Girder, Per Plans
1,379	Linear Feet	907-824-PP097	Bridge Repair, Concrete Encasement for Piling at Bents 2, 3, & 5 thru 29, Per Plans
104	Linear Feet	907-824-PP097	Bridge Repair, Fill Intermediate Bridge Deck Joints, Per Plans

235	Linear Feet	907-824-PP097	Bridge Repair, Structural Concrete Encasement for Piling at Bent 4, Per Plans
9,340	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structure, Per Plans
85	Cubic Feet	907-824-PP101	Bridge Repair, Repair Spalled Concrete with Epoxy Mortar, Per Plans

CALL No. 08

Bridge Replacement on SR 32 between Webb & Charleston (Bridge Nos. 43.1, 43.5, 43.7, & R.R. Bridge) , known as State Project No. EXB-0051-02(021) / 102383301 in Tallahatchie County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
193	Linear Feet	202-B064	Removal of Pipe, 8" And Above
31	Each	202-B070	Removal of Sign Including Post & Footing
8,106	Linear Feet	202-B076	Removal of Traffic Stripe
22,225	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,870	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
47,719	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
460,495	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
25,386	Cubic Yard	203-G004	Excess Excavation, LVM, AH
630	Cubic Yard	206-A001	Structure Excavation
46	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
35,939	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
23	Ton	213-C001	Superphosphate
2,071	Square Yard	217-A001	Ditch Liner
7	Thousand Gallon	219-A001	Watering
23	Acre	220-A001	Insect Pest Control
38	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
92	Acre	223-A001	Mowing
3,935	Square Yard	224-A001	Soil Reinforcing Mat
20,000	Linear Feet	234-A001	Temporary Silt Fence
9	Each	236-A004	Silt Basin, Type D
921	Linear Feet	239-A001	Temporary Slope Drains
1,647	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1

4 Mile	423-A001	Rumble Strips, Ground In
859 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
42,983 Pounds	602-A001	Reinforcing Steel
272 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
232 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
6 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
4 Each	603-CB005	42" Reinforced Concrete End Section
6,800 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,700 Linear Feet	606-B001	Guard Rail, Class A, Type 1
16 Each	606-D012	Guard Rail, Bridge End Section, Type I
16 Each	606-E002	Guard Rail, Terminal End Section, Flared
555 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
79,200 Linear Feet	610-A001	Drainage Wicks
160 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
31,343 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
16,389 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
12,012 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5,241 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,482 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
250 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,086 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
348 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
120 Each	619-G5001	Free Standing Plastic Drums
6 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
259 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
104 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

62	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
390	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
72	Each	630-F001	Delineators, Guard Rail, White
1,164	Ton	815-A009	Loose Riprap, Size 300
203	Square Yard	815-E001	Geotextile under Riprap
16	Each	907-207-A001	Settlement Plate
374	Square Yard	907-216-A001	Solid Sodding
46	Acre	907-225-A001	Grassing
23	Ton	907-225-B001	Agricultural Limestone
92	Ton	907-225-C001	Mulch, Vegetative Mulch
46	Acre	907-226-A001	Temporary Grassing
1,200	Linear Feet	907-237-A003	Wattles, 20"
724	Linear Feet	907-245-A001	Triangular Silt Dike
1,447	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
724	Ton	907-249-A001	Riprap for Erosion Control
2	Each	907-252-A001	VW Piezometer
1,028	Linear Feet	907-253-A001	Coir Fiber Baffle
19,800	Ton	907-304-B009	Granular Material, Class 3, Group D
3,578	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
4,169	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
3,881	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
800	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
3,523	Gallon	907-407-A001	Asphalt for Tack Coat
391	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
848	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
168	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
24	Each	907-617-A001	Right-of-Way Marker

1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,641	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
494	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
387	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
175	Ton	907-815-F001	Sediment Control Stone
1	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NUMBER 1			
13,200	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
13,200	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
13,200	Ton	907-304-F004	Size 825B Crushed Stone Base
Bridge Items			
3,385	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
1,376	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
5,835	Linear Feet	803-D006	HP 14 x 117 Steel Piling
765	Linear Feet	803-D008	HP 16 x 121 Steel Piling
2	Each	803-I002	PDA Test Pile, Concrete Pile
9	Each	803-I003	PDA Test Pile, HP Steel Pile
2	Each	803-I004	PDA Test Pile, Steel Pipe Pile
8	Each	803-J001	Pile Restrike
308,584	Pounds	805-A001	Reinforcement
1,918	Linear Feet	813-A002	Concrete Railing, 32"
6,976	Ton	815-A009	Loose Riprap, Size 300
131	Cubic Yard	815-D001	Concrete Slope Paving
3,755	Square Yard	815-E001	Geotextile under Riprap

270	Linear Feet	907-607-PP019	Safety Fence, Per Plans
855	Linear Feet	907-803-PP002	30" Steel Pipe Piling, Wall Thickness 0.500"
586	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
1,036	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
671	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
2,560	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
477	Linear Feet	907-804-C027	96' Prestressed Concrete Beam, Type BT-72
499	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
502	Linear Feet	907-804-C272	101' Prestressed Concrete Beam, Type BT-72

CALL No. 09

Bridge Replacement on SR 32 Between Webb and Charleston (Bridge Nos. 53 & 53.3), known as State Project No. EXB-0051-02(025) / 102383304 in Tallahatchie County.

PROJECT COMPLETION: 230 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
318	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,380	Linear Feet	202-B076	Removal of Traffic Stripe
13,678	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,259	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3	Each	202-B111	Removal of Bridge Piling
4,509	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
18,107	Cubic Yard	203-G003	Excess Excavation, FM, AH
23	Cubic Yard	206-A001	Structure Excavation
9,195	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
6	Ton	213-C001	Superphosphate
1,484	Square Yard	217-A001	Ditch Liner
14	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
18	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
360	Square Yard	224-A001	Soil Reinforcing Mat
6,000	Linear Feet	234-A001	Temporary Silt Fence
1	Mile	423-A001	Rumble Strips, Ground In
357	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
142	Pounds	602-A001	Reinforcing Steel
40	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
8	Each	606-D012	Guard Rail, Bridge End Section, Type I

8	Each	606-E002	Guard Rail, Terminal End Section, Flared
170	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
1,390	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
5,970	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,950	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
2,360	Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
460	Linear Feet	619-A4004	Temporary Traffic Stripe, Skip Yellow, Type 1 Tape
600	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
2,800	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
290	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
55	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
379	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Each	619-F3004	Delineators, Guard Rail, White
244	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
72	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
8	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
8	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
49	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
53	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
126	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
36	Each	630-F001	Delineators, Guard Rail, White
487	Linear Feet	813-A002	Concrete Railing, 32"
706	Ton	815-A009	Loose Riprap, Size 300
746	Square Yard	815-E001	Geotextile under Riprap
679	Square Yard	907-216-A001	Solid Sodding

15	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone
31	Ton	907-225-C001	Mulch, Vegetative Mulch
12	Acre	907-226-A001	Temporary Grassing
516	Linear Feet	907-237-A003	Wattles, 20"
198	Linear Feet	907-245-A001	Triangular Silt Dike
198	Linear Feet	907-246-A001	Sandbags
8,021	Ton	907-304-B009	Granular Material, Class 3, Group D
1,545	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
994	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
1,976	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,976	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
1,242	Gallon	907-407-A001	Asphalt for Tack Coat
144	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
384	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
120	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
13	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
2,280	Linear Feet	907-618-E001	Detour Bridge Piling
1	Lump Sum	907-618-F003	Detour Bridge PDA Test Pile
1	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
595	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
190	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NUMBER 1			
3,967	Ton	907-304-F002	Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

3,967	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
3,967	Ton	907-304-F004	Size 825B Crushed Stone Base
Bridge Items			
853	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
3,040	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4	Each	803-I002	PDA Test Pile, Concrete Pile
4	Each	803-J001	Pile Restrike
83,722	Pounds	805-A001	Reinforcement
7,119	Ton	815-A009	Loose Riprap, Size 300
8,788	Square Yard	815-E001	Geotextile under Riprap
148	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
260	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
1,181	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
10	Ton	907-815-F001	Sediment Control Stone

CALL No. 10

Bridge Repair on SR 69 Over McCrary Creek Bridge No. 11.8, known as State Project No. EXB-0068-01(008) / 107139303 in Lowndes County.

PROJECT COMPLETION: 101 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,000	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
64	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
500	Linear Feet	907-234-C002	Super Silt Fence
300	Linear Feet	907-237-A002	Wattles, 12"
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

295	Ton	815-A009	Loose Riprap, Size 300
455	Square Yard	815-E001	Geotextile under Riprap
7	Each	907-824-PP095	Bridge Repair, Slab Bracket, Per Plans
330	Linear Feet	907-824-PP097	Bridge Repair, Pile Encasements Repairs, Per Plan
2,150	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structure, Per Plans
7	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair, Per Plans

CALL No. 11

Bridge Replacement on SR 473 at Vaughn Creek, known as State Project No. EXB-0398-00(002) / 100585301 in Hinds County.

PROJECT COMPLETION: 73 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
3,067	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
796	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
60	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,582	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,236	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
500	Cubic Yard	203-G003	Excess Excavation, FM, AH
6,359	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
49	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
11	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4	Acre	223-A001	Mowing
701	Square Yard	224-A001	Soil Reinforcing Mat
2,745	Linear Feet	234-A001	Temporary Silt Fence
3	Each	236-A004	Silt Basin, Type D
1	Mile	423-A001	Rumble Strips, Ground In
78	Linear Feet	501-E001	Expansion Joints, Without Dowels
166	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section

40	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
3,400	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,400	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
343	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
108	Linear Feet	619-G4005	Barricades, Type III, Double Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
28	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F001	Delineators, Guard Rail, White
820	Ton	815-A009	Loose Riprap, Size 300
521	Square Yard	815-E001	Geotextile under Riprap
82	Square Yard	907-216-A001	Solid Sodding
4	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
9	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
435	Linear Feet	907-234-C002	Super Silt Fence
200	Linear Feet	907-234-F001	Turbidity Barrier
250	Linear Feet	907-237-A003	Wattles, 20"
50	Ton	907-249-A001	Riprap for Erosion Control
380	Linear Feet	907-253-A001	Coir Fiber Baffle
839	Ton	907-304-B007	Granular Material, Class 5, Group E
683	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
756	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
18	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
595	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
259	Gallon	907-407-A001	Asphalt for Tack Coat

272	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
72	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
3,400	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,400	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1	Lump Sum	907-699-B002	Bridge Construction Stakes
79	Ton	907-815-F001	Sediment Control Stone
ALTERNATE GROUP AA NUMBER 1			
2,857	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
2,857	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
2,857	Ton	907-304-F004	Size 825B Crushed Stone Base
Bridge Items			
1	Each	803-B002	Conventional Static Pile Load Test
650	Linear Feet	803-D002	HP 12 x 53 Steel Piling
970	Linear Feet	803-D003	HP 14 x 73 Steel Piling
3	Each	803-I003	PDA Test Pile, HP Steel Pile
2	Each	803-J001	Pile Restrike
11,007	Pounds	805-A001	Reinforcement
400	Linear Feet	813-A002	Concrete Railing, 32"
2,591	Ton	815-A009	Loose Riprap, Size 300
2,848	Square Yard	815-E001	Geotextile under Riprap
73	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
40	Each	907-804-E001	40' Prestressed Concrete Voided Slab, 4'-0" Interior
10	Each	907-804-F001	40' Prestressed Concrete Voided Slab, 3'-5" Exterior
800	Square Yard	907-826-A001	Waterproofing Membrane

CALL No. 12

Bridge Repair on SR 346 Across Cane Creek Bridge No. 2.9, known as State Project No. EXB-0858-00(015) / 107139308 in Pontotoc County.

PROJECT COMPLETION: 92 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,500	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
46	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
500	Linear Feet	907-234-C002	Super Silt Fence
100	Linear Feet	907-237-A002	Wattles, 12"
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

44	Linear Feet	803-D006	HP 14 x 117 Steel Piling
3,841	Pounds	805-A001	Reinforcement
208	Linear Feet	808-A001	Joint Preparation
118	Ton	815-A009	Loose Riprap, Size 300
218	Square Yard	815-E001	Geotextile under Riprap
33	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
104	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
208	Linear Feet	907-823-B001	Saw Cut, Type I
128	Linear Feet	907-824-PP097	Bridge Repair, Concrete Pile Encasement for Bents 2 & 4, Per Plans
24	Linear Feet	907-824-PP097	Bridge Repair, Steel Pile Repair for Bent 3, Per Plans
25	Cubic Feet	907-824-PP101	Bridge Repair, Repair Spalled Concrete with Epoxy Mortar, Per Plans

CALL No. 13

Bridge Repair on I-20/I-59 Bridge No. 153.0B, known as State Project No. EXB-1232-00(005) / 107139304 in Lauderdale County.

PROJECT COMPLETION: OCTOBER 13, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
556	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

794	Linear Feet	202-B298	Removal of Existing Joint Material
1,236	Linear Feet	808-A001	Joint Preparation
412	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
206	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
794	Linear Feet	907-823-B001	Saw Cut, Type I
396	Linear Feet	907-823-B002	Saw Cut, Type II
1	Lump Sum	907-824-PP093	Bridge Repair, Pin and Bearing Reset
26	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair
1	Lump Sum	907-845-A002	Coating Existing Structural Steel

CALL No. 14

Mill & Overlay approximately 16 miles of SR 12 from Choctaw County Line to the beginning of 5-Lane, known as State Project No. MP-1012-53(007) / 305722301 in Oktibbeha County.

PROJECT COMPLETION: 69 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5,200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,275	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
2,300	Cubic Yard	203-G003	Excess Excavation, FM, AH
31	Mile	423-A001	Rumble Strips, Ground In
41	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
26	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
8,010	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1,400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
27,000	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
4,475	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
21,000	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
15,150	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
32	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
13	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,750	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,400	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

2,850 Cubic Yard 907-304-H002 3/4" and Down Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 2

2,850 Cubic Yard 907-304-H003 Size 610 Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 3

2,850 Cubic Yard 907-304-H004 Size 825B Crushed Stone Base, LVM

CALL No. 15

Mill & Overlay approximately 5 miles of SR 50 from Eashman Avenue to Matthew's Gin Road, known as State Project No. MP-1050-13(010) / 305750301 in Clay County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
400	Linear Feet	202-B076	Removal of Traffic Stripe
400	Cubic Yard	203-G003	Excess Excavation, FM, AH
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,950	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
350	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
470	Linear Feet	635-A001	Vehicle Loop Assemblies
850	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
5,600	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
750	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
70,000	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
4,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
950	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,000	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

400 Cubic Yard 907-304-H002 3/4" and Down Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 2

400 Cubic Yard 907-304-H003 Size 610 Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 3

400 Cubic Yard 907-304-H004 Size 825B Crushed Stone Base, LVM

ALTERNATE GROUP BB NUMBER 1

275 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White

150 Linear Feet 628-L002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

275 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

150 Linear Feet 907-626-K003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

CALL No. 16

Mill & Overlay approximately 4 miles of SR 178 from Glenfield Baptist Church to SR 15, known as State Project No. MP-1178-73(006) / 305721301 in Union County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
7,657	Linear Feet	202-B076	Removal of Traffic Stripe
150	Cubic Yard	203-G003	Excess Excavation, FM, AH
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,506	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
3,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
676	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,060	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
423	Square Feet	628-P001	High Performance Cold Plastic Legend, White
3,002	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
200	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
6,350	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
66,894	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
4,900	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
7	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,332	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

3,864	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
8,407	Linear Feet	907-626-H004	Thermoplastic Legend, White
947	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1			
100	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
100	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
100	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
3,599	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
4,061	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
3,599	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,061	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 17

Overlay approximately 10 miles of SR 14 from SR 19 to the Winston County Line, known as State Project No. MP-2014-04(006) / 305770301 in Attala County.

PROJECT COMPLETION: 73 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,900	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
650	Cubic Yard	203-G003	Excess Excavation, FM, AH
40	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,440	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail White
500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail Yellow
1,650	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
825	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,025	Ton	907-304-B009	Granular Material, Class 3, Group D
11,135	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,575	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
5,390	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
978	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
18,709	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
20	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
720	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
285	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 18

Mill and Overlay approximately 8 miles of SR 35 from SR 12 to Hesterville, known as State Project No. MP-2035-04(010) / 305773301 in Attala County.

PROJECT COMPLETION: 58 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,000	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
332	Cubic Yard	203-G003	Excess Excavation, FM, AH
45	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
9,039	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,220	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
567	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,300	Ton	907-304-B009	Granular Material, Class 3, Group D
10,413	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
660	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
535	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
162,070	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
9,500	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
15	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,013	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
740	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 19

Seal and Level and/or Overlay approximately 76 miles of highway on various routes, known as State Project No. MP-3000-00(106) / 305841301 & 302 in Holmes & Yazoo Counties.

PROJECT COMPLETION: OCTOBER 31, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,825	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,300	Cubic Yard	203-G003	Excess Excavation, FM, AH
126	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
40	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
9,162	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
3,300	Ton	907-304-B002	Granular Material, Class 5, Group D
1,040	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
266,158	Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
9,857	Cubic Yard	907-410-C002	Seal Aggregate Cover Material, Size 7, Limestone
15,225	Ton	907-411-A003	Ultra Thin Asphalt Pavement
13,780	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
20	Square Feet	907-618-B001	Additional Construction Signs
ALTERNATE GROUP AA NUMBER 1			
1,300	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
1,300	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
1,300	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM

CALL No. 20

Mill and Overlay approximately 5 miles of US 51 from SR16 W to 4.14 miles north, known as State Project No. MP-5051-45(011) / 305743301 in Madison County.

PROJECT COMPLETION: 61 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

784	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
654	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
100	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
8	Mile	423-A001	Rumble Strips, Ground In
1,274	Linear Feet	503-C007	Saw Cut, Full Depth
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
279	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
180	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,600	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
8,200	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
4,700	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
59,180	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
3,000	Gallon	907-407-A001	Asphalt for Tack Coat
4,000	Linear Feet	907-413-D002	Cleaning and Filling Joints in PCC Pavement, 10" or Less
19,630	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic

132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
750	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
810	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 21

Overlay approximately 6 miles of SR 18 from East of Bay Springs to Tallahala Creek, known as State Project No. MP-6018-31(011) / 305797301 in Jasper County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

612	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
100	Linear Feet	202-B076	Removal of Traffic Stripe
195	Square Yard	202-B078	Removal of Pavement, All Types and Depths
360	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D015	Guard Rail, Bridge End Section
4	Each	606-E001	Guard Rail, Terminal End Section
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
496	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
120	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,650	Ton	907-304-F004	Size 825B Crushed Stone Base
70	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
4,000	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
2,466	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
5,400	Gallon	907-407-A001	Asphalt for Tack Coat
4,200	Ton	907-411-A003	Ultra Thin Asphalt Pavement
5,500	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

726	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
364	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
496	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 22

Overlay approximately 6 miles of SR 26 from White Sands Bridge East, known as State Project No. MP-6026-55(015) / 305799301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

22 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
625 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
180 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
370 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,500 Ton	907-304-F004	Size 825B Crushed Stone Base
3,200 Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
625 Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
5,400 Gallon	907-407-A001	Asphalt for Tack Coat
3,400 Ton	907-411-A003	Ultra Thin Asphalt Pavement
5,600 Gallon	907-411-B001	Bituminous Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
11 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,300 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
625 Linear Feet	907-626-H004	Thermoplastic Legend, White
240 Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 23

Overlay approximately 7 miles of SR 29 from Perry County Line to the JP Geddie Road, known as State Project No. MP-6029-34(014) / 305781301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Linear Feet	202-B076	Removal of Traffic Stripe
832	Square Yard	202-B078	Removal of Pavement, All Types and Depths
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1	Lump Sum	620-A001	Mobilization
350	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
675	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,225	Ton	907-304-F004	Size 825B Crushed Stone Base
300	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
4,700	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
2,026	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
6,650	Gallon	907-407-A001	Asphalt for Tack Coat
4,875	Ton	907-411-A003	Ultra Thin Asphalt Pavement
6,650	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
13	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,420	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,200	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 24

Overlay approximately 3 miles of SR 589 from I-59 to US 11, known as State Project No. MP-6589-37(008) / 305798301 in Lamar County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1,028	Linear Feet	202-B076	Removal of Traffic Stripe
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
428	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
91	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
313	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Ton	907-304-F004	Size 825B Crushed Stone Base
3,200	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
2,950	Ton	907-411-A003	Ultra Thin Asphalt Pavement
5,000	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Square Feet	907-618-B001	Additional Construction Signs
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
777	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
690	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
580	Linear Feet	907-626-H004	Thermoplastic Legend, White
37	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 25

Overlay approximately 5 miles of SR 43 from the Lawrence / Jefferson Davis County Line to SR 13, known as State Project No. MP-7043-33(004) / 305730301 in Jefferson Davis County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

47	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
648	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
469	Linear Feet	202-B076	Removal of Traffic Stripe
575	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
18	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
956	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
328	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
141	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
543	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
74	Each	630-F001	Delineators, Guard Rail, White
1,446	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
5,650	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
267	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
2,002	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,299	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
6,352	Gallon	907-407-A001	Asphalt for Tack Coat
6,923	Square Feet	907-412-A002	Pre-Grinding
240	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs

9 Mile	907-626-C009	6" Thermoplastic Edge Stripe, Continuous White, Audible Bump
1 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
670 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
286 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
328 Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1		
23 Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2		
23 Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3		
23 Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1		
286 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
40 Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
143 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2		
286 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
40 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
143 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 26

Bridge Construction on SR 589 at Black Creek, known as Federal Aid Project No. ER-1164-00(014) / 107274301 in Lamar County.

PROJECT COMPLETION: OCTOBER 05, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

4,530	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,200	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,300	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
2,100	Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,920	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-C001	Superphosphate
100	Square Yard	217-A001	Ditch Liner
3,500	Linear Feet	234-A001	Temporary Silt Fence
1	Mile	423-A001	Rumble Strips, Ground In
60	Linear Feet	501-E001	Expansion Joints, Without Dowels
134	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,957	Linear Feet	503-C007	Saw Cut, Full Depth
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D015	Guard Rail, Bridge End Section
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
159	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
11	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
58	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4,900	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone

2	Ton	907-225-C001	Mulch, Vegetative Mulch
200	Linear Feet	907-237-A003	Wattles, 20"
675	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
520	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
2,075	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
790	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
620	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Each	907-619-E3001	Changeable Message Sign
6,300	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,150	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
150	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

1,725	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

1,725	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,725	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

Bridge Items

3,120	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
2	Each	803-J001	Pile Restrike
3,294	Pounds	805-A001	Reinforcement
20	Each	806-A002	31' Precast Concrete Slab Units, 4'-6" Interior "State Furnished"
40	Each	806-A004	31' Precast Concrete Slab Units, 3'-6" Interior "State Furnished"
20	Each	806-A005	31' Precast Concrete Slab Units, 3'-6" Exterior "State Furnished"
20	Each	806-C002	31' Precast Barrier Rail Units "State Furnished"
9	Each	806-D003	33' Precast Concrete Caps, Intermediate Unit "State Furnished"
391	Ton	815-A009	Loose Riprap, Size 300
400	Square Yard	815-E001	Geotextile under Riprap
21	Cubic Yard	907-804-A001	Bridge Concrete, Class AA

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR