


Proposal & Plan Sales Will Begin on July 4, 2016



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For July - July 26, 2016



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 26, 2016

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 4, 2016

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 26, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
04	NH-0008-02(096)/105778301 & HSIP-0008-02(105)/107181301	COVINGTON
05	STP-0029-02(017)/102556319	DESOTO
06	STP-0042-01(011) / 107138309	KEMPER
07	NHPP-0055-04(101)/100222309	DESOTO
08	BR-0055-04(103)/107214302	TATE
09	IM-0059-03(094)/106836301	LAUDERDALE
10	HSIP-0079-01(032)/106987301	LOWNDES
11	BR-9999-07(010)/107019306 & BR-9999-07(010)/107019306 & BR-9999-07(010)/107019306	ADAMS, FRANKLIN, WILKINSON
* 12	EXB-0055-02(037) / 107139301	HINDS
13	EXB-0213-00(003)/105275301	COVINGTON
14	SP-0303-00(012)/107179301	CLAIBORNE
15	MP-1015-70(017)/305873301	TIPPAH
16	MP-1025-71(017)/305874301	TISHOMINGO
* 17	MP-2008-07(005)/305881301	CALHOUN
* 18	MP-2035-04(011)/305880301	ATTALA
* 19	MP-3016-82(009)/305886301	YAZOO

*	20	MP-5021-50(019)/305872301	NESHOBA
*	21	MP-6026-55(017)/305884301	PEARL RIVER
*	22	MP-6043-55(028)/305883301	PEARL RIVER
	23	MP-7024-03(011)/305877301	AMITE
	24	MP-7044-46(007)/305879301	MARION
	25	MP-7184-16(001) / 305731301	COVINGTON

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, July 26, 2016; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi for Call(s):

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY		
CALL	CONTRACT	COUNTY
01	BWO-6211-18(003) / 502889301 & LWO-6017-18(006) / 502889302	FORREST
02	BWO-1192-80(001)/502893301 & BWO-1193-80(001)/502893302 & BWO-1194-80(001)/502893303 & LWO-1063-80(001)/502893304	WINSTON
03	SP-0210-00(025)/101212307	FORREST

CALL No. 01

Renovation of the Existing District Six Shop and Minor Site Improvements, known as State Project Nos. BWO-6211-18(003) / 502889301 & LWO-6017-18(006) / 502889302 in Forrest County.

PROJECT COMPLETION: SEPTEMBER 29, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

1	Lump Sum	907-242-A015	Renovation of Existing District Shop
---	----------	--------------	--------------------------------------

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1,105	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
84	Linear Feet	202-B041	Removal of Fence, All Types
25	Linear Feet	202-B064	Removal of Pipe, 8" And Above
528	Square Yard	202-B068	Removal of Reinforced Concrete Pavement, All Depths
114	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2	Each	202-B170	Removal of Concrete Junction Box, Manhole and Inlet, All Sizes
2	Acre	203-I002	Site Grading
152	Thousand Gallon	219-A001	Watering
680	Linear Feet	234-A001	Temporary Silt Fence
4,552	Linear Feet	503-C009	Saw Cut, 2-inch
5,154	Pounds	602-A001	Reinforcing Steel
280	Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
253	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
160	Linear Feet	607-B010	72" Type II Chain Link Fence, Class I
374	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
3,033	Square Yard	907-216-A001	Solid Sodding
8	Each	907-234-D001	Inlet Siltation Guard
288	Linear Feet	907-237-A002	Wattles, 12"
25	Each	907-258-K001	Bollard
1	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans

1	Each	907-265-PP003	Fire Hydrant Assembly, Per Plans
626	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
51	Square Yard	907-504-A002	4" Fiber Reinforced Concrete Pavement
835	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
6	Each	907-603-PP001	Grate Inlet
1	Each	907-604-C001	Precast Manhole, 48-inch Diameter
88	Linear Feet	907-607-AA001	Ornamental Iron Fence
2	Each	907-607-BB001	Ornamental Gate, 6-foot Wide
20	Square Feet	907-611-PP003	Detectable Warning, Per Plans
340	Linear Feet	907-626-B001	4" Thermoplastic Traffic Stripe, Continuous White
24	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
66	Linear Feet	907-626-E001	4" Thermoplastic Traffic Stripe, Continuous Yellow
140	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
1	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol

CALL No. 02

Construction of Maintenance Area Headquarters and Support Buildings at Louisville, known as State Project Nos. BWO-1192-80(001), BWO-1193-80(001), BWO-1194-80(001), & LWO-1063-80(001) / 502893301, 302, 303, & 304 in Winston County.

PROJECT COMPLETION: OCTOBER 30, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

1	Lump Sum	907-242-A006	Construction of Equipment Shed/W Enclosed Bay
1	Lump Sum	907-242-A006	Construction of Maintenance Area Headquarters
1	Lump Sum	907-242-A006	Construction of Storage Bins

Lot Work Items

1	Lump Sum	201-A001	Clearing and Grubbing
6,400	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
5,931	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2,225	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
300	Square Yard	217-A001	Ditch Liner
25	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
18	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,080	Linear Feet	234-A001	Temporary Silt Fence
296	Pounds	602-A001	Reinforcing Steel
284	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
3	Each	603-CB001	18" Reinforced Concrete End Section
322	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
1,464	Pounds	604-A001	Castings
2,664	Pounds	604-B001	Gratings
265	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
48	Cubic Yard	605-X001	Filter Material for Filter Beds, Type A
48	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
4	Each	605-Z005	Underdrain Appurtenances, Concrete Apron, Precast or Cast-In-Place
1	Lump Sum	605-Z006	Underdrain Appurtenances, Elbows, Couplings, etc.
1,771	Linear Feet	607-B042	96" Type I Chain Link Fence, Class I, With Top Guard

1	Each	607-G134	Gate, 96" Chain Link, Galv. Steel, 30' DBL, W/Top Guard
175	Each	607-P1030	Line Post, 11' x 2 1/2" Galvanized Steel
14	Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel
2	Each	607-P3015	Gate Post, 12' x 6" Galvanized Steel
174	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
185	Linear Feet	609-B001	Concrete Curb, Header
30	Linear Feet	609-B003	Concrete Curb, Special Design
10	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
12	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
800	Square Feet	809-A003	Retaining Wall System
10	Ton	815-A006	Loose Riprap, Size 100
50	Square Yard	815-E001	Geotextile under Riprap
2,921	Square Yard	907-216-B004	Solid Sodding, Bermuda
1	Acre	907-225-A001	Grassing
1	Ton	907-225-B001	Agricultural Limestone
1	Ton	907-225-C001	Mulch, Vegetative Mulch
1	Acre	907-226-A001	Temporary Grassing
3	Each	907-234-D001	Inlet Siltation Guard
75	Linear Feet	907-237-A003	Wattles, 20"
1	Lump Sum	907-242-PP001	Water and Sewer Improvements, Per Plans
24	Ton	907-249-A001	Riprap for Erosion Control
2	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans
163	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
163	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
136	Gallon	907-407-A001	Asphalt for Tack Coat
18	Cubic Yard	907-601-A001	Class "B" Structural Concrete
20	Linear Feet	907-605-R002	6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains
350	Linear Feet	907-605-T002	6" Perforated Pipe for Underdrains

1	Lump Sum	907-618-A001	Maintenance of Traffic
200	Linear Feet	907-626-E001	4" Thermoplastic Traffic Stripe, Continuous Yellow
96	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
320	Linear Feet	907-626-G002	Thermoplastic Detail Stripe, White, 4" Equivalent Length
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
50	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

2,161	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

2,161	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

2,161	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

CALL No. 03

Renovation at Hattiesburg U.S. Army Reserve Center, known as State Project No. SP-0210-00(025) / 101212307 in Forrest County.

PROJECT COMPLETION: DECEMBER 23, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Building Items

1	Lump Sum	1510-A001	Renovate US Army Reserve Center
---	----------	-----------	---------------------------------

CALL No. 04

Shoulder Reconstruction on US 49 from North of Forrest County Line to Mount Olive, known as Federal Aid Project Nos. HSIP-0008-02(105) / 107181301 & NH-0008-02(096) / 105778302 in Covington County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
8,662	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
33,281	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,662	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
506	Square Yard	202-B025	Removal of Concrete Paved Ditch
585	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
58	Each	202-B042	Removal of Flared End Section, All Sizes
2	Each	202-B057	Removal of Inlets, All Sizes
4,987	Linear Feet	202-B064	Removal of Pipe, 8" And Above
22	Each	202-B069	Removal of Sign
354	Each	202-B070	Removal of Sign Including Post & Footing
23,906	Linear Feet	202-B076	Removal of Traffic Stripe
18,900	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,451	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
425	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
3,514	Linear Feet	202-B141	Removal of Edge Drain
396	Each	202-B304	Removal & Replacement of Edge Drain Outlet
375,730	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
18,188	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
49,811	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
74,269	Cubic Yard	203-G003	Excess Excavation, FM, AH
12,698	Cubic Yard	203-G003	Excess Excavation, FM, AH , UNSTABLE
21,810	Square Yard	204-A003	Geogrid, Type II, Biaxial

6,743	Cubic Yard	206-A001	Structure Excavation
1,271	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
158,813	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
32,202	Square Yard	209-A007	Geotextile Stabilization, Type VII, Non-Woven
624,360	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
69,366	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
132	Ton	213-C001	Superphosphate
17,652	Square Yard	217-A001	Ditch Liner
1,569	Thousand Gallon	219-A001	Watering
132	Acre	220-A001	Insect Pest Control
1,857	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2,076	Acre	223-A001	Mowing
57,281	Linear Feet	234-A001	Temporary Silt Fence
550	Bale	235-A001	Temporary Erosion Checks
3	Each	236-A001	Silt Basin, Type A
56	Each	236-A002	Silt Basin, Type B
52	Each	236-A004	Silt Basin, Type D
3,745	Linear Feet	239-A001	Temporary Slope Drains
1,350	Ton	310-B003	Size I Stabilizer Aggregate, Coarse
22	Mile	423-A001	Rumble Strips, Ground In
33,530	Linear Feet	503-C007	Saw Cut, Full Depth
348,663	Pounds	602-A001	Reinforcing Steel
4,368	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,744	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1,728	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
264	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
216	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
488	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
224	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
184	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III

59	Each	603-CB001	18" Reinforced Concrete End Section
27	Each	603-CB002	24" Reinforced Concrete End Section
16	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
8	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
552	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
272	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
24	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
488	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
496	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
432	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
1	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
4	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
9	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
1	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
5	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
3	Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
22	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB014	36" x 23" Branch Connections, Stub into Box Culvert
8	Each	603-SB020	18" Branch Connections, Stub into Concrete Pipe
2	Each	603-SB044	18" Branch Connections, Stub into Existing Box Culvert
2	Each	603-SB058	24" Branch Connections, Stub into Concrete Pipe
488	Pounds	604-A001	Castings
48,250	Pounds	604-B001	Gratings
15,874	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B

5,275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
17	Each	606-C003	Guard Rail, Cable Anchor, Type 1
17	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
3,357	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
2,148	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
1,159	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
722	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
376	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
10	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
19,850	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
6	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
3	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
54,247	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
11,880	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
3,308	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,012	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
337	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,340	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5	Each	619-E1001	Flashing Arrow Panel, Type C
4,840	Linear Feet	619-F1001	Concrete Median Barrier, Precast
12,150	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
192	Linear Feet	619-G4001	Barricades, Type III, Single Faced
90	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
117	Each	619-G5001	Free Standing Plastic Drums
70	Each	619-G7001	Warning Lights, Type "B"
78	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
506	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,464	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

664	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
148	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,697	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
224	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,352	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
91	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
131	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
48	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
221	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
45	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
887	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
161	Each	630-F001	Delineators, Guard Rail, White
144	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
144	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
56	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
127	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
79	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
550	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
930	Linear Feet	635-A001	Vehicle Loop Assemblies
1,859	Linear Feet	636-A003	Shielded Cable, 4 Conductor
4	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1	Each	642-A004	Solid State Traffic Actuated Controllers, Type 4A
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	647-A001	Pullbox, Type 1
2	Each	647-A002	Pullbox, Type 3
10	Each	647-A005	Pullbox, Type 2

1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
23	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
3,915	Linear Feet	666-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
745	Linear Feet	666-B008	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 5 Conductor
956	Linear Feet	666-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
89	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
160	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
972	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1,467	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
152	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
2,490	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
793	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
103	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
24	Ton	815-A008	Loose Riprap, Size 200
3,508	Ton	815-A009	Loose Riprap, Size 300
552	Square Yard	815-E001	Geotextile under Riprap
78,459	Square Yard	907-216-B004	Solid Sodding, Bermuda
258	Acre	907-225-A001	Grassing
132	Ton	907-225-B001	Agricultural Limestone
516	Ton	907-225-C001	Mulch, Vegetative Mulch
264	Acre	907-226-A001	Temporary Grassing
2,636	Square Yard	907-228-A001	Erosion Control Blanket, Type I
68,192	Square Yard	907-228-A002	Erosion Control Blanket, Type II
3,705	Square Yard	907-229-A001	Erosion Mat
4,402	Linear Feet	907-234-C002	Super Silt Fence
137	Each	907-234-D001	Inlet Siltation Guard
6	Each	907-234-E001	Reset Inlet Siltation Guard
1,446	Linear Feet	907-234-F001	Turbidity Barrier
27,783	Linear Feet	907-237-A003	Wattles, 20"
4,120	Linear Feet	907-245-A001	Triangular Silt Dike

18,134	Each	907-246-A002	Sandbags
5,124	Ton	907-249-A001	Riprap for Erosion Control
1,117	Pounds	907-250-A001	Polyacrylamide (PAM)
8,664	Linear Feet	907-253-A001	Coir Fiber Baffle
1,878	Cubic Yard	907-304-C003	Granular Material, AEA, Class 6, Group C
13,127	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
29,154	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
2,120	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
2,404	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
4,241	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,948	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
1,339	Ton	907-403-D012	19-mm, HT, Asphalt Pavement, Polymer Modified
57,692	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
22,782	Gallon	907-407-A001	Asphalt for Tack Coat
1,891	Cubic Yard	907-601-A001	Class "B" Structural Concrete
494	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3,040	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
312	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
80	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
120	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
37	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Each	907-619-E3001	Changeable Message Sign
4	Each	907-619-E4001	Portable Radar Display
42	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
37	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,565	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
33	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

12,739	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,401	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
70,998	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
57,856	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
5,443	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
2,004	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
49	Each	907-630-O003	Remove and Reset Sign, All Sizes
103	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A022	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 45' Arms
1	Each	907-639-A204	Traffic Signal Equipment Pole, Type IV, 40' Shaft, 35' & 40' Arms
16	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
3	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
3	Each	907-641-A002	Signal Stop Bar Radar Detection
1	Each	907-641-B002	Signal Advanced Radar Detection
4	Each	907-644-A001	Optical Detector
809	Linear Feet	907-644-B001	Optical Detector Cable
7	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
3	Each	907-645-B002	Advanced Warning Flashing Assembly
1	Lump Sum	907-699-A002	Roadway Construction Stakes
591	Ton	907-815-F001	Sediment Control Stone
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

131,245	Ton	907-304-F002	Size 610 Crushed Stone Base
---------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

131,245	Ton	907-304-F003	3/4" and Down Crushed Stone Base
---------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

131,245	Ton	907-304-F004	Size 825B Crushed Stone Base
---------	-----	--------------	------------------------------

Bridge Items

5,213	Cubic Yard	206-A001	Structure Excavation
-------	------------	----------	----------------------

7,527	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
8,597	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
18,329	Linear Feet	803-F006	24" Pre-Formed Pile Hole
4,978	Linear Feet	803-F016	30" Pre-Formed Pile Hole
108,846	Pounds	805-A001	Reinforcement
2,236,939	Pounds	810-A003	Structural Steel, A 709, Grade 50
3,929	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1,038	Square Yard	907-605-CC001	Prefabricated Sheet Drain
5,248	Square Yard	907-831-PP005	Precast Panels

CALL No. 05

Pave 4 lanes of SR 304 / I-269 from I-55 to SR 305, known as Federal Aid Project No. STP-0029-02(017) / 102556319 in Desoto County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

988	Square Yard	202-B036	Removal of Concrete Slope Paving
23	Each	202-B039	Removal of Delineator, All Types
6	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
8,299	Linear Feet	202-B076	Removal of Traffic Stripe
500	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
20,763	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
500	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
115,960	Cubic Yard	203-G003	Excess Excavation, FM, AH
75	Ton	213-C001	Superphosphate
3	Thousand Gallon	219-A001	Watering
880	Acre	220-A001	Insect Pest Control
37	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,760	Acre	223-A001	Mowing
48,000	Linear Feet	234-A001	Temporary Silt Fence
11	Mile	321-A001	6" In-Grade Preparation
477	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
38	Mile	423-A001	Rumble Strips, Ground In
1,504	Linear Feet	501-E001	Expansion Joints, Without Dowels
3,525	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
5,722	Pounds	602-A001	Reinforcing Steel
20	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
20	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
114	Each	606-A001	Guard Posts
2,600	Linear Feet	606-B001	Guard Rail, Class A, Type 1
26	Each	606-D012	Guard Rail, Bridge End Section, Type I

26	Each	606-E002	Guard Rail, Terminal End Section, Flared
2,774	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
836	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
520	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5" (Actual 33.0")
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
30,220	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
673	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
178	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,240	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
126	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
5,314	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
959	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
2,236	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
4,847	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
4,576	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
954	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
1,532	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1,015	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
38	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
590	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
87	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
95	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
116	Linear Feet	630-D008	Structural Steel Beams, W10 x 22

138	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
1,050	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
952	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
375	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
2,894	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
104	Each	630-F001	Delineators, Guard Rail, White
104	Each	630-F002	Delineators, Guard Rail, Yellow
271	Each	630-F006	Delineators, Post Mounted, Single White
92	Each	630-F007	Delineators, Post Mounted, Single Yellow
410	Each	630-F008	Delineators, Post Mounted, Double White
64	Each	630-F009	Delineators, Post Mounted, Double Yellow
44	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
251	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
303	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
1,198	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
30	Each	640-A016	Traffic Signal Heads, Type 1 LED
5	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
5	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
5	Each	647-A002	Pullbox, Type 3
34	Each	647-A003	Pullbox, Type 4
23	Each	647-A004	Pullbox, Type 5
31	Each	647-A005	Pullbox, Type 2
30	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
1,503	Linear Feet	666-B027	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
3,317	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
2,578	Linear Feet	666-B033	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 4, 3 Conductor
1,625	Linear Feet	666-B034	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 1/0, 4 Conductor
2,794	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
508	Linear Feet	666-B058	Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor

322	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
149	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
8,125	Linear Feet	668-A024	Traffic Signal Conduit, Underground, Type 4, 6"
2,783	Linear Feet	668-A025	Traffic Signal Conduit, Underground, Rolled Pipe, 1"
810	Ton	815-A006	Loose Riprap, Size 100
2,000	Ton	815-A009	Loose Riprap, Size 300
1,500	Square Yard	815-E001	Geotextile under Riprap
125	Square Yard	907-216-A001	Solid Sodding
150	Acre	907-225-A001	Grassing
75	Ton	907-225-B001	Agricultural Limestone
300	Ton	907-225-C001	Mulch, Vegetative Mulch
150	Acre	907-226-A001	Temporary Grassing
79	Each	907-234-D001	Inlet Siltation Guard
79	Each	907-234-E001	Reset Inlet Siltation Guard
6,000	Linear Feet	907-237-A002	Wattles, 12"
6,000	Linear Feet	907-237-A003	Wattles, 20"
6,000	Linear Feet	907-245-A001	Triangular Silt Dike
1,900	Linear Feet	907-246-A001	Sandbags
500	Ton	907-249-A001	Riprap for Erosion Control
1,275	Pounds	907-250-A001	Polyacrylamide (PAM)
45,526	Ton	907-304-B009	Granular Material, Class 3, Group D
398,946	Ton	907-304-B011	Granular Material, Class 9, Group B
57,753	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
780	Ton	907-307-D001	Lime
14,438	Gallon	907-307-S001	Bituminous Curing Seal
21,725	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
39,493	Gallon	907-402-B001	Bituminous Tack Coat
8,970	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
33,122	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
62,329	Ton	907-403-A019	19-mm, ST, Asphalt Pavement

4,140 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
5,520 Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
6,210 Ton	907-403-A024	19-mm, MT, Asphalt Pavement
45,309 Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
55,319 Ton	907-403-A029	19-mm, HT, Asphalt Pavement
33,472 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
44,629 Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
712 Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
9,006 Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
44 Mile	907-403-S004	Joint Sealant
195,963 Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
118,835 Gallon	907-407-A001	Asphalt for Tack Coat
10,281 Square Yard	907-410-D001	High Friction Surface Treatment
1,504 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
71 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
300 Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
1 Lump Sum	907-618-A001	Maintenance of Traffic
6 Each	907-619-E3001	Changeable Message Sign
24 Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,852 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2 Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
31 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
30 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
22,371 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
43,586 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
20,779 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,535 Linear Feet	907-626-H004	Thermoplastic Legend, White

1,412	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed ("A")
1	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed ("B")
1	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed ("C")
1	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed ("D")
1	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed ("E")
1	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed ("F")
1	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed ("G")
1	Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed ("H")
1	Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed ("I")
1	Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed ("J")
9	Each	907-637-A001	Equipment Cabinet, Type B
3	Each	907-637-A002	Equipment Cabinet, Type C
3	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
3	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
1	Each	907-639-A066	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 55' Arms
1	Each	907-639-A073	Traffic Signal Equipment Pole, Type III, 17' Shaft, 60' & 65' Arms
1	Each	907-639-A089	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 55' Arms
1	Each	907-639-A106	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 60' Arms
12	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
13	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
8	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
10	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
5	Each	907-649-D002	Multi-Sensor Detection System, 1 Sensor
14	Each	907-650-A002	On Street Video Equipment, Fixed Type
8	Each	907-650-A003	On Street Video Equipment, PTZ Type
3	Each	907-656-A002	Dynamic Message Sign, Type 2
56,158	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
4,874	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM

13 Each	907-658-A005	Network Switch, Type A
1 Each	907-658-A008	Network Switch, Type D
9 Each	907-658-B001	Terminal Server
1 Lump Sum	907-659-A001	Traffic Management Center Modifications
1 Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1 Each	907-660-C002	Communications Node Equipment Installation and Configuration
55,200 Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
3,313 Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
8 Each	907-670-A001	ITS Radar Detection System
1 Lump Sum	907-699-A002	Roadway Construction Stakes
100 Ton	907-815-F001	Sediment Control Stone
1,040 Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

31,830 Ton	907-304-F002	Size 610 Crushed Stone Base
------------	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

31,830 Ton	907-304-F003	3/4" and Down Crushed Stone Base
------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

31,830 Ton	907-304-F004	Size 825B Crushed Stone Base
------------	--------------	------------------------------

ALTERNATE GROUP BB NUMBER 1

10,831 Ton	907-308-A001	Portland Cement
1,072,924 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
57,753 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
268,231 Gallon	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP BB NUMBER 2

1,072,924 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
7,765 Ton	907-311-B001	Lime
31,060 Ton	907-311-C001	Fly Ash, Class C
268,231 Gallon	907-311-S001	Bituminous Curing Seal

Bridge Repair on SR 397 Bridge No. 1.6, known as Federal Aid Project No. STP-0042-01(011) / 107138309 in Kemper County.

PROJECT COMPLETION: OCTOBER 27, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

36	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
200	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

172	Linear Feet	503-C001	Saw Cut, 1-inch
126	Ton	815-A009	Loose Riprap, Size 300
260	Square Yard	815-E001	Geotextile under Riprap
6	Each	907-824-PP095	Bridge Repair, Pressure Wash and Clean Bent Caps and Bearings
1,265	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structure, Per Plans
85	Square Feet	907-824-PP098	Bridge Repair, Pile Encasement Repair, Per Plans
21	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair, Per Plans

CALL No. 07

Adding a Lane on I-55 Southbound Ramp at Commerce Street in Hernando, known as Federal Aid Project No. NHPP-0055-04(101) / 100222309 in Desoto County.

PROJECT COMPLETION: MAY 08, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
78	Linear Feet	202-B038	Removal of Curb, All Types
3,821	Linear Feet	202-B076	Removal of Traffic Stripe
432	Linear Feet	202-B102	Removal of Guard Rail
2	Each	202-B132	Removal of Traffic Signal
11	Each	202-B133	Removal of Sign Footing
316	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
415	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
200	Cubic Yard	203-G003	Excess Excavation, FM, AH
30	Cubic Yard	206-A001	Structure Excavation
7	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,276	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-C001	Superphosphate
71	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
2	Acre	223-A001	Mowing
1,300	Linear Feet	234-A001	Temporary Silt Fence
948	Linear Feet	503-C007	Saw Cut, Full Depth
2,215	Pounds	602-A001	Reinforcing Steel
8	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB002	24" Reinforced Concrete End Section
475	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-E001	Guard Rail, Terminal End Section
77	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified

2,779	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
1,572	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
700	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
766	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
470	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
269	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
176	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-D3001	Remove and Reset Signs, All Sizes
861	Linear Feet	619-F1001	Concrete Median Barrier, Precast
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
30	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1001	Impact Attenuator, 40 MPH
1	Lump Sum	620-A001	Mobilization
68	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
32	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
58	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
20	Each	630-F001	Delineators, Guard Rail, White
44	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
15	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
822	Linear Feet	635-A001	Vehicle Loop Assemblies
708	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	640-A019	Traffic Signal Heads, Type 5 LED
1	Each	640-A020	Traffic Signal Heads, Type 5R LED
2	Each	647-A005	Pullbox, Type 2
308	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
30	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"

102	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
122	Ton	815-A009	Loose Riprap, Size 300
269	Square Yard	815-E001	Geotextile under Riprap
3,551	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-226-A001	Temporary Grassing
180	Linear Feet	907-237-A003	Wattles, 20"
160	Linear Feet	907-245-A001	Triangular Silt Dike
160	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
101	Ton	907-249-A001	Riprap for Erosion Control
1,195	Ton	907-304-B009	Granular Material, Class 3, Group D
153	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
255	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
87	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
131	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
2,294	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
274	Gallon	907-407-A001	Asphalt for Tack Coat
13	Cubic Yard	907-601-A001	Class "B" Structural Concrete
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
560	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
844	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
898	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
787	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
550	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
78	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
344	Linear Feet	907-626-H004	Thermoplastic Legend, White
269	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes

6 Ton 907-815-F001 Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

452 Ton 907-304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

452 Ton 907-304-F003 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

452 Ton 907-304-F004 Size 825B Crushed Stone Base

Bridge Repair on I-55 over Hickahala Creek Bridge Nos. 266.8A & 266.8B, known as Federal Aid Project No. BR-0055-04(103) / 107214302 in Tate County.

PROJECT COMPLETION: NOVEMBER 30, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2,747	Linear Feet	202-B076	Removal of Traffic Stripe
1,000	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
450	Cubic Yard	203-G003	Excess Excavation, FM, AH
6,692	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-C001	Superphosphate
1,312	Square Yard	217-A001	Ditch Liner
1	Acre	223-A001	Mowing
6,500	Linear Feet	234-A001	Temporary Silt Fence
275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
7,372	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
8,982	Linear Feet	619-A5005	Temporary Traffic Stripe, Detail, Type 2 Tape
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
488	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4,320	Linear Feet	619-F1001	Concrete Median Barrier, Precast
4,320	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
25	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
154	Each	627-F001	One-Way Yellow Reflective Raised Markers
14	Each	630-F001	Delineators, Guard Rail, White

240	Each	630-F007	Delineators, Post Mounted, Single Yellow
1	Acre	907-225-A001	Grassing
1	Ton	907-225-B001	Agricultural Limestone
2	Ton	907-225-C001	Mulch, Vegetative Mulch
1	Acre	907-226-A001	Temporary Grassing
4	Each	907-234-D001	Inlet Siltation Guard
320	Linear Feet	907-234-F001	Turbidity Barrier
372	Linear Feet	907-237-A003	Wattles, 20"
21	Ton	907-249-A001	Riprap for Erosion Control
4,320	Ton	907-304-B009	Granular Material, Class 3, Group D
445	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
593	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
890	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
539	Gallon	907-407-A001	Asphalt for Tack Coat
1,048	Linear Feet	907-603-ALT22	12" Type A Alternate Pipe
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
3,766	Linear Feet	907-619-P1001	Glare Paddles
3,950	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Each	907-630-O006	Remove and Reset Signs, Post Mounted
21	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

5,315	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

5,315	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

5,315	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

Bridge Items

110	Cubic Yard	801-A001	Foundation Excavation for Bridges
1	Lump Sum	801-B001	Cofferdams

2	Each	803-J001	Pile Restrike
7,742	Pounds	805-A001	Reinforcement
224	Ton	815-A009	Loose Riprap, Size 300
332	Square Yard	815-E001	Geotextile under Riprap
1,080	Linear Feet	907-803-PP006	20" Steel Pipe Piling, Wall Thickness 0.500"
73	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
2,800	Square Feet	907-824-PP098	Bridge Repair, Remove & Reset Riprap, Per Plans

CALL No. 09

Mill and Overlay approximately 10 miles of I-59 from the Clarke County Line to the I-20 Split, known as Federal Aid Project No. IM-0059-03(094) / 106836301 in Lauderdale County.

PROJECT COMPLETION: 122 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

770	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4,600	Linear Feet	202-B076	Removal of Traffic Stripe
1,624	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
73	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
583	Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,227	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
788	Acre	223-A001	Mowing
1,600	Linear Feet	234-A001	Temporary Silt Fence
40	Mile	423-A001	Rumble Strips, Ground In
1,496	Linear Feet	503-C007	Saw Cut, Full Depth
2,406	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
5	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
8	Each	606-D001	Guard Rail, Bridge End Section, Type A
12	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
13	Each	606-E001	Guard Rail, Terminal End Section
44	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
45	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
40	Mile	619-A3006	Temporary Traffic Stripe, Skip White
16,934	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
563	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
888	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
2,387	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

36	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
46	Each	630-F001	Delineators, Guard Rail, White
35	Each	630-F002	Delineators, Guard Rail, Yellow
32	Each	630-F006	Delineators, Post Mounted, Single White
16	Each	630-F007	Delineators, Post Mounted, Single Yellow
72	Each	630-F008	Delineators, Post Mounted, Double White
24	Each	630-F009	Delineators, Post Mounted, Double Yellow
16	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
250	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
16,046	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
28,640	Gallon	907-402-B001	Bituminous Tack Coat
10,081	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
1,636	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
227	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
272	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
29,000	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
213,419	Linear Feet	907-403-S003	Joint Sealant
480,944	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
48,095	Gallon	907-407-A001	Asphalt for Tack Coat
8	Each	907-606-PP002	Guard Rail, Bridge Connector, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
20	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
22	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,767	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
22	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,467	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
563	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

ALTERNATE GROUP AA NUMBER 1

660	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

660	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

660	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

Bridge Items

642	Linear Feet	202-B298	Removal of Existing Joint Material
-----	-------------	----------	------------------------------------

1,792	Linear Feet	808-A001	Joint Preparation
-------	-------------	----------	-------------------

300	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
-----	-------------	--------------	------------------------------

660	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
-----	-------------	--------------	-------------------------------

600	Linear Feet	907-823-B001	Saw Cut, Type I
-----	-------------	--------------	-----------------

1,320	Linear Feet	907-823-B002	Saw Cut, Type II
-------	-------------	--------------	------------------

CALL No. 10

Intersection Improvements on US 45A at Tarlton Road, known as Federal Aid Project No. HSIP-0079-01(032) / 106987301 in Lowndes County.

PROJECT COMPLETION: 165 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
328	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
12	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
46	Square Yard	202-B025	Removal of Concrete Paved Ditch
1	Each	202-B042	Removal of Flared End Section, All Sizes
3	Each	202-B057	Removal of Inlets, All Sizes
24	Each	202-B069	Removal of Sign
14,348	Linear Feet	202-B076	Removal of Traffic Stripe
110	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
300	Linear Feet	202-B141	Removal of Edge Drain
3,270	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
408	Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
1,189	Cubic Yard	203-G003	Excess Excavation, FM, AH
276	Cubic Yard	206-A001	Structure Excavation
11	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
12,464	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3,338	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
200	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
8	Acre	220-A001	Insect Pest Control
24	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
8	Acre	223-A001	Mowing
4,000	Linear Feet	234-A001	Temporary Silt Fence
75	Linear Feet	239-A001	Temporary Slope Drains

2 Mile	423-A001 Rumble Strips, Ground In
744 Linear Feet	503-C007 Saw Cut, Full Depth
2,346 Pounds	602-A001 Reinforcing Steel
96 Linear Feet	603-CA002 18" Reinforced Concrete Pipe, Class III
312 Linear Feet	603-CA003 24" Reinforced Concrete Pipe, Class III
8 Linear Feet	603-CA004 30" Reinforced Concrete Pipe, Class III
1 Each	603-CB001 18" Reinforced Concrete End Section
1 Each	603-SB004 24" Branch Connections, Stub into Box Culvert
79 Pounds	604-A001 Castings
1,000 Pounds	604-B001 Gratings
4,873 Linear Feet	609-D007 Combination Concrete Curb and Gutter Type 2 Modified
416 Square Yard	616-A003 Concrete Median and/or Island Pavement, 10-inch
5 Mile	619-A1002 Temporary Traffic Stripe, Continuous White
4 Mile	619-A2002 Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A3006 Temporary Traffic Stripe, Skip White
19,669 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
1,745 Square Feet	619-A6002 Temporary Traffic Stripe, Legend
1,219 Each	619-C6001 Red-Clear Reflective High Performance Raised Marker
97 Each	619-C7001 Two-Way Yellow Reflective High Performance Raised Marker
158 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
664 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
4,066 Linear Feet	619-F1001 Concrete Median Barrier, Precast
5,263 Linear Feet	619-F2001 Remove and Reset Concrete Median Barrier, Precast
48 Linear Feet	619-G4001 Barricades, Type III, Single Faced
108 Linear Feet	619-G4005 Barricades, Type III, Double Faced
97 Each	619-G5001 Free Standing Plastic Drums
8 Each	619-G7001 Warning Lights, Type "B"
2 Unit	619-J1004 Impact Attenuator, 70 MPH
1 Each	619-J2003 Impact Attenuator, 70 MPH, Replacement Package
1 Lump Sum	620-A001 Mobilization

619	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
144	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
88	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
210	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
45	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
482	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
224	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
247	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
97	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
6	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
6	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
15	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
66	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
106	Square Yard	907-216-A001	Solid Sodding
8	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
17	Ton	907-225-C001	Mulch, Vegetative Mulch
8	Acre	907-226-A001	Temporary Grassing
3	Each	907-234-D001	Inlet Siltation Guard
188	Linear Feet	907-237-A002	Wattles, 12"
828	Linear Feet	907-237-A003	Wattles, 20"
200	Linear Feet	907-245-A001	Triangular Silt Dike
1	Each	907-247-A001	Temporary Stream Diversion
8	Ton	907-249-A001	Riprap for Erosion Control
2,557	Ton	907-304-B010	Granular Material, Class 3, Group C
3,053	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,614	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
27,503	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
2,799	Gallon	907-407-A001	Asphalt for Tack Coat

7	Cubic Yard	907-601-A001	Class "B" Structural Concrete
21	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
100	Linear Feet	907-605-H002	Prefabricated Edge Drain
1,005	Linear Feet	907-605-U002	6" Non-perforated Pipe for Underdrains
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
8,080	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,746	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
7,010	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,492	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,777	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
11,571	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,895	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
48	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,011	Square Feet	907-626-H005	Thermoplastic Legend, White
213	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NUMBER 1			
4,708	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
4,708	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
4,708	Ton	907-304-F004	Size 825B Crushed Stone Base

CALL No. 11

Bridge Joint Repair on various routes in District 7, known as Federal Aid Project Nos. BR-9999-07(010) / 107019306000, 107019306100, & 107019306200 in Adams, Franklin, & Wilkinson Counties.

PROJECT COMPLETION: 112 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs

Bridge Items

824	Linear Feet	202-B298	Removal of Existing Joint Material
16,934	Linear Feet	808-A001	Joint Preparation
8,427	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
120	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
16,694	Linear Feet	907-823-B001	Saw Cut, Type I
9	Square Feet	907-824-PP098	Bridge Repair, Epoxy Repair, Per Plans

CALL No. 12

Bridge Repair on I-55 Bridge Nos. 96.3A & 96.3B, known as State Project No. EXB-0055-02(037) / 107139301 in Hinds County.

PROJECT COMPLETION: MARCH 16, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Acre	201-B001	Clearing and Grubbing
33	Each	512-A001	Holes
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
352	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
111,467	Pounds	907-512-B006	Portland Cement Pressure Grout Slurry, Type 6
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

1,924	Linear Feet	202-B298	Removal of Existing Joint Material
1,924	Linear Feet	808-A001	Joint Preparation
1,080	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
120	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,160	Linear Feet	907-823-B001	Saw Cut, Type I
240	Linear Feet	907-823-B002	Saw Cut, Type II
357	Each	907-824-PP095	Bridge Repair, Bearing Replacement
28	Each	907-824-PP095	Bridge Repair, Cap Cleaning
27	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair

CALL No. 13

Bridge Replacement on SR 590 over Currey Creek Bridge No. 3.9, known as State Project No. EXB-0213-00(003) / 105275301 in Covington County.

PROJECT COMPLETION: 188 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
64,405	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,543	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,841	Square Yard	202-B025	Removal of Concrete Paved Ditch
614	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
361	Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,048	Linear Feet	202-B076	Removal of Traffic Stripe
24,031	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
18,058	Cubic Yard	203-G003	Excess Excavation, FM, AH
330	Cubic Yard	206-A001	Structure Excavation
9,265	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
5,871	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
7	Ton	213-C001	Superphosphate
491	Square Yard	217-A001	Ditch Liner
40	Thousand Gallon	219-A001	Watering
7	Acre	220-A001	Insect Pest Control
40	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
30	Acre	223-A001	Mowing
1,486	Square Yard	224-A001	Soil Reinforcing Mat
6,100	Linear Feet	234-A001	Temporary Silt Fence
164	Bale	235-A001	Temporary Erosion Checks
12	Each	236-A004	Silt Basin, Type D
130	Linear Feet	239-A001	Temporary Slope Drains

308	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
1	Mile	423-A001	Rumble Strips, Ground In
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
128	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
80	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
112	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
128	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
40	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
9,823	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
5,503	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,531	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
122	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
538	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
22	Each	619-F3004	Delineators, Guard Rail, White
192	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
49	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
125	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

66	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,853	Ton	815-A009	Loose Riprap, Size 300
125	Square Yard	815-E001	Geotextile under Riprap
2,000	Square Yard	907-216-A001	Solid Sodding
15	Acre	907-225-A001	Grassing
7	Ton	907-225-B001	Agricultural Limestone
29	Ton	907-225-C001	Mulch, Vegetative Mulch
29	Ton	907-225-D001	Mulch, Hydromulch
15	Acre	907-226-A001	Temporary Grassing
70	Linear Feet	907-234-F001	Turbidity Barrier
591	Linear Feet	907-237-A003	Wattles, 20"
591	Linear Feet	907-245-A001	Triangular Silt Dike
1,181	Linear Feet	907-246-A001	Sandbags
591	Ton	907-249-A001	Riprap for Erosion Control
1,469	Linear Feet	907-253-A001	Coir Fiber Baffle
2,750	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
2,530	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,341	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
667	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
907	Gallon	907-407-A001	Asphalt for Tack Coat
94	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
184	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
11	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
6,589	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,306	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow

4,097	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Lump Sum	907-699-A002	Roadway Construction Stakes
298	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

2,284	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
-------	------------	--------------	-----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,284	Cubic Yard	907-304-G002	Size 610 Crushed Stone Base, AEA
-------	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

2,284	Cubic Yard	907-304-G003	Size 3/4" and Down Crushed Stone Base, AEA
-------	------------	--------------	--

ALTERNATE GROUP BB NUMBER 1

624	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
624	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

624	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
624	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

1,200	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
720	Linear Feet	803-D002	HP 12 x 53 Steel Piling
720	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,610	Linear Feet	803-D007	HP 14 x 89 Steel Piling
3	Each	803-I003	PDA Test Pile, HP Steel Pile
2	Each	803-J001	Pile Restrike
112,924	Pounds	805-A001	Reinforcement
543	Linear Feet	813-A002	Concrete Railing, 32"
1,928	Ton	815-A009	Loose Riprap, Size 300
2,745	Square Yard	815-E001	Geotextile under Riprap
171	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
348	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
947	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
659	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

CALL No. 14

Upgrade and Repair of SR 552, known as State Project No. SP-0303-00(012) / 107179301 in Claiborne County.

PROJECT COMPLETION: AUGUST 31, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Base Bid Items

1	Lump Sum	201-A001	Clearing and Grubbing
400	Linear Feet	202-B041	Removal of Fence, All Types
150	Linear Feet	202-B064	Removal of Pipe, 8" And Above
7	Each	202-B077	Removal of Trees Greater Than 6"
600	Square Yard	202-B078	Removal of Pavement, All Types and Depths
34,000	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
26,000	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,200	Cubic Yard	206-A001	Structure Excavation
3,300	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
22,000	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
30	Cubic Yard	211-D001	Topsoil for Plant Pits, Contractor Furnished
3	Ton	213-C001	Superphosphate
120	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
1	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
4,625	Pounds	602-A001	Reinforcing Steel
632	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
472	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
4	Each	603-CB001	18" Reinforced Concrete End Section
742	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
104	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
3	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
7,842	Pounds	604-B001	Gratings
950	Linear Feet	607-B009	72" Type I Chain Link Fence, Class I

1,400	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
5,566	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
176	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
170	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
2,700	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,700	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Lump Sum	620-A001	Mobilization
15,576	Linear Feet	625-E001	Detail Traffic Stripe
242	Square Feet	625-F001	Legend
24	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
108	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
51	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
75	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
376	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
390	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
309	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
314	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,359	Linear Feet	682-A009	Underground Branch Circuit, AWG 10, 3 Conductor
200	Linear Feet	682-A016	Underground Branch Circuit, AWG 2, 4 Conductor
1,303	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
7,242	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
30	Linear Feet	682-B018	Underground Branch Circuit, Jacked or Bored, AWG 2, 4 Conductor
285	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
3	Each	682-D001	Underground Pull Box
2	Each	682-F001	Secondary Power Controllers
18	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
107	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
4,000	Square Feet	809-A005	Modular Block Retaining Wall System
15,000	Square Yard	907-216-B001	Solid Sodding, Centipede

4 Acre	907-225-A001	Grassing
18 Ton	907-225-B001	Agricultural Limestone
12 Ton	907-225-C001	Mulch, Vegetative Mulch
300 Square Yard	907-228-A002	Erosion Control Blanket, Type II
19 Each	907-230-B002	Tree Planting, Bald Cypress
18 Each	907-230-B022	Tree Planting, Drake Elm
18 Each	907-230-B026	Tree Planting, Nutall Oak
11 Each	907-230-B034	Tree Planting, Tulip Poplar
17 Each	907-230-B047	Tree Planting, Live Oak
19 Each	907-230-B069	Tree Planting, Red Maple
28 Each	907-230-B101	Tree Planting, Chaste Tree
15 Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
25 Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
8,000 Linear Feet	907-234-C002	Super Silt Fence
600 Linear Feet	907-237-A003	Wattles, 20"
660 Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
500 Each	907-246-B002	Rockbags
300 Ton	907-249-A001	Riprap for Erosion Control
330 Linear Feet	907-258-PP006	Handrail
10 Each	907-258-PP026	Car Stop
130 Each	907-282-PP003	Slow Release Irrigation Bag, Per Plans
2,400 Ton	907-304-B002	Granular Material, Class 5, Group D
3,000 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,900 Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
4,300 Ton	907-403-A019	19-mm, ST, Asphalt Pavement
300 Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
330 Gallon	907-407-A001	Asphalt for Tack Coat
7,000 Square Yard	907-501-A002	6" Reinforced Cement Concrete Pavement, Broom Finish
71 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1 Each	907-607-PP005	Gate, Barrier Fence, Per Plans Type 1

1 Each	907-607-PP005	Gate, Barrier Fence, Per Plans Type 2
4 Each	907-607-PP014	Masonry Column, Per Plans
1 Lump Sum	907-618-A001	Maintenance of Traffic
453 Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
62 Square Feet	907-625-F003	Legend, Blue-ADA
1,574 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2,553 Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
4,994 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
658 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,155 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
661 Linear Feet	907-626-H004	Thermoplastic Legend, White
340 Square Feet	907-626-H005	Thermoplastic Legend, White
8 Each	907-683-B020	Lighting Assembly, Low Mast, LED, Type 40-4-0-220
35 Each	907-683-B021	Lighting Assembly, Low Mast, LED, Type 40-1-10-220
20 Each	907-683-B022	Lighting Assembly, Low Mast, LED, Type 15-1-0-90
1 Lump Sum	907-699-A002	Roadway Construction Stakes
100 Cubic Yard	907-815-F002	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

7,500 Ton	907-304-F002	Size 610 Crushed Stone Base
-----------	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

7,500 Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

7,500 Ton	907-304-F004	Size 825B Crushed Stone Base
-----------	--------------	------------------------------

Add Option 1 Items

20 Square Yard	202-B078	Removal of Pavement, All Types and Depths
20 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
2 Each	647-A003	Pullbox, Type 4
4,213 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
1,540 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
4,110 Linear Feet	682-A016	Underground Branch Circuit, AWG 2, 4 Conductor

1	Each	682-D001	Underground Pull Box
1	Each	907-258-G001	Travel Trailer Sewage Dump Station
4,300	Linear Feet	907-262-A003	6" PVC Pipe, C-900, Class 100
5,500	Pounds	907-265-C002	Ductile Iron Fittings
13	Each	907-265-D003	6" Gate Valve and Value Box
2	Each	907-265-F001	Fire Hydrant Assembly
66	Each	907-265-J004	Water Service Connections
2,300	Linear Feet	907-265-L001	1" Diameter Water Service Line
1	Each	907-265-O005	6"x6" Tapping Sleeve & 6" Valve
66	Each	907-282-PP001	Water Meter Box, Per Plans
66	Each	907-682-J001	RV Campground Electrical Pedestal
10	Each	907-682-PP003	Secondary Power Controllers, Per Plans

CALL No. 15

Mill & Overlay approximately 13 miles SR 15 from CR 407 to Tennessee State Line, known as State Project No. MP-1015-70(017) / 305873301 in Tippah County.

PROJECT COMPLETION: 105 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,580	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,200	Linear Feet	202-B076	Removal of Traffic Stripe
1,580	Cubic Yard	203-G003	Excess Excavation, FM, AH
11	Mile	423-A001	Rumble Strips, Ground In
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
13,340	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1,140	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,645	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,900	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
19,600	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
220,200	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
11,300	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
23	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,065	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,375	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,900	Linear Feet	907-626-H004	Thermoplastic Legend, White

40	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1			
1,975	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
1,975	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
1,975	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
720	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
240	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
240	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
720	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
240	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
240	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 16

Mill & Overlay approximately 11 miles of SR 25 from end of 4-lane North of Iuka to Tennessee State Line, known as State Project No. MP-1025-71(017) / 305874301 in Tishomingo County.

PROJECT COMPLETION: OCTOBER 31, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

220	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
7,790	Linear Feet	202-B076	Removal of Traffic Stripe
145	Cubic Yard	203-G003	Excess Excavation, FM, AH
18	Mile	423-A001	Rumble Strips, Ground In
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
44,715	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,625	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1,520	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
145	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,975	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,040	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
17,700	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
210,990	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
11,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
18	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
19,490	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
25,225	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,900	Linear Feet	907-626-H004	Thermoplastic Legend, White

260	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1			
185	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
185	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
185	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
4,710	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,760	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,645	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
4,710	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,760	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,645	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 17

Mill & Overlay approximately 10 miles of SR 8 from Calhoun City to Chickasaw CL, known as State Project No. MP-2008-07(005) / 305881301 in Calhoun County.

PROJECT COMPLETION: MAY 19, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
168 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
3,305 Linear Feet	202-B076	Removal of Traffic Stripe (Cold Plastic Stripe on Bridges)
600 Linear Feet	202-B254	Removal of Guard Rail, Including Rail, Posts & Cable Anchor s
30 Cubic Yard	203-G003	Excess Excavation, FM, AH
14 Mile	423-A001	Rumble Strips, Ground In
400 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D008	Guard Rail, Bridge End Section, Type H
4 Each	606-E002	Guard Rail, Terminal End Section, Flared
37 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
11,800 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,200 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
150 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
32 Each	619-F3004	Delineators, Guard Rail, White
1 Lump Sum	620-A001	Mobilization
1,200 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,210 Ton	907-304-B009	Granular Material, Class 3, Group D
110 Ton	907-403-A019	19-mm, ST, Asphalt Pavement
17,500 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
6,300 Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
840 Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
145,500 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
23,000 Gallon	907-407-A001	Asphalt for Tack Coat

7,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Square Feet	907-618-B001	Additional Construction Signs
19	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2,800	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
350	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,150	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,625	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
150	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

50	Ton	907-304-F002	Size 610 Crushed Stone Base
----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

50	Ton	907-304-F003	3/4" and Down Crushed Stone Base
----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

50	Ton	907-304-F004	Size 825B Crushed Stone Base
----	-----	--------------	------------------------------

CALL No. 18

Mill & Overlay approximately 5 miles of SR 35 from Hesterville to Carroll CL, known as State Project No. MP-2035-04(011) / 305880301 in Attala County.

PROJECT COMPLETION: NOVEMBER 08, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

38 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
24 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,200 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,080 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
950 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,600 Ton	907-304-B009	Granular Material, Class 3, Group D
13,425 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
1,310 Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
157,266 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
23,600 Gallon	907-407-A001	Asphalt for Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
10 Square Feet	907-618-B001	Additional Construction Signs
19 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
12 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,600 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,040 Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 19

Overlay approximately 12 miles of SR 16 from East of SR 433 to the Big Black Bridge, known as State Project No. MP-3016-82(009) / 305886301 in Yazoo County.

PROJECT COMPLETION: 43 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

19 Mile	423-A001	Rumble Strips, Ground In
19 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,300 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,710 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
520 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,000 Ton	907-304-B002	Granular Material, Class 5, Group D
17,000 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
3,000 Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
2,000 Ton	907-406-A003	Cold Milling of Bituminous Pavement, All Depths
12,000 Gallon	907-407-A001	Asphalt for Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
22 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10,490 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
4,330 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,520 Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

ALTERNATE GROUP AA NUMBER 1

3,640 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,820 Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

600	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
-----	-------------	--------------	---

ALTERNATE GROUP AA NUMBER 2

3,640	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
1,820	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
600	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 20

Mill & Overlay approximately 14 miles of SR 21 from Philadelphia City Limits to Kemper CL, known as State Project No. MP-5021-50(019) / 305872301 in Neshoba County.

PROJECT COMPLETION: NOVEMBER 10, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,000	Linear Feet	503-C007	Saw Cut, Full Depth
28	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,000	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,100	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
400	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,450	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,000	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
16,500	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
250	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
225	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
189,500	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
9,475	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
28	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
16	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,400	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,900	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow

1,000 Square Feet

907-626-H010 Thermoplastic Double Drop Legend, White

CALL No. 21

Overlay approximately 3 miles of SR 26 from I-59 to SR 53, known as State Project No. MP-6026-55(017) / 305884301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
80	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
20	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
622	Linear Feet	635-A001	Vehicle Loop Assemblies
420	Ton	907-304-F004	Size 825B Crushed Stone Base
3,600	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
4,100	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
2,100	Gallon	907-407-A001	Asphalt for Tack Coat
2,070	Ton	907-411-A003	Ultra Thin Asphalt Pavement
2,300	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,700	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
252	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 22

Overlay approximately 8 miles of SR 43 from Hancock County Line to I-59, known as State Project No. MP-6043-55(028) / 305883301 in Pearl River County.

PROJECT COMPLETION: 36 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

450	Linear Feet	202-B076	Removal of Traffic Stripe
13	Mile	423-A001	Rumble Strips, Ground In
29	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
15	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
580	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
175	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
865	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,250	Ton	907-304-F004	Size 825B Crushed Stone Base
13,400	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
4,500	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
40,000	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
2,100	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,797	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,106	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

4,110	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,050	Square Feet	907-626-H005	Thermoplastic Legend, White

Bridge Items

200	Linear Feet	808-A001	Joint Preparation
100	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
200	Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 23

Overlay approximately 8 miles of SR 24 from Liberty to East Fork Road, known as State Project No. MP-7024-03(011) / 305877301 in Amite County.

PROJECT COMPLETION: 37 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,562	Linear Feet	202-B076	Removal of Traffic Stripe
775	Linear Feet	202-B102	Removal of Guard Rail
15	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
20	Each	606-E002	Guard Rail, Terminal End Section, Flared
15	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,045	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
872	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
222	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
611	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
110	Each	630-F001	Delineators, Guard Rail, White
2,953	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
11,204	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
750	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
16,561	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
11,543	Gallon	907-407-A001	Asphalt for Tack Coat
14,013	Pounds	907-420-A002	Undersealing
440	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow

6	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
1,455	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
590	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
872	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

290	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,272	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

290	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,272	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 24

Overlay approximately 4 miles of SR 44 from JCT SR 198 East to Rocky Branch Road, known as State Project No. MP-7044-46(007) / 305879301 in Marion County.

PROJECT COMPLETION: 30 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

194	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,290	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
996	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
570	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
651	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
862	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
4,257	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
360	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,467	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
2,748	Gallon	907-407-A001	Asphalt for Tack Coat
2,976	Square Feet	907-412-A002	Pre-Grinding
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,670	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,620	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
996	Linear Feet	907-626-H004	Thermoplastic Legend, White
8	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers

CALL No. 25

Mill and Overlay approximately 2 miles of SR 184 from US 49 East to US 84, known as State Project No. MP-7184-16(001) / 305731301 in Covington County.

PROJECT COMPLETION: OCTOBER 31, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

8,300	Linear Feet	202-B076	Removal of Traffic Stripe
65	Cubic Yard	203-G004	Excess Excavation, LVM, AH
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
41,416	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,832	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,618	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
520	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
333	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
350	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
4,366	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
43,025	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
4,095	Gallon	907-407-A001	Asphalt for Tack Coat
5,801	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
1,500	Linear Feet	907-619-A5001	Temporary Traffic Stripe, Detail Blue ADA
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
1,500	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
14,899	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,809	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

13	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
2,145	Linear Feet	907-626-H004	Thermoplastic Legend, White
809	Square Feet	907-626-H005	Thermoplastic Legend, White
12	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

1,250	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,990	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,990	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
3,070	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White

ALTERNATE GROUP AA NUMBER 2

1,250	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,990	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,990	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
3,070	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR