

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   8/12/2016   ADDENDUM NO.        DATED         
ADDENDUM NO.        DATED        ADDENDUM NO.        DATED       

| Number | Description                                |
|--------|--|
| 1      | BidItems; Amendment EBS Download Required. |

TOTAL ADDENDA:   1    
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

\_\_\_\_\_  
President Address

\_\_\_\_\_  
Secretary Address

\_\_\_\_\_  
Treasurer Address

The following is my (our) itemized proposal.

MP-6589-37(010) / 305885301000

Lamar County(ies)

Revised 01/26/2016

Overlay approximately 11 miles of SR 589 from US 98 to the Covington County Line, known as State Project No. MP-6589-37(010) / 305885301 in Lamar County.

| Line No.             | Item Code    | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                            |
|----------------------|--------------|----------|----------|-------------|---|
| <b>Roadway Items</b> |              |          |          |             |   |
| 0010                 | 202-B017     |          | 20       | Linear Feet | Removal of Concrete Combination Curb & Gutter             |
| 0020                 | 202-B035     |          | 20       | Square Yard | Removal of Concrete Sidewalk                              |
| 0030                 | 202-B078     |          | 143      | Square Yard | Removal of Pavement, All Types and Depths                 |
| 0040                 | 203-G004     | (E)      | 300      | Cubic Yard  | Excess Excavation, LVM, AH                                |
| 0050                 | 234-A001     |          | 100      | Linear Feet | Temporary Silt Fence                                      |
| 0060                 | 503-C007     |          | 122      | Linear Feet | Saw Cut, Full Depth                                       |
| 0070                 | 602-A001     | (S)      | 400      | Pounds      | Reinforcing Steel   |
| 0080                 | 603-A057     | (S)      | 150      | Linear Feet | 36" Steel Pipe, Jacked or Bored, Wall Thickness 0.500"    |
| 0090                 | 603-CB004    | (S)      | 4        | Each        | 36" Reinforced Concrete End Section                       |
| 0100                 | 608-B001     | (S)      | 3        | Square Yard | Concrete Sidewalk, With Reinforcement                     |
| 0110                 | 609-D001     | (S)      | 20       | Linear Feet | Combination Concrete Curb and Gutter Type 1               |
| 0120                 | 619-A1002    |          | 26       | Mile        | Temporary Traffic Stripe, Continuous White                |
| 0130                 | 619-A2002    |          | 32       | Mile        | Temporary Traffic Stripe, Continuous Yellow               |
| 0140                 | 619-A4006    |          | 8        | Mile        | Temporary Traffic Stripe, Skip Yellow                     |
| 0150                 | 619-A5001    |          | 714      | Linear Feet | Temporary Traffic Stripe, Detail                          |
| 0160                 | 619-A6001    |          | 3,234    | Linear Feet | Temporary Traffic Stripe, Legend                          |
| 0170                 | 627-J001     |          | 898      | Each        | Two-Way Clear Reflective High Performance Raised Markers  |
| 0180                 | 627-K001     |          | 32       | Each        | Red-Clear Reflective High Performance Raised Markers      |
| 0190                 | 627-L001     |          | 1,241    | Each        | Two-Way Yellow Reflective High Performance Raised Markers |
| 0200                 | 630-G002     |          | 2        | Each        | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted       |
| 0210                 | 815-A009     | (S)      | 270      | Ton         | Loose Riprap, Size 300                                    |
| 0220                 | 815-E001     | (S)      | 400      | Square Yard | Geotextile under Riprap                                   |
| 0230                 | 907-216-A001 |          | 17       | Square Yard | Solid Sodding   |
| 0240                 | 907-304-F004 | (GT)     | 1,418    | Ton         | Size 825B Crushed Stone Base                              |
| 0250                 | 907-403-A019 | (BA1)    | 137      | Ton         | 19-mm, ST, Asphalt Pavement                               |
| 0260                 | 907-403-B016 | (BA1)    | 7,407    | Ton         | 9.5-mm, MT, Asphalt Pavement, Leveling                    |
| 0270                 | 907-406-A001 |          | 16,908   | Square Yard | Cold Milling of Bituminous Pavement, All Depths           |
| 0280                 | 907-407-A001 | (A2)     | 5,400    | Gallon      | Asphalt for Tack Coat                                     |
| 0290                 | 907-411-A003 | (BA1)    | 8,763    | Ton         | Ultra Thin Asphalt Pavement                               |
| 0300                 | 907-411-B001 | (A2)     | 5,900    | Gallon      | Bituminous Tack Coat                                      |
| 0310                 | 907-413-E001 |          | 4,158    | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement  |
| 0320                 | 907-601-B003 | (S)      | 1        | Cubic Yard  | Class "B" Structural Concrete, Minor Structures           |

| <b>Line No.</b> | <b>Item Code</b> | <b>Adj Code</b> | <b>Quantity</b> | <b>Units</b> | <b>Description [Fixed Unit Price]</b>                      |
|-----------------|------------------|-----------------|-----------------|--------------|--|
| 0330            | 907-618-A001     |                 | 1               | Lump Sum     | Maintenance of Traffic                                     |
| 0340            | 907-618-B001     |                 | 1               | Square Feet  | Additional Construction Signs [\$10.00]                    |
| 0350            | 907-619-B001     |                 | 66              | Linear Feet  | Temporary Portable Rumble Strips                           |
| 0360            | 907-626-C003     |                 | 13              | Mile         | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 0370            | 907-626-D003     |                 | 4               | Mile         | 6" Thermoplastic Traffic Stripe, Skip Yellow               |
| 0380            | 907-626-E004     |                 | 16              | Mile         | 6" Thermoplastic Traffic Stripe, Continuous Yellow         |
| 0390            | 907-626-G004     |                 | 10,357          | Linear Feet  | Thermoplastic Detail Stripe, White                         |
| 0400            | 907-626-G005     |                 | 5,326           | Linear Feet  | Thermoplastic Detail Stripe, Yellow                        |
| 0410            | 907-626-H004     |                 | 5,252           | Linear Feet  | Thermoplastic Legend, White                                |
| 0420            | 907-626-H005     |                 | 340             | Square Feet  | Thermoplastic Legend, White                                |