


Proposal & Plan Sales Will Begin on July 20, 2016



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For August - August 23, 2016



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR AUGUST - Tuesday, August 23, 2016

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 20, 2016

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 23, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

	CALL	CONTRACT	COUNTY
	01	STP-0037-04(058) / 107138302	YAZOO
*	02	IM-0055-02(240)/106616301	MADISON
*	03	BR-9999-02(261) / 1070193022 & BR-9999-02(261) / 1070193023	CALHOUN, LAFAYETTE
	04	NH-0008-02(096)/105778301 & HSIP-0008-02(105)/107181301	COVINGTON
	05	STP-0029-02(017)/102556319	DESOTO
	06	SP-0010-01(156)/107232301	JACKSON
	07	EXB-0037-04(040) / 107139307	MADISON
*	08	MP-2000-08(080)/305893302	CARROLL
*	09	MP-3008-67(006)/305914301	SUNFLOWER
*	10	MP-6589-37(010) / 305885301	LAMAR
	11	MP-7541-64(007)/305878301	SIMPSON

CALL No. 01

Bridge Repair on SR 16/SR 149 Panther Creek Bridge No. 211.9, known as Federal Aid Project No. STP-0037-04(058) / 107138302 in Yazoo County.

PROJECT COMPLETION: APRIL 28, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
96	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
250	Linear Feet	907-234-C002	Super Silt Fence
150	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

15	Each	907-824-PP095	Bridge Repair, Pressure Wash and Clean Joints, Per Plans
14	Each	907-824-PP095	Bridge Repair, Restraining Beam, Per Plans
48	Each	907-824-PP095	Bridge Repair, Slab Bracket, Per Plans
40	Linear Feet	907-824-PP097	Bridge Repair, FRP Wrap, Per Plans
450	Linear Feet	907-824-PP097	Bridge Repair, Reseal Joints, Per Plans
5	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair, Per Plans

CALL No. 02

Mill & Overlay approximately 13 miles of I-55 from SR 463 to North of SR 22, known as Federal Aid Project No. IM-0055-02(240) / 106616301 in Madison County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
19,678	Linear Feet	202-B076	Removal of Traffic Stripe
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
37	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	503-C007	Saw Cut, Full Depth
74	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
67	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
55	Mile	619-A3006	Temporary Traffic Stripe, Skip White
171,056	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,216	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,559	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
6,485	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
900	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
88	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,004	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
118	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
60	Each	627-B001	Two-Way Clear Reflective Raised Markers
6,485	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,512	Linear Feet	635-A001	Vehicle Loop Assemblies
10,726	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
27,601	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
50,696	Gallon	907-402-B001	Bituminous Tack Coat

21,173 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
12,446 Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
250 Ton	907-403-A029	19-mm, HT, Asphalt Pavement
36,942 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
10,688 Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
79 Mile	907-403-S004	Joint Sealant
866,438 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
43,322 Gallon	907-407-A001	Asphalt for Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
4 Each	907-619-E3001	Changeable Message Sign
28 Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
37 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
34 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
69,812 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
15,716 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,608 Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,279 Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1 Each	907-688-A033	Traffic Recorder WIM Kistler System, 4-Lane

CALL No. 03

Bridge Joint Repair on various routes, known as Federal Aid Project Nos. BR-9999-02(261) / 1070193022 & 3023 in Calhoun and Lafayette Counties.

PROJECT COMPLETION: OCTOBER 24, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs

Bridge Items

112	Linear Feet	202-B298	Removal of Existing Joint Material
14,424	Linear Feet	808-A001	Joint Preparation
7,172	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
40	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
14,344	Linear Feet	907-823-B001	Saw Cut, Type I
80	Linear Feet	907-823-B002	Saw Cut, Type II
50	Linear Feet	907-824-PP097	Bridge Repair, End Wall Repair

CALL No. 04

Shoulder Reconstruction on US 49 from North of Forrest County Line to Mount Olive, known as Federal Aid Project Nos. HSIP-0008-02(105) / 107181301 & NH-0008-02(096) / 105778301 in Covington County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
8,662	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
33,281	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,662	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
506	Square Yard	202-B025	Removal of Concrete Paved Ditch
585	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
58	Each	202-B042	Removal of Flared End Section, All Sizes
2	Each	202-B057	Removal of Inlets, All Sizes
4,987	Linear Feet	202-B064	Removal of Pipe, 8" And Above
22	Each	202-B069	Removal of Sign
354	Each	202-B070	Removal of Sign Including Post & Footing
23,906	Linear Feet	202-B076	Removal of Traffic Stripe
18,900	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,451	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
425	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
3,514	Linear Feet	202-B141	Removal of Edge Drain
396	Each	202-B304	Removal & Replacement of Edge Drain Outlet
375,730	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
18,188	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
49,811	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
74,269	Cubic Yard	203-G003	Excess Excavation, FM, AH
12,698	Cubic Yard	203-G003	Excess Excavation, FM, AH , UNSTABLE
21,810	Square Yard	204-A003	Geogrid, Type II, Biaxial

6,743	Cubic Yard	206-A001	Structure Excavation
1,271	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
158,813	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
32,202	Square Yard	209-A007	Geotextile Stabilization, Type VII, Non-Woven
624,360	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
69,366	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
132	Ton	213-C001	Superphosphate
17,652	Square Yard	217-A001	Ditch Liner
1,569	Thousand Gallon	219-A001	Watering
132	Acre	220-A001	Insect Pest Control
1,857	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2,076	Acre	223-A001	Mowing
57,281	Linear Feet	234-A001	Temporary Silt Fence
550	Bale	235-A001	Temporary Erosion Checks
3	Each	236-A001	Silt Basin, Type A
56	Each	236-A002	Silt Basin, Type B
52	Each	236-A004	Silt Basin, Type D
3,745	Linear Feet	239-A001	Temporary Slope Drains
1,350	Ton	310-B003	Size I Stabilizer Aggregate, Coarse
22	Mile	423-A001	Rumble Strips, Ground In
33,530	Linear Feet	503-C007	Saw Cut, Full Depth
348,663	Pounds	602-A001	Reinforcing Steel
4,368	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,744	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1,728	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
264	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
216	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
488	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
224	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
184	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III

59	Each	603-CB001	18" Reinforced Concrete End Section
27	Each	603-CB002	24" Reinforced Concrete End Section
16	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
8	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
552	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
272	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
24	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
488	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
496	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
432	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
1	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
4	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
9	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
1	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
5	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
3	Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
22	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB014	36" x 23" Branch Connections, Stub into Box Culvert
8	Each	603-SB020	18" Branch Connections, Stub into Concrete Pipe
2	Each	603-SB044	18" Branch Connections, Stub into Existing Box Culvert
2	Each	603-SB058	24" Branch Connections, Stub into Concrete Pipe
488	Pounds	604-A001	Castings
48,250	Pounds	604-B001	Gratings
15,874	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B

5,275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
17	Each	606-C003	Guard Rail, Cable Anchor, Type 1
17	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
3,357	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
2,148	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
1,159	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
722	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
376	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
10	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
19,850	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
6	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
3	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
54,247	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
11,880	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
3,308	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,012	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
337	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,340	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5	Each	619-E1001	Flashing Arrow Panel, Type C
4,840	Linear Feet	619-F1001	Concrete Median Barrier, Precast
12,150	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
192	Linear Feet	619-G4001	Barricades, Type III, Single Faced
90	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
117	Each	619-G5001	Free Standing Plastic Drums
70	Each	619-G7001	Warning Lights, Type "B"
78	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
506	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,464	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

664	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
148	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,697	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
224	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,352	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
91	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
131	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
48	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
221	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
45	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
887	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
161	Each	630-F001	Delineators, Guard Rail, White
144	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
144	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
56	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
127	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
79	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
550	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
930	Linear Feet	635-A001	Vehicle Loop Assemblies
1,859	Linear Feet	636-A003	Shielded Cable, 4 Conductor
4	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1	Each	642-A004	Solid State Traffic Actuated Controllers, Type 4A
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	647-A001	Pullbox, Type 1
2	Each	647-A002	Pullbox, Type 3
10	Each	647-A005	Pullbox, Type 2

1 Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
23 Square Feet	653-B001	Street Name Sign, Encapsulated Lens
3,915 Linear Feet	666-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
745 Linear Feet	666-B008	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 5 Conductor
956 Linear Feet	666-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
89 Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
160 Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
972 Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1,467 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
152 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
2,490 Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
793 Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
103 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
24 Ton	815-A008	Loose Riprap, Size 200
3,508 Ton	815-A009	Loose Riprap, Size 300
552 Square Yard	815-E001	Geotextile under Riprap
78,459 Square Yard	907-216-B004	Solid Sodding, Bermuda
258 Acre	907-225-A001	Grassing
132 Ton	907-225-B001	Agricultural Limestone
516 Ton	907-225-C001	Mulch, Vegetative Mulch
264 Acre	907-226-A001	Temporary Grassing
2,636 Square Yard	907-228-A001	Erosion Control Blanket, Type I
68,192 Square Yard	907-228-A002	Erosion Control Blanket, Type II
3,705 Square Yard	907-229-A001	Erosion Mat
4,402 Linear Feet	907-234-C002	Super Silt Fence
137 Each	907-234-D001	Inlet Siltation Guard
6 Each	907-234-E001	Reset Inlet Siltation Guard
1,446 Linear Feet	907-234-F001	Turbidity Barrier
27,783 Linear Feet	907-237-A003	Wattles, 20"
4,120 Linear Feet	907-245-A001	Triangular Silt Dike

18,134	Each	907-246-A002	Sandbags
5,124	Ton	907-249-A001	Riprap for Erosion Control
1,117	Pounds	907-250-A001	Polyacrylamide (PAM)
8,664	Linear Feet	907-253-A001	Coir Fiber Baffle
1,878	Cubic Yard	907-304-C003	Granular Material, AEA, Class 6, Group C
13,127	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
29,154	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
2,120	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
2,404	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
4,241	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,948	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
1,339	Ton	907-403-D012	19-mm, HT, Asphalt Pavement, Polymer Modified
57,692	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
22,782	Gallon	907-407-A001	Asphalt for Tack Coat
1,891	Cubic Yard	907-601-A001	Class "B" Structural Concrete
494	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3,040	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
312	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
80	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
120	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
37	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Each	907-619-E3001	Changeable Message Sign
4	Each	907-619-E4001	Portable Radar Display
42	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
37	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,565	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
33	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

12,739	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,401	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
70,998	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
57,856	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
5,443	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
2,004	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
49	Each	907-630-O003	Remove and Reset Sign, All Sizes
103	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A022	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 45' Arms
1	Each	907-639-A204	Traffic Signal Equipment Pole, Type IV, 40' Shaft, 35' & 40' Arms
16	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
3	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
3	Each	907-641-A002	Signal Stop Bar Radar Detection
1	Each	907-641-B002	Signal Advanced Radar Detection
4	Each	907-644-A001	Optical Detector
809	Linear Feet	907-644-B001	Optical Detector Cable
7	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
3	Each	907-645-B002	Advanced Warning Flashing Assembly
1	Lump Sum	907-699-A002	Roadway Construction Stakes
591	Ton	907-815-F001	Sediment Control Stone
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

131,245	Ton	907-304-F002	Size 610 Crushed Stone Base
---------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

131,245	Ton	907-304-F003	3/4" and Down Crushed Stone Base
---------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

131,245	Ton	907-304-F004	Size 825B Crushed Stone Base
---------	-----	--------------	------------------------------

Bridge Items

5,213	Cubic Yard	206-A001	Structure Excavation
-------	------------	----------	----------------------

7,527	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
8,597	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
18,329	Linear Feet	803-F006	24" Pre-Formed Pile Hole
4,978	Linear Feet	803-F016	30" Pre-Formed Pile Hole
108,846	Pounds	805-A001	Reinforcement
2,236,939	Pounds	810-A003	Structural Steel, A 709, Grade 50
3,929	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1,038	Square Yard	907-605-CC001	Prefabricated Sheet Drain
5,248	Square Yard	907-831-PP005	Precast Panels

CALL No. 05

Pave 4 lanes of SR 304 / I-269 from I-55 to SR 305, known as Federal Aid Project No. STP-0029-02(017) / 102556319 in Desoto County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

988	Square Yard	202-B036	Removal of Concrete Slope Paving
23	Each	202-B039	Removal of Delineator, All Types
6	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
8,299	Linear Feet	202-B076	Removal of Traffic Stripe
500	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
20,763	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
500	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
115,960	Cubic Yard	203-G003	Excess Excavation, FM, AH
75	Ton	213-C001	Superphosphate
3	Thousand Gallon	219-A001	Watering
880	Acre	220-A001	Insect Pest Control
37	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,760	Acre	223-A001	Mowing
48,000	Linear Feet	234-A001	Temporary Silt Fence
11	Mile	321-A001	6" In-Grade Preparation
477	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
38	Mile	423-A001	Rumble Strips, Ground In
1,504	Linear Feet	501-E001	Expansion Joints, Without Dowels
3,525	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
5,722	Pounds	602-A001	Reinforcing Steel
20	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
20	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
114	Each	606-A001	Guard Posts
2,600	Linear Feet	606-B001	Guard Rail, Class A, Type 1
26	Each	606-D012	Guard Rail, Bridge End Section, Type I

26	Each	606-E002	Guard Rail, Terminal End Section, Flared
2,774	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
836	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
520	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5" (Actual 33.0")
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
30,220	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
673	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
178	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,240	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
126	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
5,314	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
959	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
2,236	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
4,847	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
4,576	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
954	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
1,532	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1,015	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
38	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
590	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
87	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
95	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
116	Linear Feet	630-D008	Structural Steel Beams, W10 x 22

138	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
1,050	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
952	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
375	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
2,894	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
104	Each	630-F001	Delineators, Guard Rail, White
104	Each	630-F002	Delineators, Guard Rail, Yellow
271	Each	630-F006	Delineators, Post Mounted, Single White
92	Each	630-F007	Delineators, Post Mounted, Single Yellow
410	Each	630-F008	Delineators, Post Mounted, Double White
64	Each	630-F009	Delineators, Post Mounted, Double Yellow
44	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
251	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
303	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
1,198	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
30	Each	640-A016	Traffic Signal Heads, Type 1 LED
5	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
5	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
5	Each	647-A002	Pullbox, Type 3
34	Each	647-A003	Pullbox, Type 4
23	Each	647-A004	Pullbox, Type 5
31	Each	647-A005	Pullbox, Type 2
30	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
1,503	Linear Feet	666-B027	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
3,317	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
2,578	Linear Feet	666-B033	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 4, 3 Conductor
1,625	Linear Feet	666-B034	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 1/0, 4 Conductor
2,794	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
508	Linear Feet	666-B058	Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor

322	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
149	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
8,125	Linear Feet	668-A024	Traffic Signal Conduit, Underground, Type 4, 6"
2,783	Linear Feet	668-A025	Traffic Signal Conduit, Underground, Rolled Pipe, 1"
810	Ton	815-A006	Loose Riprap, Size 100
2,000	Ton	815-A009	Loose Riprap, Size 300
1,500	Square Yard	815-E001	Geotextile under Riprap
125	Square Yard	907-216-A001	Solid Sodding
150	Acre	907-225-A001	Grassing
75	Ton	907-225-B001	Agricultural Limestone
300	Ton	907-225-C001	Mulch, Vegetative Mulch
150	Acre	907-226-A001	Temporary Grassing
79	Each	907-234-D001	Inlet Siltation Guard
79	Each	907-234-E001	Reset Inlet Siltation Guard
6,000	Linear Feet	907-237-A002	Wattles, 12"
6,000	Linear Feet	907-237-A003	Wattles, 20"
6,000	Linear Feet	907-245-A001	Triangular Silt Dike
1,900	Linear Feet	907-246-A001	Sandbags
500	Ton	907-249-A001	Riprap for Erosion Control
1,275	Pounds	907-250-A001	Polyacrylamide (PAM)
45,526	Ton	907-304-B009	Granular Material, Class 3, Group D
398,946	Ton	907-304-B011	Granular Material, Class 9, Group B
57,753	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
780	Ton	907-307-D001	Lime
14,438	Gallon	907-307-S001	Bituminous Curing Seal
21,725	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
39,493	Gallon	907-402-B001	Bituminous Tack Coat
8,970	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
33,122	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
62,329	Ton	907-403-A019	19-mm, ST, Asphalt Pavement

4,140 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
5,520 Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
6,210 Ton	907-403-A024	19-mm, MT, Asphalt Pavement
45,309 Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
55,319 Ton	907-403-A029	19-mm, HT, Asphalt Pavement
33,472 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
44,629 Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
712 Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
9,006 Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
44 Mile	907-403-S004	Joint Sealant
195,963 Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
118,835 Gallon	907-407-A001	Asphalt for Tack Coat
10,281 Square Yard	907-410-D001	High Friction Surface Treatment
1,504 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
71 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
300 Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
1 Lump Sum	907-618-A001	Maintenance of Traffic
6 Each	907-619-E3001	Changeable Message Sign
24 Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,852 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2 Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
31 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
30 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
22,371 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
43,586 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
20,779 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,535 Linear Feet	907-626-H004	Thermoplastic Legend, White

1,412	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed ("A")
1	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed ("B")
1	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed ("C")
1	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed ("D")
1	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed ("E")
1	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed ("F")
1	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed ("G")
1	Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed ("H")
1	Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed ("I")
1	Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed ("J")
9	Each	907-637-A001	Equipment Cabinet, Type B
3	Each	907-637-A002	Equipment Cabinet, Type C
3	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
3	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
1	Each	907-639-A066	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 55' Arms
1	Each	907-639-A073	Traffic Signal Equipment Pole, Type III, 17' Shaft, 60' & 65' Arms
1	Each	907-639-A089	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 55' Arms
1	Each	907-639-A106	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 60' Arms
12	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
13	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
8	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
10	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
5	Each	907-649-D002	Multi-Sensor Detection System, 1 Sensor
14	Each	907-650-A002	On Street Video Equipment, Fixed Type
8	Each	907-650-A003	On Street Video Equipment, PTZ Type
3	Each	907-656-A002	Dynamic Message Sign, Type 2
56,158	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
4,874	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM

13	Each	907-658-A005	Network Switch, Type A
1	Each	907-658-A008	Network Switch, Type D
9	Each	907-658-B001	Terminal Server
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1	Each	907-660-C002	Communications Node Equipment Installation and Configuration
55,200	Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
3,313	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
8	Each	907-670-A001	ITS Radar Detection System
1	Lump Sum	907-699-A002	Roadway Construction Stakes
100	Ton	907-815-F001	Sediment Control Stone
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

31,830	Ton	907-304-F002	Size 610 Crushed Stone Base
--------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

31,830	Ton	907-304-F003	3/4" and Down Crushed Stone Base
--------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

31,830	Ton	907-304-F004	Size 825B Crushed Stone Base
--------	-----	--------------	------------------------------

ALTERNATE GROUP BB NUMBER 1

10,831	Ton	907-308-A001	Portland Cement
1,072,924	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
57,753	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
268,231	Gallon	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP BB NUMBER 2

1,072,924	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
7,765	Ton	907-311-B001	Lime
31,060	Ton	907-311-C001	Fly Ash, Class C
268,231	Gallon	907-311-S001	Bituminous Curing Seal

CALL No. 06

Bridge Repair on I-10 over Escatawpa River Bridge No. 75.5A, known as State Project No. SP-0010-01(156) / 107232301 in Jackson County.

PROJECT COMPLETION: JANUARY 13, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
96	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Each	907-619-E3001	Changeable Message Sign

Bridge Items

1	Lump Sum	907-824-PP093	Bridge Repair, GIRDER FLANGE REPAIR
---	----------	---------------	-------------------------------------

CALL No. 07

Bridge Repair on SR 43 Relief Bridge No. 184.7, known as State Project No. EXB-0037-04(040) / 107139307 in Madison County.

PROJECT COMPLETION: MAY 25, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
128	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

5	Each	907-824-PP095	Bridge Repair, Install Girder Support Plates (2) and Angles (2)
17	Each	907-824-PP095	Bridge Repair, Pressure Wash and Clean Bent
6,061	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structures
81	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair

CALL No. 08

Ultra-Thin Overlay approximately 34 miles on SR 17 & SR 430, known as State Project No. MP-2000-08(080) / 305893302 in Carroll County.

PROJECT COMPLETION: MAY 31, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

872	Linear Feet	202-B076	Removal of Traffic Stripe "Bridges"
142	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
110	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
102	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
3,110	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,400	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,450	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
5,000	Gallon	907-407-A001	Asphalt for Tack Coat
19,450	Ton	907-411-A003	Ultra Thin Asphalt Pavement
22,000	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
71	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
436	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
28	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
51	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
436	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
450	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
200	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 09

Overlay approximately 6 miles of SR 8 from Ruleville to Leflore County Line, known as State Project No. MP-3008-67(006) / 305914301 in Sunflower County.

PROJECT COMPLETION: 61 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

9 Mile	423-A001	Rumble Strips, Ground In
10 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
400 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
5 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,650 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,250 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
290 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
950 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,250 Ton	907-304-B002	Granular Material, Class 5, Group D
9,100 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
90 Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
500 Ton	907-406-A003	Cold Milling of Bituminous Pavement, All Depths
6,000 Gallon	907-407-A001	Asphalt for Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
400 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
300 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
10 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,361 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,650 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
384 Linear Feet	907-626-H004	Thermoplastic Legend, White

1,405 Square Feet 907-626-H005 Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

620 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White

310 Linear Feet 628-L002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

620 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

310 Linear Feet 907-626-K003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

CALL No. 10

Overlay approximately 11 miles of SR 589 from US 98 to the Covington County Line, known as State Project No. MP-6589-37(010) / 305885301 in Lamar County.

PROJECT COMPLETION: 65 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

20	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
20	Square Yard	202-B035	Removal of Concrete Sidewalk
143	Square Yard	202-B078	Removal of Pavement, All Types and Depths
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
100	Linear Feet	234-A001	Temporary Silt Fence
122	Linear Feet	503-C007	Saw Cut, Full Depth
400	Pounds	602-A001	Reinforcing Steel
150	Linear Feet	603-A057	36" Steel Pipe, Jacked or Bored, Wall Thickness 0.500"
4	Each	603-CB001	18" Reinforced Concrete End Section
3	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
20	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
714	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,234	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
898	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
32	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,241	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
270	Ton	815-A009	Loose Riprap, Size 300
400	Square Yard	815-E001	Geotextile under Riprap
17	Square Yard	907-216-A001	Solid Sodding
1,418	Ton	907-304-F004	Size 825B Crushed Stone Base
137	Ton	907-403-A019	19-mm, ST, Asphalt Pavement

7,407	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
16,908	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
5,400	Gallon	907-407-A001	Asphalt for Tack Coat
8,763	Ton	907-411-A003	Ultra Thin Asphalt Pavement
5,900	Gallon	907-411-B001	Bituminous Tack Coat
4,158	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
13	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,357	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,326	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,252	Linear Feet	907-626-H004	Thermoplastic Legend, White
340	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 11

Overlay approximately 9 miles of SR 541 from US 49 to Junction 540, known as State Project No. MP-7541-64(007) / 305878301 in Simpson County.

PROJECT COMPLETION: 57 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

450	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
640	Linear Feet	202-B076	Removal of Traffic Stripe
513	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
75	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,419	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,984	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
126	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1,440	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,155	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
26	Each	630-F001	Delineators, Guard Rail, White
1,518	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
10,881	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
816	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
11,502	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
9,299	Gallon	907-407-A001	Asphalt for Tack Coat
972	Square Feet	907-412-A002	Pre-Grinding
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White

12	Mile	907-626-C009	6" Thermoplastic Edge Stripe, Continuous White, Audible Bump
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
72	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
8,065	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,454	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
4,524	Linear Feet	907-626-H004	Thermoplastic Legend, White
126	Square Feet	907-626-H005	Thermoplastic Legend, White
12	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NUMBER 1			
320	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
320	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP AA NUMBER 2			
320	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
320	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR