


Proposal & Plan Sales Will Begin on September 5, 2016



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For September - September 27, 2016**



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR SEPTEMBER - Tuesday, September 27, 2016

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 5, 2016

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, September 27, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR SEPTEMBER

	CALL	CONTRACT	COUNTY
	01	HSIP-0002-07(016) / 106990301	PRENTISS
	02	HSIP-0009-06(014) / 106268301	COAHOMA
*	03	HSIP-0070-04(023)/107109301	LAFAYETTE
	04	NHPP-0002-06(022)/107209301	LEE
*	05	NH-7314-00(028)/107187301 & NH-7314-00(028)/107187302 & NH-6928-00(012)/107187303	HINDS, RANKIN
*	06	MP-3000-00(107)/305941301	DISTRICT 3

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, September 27, 2016; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi for Call(s):

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR SEPTEMBER**

CALL	CONTRACT	COUNTY
07	BWO-2218-47(001) / 503020301	MARSHALL

CALL No. 01

Intersection Improvements at US 45 & Ripley Road, known as Federal Aid Project No. HSIP-0002-07(016) / 106990301 in Prentiss County.

PROJECT COMPLETION: AUGUST 16, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
70	Square Yard	202-B078	Removal of Pavement, All Types and Depths
9	Each	202-B107	Removal of Sign, Ground Mounted with Posts
1	Each	202-B132	Removal of Traffic Signal
1	Each	202-B161	Removal of Existing Sign
294	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,490	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
294	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,748	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
350	Square Yard	217-A001	Ditch Liner
96	Thousand Gallon	219-A001	Watering
100	Linear Feet	234-A001	Temporary Silt Fence
13	Bale	235-A001	Temporary Erosion Checks
1	Mile	423-A001	Rumble Strips, Ground In
80	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
5,926	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
7,848	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9,720	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
31,436	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,906	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
336	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
472	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced

55	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
156	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
32	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
363	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
31	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
96	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
65	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Each	647-A002	Pullbox, Type 3
12	Each	647-A005	Pullbox, Type 2
35	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
2,650	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
90	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
870	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
310	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
1,764	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
96	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
60	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
692	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4,840	Square Yard	907-216-A001	Solid Sodding
2	Each	907-234-D001	Inlet Siltation Guard
50	Linear Feet	907-237-A003	Wattles, 20"
50	Linear Feet	907-245-A001	Triangular Silt Dike
50	Linear Feet	907-246-A001	Sandbags
3	Ton	907-249-A001	Riprap for Erosion Control
1,116	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C

435 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
14 Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
18 Ton	907-403-A024	19-mm, MT, Asphalt Pavement
106 Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
142 Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
182 Ton	907-403-A029	19-mm, HT, Asphalt Pavement
1,188 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
1,591 Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
19,517 Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
802 Gallon	907-407-A001	Asphalt for Tack Coat
3 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1 Lump Sum	907-618-A001	Maintenance of Traffic
3,240 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,113 Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
935 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,244 Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
10,393 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,193 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
655 Linear Feet	907-626-H004	Thermoplastic Legend, White
168 Square Feet	907-626-H005	Thermoplastic Legend, White
20 Linear Feet	907-630-C001	Steel U-Section Posts, 2.0 lb/ft
317 Linear Feet	907-630-C003	Steel U-Section Posts, 3.0 lb/ft
2 Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)
31 Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
2 Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
2 Each	907-639-A185	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 85' Arm
16 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1 Each	907-641-C001	Signal Radar Detection System
4 Each	907-645-B001	Be Prepared to Stop When Flashing Assembly

**ALTERNATE GROUP AA NUMBER 1**

568	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-----	------------	--------------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

568	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
-----	------------	--------------	-----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

568	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-----	------------	--------------	----------------------------------



CALL No. 02

Intersection Improvements at US 61 & Eagles Nest Road, known as Federal Aid Project No. HSIP-0009-06(014) / 106268301 in Coahoma County.

PROJECT COMPLETION: SEPTEMBER 29, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
12,758	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
488	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
4	Each	202-B039	Removal of Delineator, All Types
12	Each	202-B042	Removal of Flared End Section, All Sizes
2	Each	202-B057	Removal of Inlets, All Sizes
164	Linear Feet	202-B064	Removal of Pipe, 8" And Above
4	Each	202-B070	Removal of Sign Including Post & Footing
624	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
13,504	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
29,472	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
14,341	Cubic Yard	203-G003	Excess Excavation, FM, AH
101	Cubic Yard	206-A001	Structure Excavation
21,246	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7,587	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10	Ton	213-C001	Superphosphate
2,425	Square Yard	217-A001	Ditch Liner
6	Thousand Gallon	219-A001	Watering
10	Acre	220-A001	Insect Pest Control
62	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
38	Acre	223-A001	Mowing
12,503	Linear Feet	234-A001	Temporary Silt Fence
2	Each	236-A004	Silt Basin, Type D
124	Linear Feet	239-A001	Temporary Slope Drains
1	Mile	423-A001	Rumble Strips, Ground In

3,400	Linear Feet	503-C007	Saw Cut, Full Depth
318	Pounds	602-A001	Reinforcing Steel
88	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
120	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
4	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB007	54" Reinforced Concrete End Section
32	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
64	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
8	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
500	Pounds	604-B001	Gratings
1,640	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
638	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
72	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
15,694	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
420	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
224	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
496	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
384	Linear Feet	619-G4001	Barricades, Type III, Single Faced
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
224	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
138	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
122	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

151	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
171	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
121	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
147	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
76	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
2	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
64	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
14,740	Ton	815-A009	Loose Riprap, Size 300
19,889	Square Yard	815-E001	Geotextile under Riprap
307	Square Yard	907-216-A001	Solid Sodding
19	Acre	907-225-A001	Grassing
10	Ton	907-225-B001	Agricultural Limestone
38	Ton	907-225-C001	Mulch, Vegetative Mulch
19	Acre	907-226-A001	Temporary Grassing
4	Each	907-234-D001	Inlet Siltation Guard
4	Each	907-234-E001	Reset Inlet Siltation Guard
43	Linear Feet	907-237-A002	Wattles, 12"
1,186	Linear Feet	907-237-A003	Wattles, 20"
237	Linear Feet	907-245-A001	Triangular Silt Dike
157	Ton	907-249-A001	Riprap for Erosion Control
369	Linear Feet	907-253-A001	Coir Fiber Baffle
3,568	Ton	907-304-B009	Granular Material, Class 3, Group D
1,353	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
2,895	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,064	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
1,497	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
887	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
12,847	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths

2,159	Gallon	907-407-A001	Asphalt for Tack Coat
15	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
32	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
48	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
64	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
23	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
3,473	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,020	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
9,859	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
9,346	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,714	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
4,961	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,648	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
324	Linear Feet	907-626-H004	Thermoplastic Legend, White
315	Square Feet	907-626-H005	Thermoplastic Legend, White
135	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1	Lump Sum	907-699-A002	Roadway Construction Stakes
117	Ton	907-815-F001	Sediment Control Stone

**ALTERNATE GROUP AA NUMBER 1**

9,788	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

9,788	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

9,788	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

CALL No. 03

Median Barrier Installation on US 278/SR 6 from Jackson Avenue to University Avenue, & SR 7 approximately .3 miles north of the Belk Blvd. Intersection and north to the 4-lane past SR 30/Molly Barr, known as Federal Aid Project No. HSIP-0070-04(023) / 107109301 in Lafayette County.

PROJECT COMPLETION: MARCH 16, 2018

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	202-A001	Removal of Obstructions
7,057	Square Yard	202-B025	Removal of Concrete Paved Ditch
130	Each	202-B086	Removal of Guard Post
5	Each	202-B247	Removal of Pull Box
210	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
16,710	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
105	Cubic Yard	203-G003	Excess Excavation, FM, AH
50	Cubic Yard	206-A001	Structure Excavation
5	Ton	213-C001	Superphosphate
210	Square Yard	217-A001	Ditch Liner
526	Thousand Gallon	219-A001	Watering
17	Acre	220-A001	Insect Pest Control
2,994	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
13	Acre	223-A001	Mowing
2,562	Linear Feet	234-A001	Temporary Silt Fence
100	Linear Feet	503-C007	Saw Cut, Full Depth
790	Pounds	602-A001	Reinforcing Steel
14,000	Pounds	604-B001	Gratings
118	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
504	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
5	Each	647-A005	Pullbox, Type 2
17,500	Square Yard	907-216-A001	Solid Sodding

13 Acre	907-225-A001	Grassing
7 Ton	907-225-B001	Agricultural Limestone
26 Ton	907-225-C001	Mulch, Vegetative Mulch
13 Acre	907-226-A001	Temporary Grassing
64 Each	907-234-D001	Inlet Siltation Guard
1,280 Linear Feet	907-237-A003	Wattles, 20"
1,280 Linear Feet	907-245-A001	Triangular Silt Dike
1,280 Linear Feet	907-246-A001	Sandbags
100 Ton	907-304-B009	Granular Material, Class 3, Group D
16 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
37,600 Linear Feet	907-606-G001	Cable Barrier
26 Each	907-606-H001	Cable Barrier Terminal Section
50 Each	907-606-I001	Cable Barrier Post Repair
1 Lump Sum	907-618-A001	Maintenance of Traffic
2 Each	907-619-E3001	Changeable Message Sign
30 Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)
15 Each	907-630-O004	Remove and Reset Sign, 1 U-post
2 Each	907-630-O005	Remove and Reset Sign, 2 U-post
1 Lump Sum	907-699-A002	Roadway Construction Stakes

CALL No. 04

Intersection Improvements on US 45 at Pratt, Fashion Way and SW Avenue, known as Federal Aid Project No. NHPP-0002-06(022) / 107209301 in Lee County.

PROJECT COMPLETION: OCTOBER 18, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
523	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
57	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
22	Square Yard	202-B025	Removal of Concrete Paved Ditch
1	Each	202-B057	Removal of Inlets, All Sizes
53	Each	202-B069	Removal of Sign
79	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
669	Cubic Yard	203-G004	Excess Excavation, LVM, AH
28	Cubic Yard	206-A001	Structure Excavation
6,420	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
260	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
30	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
5	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
4,400	Linear Feet	234-A001	Temporary Silt Fence
20	Bale	235-A001	Temporary Erosion Checks
3	Mile	423-A001	Rumble Strips, Ground In
640	Linear Feet	503-C003	Saw Cut, 6-inch
51	Linear Feet	503-C007	Saw Cut, Full Depth
441	Pounds	602-A001	Reinforcing Steel
24	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	30" Reinforced Concrete End Section
500	Pounds	604-B001	Gratings

1,412	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
174	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
522	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
1	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
28,641	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,336	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
104	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
981	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
10	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
141	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
21	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,190	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
40	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
299	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
372	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
503	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
128	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
128	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
455	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
176	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
306	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
16	Each	640-A016	Traffic Signal Heads, Type 1 LED



4 Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1 Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
1 Each	643-A001	Closed Loop On-Street Master System
4 Each	647-A002	Pullbox, Type 3
14 Each	647-A005	Pullbox, Type 2
2 Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
70 Square Feet	653-B001	Street Name Sign, Encapsulated Lens
1,376 Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2,642 Linear Feet	666-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
158 Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1,425 Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
2,220 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
57 Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
1,071 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
224 Square Yard	815-E001	Geotextile under Riprap
1,500 Square Yard	907-216-A001	Solid Sodding
1 Acre	907-225-A001	Grassing
3 Ton	907-225-B001	Agricultural Limestone
2 Ton	907-225-C001	Mulch, Vegetative Mulch
1 Acre	907-226-A001	Temporary Grassing
6 Each	907-234-D001	Inlet Siltation Guard
6 Each	907-234-E001	Reset Inlet Siltation Guard
450 Linear Feet	907-237-A002	Wattles, 12"
1,000 Linear Feet	907-237-A003	Wattles, 20"
150 Linear Feet	907-245-A001	Triangular Silt Dike
870 Linear Feet	907-246-A001	Sandbags
129 Ton	907-249-A001	Riprap for Erosion Control
65 Cubic Yard	907-249-B001	Remove and Reset Riprap
2,570 Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C

708 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
12 Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
735 Ton	907-403-A024	19-mm, MT, Asphalt Pavement
5,276 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
7,117 Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
67,010 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
6,868 Gallon	907-407-A001	Asphalt for Tack Coat
9 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1 Lump Sum	907-618-A001	Maintenance of Traffic
3 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,828 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
34,030 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,814 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,348 Linear Feet	907-626-H004	Thermoplastic Legend, White
1,112 Square Feet	907-626-H005	Thermoplastic Legend, White
56 Linear Feet	907-630-C001	Steel U-Section Posts, 2.0 lb/ft
503 Linear Feet	907-630-C003	Steel U-Section Posts, 3.0 lb/ft
148 Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
2 Each	907-639-A010	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm
1 Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
1 Each	907-639-A028	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm
4 Each	907-639-A080	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 80' Arm
31 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
120 Linear Feet	907-639-D001	Slip Casing, 36" Diameter
2 Each	907-641-C001	Signal Radar Detection System
1 Lump Sum	907-641-D001	Signal Radar Detection Training
1 Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
4 Each	907-645-B001	Be Prepared to Stop When Flashing Assembly

1	Each	907-658-D001	Cellular Modem
1	Lump Sum	907-699-A002	Roadway Construction Stakes
10	Cubic Yard	907-815-F002	Sediment Control Stone
<b>ALTERNATE GROUP AA NUMBER 1</b>			
2,800	Ton	907-304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
2,800	Ton	907-304-F003	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
2,800	Ton	907-304-F004	Size 825B Crushed Stone Base

CALL No. 05

Mill & Overlay of US 80 from Terry Road to East of Bierdeman Road, & US 51 from RR to Town Creek, known as Federal Aid Project Nos. NH-7314-00(028) / 107187301, 302, & NH-6928-00(012) / 107187303 in Hinds & Rankin Counties.

PROJECT COMPLETION: AUGUST 09, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

16 Square Yard	202-B025 Removal of Concrete Paved Ditch
50 Square Yard	202-B035 Removal of Concrete Sidewalk
13,075 Linear Feet	202-B076 Removal of Traffic Stripe
859 Square Yard	202-B078 Removal of Pavement, All Types and Depths
1,100 Linear Feet	202-B087 Removal of Guard Rail, Including Rails, Posts and Terminal Ends
10 Linear Feet	202-B094 Removal of Curb &/or Curb and Gutter, All Types
150 Cubic Yard	203-G004 Excess Excavation, LVM, AH
2 Cubic Yard	221-A001 Portland Cement Concrete Paved Ditch
2,000 Linear Feet	503-C007 Saw Cut, Full Depth
3,090 Linear Feet	606-B001 Guard Rail, Class A, Type 1
4 Each	606-D008 Guard Rail, Bridge End Section, Type H
22 Each	606-D024 Guard Rail, Bridge End Section, Special Design
20 Each	606-E003 Guard Rail, Terminal End Section, Non-Flared
50 Square Yard	608-A001 Concrete Sidewalk, Without Reinforcement
50 Linear Feet	609-B001 Concrete Curb, Header
10 Linear Feet	609-D002 Combination Concrete Curb and Gutter Type 2
13 Mile	619-A1002 Temporary Traffic Stripe, Continuous White
10 Mile	619-A2002 Temporary Traffic Stripe, Continuous Yellow
12 Mile	619-A3006 Temporary Traffic Stripe, Skip White
2 Mile	619-A4006 Temporary Traffic Stripe, Skip Yellow
62,850 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
8,772 Linear Feet	619-A6001 Temporary Traffic Stripe, Legend
64 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
800 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
96 Linear Feet	619-G4005 Barricades, Type III, Double Faced

1	Lump Sum	620-A001	Mobilization
4,720	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,690	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
145	Each	630-F001	Delineators, Guard Rail, White
24	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
9,054	Linear Feet	635-A001	Vehicle Loop Assemblies
2,200	Ton	907-304-B007	Granular Material, Class 5, Group E
31,200	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
1,000	Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
278,000	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
13,900	Gallon	907-407-A001	Asphalt for Tack Coat
11,225	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
44,900	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
12	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
13	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
62,850	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
19,800	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
8,772	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
6,183	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 06

Raised Pavement Markers on various routes in District (3), known as State Project No. MP-3000-00(107) / 305941301 Districtwide.

PROJECT COMPLETION: MARCH 31, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

5,445	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
34,970	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 07

Construction of Byhalia Bulk Salt Storage Structure, known as State Project No. BWO-2218-47(001) / 503020301 in Marshall County.

PROJECT COMPLETION: JUNE 30, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Building Items**

1	Lump Sum	1500-A001	Construction of a Bulk Salt Storage Structure
---	----------	-----------	---

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR