


Proposal & Plan Sales Will Begin on October 3, 2016



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For October - October 25, 2016**



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR OCTOBER - Tuesday, October 25, 2016

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 3, 2016

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 25, 2016; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR OCTOBER

	CALL	CONTRACT	COUNTY
*	01	HSIP-9999-01(251) / 107141301	DISTRICT 1
	02	HSIP-0099-01(009)/107175301	WASHINGTON
	03	HSIP-0032-01(025)/102186301	PEARL RIVER
	04	IM-0055-01(103)/105618301 & NH-0180-00(021)/106404301 & HSIP-0180-00(022)/106965301	PIKE
*	05	BR-0020-01(230)/107226301	WARREN
*	06	IM-0020-02(093)/105870302	SCOTT
*	07	STP-0039-02(051) / 107377301 & STP-0039-02(052) / 107377302	RANKIN
	08	SP-0022-01(081) / 106636301	HARRISON



CALL No. 01

Intersection Improvements on Various Routes throughout the District, known as Federal Aid Project No. HSIP-9999-01(251) / 107141301 in District 1.

PROJECT COMPLETION: OCTOBER 31, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

5 Acre	201-D002	Random Clearing
188 Each	202-B039	Removal of Delineator, All Types
1,046 Each	202-B070	Removal of Sign Including Post & Footing
8 Square Feet	202-B071	Removal of Sign Panels Including Hardware
719,467 Linear Feet	202-B076	Removal of Traffic Stripe
548 Linear Feet	503-C007	Saw Cut, Full Depth
1 Lump Sum	620-A001	Mobilization
3,773 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,256 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
28,970 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,471 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
14,754 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
722 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
655 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
180 Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
8 Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
51 Each	645-A001	Flasher Assembly
1 Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
50 Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
87 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
61,950 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
88,205 Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White

13,105	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
186,030	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,322	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
267,938	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
60,933	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
63,104	Linear Feet	907-626-H004	Thermoplastic Legend, White
10,664	Square Feet	907-626-H005	Thermoplastic Legend, White
506	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced
24,519	Linear Feet	907-630-C007	Square Tube Posts, 4.0 lb/ft
1	Each	907-630-O002	Remove and Reset Sign Assembly
1,783	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

CALL No. 02

Lighting Installation on US 82 from MS River Bridge to SR 454, known as Federal Aid Project No. HSIP-0099-01(009) / 107175301 in Washington County.

PROJECT COMPLETION: SEPTEMBER 29, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4	Thousand Gallon	219-A001	Watering
7,200	Linear Feet	234-A001	Temporary Silt Fence
96	Bale	235-A001	Temporary Erosion Checks
66	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
260	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4001	Barricades, Type III, Single Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
7,122	Linear Feet	682-A037	Underground Branch Circuit, AWG 8, 4 Conductor
175	Linear Feet	682-A041	Underground Branch Circuit, AWG 1, 4 Conductor
406	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 4 Conductor
4	Each	682-E001	Underground Junction Box
2	Each	682-F001	Secondary Power Controllers
115	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
26	Linear Feet	684-B007	Slip Casing, 30" Diameter
168	Square Yard	907-216-A001	Solid Sodding
16	Linear Feet	907-237-A003	Wattles, 20"
16	Linear Feet	907-245-A001	Triangular Silt Dike
16	Each	907-246-B002	Rockbags
16	Ton	907-249-A001	Riprap for Erosion Control
1	Lump Sum	907-618-A001	Maintenance of Traffic
42	Each	907-682-E001	Underground Junction Box With Concrete Pad
8	Each	907-683-B018	Lighting Assembly, Low Mast, LED, Type 40-1-15-315
34	Each	907-683-B023	Lighting Assembly, Low Mast, LED, Type 40-1-8-213
1	Lump Sum	907-699-A002	Roadway Construction Stakes





CALL No. 03

Reconstruction of SR 43 between Picayune and Henleyfield, known as Federal Aid Project No. HSIP-0032-01(025) / 102186301 in Pearl River County.

PROJECT COMPLETION: 194 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Each	202-B057	Removal of Inlets, All Sizes
290	Linear Feet	202-B064	Removal of Pipe, 8" And Above
21,582	Square Yard	202-B078	Removal of Pavement, All Types and Depths
36,093	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
66,737	Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
307	Cubic Yard	206-A001	Structure Excavation
50	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
44,195	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
86,222	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
18	Ton	213-C001	Superphosphate
2,065	Square Yard	217-A001	Ditch Liner
18	Acre	220-A001	Insect Pest Control
36	Acre	223-A001	Mowing
8,063	Linear Feet	234-A001	Temporary Silt Fence
3	Mile	423-A001	Rumble Strips, Ground In
182	Pounds	602-A001	Reinforcing Steel
56	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
492	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8	Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
156	Linear Feet	603-CA095	24" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
4	Each	603-CB001	18" Reinforced Concrete End Section
15	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
56	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III

192	Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
100	Linear Feet	603-CE045	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
3	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
397	Pounds	604-B001	Gratings
730	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
220	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
17	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
49,360	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,160	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
25,076	Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
2,806	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
640	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
528	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
52	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
983	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
564	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
222	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
234	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
12	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
654	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
137	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
96	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
9	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
268	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
18	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
17	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"

31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
256	Ton	815-A009	Loose Riprap, Size 300
36	Acre	907-225-A001	Grassing
18	Ton	907-225-B001	Agricultural Limestone
71	Ton	907-225-C001	Mulch, Vegetative Mulch
36	Acre	907-226-A001	Temporary Grassing
1	Each	907-234-D001	Inlet Siltation Guard
4	Each	907-236-PP001	Silt Basin, Per Plans
1,750	Linear Feet	907-237-A003	Wattles, 20"
350	Each	907-246-A002	Sandbags
100	Ton	907-249-A001	Riprap for Erosion Control
19,355	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
3,938	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
5,211	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
5,064	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
6,077	Ton	907-403-B014	19-mm, ST, Asphalt Pavement, Leveling
227	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening
1,600	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
9,310	Gallon	907-407-A001	Asphalt for Tack Coat
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,336	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
96	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
86	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Each	907-622-A001	Engineer's Field Office Building, Type 2
143	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

3,075	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
741	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
425	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
100	Ton	907-815-F001	Sediment Control Stone

**ALTERNATE GROUP AA NUMBER 1**

13,139	Ton	907-304-F003	3/4" and Down Crushed Stone Base
--------	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

13,139	Ton	907-304-F004	Size 825B Crushed Stone Base
--------	-----	--------------	------------------------------

**ALTERNATE GROUP AA NUMBER 3**

13,139	Ton	907-304-F002	Size 610 Crushed Stone Base
--------	-----	--------------	-----------------------------

CALL No. 04

Pavement Restoration approximately 13 miles on I-55 from SR 568 to US 98 West, & Interchange Improvements on SR 570 at I-55 in McComb, & Traffic Signal on MS 570 from I-55 to US 51, known as Federal Aid Project Nos. IM-0055-01(103) / 105618301, NH-0180-00(021) / 106404301, & HSIP-0180-00(022) / 106965301 in Pike County.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
2	Acre	201-B001	Clearing and Grubbing
123,528	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
4,965	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
68	Square Yard	202-B010	Removal of Bridge End Pavement
111	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
744	Linear Feet	202-B022	Removal of Concrete Median Barrier
13,606	Square Yard	202-B025	Removal of Concrete Paved Ditch
55,496	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
2,490	Square Yard	202-B036	Removal of Concrete Slope Paving
52	Each	202-B039	Removal of Delineator, All Types
3	Each	202-B042	Removal of Flared End Section, All Sizes
11,974	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
4	Each	202-B057	Removal of Inlets, All Sizes
2	Each	202-B061	Removal of Low Mast Lighting Foundation
428	Linear Feet	202-B064	Removal of Pipe, 8" And Above
53	Each	202-B070	Removal of Sign Including Post & Footing
3,736	Square Yard	202-B072	Removal of Soil Cement Treated Base, All Depths
108,957	Linear Feet	202-B076	Removal of Traffic Stripe
1	Each	202-B085	Removal of Trees (BRANCH TRIMMING)
2,006	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
1	Each	202-B099	Removal of Existing Light and Foundation
6	Each	202-B137	Removal of Guard Rail Cable Anchor
2	Each	202-B142	Removal of Junction Box

28 Each	202-B161 Removal of Existing Sign
1,187 Square Yard	202-B216 Removal of Island Pavement, All Types
1 Each	202-B274 Removal of Guard Rail Bridge Connector
40,123 Linear Feet	202-B299 Removal of Cable Barrier
9 Each	202-B302 Removal of Cable Barrier Terminal Section
9,740 Cubic Yard	203-A003 Unclassified Excavation, FM, AH
46,279 Cubic Yard	203-A004 Unclassified Excavation, LVM, AH
50 Cubic Yard	203-EX018 Borrow Excavation, AH, LVM, Class B9
6,496 Cubic Yard	203-EX040 Borrow Excavation, AH, LVM, Class B9-6
5,119 Cubic Yard	203-G004 Excess Excavation, LVM, AH
4,111 Square Yard	204-A003 Geogrid, Type II, Biaxial
229 Cubic Yard	206-A001 Structure Excavation
69,013 Square Yard	209-A001 Geotextile Stabilization, Type V
11,043 Square Yard	209-A004 Geotextile Stabilization, Type V, Non-Woven
3,555 Square Yard	209-A007 Geotextile Stabilization, Type VII, Non-Woven
44,485 Cubic Yard	211-B001 Topsoil for Slope Treatment, Contractor Furnished
1 Cubic Yard	211-C001 Topsoil for Plant Holes, Contractor Furnished
347 Ton	213-C001 Superphosphate
5,477 Square Yard	217-A001 Ditch Liner
1,028 Thousand Gallon	219-A001 Watering
121 Acre	220-A001 Insect Pest Control
1,903 Cubic Yard	221-A001 Portland Cement Concrete Paved Ditch
1,382 Acre	223-A001 Mowing
5 Thousand	232-A003 Fertilizer for Woody Plant Material, Tablet, 10 gram
3 Cubic Yard	233-A002 Tree Bark Mulch, Type II
2 Cubic Yard	233-A003 Tree Bark Mulch, Type III
76,890 Linear Feet	234-A001 Temporary Silt Fence
1,217 Bale	235-A001 Temporary Erosion Checks
100 Linear Feet	239-A001 Temporary Slope Drains

7,115	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
138,605	Linear Feet	413-B001	Cleaning and Sealing Joints
136	Linear Feet	413-D001	Cleaning and Filling Joints
51	Mile	423-A001	Rumble Strips, Ground In
606	Linear Feet	501-D001	Expansion Joints, With Dowels
35	Linear Feet	501-E001	Expansion Joints, Without Dowels
68	Square Yard	501-K001	Transverse Grooving
68	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,066	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,360	Linear Feet	503-C002	Saw Cut, 3-inch
5,297	Linear Feet	503-C007	Saw Cut, Full Depth
3,260	Linear Feet	503-C007	Saw Cut, Full Depth (IN ASPHALT PAVEMENT)
304	Cubic Yard	503-D001	Concrete for Base Repair
3,171	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,007	Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
3,728	Pounds	602-A001	Reinforcing Steel
280	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
4	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
20	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
408	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
40	Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
7	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-SB020	18" Branch Connections, Stub into Concrete Pipe
1	Each	603-SB061	32" x 24" Branch Connections, Stub into Box Culvert
811	Pounds	604-A001	Castings
6,958	Pounds	604-B001	Gratings
1,400	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V

1,043	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
275	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
5	Each	605-Z002	Underdrain Appurtenances, Small Animal Guard
7,021	Linear Feet	606-B001	Guard Rail, Class A, Type 1
300	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
1,025	Linear Feet	606-B008	Guard Rail, Class A, Type 1, Thrie Beam
115	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
17	Each	606-C003	Guard Rail, Cable Anchor, Type 1
24	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
38	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
5	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
62	Linear Feet	609-B001	Concrete Curb, Header
234	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
2,488	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
104	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
288	Linear Feet	615-A007	Concrete Type IV Modified Cast-in-Place Median Barrier
1,422	Linear Feet	615-A022	Concrete Pier Protection Barrier, 54"
448	Linear Feet	615-A023	Concrete Pier Protection Barrier, 32"
688	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
839	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
69	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
71	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
33	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
1,566	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow



20,949	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
502	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
10,560	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
4,303	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
349	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
233	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
364	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
122	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
300	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,706	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
67,100	Linear Feet	619-F1001	Concrete Median Barrier, Precast
248,300	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
288	Linear Feet	619-G4001	Barricades, Type III, Single Faced
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
24	Linear Feet	619-G4008	Barricades, Type III, Double Faced, Permanent, Red/White
1,630	Each	619-G5001	Free Standing Plastic Drums
43	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1001	Impact Attenuator, 40 MPH
2	Unit	619-J1003	Impact Attenuator, 60 MPH
6	Unit	619-J1004	Impact Attenuator, 70 MPH
2	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
2	Each	619-J2003	Impact Attenuator, 70 MPH, Replacement Package
1	Unit	619-J2005	Impact Attenuator, 40 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1	Each	622-A002	Engineer's Field Office Building, Type 2
3,557	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
521	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH

466	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
641	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
563	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
48	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
997	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
182	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
79	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
55	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
191	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
157	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
788	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
238	Each	630-F001	Delineators, Guard Rail, White
161	Each	630-F002	Delineators, Guard Rail, Yellow
358	Each	630-F006	Delineators, Post Mounted, Single White
456	Each	630-F007	Delineators, Post Mounted, Single Yellow
328	Each	630-F008	Delineators, Post Mounted, Double White
137	Each	630-F009	Delineators, Post Mounted, Double Yellow
42	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
221	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
170	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
246	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
224	Linear Feet	635-A001	Vehicle Loop Assemblies
37	Each	640-A016	Traffic Signal Heads, Type 1 LED
3	Each	640-A024	Traffic Signal Heads, Type 4 LED
8	Each	640-A031	Traffic Signal Heads, Type 1A LED
3	Each	640-A045	Traffic Signal Heads, Type 3L, LED
2	Each	640-A050	Traffic Signal Heads, Type 2L LED
5	Each	640-A052	Traffic Signal Heads, Type 4R LED
11	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED

2 Each	640-A058	Traffic Signal Heads, Type 2A FYA LED
6 Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
1 Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
11 Each	647-A002	Pullbox, Type 3
1 Each	647-A003	Pullbox, Type 4
15 Each	647-A004	Pullbox, Type 5
19 Each	647-A005	Pullbox, Type 2
238 Square Feet	653-B001	Street Name Sign, Encapsulated Lens
325 Linear Feet	657-C002	Fiber Optic Video Drop Cable, 12 Fiber
968 Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
386 Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
3,158 Linear Feet	666-B049	Electric Cable, Underground in Conduit, THHN, AWG #10, 2 Conductor
5,511 Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
650 Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
70 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
1,448 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
150 Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
539 Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,962 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2 Each	686-A001	Relocation of Existing Lighting Assemblies
330 Linear Feet	686-B001	Relocation of Existing Wiring
136 Linear Feet	808-A001	Joint Preparation
713 Ton	815-A009	Loose Riprap, Size 300
415 Cubic Yard	815-D001	Concrete Slope Paving
733 Square Yard	815-E001	Geotextile under Riprap
51,378 Square Yard	907-216-B004	Solid Sodding, Bermuda
117 Acre	907-225-A001	Grassing
59 Ton	907-225-B001	Agricultural Limestone
246 Ton	907-225-C001	Mulch, Vegetative Mulch
65 Acre	907-226-A001	Temporary Grassing

11	Each	907-230-A051	Shrub Planting, Sasanqua Camellia (5 GALLON)
5	Each	907-230-B047	Tree Planting, Live Oak
2	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
42	Each	907-234-D001	Inlet Siltation Guard
10,294	Linear Feet	907-237-A003	Wattles, 20"
5,000	Linear Feet	907-245-A001	Triangular Silt Dike
7,584	Each	907-246-B002	Rockbags
2,063	Ton	907-249-A001	Riprap for Erosion Control
67,958	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
1,646	Cubic Yard	907-304-E004	Granular Material, LVM, Size 57
15,718	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
38,105	Gallon	907-402-B001	Bituminous Tack Coat
6,674	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
20,170	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
56,546	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
4,132	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
775	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
1,287	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
57,330	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
26,002	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
34,446	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
553	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
31	Mile	907-403-S004	Joint Sealant
102,406	Square Yard	907-406-C001	Cold Milling of Shoulders, All Types, All Depths
92,323	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
69,447	Gallon	907-407-A001	Asphalt for Tack Coat
399,600	Pounds	907-420-A001	Undersealing Concrete Pavement
1,848	Square Yard	907-501-B005	10" Plain Cement Concrete Pavement, Broom Finish
2,759	Square Yard	907-503-A001	9" and Variable Reinforced Concrete Pavement, Broom Finish
160	Square Yard	907-504-A002	4" Fiber Reinforced Concrete Pavement

174,674	Square Yard	907-507-A001	Rubblizing Existing Portland Cement Concrete Pavement
230	Cubic Yard	907-507-B001	Filler Aggregate
110	Square Yard	907-510-X001	Concrete for Spall Repair
28,000	Pounds	907-512-B006	Portland Cement Pressure Grout Slurry, Type 6
53	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
124,290	Linear Feet	907-605-H002	Prefabricated Edge Drain
13,090	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
550	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
70	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
40,123	Linear Feet	907-606-G001	Cable Barrier
8	Each	907-606-H001	Cable Barrier Terminal Section
79	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
4	Each	907-606-R002	Repair of Terminal End Section
1,116	Linear Feet	907-609-PP002	Slotted Mountable Median Curb, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
8	Each	907-619-E3001	Changeable Message Sign
9	Each	907-619-J3001	Remove and Reset Impact Attenuator
1,260	Linear Feet	907-619-P1001	Glare Paddles
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
24	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,200	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,770	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
26	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
15,187	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,484	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

16,130	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
844	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
9,058	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,869	Square Feet	907-626-H005	Thermoplastic Legend, White
10	Mile	907-626-U004	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
10	Mile	907-626-V004	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
10	Mile	907-626-X004	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
10	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
42	Each	907-630-O003	Remove and Reset Sign, All Sizes
44	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
2	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A010	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm
2	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
3	Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
2	Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
5	Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
4	Each	907-639-A029	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm
2	Each	907-639-A030	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' Arm
1	Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
1	Each	907-639-A069	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 60' Arms
1	Each	907-639-A070	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 55' Arms
1	Each	907-639-A105	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 60' Arms
96	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
2	Each	907-641-C002	ITS Radar Detection, 1 Sensor
23	Each	907-644-A001	Optical Detector
4,523	Linear Feet	907-644-B001	Optical Detector Cable

6 Each	907-644-C002	Phase Selector, 4 Channel
13 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
12 Each	907-649-D002	Multi-Sensor Detection System, 1 Sensor
3 Each	907-650-A002	On Street Video Equipment, Fixed Type
1 Each	907-650-A003	On Street Video Equipment, PTZ Type
2 Each	907-654-A001	Battery Back-up System
9,631 Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
370 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
8 Each	907-658-A005	Network Switch, Type A
1 Each	907-658-B001	Terminal Server
3,568 Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
3,129 Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 3 @ 2"
1 Lump Sum	907-699-A002	Roadway Construction Stakes
597 Ton	907-815-F001	Sediment Control Stone
1,040 Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

81,862 Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-------------------	--------------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

81,862 Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-------------------	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

81,862 Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
-------------------	--------------	-----------------------------------

**ALTERNATE GROUP BB NUMBER 1**

1,876 Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,366 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,366 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

1,876 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,366 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,366 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 05

Bridge Painting on Washington Street over I-20 Bridge No. 1.0, known as Federal Aid Project No. BR-0020-01(230) / 107226301 in Warren County.

PROJECT COMPLETION: AUGUST 18, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

**Bridge Items**

1	Lump Sum	907-845-A002	Coating Existing Structural Steel
---	----------	--------------	-----------------------------------



Pavement Restoration on I-20 from West of Morton Rest Area to Lake, known as Federal Aid Project No. IM-0020-02(093) / 105870302 in Scott County.

PROJECT COMPLETION: JUNE 22, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	202-A001	Removal of Obstructions
1,050	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,556	Linear Feet	202-B076	Removal of Traffic Stripe
1	Lump Sum	202-B169	Removal of Debris
306	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
3,279	Cubic Yard	203-G004	Excess Excavation, LVM, AH
250	Square Yard	203-I001	Site Grading
852	Square Yard	209-A001	Geotextile Stabilization, Type V
5	Thousand Gallon	219-A001	Watering
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
52	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
240	Square Yard	907-216-A001	Solid Sodding
30	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
285	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
243	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
370	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
3,174	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
350	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
4,990	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
1,754	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
478	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
1,313	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
81	Square Feet	907-626-H005	Thermoplastic Legend, White

**ALTERNATE GROUP AA NUMBER 1**

520	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

520	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

520	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

CALL No. 07

Mill and Overlay approximately 25 miles of SR 18 From Brandon to the Smith County Line, known as Federal Aid Project Nos. STP-0039-02(051) / 107377301 & STP-0039-02(052) / 107377302 in Rankin County.

PROJECT COMPLETION: AUGUST 15, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

359	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,724	Linear Feet	202-B076	Removal of Traffic Stripe
1,800	Linear Feet	202-B102	Removal of Guard Rail
90	Cubic Yard	203-G004	Excess Excavation, LVM, AH
100	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
32	Mile	423-A001	Rumble Strips, Ground In
900	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
12	Each	606-E001	Guard Rail, Terminal End Section
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
72,127	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,020	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,039	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,334	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
964	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1,306	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,170	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
54	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2,620	Linear Feet	635-A001	Vehicle Loop Assemblies

186	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
28,780	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
690	Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
3,420	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening
340,936	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
34,302	Gallon	907-407-A001	Asphalt for Tack Coat
200	Linear Feet	907-606-PP009	Remove and Replace Blockouts & Add Rub-Rail
1	Lump Sum	907-618-A001	Maintenance of Traffic
32	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
17	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
47,018	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
25,109	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
5,020	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,039	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White

Roundabout Construction on MS 15 at Lamey Bridge Road, known as State Project No. SP-0022-01(081) / 106636301 in Harrison County.

PROJECT COMPLETION: JULY 31, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
730	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
4	Each	202-B042	Removal of Flared End Section, All Sizes
168	Linear Feet	202-B064	Removal of Pipe, 8" And Above
100	Linear Feet	202-B076	Removal of Traffic Stripe
2,458	Square Yard	202-B078	Removal of Pavement, All Types and Depths
752	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2,972	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
3,027	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
240	Cubic Yard	206-A001	Structure Excavation
63	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
7,683	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1,277	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
133	Square Yard	217-A001	Ditch Liner
58	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
128	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
6	Acre	223-A001	Mowing
4,000	Linear Feet	234-A001	Temporary Silt Fence
4,988	Linear Feet	503-C007	Saw Cut, Full Depth
331	Pounds	602-A001	Reinforcing Steel
128	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
120	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB001	18" Reinforced Concrete End Section

2	Each	603-CB002	24" Reinforced Concrete End Section
32	Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
254	Pounds	604-B001	Gratings
3,388	Linear Feet	609-B001	Concrete Curb, Header
403	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
2,334	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
316	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
3	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,003	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
1,159	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
822	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
453	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
294	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
492	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
8	Each	619-D3001	Remove and Reset Signs, All Sizes
1	Each	619-E1001	Flashing Arrow Panel, Type C
60	Linear Feet	619-G4001	Barricades, Type III, Single Faced
138	Linear Feet	619-G4005	Barricades, Type III, Double Faced
274	Each	619-G5001	Free Standing Plastic Drums
10	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
109	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
88	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
122	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
285	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
91	Linear Feet	630-D003	Structural Steel Beams, W6 x 9

38	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
137	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
172	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
199	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
2,125	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
625	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
4	Each	682-D001	Underground Pull Box
5	Each	682-E001	Underground Junction Box
1	Each	682-F002	Secondary Power Controller
18	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
2,904	Square Yard	907-216-A001	Solid Sodding
3	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
6	Ton	907-225-C001	Mulch, Vegetative Mulch
3	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
810	Linear Feet	907-237-A003	Wattles, 20"
464	Linear Feet	907-246-A001	Sandbags
172	Ton	907-249-A001	Riprap for Erosion Control
1,256	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
1,864	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
2,265	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
2,627	Ton	907-403-B014	19-mm, ST, Asphalt Pavement, Leveling
12,551	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
1,625	Gallon	907-407-A001	Asphalt for Tack Coat
54	Square Yard	907-501-B005	10" Plain Cement Concrete Pavement, Broom Finish
12	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

144	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
40	Linear Feet	907-603-ALT14	22" x 13" Type A Alternate Pipe
2,345	Square Feet	907-616-C004	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
146	Square Feet	907-616-C006	Colored and Imprinted Concrete Median and Island Pavement, 10-inch Thickness
16	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
590	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
207	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
1,689	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
192	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,824	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,249	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
108	Linear Feet	907-626-H004	Thermoplastic Legend, White
419	Square Feet	907-626-H005	Thermoplastic Legend, White
198	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
15	Each	907-682-E001	Underground Junction Box With Concrete Pad
8	Each	907-683-B018	Lighting Assembly, Low Mast, LED, Type 40-1-15-315
7	Each	907-683-B019	Lighting Assembly, Low Mast, LED, Type 40-1-8-315
1	Lump Sum	907-699-A002	Roadway Construction Stakes
17	Ton	907-815-F001	Sediment Control Stone

**ALTERNATE GROUP AA NUMBER 1**

3,986	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

3,986	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

3,986	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------



For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR