

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 11/17/2016 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised NTB Nos. 6716 & 6717; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____

Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

 President Address

 Secretary Address

 Treasurer Address

The following is my (our) itemized proposal.

BR-0914-00(009)/ 100299303000

Marshall County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO.6716

CODE: (SP)

DATE: 11/16/2016

SUBJECT: Additional Construction Requirements

PROJECT: EXB-0914-00(009) / 100299303 - Marshall County

Bidders are hereby advised of the following construction requirements.

The Contractor shall submit a Traffic Control plan to govern the use of construction entrances. To the extent practical the number of such construction entrances shall be minimized.

Bidders are advised that the road closure associated with phase 2 of the project shall not exceed 14 calendar days. The Contractor will be assessed a fee of **\$1,000.00** each calendar day the road closure remains in place beyond 14 calendar days. The Project Engineer, and Marshall County shall be notified no less than 30 calendar days, by the Contractor, prior to closing Tunstall Road in writing.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 6717

CODE: (SP)

DATE: 11/16/2016

SUBJECT: Special Erosion Control Requirements for use of Polyacrylamide (PAM)

PROJECT: EXB-0914-00(009) / 100299303 - Marshall County

Bidders are advised that the use of Polyacrylamide (PAM) will be allowed only for surface erosion control of the current surface prior to soil stabilization. Prior to use of this material, written notification shall be included in the Stormwater Pollution Prevention Plan (SWPPP). The application rate, areas of application, description of how uniform coverage will be achieved, and how application to non-target areas will be prevented shall be clearly depicted within the SWPPP. Polyacrylamide shall meet the requirements of The Department's Special Provision 907-250, and meet all requirements of the Mississippi Department of Environmental Quality's regulations. Polyacrylamide **shall not** be discharged into waters of the state.

Replace Bridge 15.4 on SR 309 Between SR 4 and US 78, known as State Project No. EXB-0914-00(009) / 100299303 in Marshall County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		1	Acre	Clearing and Grubbing
0030	202-A001		1	Lump Sum	Removal of Obstructions
0040	202-B005		7,476	Square Yard	Removal of Asphalt Pavement, All Depths
0050	202-B064		352	Linear Feet	Removal of Pipe, 8" And Above
0060	202-B076		2,300	Linear Feet	Removal of Traffic Stripe
0070	202-B102		630	Linear Feet	Removal of Guard Rail
0080	203-A003	(E)	12,428	Cubic Yard	Unclassified Excavation, FM, AH
0090	203-EX017	(E)	25,611	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0100	203-G003	(E)	6,433	Cubic Yard	Excess Excavation, FM, AH
0110	206-A001	(S)	287	Cubic Yard	Structure Excavation
0120	206-B001	(E)	30	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0130	209-A004		14,667	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0140	213-C001		9	Ton	Superphosphate
0150	217-A001		2,100	Square Yard	Ditch Liner
0160	219-A001		1	Thousand Gallon	Watering [\$20.00]
0170	220-A001		9	Acre	Insect Pest Control [\$30.00]
0180	221-A001	(S)	10	Cubic Yard	Portland Cement Concrete Paved Ditch
0190	223-A001		19	Acre	Mowing [\$50.00]
0200	234-A001		5,885	Linear Feet	Temporary Silt Fence
0210	236-A004		2	Each	Silt Basin, Type D
0220	423-A001		1	Mile	Rumble Strips, Ground In
0230	501-E001		94	Linear Feet	Expansion Joints, Without Dowels
0240	502-A001	(C)	202	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0250	503-C007		470	Linear Feet	Saw Cut, Full Depth
0260	602-A001	(S)	13,386	Pounds	Reinforcing Steel
0270	603-CA004	(S)	80	Linear Feet	30" Reinforced Concrete Pipe, Class III
0280	603-CB003	(S)	2	Each	30" Reinforced Concrete End Section
0290	606-B001		425	Linear Feet	Guard Rail, Class A, Type 1
0300	606-D012		4	Each	Guard Rail, Bridge End Section, Type I
0310	606-E002		4	Each	Guard Rail, Terminal End Section, Flared
0320	609-D007	(S)	126	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0330	615-A018	(S)	40	Linear Feet	Concrete Bridge End Barrier, 33.5"

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	619-A1001		7,900	Linear Feet	Temporary Traffic Stripe, Continuous White
0350	619-A2001		8,900	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0360	619-A6001		141	Linear Feet	Temporary Traffic Stripe, Legend
0370	619-C7001		228	Each	Two-Way Yellow Reflective High Performance Raised Marker
0380	619-D1001		60	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0390	619-D2001		480	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0400	619-G4001		144	Linear Feet	Barricades, Type III, Single Faced
0410	619-G4005		24	Linear Feet	Barricades, Type III, Double Faced
0420	619-G5001		72	Each	Free Standing Plastic Drums
0430	619-G7001		6	Each	Warning Lights, Type "B"
0440	620-A001		1	Lump Sum	Mobilization
0450	627-K001		3	Each	Red-Clear Reflective High Performance Raised Markers
0460	627-L001		228	Each	Two-Way Yellow Reflective High Performance Raised Markers
0470	630-A001		24	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0480	630-A002		83	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0490	630-C004		146	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
0500	630-E004		36	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0510	630-F001		24	Each	Delineators, Guard Rail, White
0520	630-G002		4	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
0530	630-K001		15	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
0540	630-K002		15	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
0550	815-A006	(S)	60	Ton	Loose Riprap, Size 100
0560	815-A009	(S)	1,577	Ton	Loose Riprap, Size 300
0570	815-E001	(S)	979	Square Yard	Geotextile under Riprap
0580	907-216-A001		50	Square Yard	Solid Sodding
0590	907-225-A001		19	Acre	Grassing
0600	907-225-B001		56	Ton	Agricultural Limestone
0610	907-225-C001		37	Ton	Mulch, Vegetative Mulch
0620	907-226-A001		19	Acre	Temporary Grassing
0630	907-234-C002		760	Linear Feet	Super Silt Fence
0640	907-234-F001		300	Linear Feet	Turbidity Barrier
0650	907-237-A003		320	Linear Feet	Wattles, 20"
0660	907-245-A001		157	Linear Feet	Triangular Silt Dike

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	907-246-A001		157	Linear Feet	Sandbags
0680	907-247-A001		1	Each	Temporary Stream Diversion
0690	907-249-A001		141	Ton	Riprap for Erosion Control
0700	907-249-B001		52	Cubic Yard	Remove and Reset Riprap
0710	907-250-A001		100	Pounds	Polyacrylamide (PAM)
0720	907-253-A001		405	Linear Feet	Coir Fiber Baffle
0730	907-304-B009	(GT)	3,200	Ton	Granular Material, Class 3, Group D
0740	907-403-A017	(BA1)	1,272	Ton	9.5-mm, ST, Asphalt Pavement
0750	907-403-A018	(BA1)	2,119	Ton	12.5-mm, ST, Asphalt Pavement
0760	907-403-A019	(BA1)	2,564	Ton	19-mm, ST, Asphalt Pavement
0770	907-406-A001		400	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0780	907-407-A001	(A2)	1,472	Gallon	Asphalt for Tack Coat
0790	907-413-E001		94	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0800	907-601-A001	(S)	94	Cubic Yard	Class "B" Structural Concrete
0810	907-601-B003	(S)	1	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0820	907-603-ALT01	(S)	384	Linear Feet	18" Type A Alternate Pipe
0830	907-603-ALT03	(S)	56	Linear Feet	30" Type A Alternate Pipe
0840	907-617-A001		19	Each	Right-of-Way Marker
0850	907-618-A001		1	Lump Sum	Maintenance of Traffic
0860	907-626-A006		120	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0870	907-626-C007		7,055	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0880	907-626-D005		1,250	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
0890	907-626-E005		5,837	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0900	907-626-G004		653	Linear Feet	Thermoplastic Detail Stripe, White
0910	907-626-G005		7,618	Linear Feet	Thermoplastic Detail Stripe, Yellow
0920	907-626-H004		141	Linear Feet	Thermoplastic Legend, White
0930	907-631-B001		33	Cubic Yard	Flowable Fill, Non-Excavatable
0940	907-699-A002		1	Lump Sum	Roadway Construction Stakes
0950	907-815-F001	(S)	70	Ton	Sediment Control Stone
ALTERNATE GROUP AA NUMBER 1					
0960	907-304-F002	(GT)	5,700	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
0970	907-304-F003	(GT)	5,700	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0980	907-304-F004	(GT)	5,700	Ton	Size 825B Crushed Stone Base
Bridge Items					
0990	501-K001		1,468	Square Yard	Transverse Grooving
1000	803-B002	(S)	1	Each	Conventional Static Pile Load Test [\$5,000.00]
1010	803-D007	(S)	1,700	Linear Feet	HP 14 x 89 Steel Piling
1020	803-I003	(S)	2	Each	PDA Test Pile, HP Steel Pile
1030	803-I004	(S)	2	Each	PDA Test Pile, Steel Pipe Pile
1040	803-J001	(S)	2	Each	Pile Restrike
1050	805-A001	(S)	100,150	Pounds	Reinforcement
1060	813-A002	(S)	661	Linear Feet	Concrete Railing, 32"
1070	815-A009	(S)	760	Ton	Loose Riprap, Size 300
1080	815-E001	(S)	608	Square Yard	Geotextile under Riprap
1090	907-803-PP005	(S)	1,320	Linear Feet	36" Steel Pipe Piling, Wall Thickness 0.625"
1100	907-804-A018	(S)	152	Cubic Yard	Bridge Concrete, Substructure, Class AA
1110	907-804-A019	(S)	454	Cubic Yard	Bridge Concrete, Superstructure, Class AA
1120	907-804-C014	(S)	961	Linear Feet	138' Prestressed Concrete Beam, Type BT-72
1130	907-804-C274	(S)	1,134	Linear Feet	96' Prestressed Concrete Beam, Type BT-54
1140	907-805-C001		3,389	Pounds	Reinforcement, Corrosion Resistant