

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 11/16/2016 ADDENDUM NO. DATED
 ADDENDUM NO. 2 DATED 11/18/2016 ADDENDUM NO. DATED

Number	Description
1	Revised Table of Contents; Revised NTB Nos. 2382, & 6341; Added NTB No. 6742; Added SP 907-257-1, & 907-619-6; Revised Bid Items; Amendment EBS Download Required.
2	Revised NTB No. 6742; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 2
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____

Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

 President Address

 Secretary Address

 Treasurer Address

The following is my (our) itemized proposal.

NH-0008-02(096)/ 105778301000 & HSIP-0008-02(105)/ 107181301000

Covington County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 6742

CODE: (SP)

DATE: 11/18/2016

SUBJECT: Pay Item Corrections

PROJECT: NH-0008-02(096) / 105778301 – Covington County

The following pay items were not included in the Summary of Quantities sheets in the plans, and have been added to the Bid Sheets:

907-257-A001	Floating Skimmer System	56	Each
*619-J1004	Impact Attenuator, 70 MPH	6	Unit
*619-J2003	Impact Attenuator, 70 MPH, Replacement Package	2	Each
*907-619-J3001	Remove and Reset Impact Attenuator	9	Each
*619-G4005	Barricades, Type III, Double Faced	312	LF

Note: The traffic control items shown above (denoted with *) are to be used as directed by the Engineer for the purposes of access control to residences and businesses under existing lane closures.

Bidders are hereby advised that the quantity (70 Each) shown for pay item 619-G7001, Warning Lights, Type “B”, is incorrect. The correct quantity is 24 Each. The bid sheets are correct.

Shoulder Reconstruction on US 49 from North of Forrest County Line to Mount Olive, known as Federal Aid Project Nos. HSIP-0008-02(105) / 107181301 & NH-0008-02(096) / 105778301 in Covington County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		3	Acre	Clearing and Grubbing
0030	202-A001		1	Lump Sum	Removal of Obstructions
0040	202-B002		8,662	Square Yard	Removal of Asphalt Driveways, All Depths
0050	202-B005		33,281	Square Yard	Removal of Asphalt Pavement, All Depths
0060	202-B018		1,662	Square Yard	Removal of Concrete Driveways, All Depths
0070	202-B025		506	Square Yard	Removal of Concrete Paved Ditch
0080	202-B033		585	Square Yard	Removal of Concrete Pavement w/ Variable Depth Overlay
0090	202-B042		58	Each	Removal of Flared End Section, All Sizes
0100	202-B057		2	Each	Removal of Inlets, All Sizes
0110	202-B064		4,987	Linear Feet	Removal of Pipe, 8" And Above
0120	202-B069		22	Each	Removal of Sign
0130	202-B070		363	Each	Removal of Sign Including Post & Footing
0140	202-B076		23,906	Linear Feet	Removal of Traffic Stripe
0150	202-B078		18,900	Square Yard	Removal of Pavement, All Types and Depths
0160	202-B087		2,451	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0170	202-B094		425	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
0180	202-B141		3,514	Linear Feet	Removal of Edge Drain
0190	202-B304		396	Each	Removal & Replacement of Edge Drain Outlet
0200	203-A003	(E)	375,730	Cubic Yard	Unclassified Excavation, FM, AH
0210	203-EX018	(E)	18,188	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
0220	203-EX035	(E)	49,811	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0230	203-G003	(E)	74,269	Cubic Yard	Excess Excavation, FM, AH
0240	203-G003	(E)	12,698	Cubic Yard	Excess Excavation, FM, AH , UNSTABLE
0250	204-A003		21,810	Square Yard	Geogrid, Type II, Biaxial
0260	206-A001	(S)	6,743	Cubic Yard	Structure Excavation
0270	206-B001	(E)	1,271	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0280	209-A004		158,813	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0290	209-A007		32,202	Square Yard	Geotextile Stabilization, Type VII, Non-Woven
0300	211-A001		624,360	Square Yard	Topsoil for Slope Treatment, From Right-of-Way
0310	211-B001	(E)	69,366	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0320	213-C001		132	Ton	Superphosphate

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	217-A001		17,652	Square Yard	Ditch Liner
0340	219-A001		1,569	Thousand Gallon	Watering [\$20.00]
0350	220-A001		132	Acre	Insect Pest Control [\$30.00]
0360	221-A001	(S)	1,857	Cubic Yard	Portland Cement Concrete Paved Ditch
0370	223-A001		2,076	Acre	Mowing [\$50.00]
0380	234-A001		57,281	Linear Feet	Temporary Silt Fence
0390	235-A001		550	Bale	Temporary Erosion Checks
0400	236-A001		3	Each	Silt Basin, Type A
0410	236-A002		56	Each	Silt Basin, Type B
0420	236-A004		52	Each	Silt Basin, Type D
0430	239-A001		3,745	Linear Feet	Temporary Slope Drains
0440	310-B003	(GT)	1,350	Ton	Size I Stabilizer Aggregate, Coarse
0450	423-A001		22	Mile	Rumble Strips, Ground In
0460	503-C007		33,530	Linear Feet	Saw Cut, Full Depth
0470	602-A001	(S)	348,663	Pounds	Reinforcing Steel
0480	603-CA002	(S)	4,368	Linear Feet	18" Reinforced Concrete Pipe, Class III
0490	603-CA003	(S)	1,744	Linear Feet	24" Reinforced Concrete Pipe, Class III
0500	603-CA004	(S)	1,728	Linear Feet	30" Reinforced Concrete Pipe, Class III
0510	603-CA005	(S)	264	Linear Feet	36" Reinforced Concrete Pipe, Class III
0520	603-CA006	(S)	216	Linear Feet	42" Reinforced Concrete Pipe, Class III
0530	603-CA007	(S)	488	Linear Feet	48" Reinforced Concrete Pipe, Class III
0540	603-CA008	(S)	224	Linear Feet	54" Reinforced Concrete Pipe, Class III
0550	603-CA009	(S)	184	Linear Feet	60" Reinforced Concrete Pipe, Class III
0560	603-CB001	(S)	59	Each	18" Reinforced Concrete End Section
0570	603-CB002	(S)	27	Each	24" Reinforced Concrete End Section
0580	603-CB003	(S)	16	Each	30" Reinforced Concrete End Section
0590	603-CB005	(S)	1	Each	42" Reinforced Concrete End Section
0600	603-CB006	(S)	2	Each	48" Reinforced Concrete End Section
0610	603-CB007	(S)	2	Each	54" Reinforced Concrete End Section
0620	603-CE002	(S)	8	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
0630	603-CE003	(S)	552	Linear Feet	36" x 23" Concrete Arch Pipe, Class A III
0640	603-CE004	(S)	272	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III
0650	603-CE005	(S)	24	Linear Feet	51" x 31" Concrete Arch Pipe, Class A III
0660	603-CE006	(S)	488	Linear Feet	58" x 36" Concrete Arch Pipe, Class A III

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	603-CE007	(S)	496	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III
0680	603-CE008	(S)	432	Linear Feet	73" x 45" Concrete Arch Pipe, Class A III
0690	603-CF002	(S)	1	Each	29" x 18" Concrete Arch Pipe End Section
0700	603-CF003	(S)	4	Each	36" x 23" Concrete Arch Pipe End Section
0710	603-CF004	(S)	9	Each	44" x 27" Concrete Arch Pipe End Section
0720	603-CF005	(S)	1	Each	51" x 31" Concrete Arch Pipe End Section
0730	603-CF006	(S)	5	Each	58" x 36" Concrete Arch Pipe End Section
0740	603-CF007	(S)	4	Each	65" x 40" Concrete Arch Pipe End Section
0750	603-CF008	(S)	3	Each	73" x 45" Concrete Arch Pipe End Section
0760	603-SB003	(S)	22	Each	18" Branch Connections, Stub into Concrete Box Culvert
0770	603-SB004	(S)	1	Each	24" Branch Connections, Stub into Box Culvert
0780	603-SB014	(S)	1	Each	36" x 23" Branch Connections, Stub into Box Culvert
0790	603-SB020	(S)	8	Each	18" Branch Connections, Stub into Concrete Pipe
0800	603-SB044	(S)	2	Each	18" Branch Connections, Stub into Existing Box Culvert
0810	603-SB058	(S)	2	Each	24" Branch Connections, Stub into Concrete Pipe
0820	604-A001		488	Pounds	Castings
0830	604-B001		48,250	Pounds	Gratings
0840	605-X003	(GY)	15,874	Cubic Yard	Filter Material for Filter Beds, Type B
0850	606-B001		5,275	Linear Feet	Guard Rail, Class A, Type 1
0860	606-C003		17	Each	Guard Rail, Cable Anchor, Type 1
0870	606-E003		17	Each	Guard Rail, Terminal End Section, Non-Flared
0880	609-D002	(S)	3,357	Linear Feet	Combination Concrete Curb and Gutter Type 2
0890	609-D004	(S)	2,148	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
0900	614-B002	(S)	1,159	Square Yard	Concrete Driveway, With Reinforcement, 6-inch Thickness
0910	616-A001	(S)	722	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0920	616-A003	(S)	376	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0930	619-A1004		10	Mile	Temporary Traffic Stripe, Continuous White, Paint
0940	619-A1007		19,850	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 Tape
0950	619-A2004		6	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint
0960	619-A3007		3	Mile	Temporary Traffic Stripe, Skip White, Paint
0970	619-A5002		54,247	Linear Feet	Temporary Traffic Stripe, Detail, Paint
0980	619-A5004		11,880	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 Tape
0990	619-A6001		3,308	Linear Feet	Temporary Traffic Stripe, Legend

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1000	619-A6002		1,012	Square Feet	Temporary Traffic Stripe, Legend
1010	619-D1001		337	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1020	619-D2001		3,340	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
1030	619-E1001		5	Each	Flashing Arrow Panel, Type C
1040	619-F1001		4,840	Linear Feet	Concrete Median Barrier, Precast
1050	619-F2001		12,150	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
1060	619-G4001		192	Linear Feet	Barricades, Type III, Single Faced
1070	619-G4004		30	Linear Feet	Barricades, Type III, Single Faced, Permanent, Red/White
1080	619-G4005		384	Linear Feet	Barricades, Type III, Double Faced
1090	619-G5001		117	Each	Free Standing Plastic Drums
1100	619-G7001		24	Each	Warning Lights, Type "B"
1110	619-G8001		78	Each	Warning Lights, Type "C"
1112	619-J1004		6	Unit	Impact Attenuator, 70 MPH
1114	619-J2003		2	Each	Impact Attenuator, 70 MPH, Replacement Package
1120	620-A001		1	Lump Sum	Mobilization
1130	627-J001		520	Each	Two-Way Clear Reflective High Performance Raised Markers
1140	627-K001		5,464	Each	Red-Clear Reflective High Performance Raised Markers
1150	627-L001		672	Each	Two-Way Yellow Reflective High Performance Raised Markers
1160	630-A001		160	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1170	630-A002		1,705	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1180	630-B001		224	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1190	630-C004		2,447	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
1200	630-D002		91	Linear Feet	Structural Steel Beams, S4 x 7.7
1210	630-D003		131	Linear Feet	Structural Steel Beams, W6 x 9
1220	630-D005		48	Linear Feet	Structural Steel Beams, W6 x 15
1230	630-E001		221	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1240	630-E002		45	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
1250	630-E004		887	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1260	630-F001		161	Each	Delineators, Guard Rail, White
1270	630-F003		144	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Green
1280	630-F004		144	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1290	630-G001		56	Each	Type 3 Object Markers, OM-3R, Post Mounted
1300	630-G003		1	Each	Type 3 Object Markers, OM-3L, Post Mounted

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1310	630-K001		127	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
1320	630-K002		79	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
1330	630-K003		550	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
1340	635-A001		930	Linear Feet	Vehicle Loop Assemblies
1350	636-A003		1,859	Linear Feet	Shielded Cable, 4 Conductor
1360	638-A005		4	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
1370	640-A016		8	Each	Traffic Signal Heads, Type 1 LED
1380	640-A018		2	Each	Traffic Signal Heads, Type 3 LED
1390	640-A056		2	Each	Traffic Signal Heads, Type 2 FYA LED
1400	642-A004		1	Each	Solid State Traffic Actuated Controllers, Type 4A
1410	642-A008		1	Each	Solid State Traffic Actuated Controllers, Type 8A
1420	647-A001		4	Each	Pullbox, Type 1
1430	647-A002		2	Each	Pullbox, Type 3
1440	647-A005		10	Each	Pullbox, Type 2
1450	648-A001		1	Each	Radio Interconnect, Installed in New Controller Cabinet
1460	653-B001		23	Square Feet	Street Name Sign, Encapsulated Lens
1470	666-B007		3,915	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
1480	666-B008		745	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 5 Conductor
1490	666-B014		956	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
1500	666-B022		89	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
1510	666-B023		160	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1520	666-B054		972	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1530	668-A016		1,467	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
1540	668-A018		152	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
1550	668-A029		2,490	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1560	668-B024		793	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1570	668-B025		103	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1580	815-A008	(S)	24	Ton	Loose Riprap, Size 200
1590	815-A009	(S)	3,508	Ton	Loose Riprap, Size 300
1600	815-E001	(S)	552	Square Yard	Geotextile under Riprap
1610	907-216-B004		78,459	Square Yard	Solid Sodding, Bermuda
1620	907-225-A001		258	Acre	Grassing
1630	907-225-B001		132	Ton	Agricultural Limestone
1640	907-225-C001		516	Ton	Mulch, Vegetative Mulch

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1650	907-226-A001		264	Acre	Temporary Grassing
1660	907-228-A001		2,636	Square Yard	Erosion Control Blanket, Type I
1670	907-228-A002		68,192	Square Yard	Erosion Control Blanket, Type II
1680	907-229-A001		3,705	Square Yard	Erosion Mat
1690	907-234-C002		4,402	Linear Feet	Super Silt Fence
1700	907-234-D001		137	Each	Inlet Siltation Guard
1710	907-234-E001		6	Each	Reset Inlet Siltation Guard
1720	907-234-F001		1,446	Linear Feet	Turbidity Barrier
1730	907-237-A003		27,783	Linear Feet	Wattles, 20"
1740	907-241-A001		490	Each	Floc Blocks
1750	907-245-A001		4,120	Linear Feet	Triangular Silt Dike
1760	907-246-A002		18,134	Each	Sandbags
1770	907-249-A001		5,124	Ton	Riprap for Erosion Control
1780	907-250-A001		1,117	Pounds	Polyacrylamide (PAM)
1790	907-253-A001		8,664	Linear Feet	Coir Fiber Baffle
1792	907-257-A001		56	Each	Floating Skimmer System
1800	907-304-C003	(GY)	1,878	Cubic Yard	Granular Material, AEA, Class 6, Group C
1810	907-403-A017	(BA1)	13,162	Ton	9.5-mm, ST, Asphalt Pavement
1820	907-403-A019	(BA1)	29,259	Ton	19-mm, ST, Asphalt Pavement
1830	907-403-A028	(BA1)	2,120	Ton	12.5-mm, HT, Asphalt Pavement
1840	907-403-A029	(BA1)	2,404	Ton	19-mm, HT, Asphalt Pavement
1850	907-403-D010	(BA1)	4,241	Ton	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1860	907-403-D011	(BA1)	1,948	Ton	12.5-mm, HT, Asphalt Pavement, Polymer Modified
1870	907-403-D012	(BA1)	1,339	Ton	19-mm, HT, Asphalt Pavement, Polymer Modified
1880	907-406-A001		57,692	Square Yard	Cold Milling of Bituminous Pavement, All Depths
1890	907-407-A001	(A2)	22,844	Gallon	Asphalt for Tack Coat
1900	907-601-A001	(S)	1,891	Cubic Yard	Class "B" Structural Concrete
1910	907-601-B003	(S)	494	Cubic Yard	Class "B" Structural Concrete, Minor Structures
1920	907-603-ALT01	(S)	3,100	Linear Feet	18" Type A Alternate Pipe
1930	907-603-ALT02	(S)	312	Linear Feet	24" Type A Alternate Pipe
1940	907-603-ALT03	(S)	80	Linear Feet	30" Type A Alternate Pipe
1950	907-603-ALT05	(S)	120	Linear Feet	42" Type A Alternate Pipe
1960	907-617-A001		37	Each	Right-of-Way Marker

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1970	907-618-1M001		1	Lump Sum	Service Patrol
1980	907-618-A001		1	Lump Sum	Maintenance of Traffic
1990	907-619-E3001		10	Each	Changeable Message Sign
2000	907-619-E4001		4	Each	Portable Radar Display
2008	907-619-J3001		9	Each	Remove and Reset Impact Attenuator
2010	907-626-A005		42	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2020	907-626-B006		2	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2030	907-626-C003		37	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2040	907-626-E005		1,565	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2050	907-626-F003		33	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2060	907-626-G004		12,739	Linear Feet	Thermoplastic Detail Stripe, White
2070	907-626-G005		4,401	Linear Feet	Thermoplastic Detail Stripe, Yellow
2080	907-626-G006		71,229	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
2090	907-626-G007		58,016	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
2100	907-626-H009		5,559	Linear Feet	Thermoplastic Double Drop Legend, White
2110	907-626-H010		2,004	Square Feet	Thermoplastic Double Drop Legend, White
2120	907-630-O003		49	Each	Remove and Reset Sign, All Sizes
2130	907-631-B001		103	Cubic Yard	Flowable Fill, Non-Excavatable
2140	907-639-A002		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2150	907-639-A012		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
2160	907-639-A022		1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 45' Arms
2170	907-639-A204		1	Each	Traffic Signal Equipment Pole, Type IV, 40' Shaft, 35' & 40' Arms
2180	907-639-C002		16	Cubic Yard	Pole Foundations, 36" Diameter
2190	907-639-F001		3	Each	Detector Pole with Foundation, 35' Pole
2200	907-641-A002		3	Each	Signal Stop Bar Radar Detection
2210	907-641-B002		1	Each	Signal Advanced Radar Detection
2220	907-644-A001		4	Each	Optical Detector
2230	907-644-B001		809	Linear Feet	Optical Detector Cable
2240	907-645-B001		7	Each	Be Prepared to Stop When Flashing Assembly
2250	907-645-B002		3	Each	Advanced Warning Flashing Assembly
2260	907-699-A002		1	Lump Sum	Roadway Construction Stakes
2270	907-815-F001	(S)	591	Ton	Sediment Control Stone
2280	907-906001		1,040	Hours	Trainees [\$5.00]

ALTERNATE GROUP AA NUMBER 1

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2290	907-304-F002	(GT)	131,413	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
2300	907-304-F003	(GT)	131,413	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
2310	907-304-F004	(GT)	131,413	Ton	Size 825B Crushed Stone Base
Bridge Items					
2320	206-A001	(S)	5,213	Cubic Yard	Structure Excavation
2330	605-AA003	(S)	7,527	Square Yard	Geotextile for Subsurface Drainage, Type III
2340	605-X003	(GY)	8,597	Cubic Yard	Filter Material for Filter Beds, Type B
2350	803-F006	(S)	18,329	Linear Feet	24" Pre-Formed Pile Hole
2360	803-F016	(S)	4,978	Linear Feet	30" Pre-Formed Pile Hole
2370	803-O025	(S)	4,585	Linear Feet	Permanent Casing, 24" Diameter
2380	803-O026	(S)	1,245	Linear Feet	Permanent Casing, 30" Diameter
2390	805-A001	(S)	108,846	Pounds	Reinforcement
2400	810-A003	(S)	2,236,939	Pounds	Structural Steel, A 709, Grade 50
2410	907-601-A001	(S)	3,929	Cubic Yard	Class "B" Structural Concrete
2420	907-605-CC001	(S)	1,038	Square Yard	Prefabricated Sheet Drain
2430	907-831-PP005		5,248	Square Yard	Precast Panels