

## SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u>1</u>	DATED	<u>1/17/2017</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	<u>2</u>	DATED	<u>1/19/2017</u>	ADDENDUM NO.	_____	DATED	_____

Number	Description
1	Revised Table of Contents; Add NTB Nos. 3893, 4084, 4473, 5866, & 6846; Revised Wage Rates; Revised Bid Items; Added or Revised Plan Sheet Nos. 8001, 8004, 8056, 8077-8078, 8080, 8102-8103; Amendment EBS Download Required.
2	Revised Table of Contents; Add NTB No. 6849; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 2  
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_

\_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
--------------------	------------------

_____ Secretary	_____ Address
--------------------	------------------

_____ Treasurer	_____ Address
--------------------	------------------

The following is my (our) itemized proposal.

STP/ EXB-2835-00(005)/ 100134301000

Itawamba County(ies)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**TABLE OF CONTENTS**

**PROJECT: STP/EXB-2835-00(005)/100134301 - Itawamba**

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specifications
#3	Final Cleanup
#640	Fiber Reinforced Concrete
#1405	Errata & Modifications to 2004 Standard Specifications
#1928	Federal Bridge Formula
#2382	Status of ROW, w/ Attachments
#3131	Temporary Traffic Paint
#3581	Storm Water Discharge Associated with Construction Activity (>5 Acres)
#3612	Additional Erosion Control Requirements
#3704	Use of Precast Drainage Units
#3893	Petroleum Products Base Price
#4084	Stay-In-Place Metal Forms
#4189	Rumble Stripe
#4214	Safety Apparel
#4473	Alternate Crushed Stone Base Bid Items
#4526	Electronic Addendum Process
#4565	Manual on Uniform Traffic Control Devices (MUTCD)
#5044	Questions Regarding Bidding
#5053	Contractor Correspondence
#5194	Intermediate Concrete Diaphragms
#5405	Traffic Control Devices
#5411	Safety Edge
#5412	Weight Limits
#5865	Non-Quality Control / Quality Assurance Concrete
#5866	Payroll Requirements
#5896	DBE Forms, Participation and Payment
#5983	Bridge Permits
#6411	Disadvantaged Business Enterprise, w/ Supplement
#6728	Adjustments for Bituminous Materials
#6756	Contract Time
#6757	Specialty Items
#6758	USGS Existing Gauge Removal
#6759	Milestone Completion Dates
#6846	Additional Roadway Fill Requirements
#6849	Pile Information Corrections
906	Required Federal Contract Provisions -- FHWA 1273, w/Supplements

Section 907 - Special Provisions

907-101-4	Definitions
907-102-12	Bidding Requirements and Conditions

**PROJECT: STP/EXB-2835-00(005)/100134301 - Itawamba**

907-103-11	Award and Execution
907-104-5	Scope of Work
907-104-6	Partnering Process
907-105-9	Control of Work, w/ Supplement
907-107-13	Legal Relations and Responsibility to Public, w/ Supplement
907-107-15	Contractor's Protection Plan
907-108-38	Prosecution and Progress
907-109-8	Measurement and Payment
907-110-2	Wage Rates
907-216-1	Solid Sodding
907-225-5	Grassing
907-226-3	Temporary Grassing
907-227-10	Hydroseeding
907-228-2	Erosion Control Blankets
907-229-2	Erosion Mats
907-234-5	Siltation Barriers
907-237-4	Wattles
907-245-2	Triangular Silt Dikes
907-246-3	Sandbags & Rockbags
907-247-2	Temporary Stream Diversion
907-249-1	Riprap for Erosion Control
907-250-1	Polyacrylamide (PAM)
907-253-2	Coir Fiber Baffle
907-254-1	Sediment Retention Barrier
907-257-1	Floating Skimmer System
907-304-13	Granular Courses
907-401-7	Asphalt Pavements, w/ Supplement
907-403-14	Asphalt Pavements
907-406-4	Cold Milling
907-407-2	Tack Coat
907-413-5	Sawing & Sealing Transverse Joints in Asphalt Pavement
907-601-1	Structural Concrete
907-603-8	Culverts & Storm Drains
907-617-4	Right-Of-Way Markers
907-618-9	Placement of Temporary Traffic Stripe
907-618-12	Construction and Removal of Detour Bridge
907-618-13	Temporary Construction Signs
907-619-5	Changeable Message Signs
907-626-5	Inverted Profile Thermoplastic Traffic Stripe
907-626-25	Thermoplastic Traffic Markings
907-630-11	Remove and Reset Signs
907-630-16	Sign Supports
907-699-5	Construction Stakes
907-701-5	Hydraulic Cement, w/ Supplement
907-702-5	Specifications for Bituminous Materials
907-703-12	Aggregates, w/ Supplement
907-707-5	Joint Material

**PROJECT: STP/EXB-2835-00(005)/100134301 - Itawamba**

907-708-6	Non-Metal Drainage Structures
907-709-1	Metal Pipe
907-710-1	Fast Dry Solvent Traffic Paint
907-711-4	Synthetic Structural Fiber Reinforcement
907-713-6	Admixtures for Concrete
907-714-8	Miscellaneous Materials
907-715-4	Roadside Development Materials
907-720-2	Pavement Marking Materials
907-721-5	Ground Mounted Sign Supports
907-804-19	Concrete Bridges and Structures, w/ Supplement
907-815-2	Sediment Control Stone

906-7 Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and DUNS Number

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Pile Data Form

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

01/19/2017 09:42 AM

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

**SECTION 904 - NOTICE TO BIDDERS NO. 6849**

**CODE: (SP)**

**DATE: 1/19/2017**

**SUBJECT: Pile Information Corrections**

**PROJECT: STP/EXB-2835-00(005) / 100134301 – Itawamba County**

The Bidder's attention is called to the Bridge Summary of Quantities in the Contract Plans. HP 14 x 117 Steel Piling, 803-D006, has a quantity of 26,725 Linear Feet. This is in error. Bidders are hereby advised that the correct quantity for HP 14 x 117 Steel Piling, 803-D006, is **24,895 Linear Feet**. The Bid Sheets are correct.

The Bidder is hereby advised of the following corrections on the Bridge Estimated Quantity Sheets in the Contract Plans regarding HP 14 x 117 Steel Piling, 803-D006:

Changes to Plan Working Sheet A1 OF 19

- The amount of Linear Feet of Piling needed for End Bents should be 1040 LF.

Changes to Plan Working Sheet D1 OF 11

- The amount of Linear Feet of Piling needed for Intermediate Bents should be 1120 LF.

Changes to Plan Working Sheet G1 OF 19

- The amount of Linear Feet of Piling needed for Intermediate Bents should be 2680 LF.

The Bidder is also advised that the Working Sheet B1 OF 19 shows Bents 4, 5 and 6 as having 10 Piles per Bent. This is in error. Bents 4, 5 and 6 should have 5 Piles per Bent. This is a typographical error only and does not affect the quantity for HP 14 x 117 Steel Piling.

Bridge Replacement on SR 178 between Clay County & Alabama State Line, Bridge Nos. 117.1, 115.7, 113.5, 115.0, 119.3, 115.2, 115.4, & 114.8, known as Federal Aid Project No. STP/EXB-2835-00(005) / 100134301 in Itawamba County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		10	Acre	Clearing and Grubbing
0030	202-A001		1	Lump Sum	Removal of Obstructions
0040	202-B005		18,858	Square Yard	Removal of Asphalt Pavement, All Depths
0050	202-B064		498	Linear Feet	Removal of Pipe, 8" And Above
0060	202-B070		78	Each	Removal of Sign Including Post & Footing
0070	202-B087		3,431	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0080	202-B097		16,765	Square Yard	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
0090	202-B149		1	Mile	Removal of Traffic Stripe
0100	202-B193		50	Linear Feet	Removal of Box Bridge
0110	203-A003	(E)	42,933	Cubic Yard	Unclassified Excavation, FM, AH
0120	203-EX017	(E)	139,809	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0130	203-F001	(E)	2,178	Cubic Yard	Channel Excavation, FM
0140	203-G003	(E)	50,359	Cubic Yard	Excess Excavation, FM, AH
0150	206-A001	(S)	1,362	Cubic Yard	Structure Excavation
0160	206-B001	(E)	158	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0170	209-A004		50,445	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0180	213-C001		23	Ton	Superphosphate
0190	217-A001		531	Square Yard	Ditch Liner
0200	219-A001		729	Thousand Gallon	Watering [\$20.00]
0210	220-A001		23	Acre	Insect Pest Control [\$30.00]
0220	221-A001	(S)	173	Cubic Yard	Portland Cement Concrete Paved Ditch
0230	223-A001		46	Acre	Mowing [\$50.00]
0240	224-A001		621	Square Yard	Soil Reinforcing Mat
0250	234-A001		21,655	Linear Feet	Temporary Silt Fence
0260	236-A004		6	Each	Silt Basin, Type D
0270	408-A003	(A3)	2,858	Gallon	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
0280	423-A001		5	Mile	Rumble Strips, Ground In
0290	502-A001	(C)	1,408	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0300	503-C007		2,070	Linear Feet	Saw Cut, Full Depth
0310	602-A001	(S)	78,995	Pounds	Reinforcing Steel
0320	603-CA003	(S)	88	Linear Feet	24" Reinforced Concrete Pipe, Class III

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	603-CA008	(S)	120	Linear Feet	54" Reinforced Concrete Pipe, Class III
0340	603-CB002	(S)	6	Each	24" Reinforced Concrete End Section
0350	603-CB003	(S)	2	Each	30" Reinforced Concrete End Section
0360	603-CB006	(S)	2	Each	48" Reinforced Concrete End Section
0370	603-CB007	(S)	4	Each	54" Reinforced Concrete End Section
0380	603-RA002	(S)	28	Linear Feet	18" Pipe Removed and Relaid
0390	603-RA003	(S)	40	Linear Feet	24" Pipe Removed and Relaid
0400	606-B001		3,200	Linear Feet	Guard Rail, Class A, Type 1
0410	606-D012		32	Each	Guard Rail, Bridge End Section, Type I
0420	606-E002		32	Each	Guard Rail, Terminal End Section, Flared
0430	609-D007	(S)	378	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0440	615-A018	(S)	320	Linear Feet	Concrete Bridge End Barrier, 33.5"
0450	619-A1004		7	Mile	Temporary Traffic Stripe, Continuous White, Paint
0460	619-A2004		4	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint
0470	619-A4007		3	Mile	Temporary Traffic Stripe, Skip Yellow, Paint
0480	619-A5002		12,505	Linear Feet	Temporary Traffic Stripe, Detail, Paint
0490	619-A6001		1,242	Linear Feet	Temporary Traffic Stripe, Legend
0500	619-C7001		123	Each	Two-Way Yellow Reflective High Performance Raised Marker
0510	619-D1001		807	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0520	619-D2001		1,138	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0530	619-F1001		585	Linear Feet	Concrete Median Barrier, Precast
0540	619-F3004		36	Each	Delineators, Guard Rail, White
0550	619-G4001		354	Linear Feet	Barricades, Type III, Single Faced
0560	619-G4005		12	Linear Feet	Barricades, Type III, Double Faced
0570	619-G5001		195	Each	Free Standing Plastic Drums
0580	619-G7001		12	Each	Warning Lights, Type "B"
0590	619-J1005		8	Unit	Impact Attenuator, 45 MPH
0600	619-K1001		300	Linear Feet	Installation and Removal of Guard Rail, Type I, Class A
0610	619-K4001		12	Each	Installation and Removal of Guardrail, Terminal End Section
0620	620-A001		1	Lump Sum	Mobilization
0630	622-A002		1	Each	Engineer's Field Office Building, Type 2
0640	627-J001		232	Each	Two-Way Clear Reflective High Performance Raised Markers
0650	627-L001		252	Each	Two-Way Yellow Reflective High Performance Raised Markers
0660	630-A001		45	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	630-A002		301	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0680	630-F001		176	Each	Delineators, Guard Rail, White
0690	630-G002		48	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
0700	815-A009	(S)	8,109	Ton	Loose Riprap, Size 300
0710	815-E001	(S)	7,759	Square Yard	Geotextile under Riprap
0720	907-216-A001		36,473	Square Yard	Solid Sodding
0730	907-225-A001		60	Acre	Grassing
0740	907-225-B001		138	Ton	Agricultural Limestone
0750	907-225-C001		119	Ton	Mulch, Vegetative Mulch
0760	907-226-A001		60	Acre	Temporary Grassing
0770	907-228-A001		29,432	Square Yard	Erosion Control Blanket, Type I
0780	907-228-A002		12,336	Square Yard	Erosion Control Blanket, Type II
0790	907-229-A001		310	Square Yard	Erosion Mat
0800	907-234-C002		1,122	Linear Feet	Super Silt Fence
0810	907-237-A003		3,100	Linear Feet	Wattles, 20"
0820	907-245-A001		1,356	Linear Feet	Triangular Silt Dike
0830	907-246-A002		900	Each	Sandbags
0840	907-247-A001		3	Each	Temporary Stream Diversion
0850	907-249-A001		1,359	Ton	Riprap for Erosion Control
0860	907-249-B001		510	Cubic Yard	Remove and Reset Riprap
0870	907-250-A001		229	Pounds	Polyacrylamide (PAM)
0880	907-253-A001		1,071	Linear Feet	Coir Fiber Baffle
0890	907-254-A001		3,021	Linear Feet	Sediment Retention Barrier
0900	907-257-A001		6	Each	Floating Skimmer System
0910	907-304-C007	(GY)	6,113	Cubic Yard	Granular Material, AEA, Class 3, Group C
0920	907-403-A017	(BA1)	5,409	Ton	9.5-mm, ST, Asphalt Pavement
0930	907-403-A018	(BA1)	3,031	Ton	12.5-mm, ST, Asphalt Pavement
0940	907-403-A019	(BA1)	5,085	Ton	19-mm, ST, Asphalt Pavement
0950	907-403-C009	(BA1)	297	Ton	19-mm, ST, Asphalt Pavement, Trench Widening
0960	907-406-A001		8,533	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0970	907-407-A001	(A2)	4,023	Gallon	Asphalt for Tack Coat
0980	907-413-E001		576	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0990	907-601-A001	(S)	512	Cubic Yard	Class "B" Structural Concrete



Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1000	907-601-B003	(S)	2	Cubic Yard	Class "B" Structural Concrete, Minor Structures
1010	907-603-ALT01	(S)	640	Linear Feet	18" Type A Alternate Pipe
1020	907-603-ALT02	(S)	288	Linear Feet	24" Type A Alternate Pipe
1030	907-603-ALT03	(S)	56	Linear Feet	30" Type A Alternate Pipe
1040	907-603-ALT04	(S)	72	Linear Feet	36" Type A Alternate Pipe
1050	907-603-ALT05	(S)	64	Linear Feet	42" Type A Alternate Pipe
1060	907-603-ALT06	(S)	72	Linear Feet	48" Type A Alternate Pipe
1070	907-617-A001		130	Each	Right-of-Way Marker
1080	907-618-A001		1	Lump Sum	Maintenance of Traffic
1090	907-618-C001		1	Lump Sum	Construction and Removal of Detour Bridge (SITE 1 - STA. 47+54 - 3@31' SPAN)
1100	907-618-C001		1	Lump Sum	Construction and Removal of Detour Bridge (SITE 3 - STA. 39+20 - 3@31' SPANS)
1110	907-618-C001		1	Lump Sum	Construction and Removal of Detour Bridge (SITE 5 - STA. 52+99 - 3@31' SPANS)
1120	907-618-E001		4,875	Linear Feet	Detour Bridge Piling
1130	907-618-F003		1	Lump Sum	Detour Bridge PDA Test Pile
1140	907-619-E3001		2	Each	Changeable Message Sign
1150	907-626-C004		5	Mile	6" Thermoplastic Edge Stripe, Continuous White
1160	907-626-D003		2	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
1170	907-626-E004		2	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
1180	907-626-G004		1,813	Linear Feet	Thermoplastic Detail Stripe, White
1190	907-626-H004		746	Linear Feet	Thermoplastic Legend, White
1200	907-630-C003		724	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
1210	907-630-O003		2	Each	Remove and Reset Sign, All Sizes
1220	907-699-A002		1	Lump Sum	Roadway Construction Stakes
1230	907-815-F001	(S)	428	Ton	Sediment Control Stone
1240	907-906001		520	Hours	Trainees [\$5.00]
<b>ALTERNATE GROUP AA NUMBER 1</b>					
1250	907-304-F002	(GT)	15,968	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
1260	907-304-F003	(GT)	15,968	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
1270	907-304-F004	(GT)	15,968	Ton	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>					
1280	907-626-J003		5,022	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1290	907-626-K003		1,536	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1300	907-626-L001		1,950	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP BB NUMBER 2</b>					
1310	628-J002		5,022	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1320	628-L002		1,536	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1330	628-M002		1,950	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
<b>Bridge Items</b>					
1340	501-K001		8,871	Square Yard	Transverse Grooving
1350	803-B002	(S)	8	Each	Conventional Static Pile Load Test [\$5,000.00]
1360	803-D006	(S)	24,895	Linear Feet	HP 14 x 117 Steel Piling
1370	803-D013	(S)	1,710	Linear Feet	HP 16 x 141 Steel Piling
1380	803-I003	(S)	25	Each	PDA Test Pile, HP Steel Pile
1390	803-I004	(S)	2	Each	PDA Test Pile, Steel Pipe Pile
1400	803-J001	(S)	16	Each	Pile Restrike
1410	805-A001	(S)	714,177	Pounds	Reinforcement
1420	813-A002	(S)	5,020	Linear Feet	Concrete Railing, 32"
1430	815-A009	(S)	6,327	Ton	Loose Riprap, Size 300
1440	815-E001	(S)	9,089	Square Yard	Geotextile under Riprap
1450	907-803-PP007		855	Linear Feet	24" Steel Pipe Piling, Wall Thickness 0.750"
1460	907-804-A018	(S)	1,161	Cubic Yard	Bridge Concrete, Substructure, Class AA
1470	907-804-A019	(S)	2,677	Cubic Yard	Bridge Concrete, Superstructure, Class AA
1480	907-804-C012	(S)	674	Linear Feet	135' Prestressed Concrete Beam, Type BT-72
1490	907-804-C016	(S)	4,335	Linear Feet	40' Prestressed Concrete Beam, Type I+2
1500	907-804-C019	(S)	2,973	Linear Feet	60' Prestressed Concrete Beam, Type II+2
1510	907-804-C030	(S)	798	Linear Feet	80' Prestressed Concrete Beam, Type III
1520	907-804-C150	(S)	1,098	Linear Feet	110' Prestressed Concrete Beam, Type IV
1530	907-804-C154	(S)	1,489	Linear Feet	75' Prestressed Concrete Beam, Type III
1532	907-804-C171	(S)	998	Linear Feet	100' Prestressed Concrete Beam, Type IV