


Proposal & Plan Sales Will Begin on January 2, 2017



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For January - January 24, 2017



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JANUARY - Tuesday, January 24, 2017

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 2, 2017

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, January 24, 2017; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	NH-0009-01(136)/107431301	WILKINSON
02	NH-0015-02(097)/107432301	COVINGTON
* 03	NH-0015-02(098)/107468301	WAYNE
04	IM-0055-01(105) / 106617301	COPIAH
05	IM-0055-02(229)/106389301 & IM-0055-02(230)/106389302	HINDS, MADISON
06	IM-0055-03(088)/107071301	YALOBUSHA
* 07	STP-0045-01(015) / 107433301 & STP-0023-02(060) / 107433302	SCOTT
08	BR-0504-00(009) / 105836301	SHARKEY
09	STP/EXB-2835-00(005)/100134301	ITAWAMBA
* 10	MP-2000-49(078)/305893301	MONTGOMERY

CALL No. 01

Overlay on US 61 from junction SR 563 North 7 miles to Buffalo Road known as Federal Aid Project No. NH-0009-01(136) / 107431301 in Wilkinson County.

PROJECT COMPLETION: 82 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

75	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
10,177	Linear Feet	202-B076	Removal of Traffic Stripe
23	Mile	423-A001	Rumble Strips, Ground In
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
15	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A3006	Temporary Traffic Stripe, Skip White
36,220	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
720	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
251	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,474	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
120	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
47	Each	630-F001	Delineators, Guard Rail, White
49	Each	630-F002	Delineators, Guard Rail, Yellow
36	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
36	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
9,373	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
21,252	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
26	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
71	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
1,310	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
21,656	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
21,660	Gallon	907-407-A001	Asphalt for Tack Coat

2,088	Square Feet	907-412-A002	Pre-Grinding
4,330	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8,200	Pounds	907-420-A001	Undersealing Concrete Pavement
56	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
13	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
17,633	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,052	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
960	Linear Feet	907-626-H004	Thermoplastic Legend, White
390	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

79	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
----	------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

79	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
----	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

79	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
----	------------	--------------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

4,523	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,523	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
4,523	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

4,523	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,523	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,523	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Overlay approximately 6 miles of US 84 beginning at Jefferson Davis County Line East, known as Federal Aid Project No. NH-0015-02(097) / 107432301 in Covington County.

PROJECT COMPLETION: 72 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,885	Linear Feet	202-B076	Removal of Traffic Stripe
17	Mile	423-A001	Rumble Strips, Ground In
13	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3006	Temporary Traffic Stripe, Skip White
31,335	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,544	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
519	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
420	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
862	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
297	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
84	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
28	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
14,335	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
16,668	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
1,013	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
13,058	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
16,994	Gallon	907-407-A001	Asphalt for Tack Coat
2,942	Square Feet	907-412-A002	Pre-Grinding
5,400	Pounds	907-420-A001	Undersealing Concrete Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

9 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
17,700 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,635 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,544 Linear Feet	907-626-H004	Thermoplastic Legend, White
519 Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

1,300 Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,300 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,300 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,300 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,300 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,300 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 03

Overlay approximately 6 miles of US 84 from Reservoir Rd. to Chickasawhay River Bridge, known as Federal Aid Project No. NH-0015-02(098) / 107468301 in Wayne County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

8,100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
22	Mile	423-A001	Rumble Strips, Ground In
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
25	Mile	619-A3006	Temporary Traffic Stripe, Skip White
42,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,350	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
535	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,510	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
335	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,600	Ton	907-304-F004	Size 825B Crushed Stone Base
17,000	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
2,730	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
9,650	Ton	907-403-B020	9.5-mm, HT, Asphalt Pavement, Leveling
7,040	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
46,340	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
30,415	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

22,440 Linear Feet

907-626-G005 Thermoplastic Detail Stripe, Yellow

1,900 Linear Feet

907-626-H004 Thermoplastic Legend, White

CALL No. 04

Mill and Overlay approximately 11 miles of I-55 from Hazlehurst to Crystal Springs, known as Federal Aid Project No. IM-0055-01(105) / 106617301 in Covich County.

PROJECT COMPLETION: 132 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

94 Acre	201-D002	Random Clearing
2,245 Linear Feet	202-B076	Removal of Traffic Stripe
47 Ton	213-C001	Superphosphate
47 Acre	220-A001	Insect Pest Control
94 Acre	223-A001	Mowing
75,000 Linear Feet	234-A001	Temporary Silt Fence
5,032 Bale	235-A001	Temporary Erosion Checks
42 Mile	423-A001	Rumble Strips, Ground In
47 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
49 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
50 Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
10,000 Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
1,400 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
128 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
488 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
1 Lump Sum	620-A001	Mobilization
2,700 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
190 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
94 Acre	907-225-A001	Grassing
47 Ton	907-225-B001	Agricultural Limestone
188 Ton	907-225-C001	Mulch, Vegetative Mulch
94 Acre	907-226-A001	Temporary Grassing
1,007 Linear Feet	907-237-A003	Wattles, 20"

1,007	Linear Feet	907-245-A001	Triangular Silt Dike
2,000	Each	907-246-B002	Rockbags
1,007	Ton	907-249-A001	Riprap for Erosion Control
3,787	Ton	907-304-B007	Granular Material, Class 5, Group E
684	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,166	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
34,000	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
42,000	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
88	Mile	907-403-S004	Joint Sealant
14,198	Gallon	907-405-E002	Fog Seal for Scrub Seal
75,000	Ton	907-406-D003	Fine Milling of Bituminous Pavement, All Depths
40,161	Gallon	907-407-A001	Asphalt for Tack Coat
8,125	Square Yard	907-409-A002	Geogrid, 3/4" x 1"
8,125	Square Yard	907-409-A003	Geogrid, 1" x 1"
407	Gallon	907-409-B002	Tack Coat for Geogrid
1	Lump Sum	907-618-A001	Maintenance of Traffic
24	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
26	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
26	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,300	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

1,400	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,975	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,975	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,400	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,975	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,975	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 05

Mill & Overlay approximately 8 miles of I-55 from Rankin County Line to Madison County Line, & approximately 2 miles of I-55 from Hinds County Line to Ridgeland, known as Federal Aid Project Nos. IM-0055-02(229) / 106389301, & IM-0055-02(230) / 106389302 in Hinds & Madison Counties.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

388	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
8,510	Linear Feet	202-B076	Removal of Traffic Stripe
2,953	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
388	Square Yard	202-B112	Removal of Concrete Pavement, Failed Areas
200	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,000	Linear Feet	234-A001	Temporary Silt Fence
3,366	Linear Feet	413-B001	Cleaning and Sealing Joints
40	Mile	423-A001	Rumble Strips, Ground In
396	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
624	Linear Feet	503-C002	Saw Cut, 3-inch
624	Linear Feet	503-C007	Saw Cut, Full Depth
33	Cubic Yard	503-D001	Concrete for Base Repair
233	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,688	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-C003	Guard Rail, Cable Anchor, Type 1
13	Each	606-D015	Guard Rail, Bridge End Section
51	Each	606-E001	Guard Rail, Terminal End Section
170	Linear Feet	615-A007	Concrete Type IV Modified Cast-in-Place Median Barrier
82	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
82	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
134	Mile	619-A3006	Temporary Traffic Stripe, Skip White
203,140	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
182,504	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
16,188	Square Feet	619-A6002	Temporary Traffic Stripe, Legend

28,216	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
120	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
937	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,316	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
14,108	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
60	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
42	Each	630-F001	Delineators, Guard Rail, White
33	Each	630-F002	Delineators, Guard Rail, Yellow
19,580	Linear Feet	635-A001	Vehicle Loop Assemblies
2,800	Ton	907-304-B007	Granular Material, Class 5, Group E
26,203	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
55,164	Gallon	907-402-B001	Bituminous Tack Coat
17,936	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
68,545	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
200	Ton	907-403-B022	19-mm, HT, Asphalt Pavement, Leveling
34,071	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
3,194	Ton	907-403-E008	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
125	Mile	907-403-S004	Joint Sealant
7,600	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
117,572	Ton	907-406-D003	Fine Milling of Bituminous Pavement, All Depths
53,438	Gallon	907-407-A001	Asphalt for Tack Coat
9,742	Square Yard	907-410-D001	High Friction Surface Treatment
2,580	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
728	Square Yard	907-503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
8,193	Linear Feet	907-606-PP007	Guard Rail Repair, 'W' Beam, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
8	Each	907-619-E3001	Changeable Message Sign

67	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
41	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
41	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
105,500	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
420	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
91,252	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
8,094	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
3	Each	907-688-C001	Traffic Recorder Induction Loop System
520	Hours	907-906001	Trainees

Bridge Items

9,878	Linear Feet	808-A001	Joint Preparation
2,809	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,130	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
5,618	Linear Feet	907-823-B001	Saw Cut, Type I
3,186	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 06

Mill and Overlay approximately 5 miles of I-55 from Grenada County Line to North of SR 330, known as Federal Aid Project No. IM-0055-03(088) / 107071301 in Yalobusha County.

PROJECT COMPLETION: 115 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4 Acre	201-B001	Clearing and Grubbing
3,400 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
400 Linear Feet	202-B041	Removal of Fence, All Types
1,875 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
3,000 Square Yard	202-B072	Removal of Soil Cement Treated Base, All Depths
8 Each	202-B090	Removal of Terminal End Section
1,800 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
3,400 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,200 Cubic Yard	203-G003	Excess Excavation, FM, AH
80 Cubic Yard	206-A001	Structure Excavation
40 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
6,000 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2 Ton	213-C001	Superphosphate
2 Acre	220-A001	Insect Pest Control
3,200 Linear Feet	234-A001	Temporary Silt Fence
28 Mile	423-A001	Rumble Strips, Ground In
12,032 Pounds	602-A001	Reinforcing Steel
1,250 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2,217 Each	606-B025	Guard Rail, Replace Metal Blockout
1 Each	606-C003	Guard Rail, Cable Anchor, Type 1
4 Each	606-D001	Guard Rail, Bridge End Section, Type A
6 Each	606-E002	Guard Rail, Terminal End Section, Flared
4 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
400 Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
2 Each	607-G002	Gate, 12' x 60" Aluminum

15	Each	607-P1013	Line Post, 7' Tee Post Steel
5	Each	607-P1014	Line Post, 9' Tee Post Steel
20	Each	607-P2001	Brace Post, 8' x 6" Timber
4	Each	607-P2002	Brace Post, 10' x 6" Timber
4	Each	607-P3001	Gate Post, 8' x 6" Timber
58	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
58	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
55	Mile	619-A3006	Temporary Traffic Stripe, Skip White
12,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
600	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
92	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
200	Each	619-G5001	Free Standing Plastic Drums
20	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,290	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
96	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
130	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
100	Each	630-F001	Delineators, Guard Rail, White
100	Each	630-F002	Delineators, Guard Rail, Yellow
25	Each	630-F006	Delineators, Post Mounted, Single White
20	Each	630-F007	Delineators, Post Mounted, Single Yellow
100	Each	630-F008	Delineators, Post Mounted, Double White
50	Each	630-F009	Delineators, Post Mounted, Double Yellow
300	Ton	815-A009	Loose Riprap, Size 300

200 Square Yard	815-E001	Geotextile under Riprap
4 Acre	907-225-A001	Grassing
8 Ton	907-225-B001	Agricultural Limestone
8 Ton	907-225-C001	Mulch, Vegetative Mulch
2 Acre	907-226-A001	Temporary Grassing
50 Linear Feet	907-237-A003	Wattles, 20"
18,180 Ton	907-304-B009	Granular Material, Class 3, Group D
12,450 Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
11,250 Gallon	907-402-B001	Bituminous Tack Coat
6,800 Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
9,400 Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
300 Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,050 Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
455 Ton	907-403-A029	19-mm, HT, Asphalt Pavement
18,650 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
24,870 Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
26 Mile	907-403-S004	Joint Sealant
300,000 Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
30,745 Gallon	907-407-A001	Asphalt for Tack Coat
416 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
85 Cubic Yard	907-601-A001	Class "B" Structural Concrete
4 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1 Lump Sum	907-618-A001	Maintenance of Traffic
2 Each	907-619-E3001	Changeable Message Sign
14 Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
15 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12,400 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
600 Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

2 Each	907-630-O003	Remove and Reset Sign, All Sizes
1 Lump Sum	907-699-A002	Roadway Construction Stakes
25 Ton	907-815-F001	Sediment Control Stone
520 Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

2,315 Ton	907-304-F002	Size 610 Crushed Stone Base
-----------	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

2,315 Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

2,315 Ton	907-304-F004	Size 825B Crushed Stone Base
-----------	--------------	------------------------------

CALL No. 07

Mill and Overlay SR 21 to Steele and SR 35 to SR 21, known as Federal Aid Project Nos. STP-0045-01(015) & STP-0023-02(060) / 107433301 & 302 in Scott County.

PROJECT COMPLETION: 75 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,814	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
15	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
244	Linear Feet	202-B038	Removal of Curb, All Types
348	Cubic Yard	203-G004	Excess Excavation, LVM, AH
175	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
100	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
19	Mile	423-A001	Rumble Strips, Ground In
2,084	Linear Feet	503-C007	Saw Cut, Full Depth
215	Linear Feet	609-B001	Concrete Curb, Header
15	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
44	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
13	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
23,030	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,647	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
759	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
972	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
54	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
2,036	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,056	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,853	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
638	Linear Feet	635-A001	Vehicle Loop Assemblies
55	Square Yard	907-216-A001	Solid Sodding

1,067	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
36,847	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
45	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
525	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
1,106	Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
327,208	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
33,039	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
25	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
19	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
28,400	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
18,183	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
7,087	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,672	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White

ALTERNATE GROUP AA NUMBER 1

65	Ton	907-304-F002	Size 610 Crushed Stone Base
----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

65	Ton	907-304-F003	3/4" and Down Crushed Stone Base
----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

65	Ton	907-304-F004	Size 825B Crushed Stone Base
----	-----	--------------	------------------------------

CALL No. 08

Replace Bridge No. 14.4 on SR 16 over Little Sunflower River, known as Federal Aid Project No. BR-0504-00(009) / 105836301 in Sharkey County.

PROJECT COMPLETION: 220 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
8,300	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
280	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
300	Linear Feet	202-B076	Removal of Traffic Stripe
49,750	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
12,700	Cubic Yard	203-G003	Excess Excavation, FM, AH
7,100	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
8	Ton	213-C001	Superphosphate
12	Thousand Gallon	219-A001	Watering
16	Acre	220-A001	Insect Pest Control
15	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
16	Acre	223-A001	Mowing
50	Bale	235-A001	Temporary Erosion Checks
74	Linear Feet	501-E001	Expansion Joints, Without Dowels
152	Square Yard	501-K001	Transverse Grooving
164	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
275	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
3	Each	606-D012	Guard Rail, Bridge End Section, Type I
3	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
6,500	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
6,500	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
150	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

384	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
288	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
60	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
65	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	629-A002	Vehicular Impact Attenuator, 60 MPH
18	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
15	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
15	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
1,450	Square Yard	815-E001	Geotextile under Riprap
600	Square Yard	907-216-A001	Solid Sodding
16	Acre	907-225-A001	Grassing
50	Ton	907-225-B001	Agricultural Limestone
31	Ton	907-225-C001	Mulch, Vegetative Mulch
16	Acre	907-226-A001	Temporary Grassing
3,500	Square Yard	907-229-A001	Erosion Mat
9,950	Linear Feet	907-234-C002	Super Silt Fence
500	Linear Feet	907-234-F001	Turbidity Barrier
3,050	Linear Feet	907-237-A003	Wattles, 20"
550	Linear Feet	907-245-A001	Triangular Silt Dike
100	Each	907-246-B002	Rockbags
750	Ton	907-249-A001	Riprap for Erosion Control
1,100	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
800	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
1,150	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
100	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening

2,600	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
1,700	Gallon	907-407-A001	Asphalt for Tack Coat
45	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
112	Linear Feet	907-603-ALT06	48" Type A Alternate Pipe
15	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
5,850	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,850	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
113	Linear Feet	907-630-C003	Steel U-Section Posts, 3.0 lb/ft
1	Lump Sum	907-699-A002	Roadway Construction Stakes
2,828	Square Yard	907-832-PP001	Bridge Concrete Mat

ALTERNATE GROUP AA NUMBER 1

4,250	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

4,250	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

4,250	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

ALTERNATE GROUP BB NUMBER 1

700	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
700	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

700	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
700	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

1,150	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
550	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
2,250	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4	Each	803-I002	PDA Test Pile, Concrete Pile
2	Each	803-J001	Pile Restrike
136,934	Pounds	805-A001	Reinforcement

693	Linear Feet	813-A002	Concrete Railing, 32"
862	Ton	815-A009	Loose Riprap, Size 300
224	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
351	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
1,377	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
324	Linear Feet	907-804-C275	65' Prestressed Concrete Beam, Type II+2

CALL No. 09

Bridge Replacement on SR 178 between Clay County & Alabama State Line, Bridge Nos. 117.1, 115.7, 113.5, 115.0, 119.3, 115.2, 115.4, & 114.8, known as Federal Aid Project No. STP/EXB-2835-00(005) / 100134301 in Itawamba County.

PROJECT COMPLETION: MAY 30, 2019

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
10	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
18,858	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
498	Linear Feet	202-B064	Removal of Pipe, 8" And Above
78	Each	202-B070	Removal of Sign Including Post & Footing
3,431	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
16,765	Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
1	Mile	202-B149	Removal of Traffic Stripe
50	Linear Feet	202-B193	Removal of Box Bridge
42,933	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
139,809	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
2,178	Cubic Yard	203-F001	Channel Excavation, FM
50,359	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,362	Cubic Yard	206-A001	Structure Excavation
158	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
50,445	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
23	Ton	213-C001	Superphosphate
531	Square Yard	217-A001	Ditch Liner
729	Thousand Gallon	219-A001	Watering
23	Acre	220-A001	Insect Pest Control
173	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
46	Acre	223-A001	Mowing
621	Square Yard	224-A001	Soil Reinforcing Mat
21,655	Linear Feet	234-A001	Temporary Silt Fence

6	Each	236-A004	Silt Basin, Type D
2,858	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5	Mile	423-A001	Rumble Strips, Ground In
1,408	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,070	Linear Feet	503-C007	Saw Cut, Full Depth
78,995	Pounds	602-A001	Reinforcing Steel
88	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
120	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
6	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
4	Each	603-CB007	54" Reinforced Concrete End Section
28	Linear Feet	603-RA002	18" Pipe Removed and Relaid
40	Linear Feet	603-RA003	24" Pipe Removed and Relaid
3,200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
32	Each	606-D012	Guard Rail, Bridge End Section, Type I
32	Each	606-E002	Guard Rail, Terminal End Section, Flared
378	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
320	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
7	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
3	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
12,505	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,242	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
123	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
807	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,138	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
585	Linear Feet	619-F1001	Concrete Median Barrier, Precast
36	Each	619-F3004	Delineators, Guard Rail, White
354	Linear Feet	619-G4001	Barricades, Type III, Single Faced

12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
195	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
8	Unit	619-J1005	Impact Attenuator, 45 MPH
300	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	622-A002	Engineer's Field Office Building, Type 2
232	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
252	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
45	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
301	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
176	Each	630-F001	Delineators, Guard Rail, White
48	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
8,109	Ton	815-A009	Loose Riprap, Size 300
7,759	Square Yard	815-E001	Geotextile under Riprap
36,473	Square Yard	907-216-A001	Solid Sodding
60	Acre	907-225-A001	Grassing
138	Ton	907-225-B001	Agricultural Limestone
119	Ton	907-225-C001	Mulch, Vegetative Mulch
60	Acre	907-226-A001	Temporary Grassing
29,432	Square Yard	907-228-A001	Erosion Control Blanket, Type I
12,336	Square Yard	907-228-A002	Erosion Control Blanket, Type II
310	Square Yard	907-229-A001	Erosion Mat
1,122	Linear Feet	907-234-C002	Super Silt Fence
3,100	Linear Feet	907-237-A003	Wattles, 20"
1,356	Linear Feet	907-245-A001	Triangular Silt Dike
900	Each	907-246-A002	Sandbags
3	Each	907-247-A001	Temporary Stream Diversion

1,359	Ton	907-249-A001	Riprap for Erosion Control
510	Cubic Yard	907-249-B001	Remove and Reset Riprap
229	Pounds	907-250-A001	Polyacrylamide (PAM)
1,071	Linear Feet	907-253-A001	Coir Fiber Baffle
3,021	Linear Feet	907-254-A001	Sediment Retention Barrier
6	Each	907-257-A001	Floating Skimmer System
6,113	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
5,409	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
3,031	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
5,085	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
297	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
8,533	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
4,023	Gallon	907-407-A001	Asphalt for Tack Coat
576	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
512	Cubic Yard	907-601-A001	Class "B" Structural Concrete
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
640	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
288	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
56	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
72	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
64	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
72	Linear Feet	907-603-ALT06	48" Type A Alternate Pipe
130	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge (SITE 1 - STA. 47+54 - 3@31' SPAN)
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge (SITE 3 - STA. 39+20 - 3@31' SPANS)
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge (SITE 5 - STA. 52+99 - 3@31' SPANS)
4,875	Linear Feet	907-618-E001	Detour Bridge Piling
1	Lump Sum	907-618-F003	Detour Bridge PDA Test Pile
2	Each	907-619-E3001	Changeable Message Sign

5 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,813 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
746 Linear Feet	907-626-H004	Thermoplastic Legend, White
724 Linear Feet	907-630-C003	Steel U-Section Posts, 3.0 lb/ft
2 Each	907-630-O003	Remove and Reset Sign, All Sizes
1 Lump Sum	907-699-A002	Roadway Construction Stakes
428 Ton	907-815-F001	Sediment Control Stone
520 Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

15,968 Ton	907-304-F002	Size 610 Crushed Stone Base
------------	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

15,968 Ton	907-304-F003	3/4" and Down Crushed Stone Base
------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

15,968 Ton	907-304-F004	Size 825B Crushed Stone Base
------------	--------------	------------------------------

ALTERNATE GROUP BB NUMBER 1

5,022 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,536 Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,950 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

5,022 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,536 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,950 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

8,871 Square Yard	501-K001	Transverse Grooving
8 Each	803-B002	Conventional Static Pile Load Test
26,725 Linear Feet	803-D006	HP 14 x 117 Steel Piling
1,710 Linear Feet	803-D013	HP 16 x 141 Steel Piling
25 Each	803-I003	PDA Test Pile, HP Steel Pile
2 Each	803-I004	PDA Test Pile, Steel Pipe Pile

16	Each	803-J001	Pile Restrike
714,177	Pounds	805-A001	Reinforcement
5,020	Linear Feet	813-A002	Concrete Railing, 32"
6,327	Ton	815-A009	Loose Riprap, Size 300
9,089	Square Yard	815-E001	Geotextile under Riprap
855	Linear Feet	907-803-PP007	24" Steel Pipe Piling, Wall Thickness 0.750"
1,161	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
2,677	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
674	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
4,335	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
2,973	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
798	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
2,096	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
1,489	Linear Feet	907-804-C154	75' Prestressed Concrete Beam, Type III

CALL No. 10

Scrub Seal & Overlay on SR 404, SR 407, & SR 413, known as State Project No. MP-2000-49(078) / 305893301 in Montgomery County.

PROJECT COMPLETION: AUGUST 31, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

140	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
64	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
54	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
350	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
3,325	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
750	Ton	907-304-B009	Granular Material, Class 3, Group D
442,030	Square Yard	907-405-D001	Scrub Seal
9,500	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
19,595	Ton	907-411-A003	Ultra Thin Asphalt Pavement
23,200	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Square Feet	907-618-B001	Additional Construction Signs
70	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
27	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
32	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
250	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
175	Linear Feet	907-626-H004	Thermoplastic Legend, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR