


Proposal & Plan Sales Will Begin on March 6, 2017



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For March - March 28, 2017**



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR MARCH - Tuesday, March 28, 2017

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 6, 2017

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 28, 2017; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	IM-0059-01(115)/107073301 & IM-0059-01(115)/107073302	FORREST, LAMAR
* 02	STP-0008-05(030)/107502301	LEFLORE
03	IM-0020-01(206)/106393301	RANKIN
04	BR-0020-01(241)/107398301	WARREN
05	STP-0049-01(038)/106298301	FRANKLIN
06	BR-0054-02(029)/107403301 & BR-0054-02(029)/107403302	HINDS, WARREN
07	NH-0055-04(079)/102098301 & NH-0055-04(079)/102098302	PANOLA, TATE
* 08	BR-0055-04(106)/107394301	DESOTO
09	BR-0075-01(011)/102482302	LAUDERDALE
10	STP-7314-00(029)/107262301	RANKIN
11	BR-9999-01(250)/107019301	ITAWAMBA
12	NHPP-9999-05(027) / 107258301 & NHPP-9999-05(027)/107258302 & NHPP-9999-05(027)/107258303	HINDS, MADISON, SCOTT
13	SP-0018-01(002)/107487301 & SP-0018-01(002)/107487302	HUMPHREYS, WASHINGTON
14	EXB-0044-01(029)/102381302	UNION



CALL No. 01

Mill & Overlay approximately 5 miles of I-59 from Lamar County Line to US 98 East and approximately 1 mile from Black Creek to Forrest County Line, known as Federal Aid Project Nos. IM-0059-01(115) / 107073301 & IM-0059-01(115) / 107073302 in Forrest & Lamar Counties.

PROJECT COMPLETION: 96 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

29 Acre	201-D002	Random Clearing
600 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
126,520 Linear Feet	202-B076	Removal of Traffic Stripe
1,587 Linear Feet	202-B102	Removal of Guard Rail
150 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
500 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
750 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2 Acre	223-A001	Mowing
1,500 Linear Feet	234-A001	Temporary Silt Fence
25 Mile	423-A001	Rumble Strips, Ground In
1,037 Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2 Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
1 Each	606-D010	Guard Rail, Bridge End Section, Type H, Metal Post
5 Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
8 Each	606-E002	Guard Rail, Terminal End Section, Flared
105 Linear Feet	615-A007	Concrete Type IV Modified Cast-in-Place Median Barrier
48 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
48 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
39 Mile	619-A3006	Temporary Traffic Stripe, Skip White
6,876 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
40 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
248 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
500 Linear Feet	619-F1006	Portable Median Barrier, Permanent
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced

170	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1,367	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
21	Each	630-F001	Delineators, Guard Rail, White
30	Each	630-F002	Delineators, Guard Rail, Yellow
1	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
11	Acre	907-225-A001	Grassing
500	Linear Feet	907-237-A003	Wattles, 20"
9,156	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
26,884	Gallon	907-402-B001	Bituminous Tack Coat
14,666	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
3,710	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
15,214	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
12,284	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
23	Mile	907-403-S004	Joint Sealant
8,663	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
52,432	Gallon	907-407-A001	Asphalt for Tack Coat
1,032	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
14	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,965	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
<b>ALTERNATE GROUP AA NUMBER 1</b>			
11,785	Ton	907-304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
11,785	Ton	907-304-F003	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
11,785	Ton	907-304-F004	Size 825B Crushed Stone Base

CALL No. 02

Mill & Overlay approximately 4 miles US 49 East from Pelucia Creek to US 82, known as Federal Aid Project No. STP-0008-05(030) /107502301 in Leflore County.

PROJECT COMPLETION: 47 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

430	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
276	Linear Feet	202-B076	Removal of Traffic Stripe
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
7	Mile	423-A001	Rumble Strips, Ground In
1,200	Linear Feet	503-C007	Saw Cut, Full Depth
69	Each	606-B025	Guard Rail, Replace Metal Blockout
164	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
57	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
18,634	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,009	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,023	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,500	Ton	907-304-B009	Granular Material, Class 3, Group D
5,920	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
150	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
350	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
67,900	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
5,100	Gallon	907-407-A001	Asphalt for Tack Coat
15,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic

1 Square Feet	907-618-B001	Additional Construction Signs
1 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,317 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,900 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,900 Linear Feet	907-626-H004	Thermoplastic Legend, White

**ALTERNATE GROUP AA NUMBER 1**

650 Ton	907-304-F002	Size 610 Crushed Stone Base
---------	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

650 Ton	907-304-F003	3/4" and Down Crushed Stone Base
---------	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

650 Ton	907-304-F004	Size 825B Crushed Stone Base
---------	--------------	------------------------------



CALL No. 03

Mill & Overlay approximately 5 miles on I-20 from Crossgates to East Brandon, known as Federal Aid Project No. IM-0020-01(206) / 106393301 in Rankin County.

PROJECT COMPLETION: OCTOBER 17, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

15 Acre	201-D002	Random Clearing
441 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
298 Square Yard	202-B013	Removal of Cement Treated Base, All Depths
201 Square Yard	202-B025	Removal of Concrete Paved Ditch
364 Linear Feet	202-B041	Removal of Fence, All Types
1 Each	202-B042	Removal of Flared End Section, All Sizes
1 Each	202-B057	Removal of Inlets, All Sizes
297 Square Yard	202-B068	Removal of Reinforced Concrete Pavement, All Depths
3,179 Linear Feet	202-B076	Removal of Traffic Stripe
10 Each	202-B086	Removal of Guard Post
2,738 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
10 Each	202-B116	Removal of Trees Greater Than 20"
1 Mile	202-B149	Removal of Traffic Stripe
519 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
3 Cubic Yard	206-A001	Structure Excavation
100 Square Yard	217-A001	Ditch Liner
8 Thousand Gallon	219-A001	Watering
24 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
226 Acre	223-A001	Mowing
400 Linear Feet	234-A001	Temporary Silt Fence
18 Mile	423-A001	Rumble Strips, Ground In
217 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
648 Linear Feet	503-C002	Saw Cut, 3-inch
648 Linear Feet	503-C007	Saw Cut, Full Depth
10 Cubic Yard	503-D001	Concrete for Base Repair

109	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,338	Each	512-A001	Holes
184	Linear Feet	603-CA126	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
1	Each	603-CB001	18" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
1,900	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D002	Guard Rail, Bridge End Section, Type C
23	Each	606-E002	Guard Rail, Terminal End Section, Flared
10	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-F001	Special Sections, Bridge Connector
364	Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
1	Each	607-G038	Gate, 12' x 60" Chain Link
32	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
26	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
1	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
27	Each	607-Z001	Concrete Anchors
9	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
10	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
10	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
34,122	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,700	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
896	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
100	Linear Feet	619-F1001	Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
2	Each	619-G7001	Warning Lights, Type "B"
2	Unit	619-J1003	Impact Attenuator, 60 MPH
2	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization

1,700	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
160	Each	630-F001	Delineators, Guard Rail, White
83	Each	630-F002	Delineators, Guard Rail, Yellow
80	Each	630-F006	Delineators, Post Mounted, Single White
23	Each	630-F007	Delineators, Post Mounted, Single Yellow
117	Each	630-F008	Delineators, Post Mounted, Double White
21	Each	630-F009	Delineators, Post Mounted, Double Yellow
111	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-225-A001	Grassing
1	Ton	907-225-B001	Agricultural Limestone
2	Ton	907-225-C001	Mulch, Vegetative Mulch
200	Linear Feet	907-237-A003	Wattles, 20"
100	Each	907-246-B002	Rockbags
984	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
10,808	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
19,794	Gallon	907-402-B001	Bituminous Tack Coat
7,781	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
2,247	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
20,335	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
1,482	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
5,143	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
3,733	Square Yard	907-406-B001	Cold Milling of Concrete Pavement, All Depths
252,748	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
188,454	Gallon	907-407-A001	Asphalt for Tack Coat
1,088	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
297	Square Yard	907-503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
24,534	Pounds	907-512-B006	Portland Cement Pressure Grout Slurry, Type 6
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic

3	Each	907-619-E3001	Changeable Message Sign
10	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
28,210	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
5,912	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
14	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Each	907-687-A018	Traffic Recorder Classification Permanent System

**Bridge Items**

48	Pounds	805-A001	Reinforcement
1,344	Linear Feet	808-A001	Joint Preparation
56	Square Yard	815-B001	Grouted Riprap
672	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,344	Linear Feet	907-823-B001	Saw Cut, Type I

Bridge Repair on I-20 West to US 61 South Ramp, known as Federal Aid Project No. BR-0020-01(241) / 107398301000 Warren County.

PROJECT COMPLETION: MARCH 16, 2018

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

86	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
386	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
1,400	Linear Feet	619-F1001	Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign

**ALTERNATE GROUP AA NUMBER 1**

80	Ton	907-304-F002	Size 610 Crushed Stone Base
----	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

80	Ton	907-304-F003	3/4" and Down Crushed Stone Base
----	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

80	Ton	907-304-F004	Size 825B Crushed Stone Base
----	-----	--------------	------------------------------

**Bridge Items**

42	Square Yard	202-B036	Removal of Concrete Slope Paving
170	Linear Feet	808-A001	Joint Preparation
7	Cubic Yard	815-D001	Concrete Slope Paving
85	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
85	Linear Feet	907-823-B002	Saw Cut, Type II
12	Each	907-824-PP095	Bridge Repair, Masonry Plate Removal and Replacment
84	Linear Feet	907-824-PP097	Bridge Repair, End Wall Removal and Repair
775	Square Feet	907-824-PP098	Bridge Repair, Painting of Steel Structure

CALL No. 05

Bank Stabilization on SR 33 at Hommochitto River Bridge, known as Federal Aid Project No. STP-0049-01(038) / 106298301 in Franklin County.

PROJECT COMPLETION: 180 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

9 Acre	201-B001	Clearing and Grubbing
4,855 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
71 Cubic Yard	206-A001	Structure Excavation
71 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
15,510 Square Yard	209-A001	Geotextile Stabilization, Type V
5 Ton	213-C001	Superphosphate
10 Thousand Gallon	219-A001	Watering
9 Acre	220-A001	Insect Pest Control
15 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
6 Acre	223-A001	Mowing
8,090 Linear Feet	234-A001	Temporary Silt Fence
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
280 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
1 Lump Sum	620-A001	Mobilization
4,360 Square Yard	815-E001	Geotextile under Riprap
42 Station	907-201-C001	Random Clearing and Grubbing
2 Acre	907-201-C002	Random Clearing and Grubbing
500 Square Yard	907-216-A001	Solid Sodding
9 Acre	907-225-A001	Grassing
5 Ton	907-225-B001	Agricultural Limestone
18 Ton	907-225-C001	Mulch, Vegetative Mulch
9 Acre	907-226-A001	Temporary Grassing
1,200 Square Yard	907-228-A001	Erosion Control Blanket, Type I

4,400	Linear Feet	907-234-F001	Turbidity Barrier
2,000	Linear Feet	907-237-A003	Wattles, 20"
5,772	Cubic Yard	907-276-A001	Excavation for Stone Dike and Tiebacks, AEA AH
5,934	Cubic Yard	907-276-B001	Excavation for Stone Revetment, FM, AH
6,830	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
425	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
8	Each	907-617-A001	Right-of-Way Marker
23	Each	907-617-B001	Permanent Easement Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-699-A002	Roadway Construction Stakes
8,160	Ton	907-815-A001	Loose Riprap, Size 500
29,760	Ton	907-815-A003	Loose Riprap, Size 300

CALL No. 06

Bridge Repair on SR 27 at Big Black River Bridge No. 117.9, known as Federal Aid Project Nos. BR-0054-02(029) / 107403301 & 302 in Hinds & Warren Counties.

PROJECT COMPLETION: 83 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

400	Linear Feet	234-A001	Temporary Silt Fence
36	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
280	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
22	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

**Bridge Items**

1	Lump Sum	201-A001	Clearing and Grubbing
13,456	Ton	815-A010	Loose Riprap, Size 500
7,172	Square Yard	815-E001	Geotextile under Riprap
640	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-824-PP093	Bridge Repair, Bank Reshaping
18	Each	907-824-PP095	Bridge Repair, Cap Cleaning



CALL No. 07

Work Necessary for the Construction of the Truck Scales on I-55 on the North & South Bound Lanes, known as Federal Aid Project Nos. NH-0055-04(079) / 102098301 & 302 in Panola & Tate Counties.

PROJECT COMPLETION: MARCH 15, 2019

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
8,124	Linear Feet	202-B041	Removal of Fence, All Types
40	Linear Feet	202-B064	Removal of Pipe, 8" And Above
3	Each	202-B069	Removal of Sign
7,066	Linear Feet	202-B076	Removal of Traffic Stripe
7,289	Square Yard	202-B078	Removal of Pavement, All Types and Depths
652	Linear Feet	202-B102	Removal of Guard Rail
7,287	Square Yard	202-B121	Removal of Soil Cement, All Depths
780	Linear Feet	202-B141	Removal of Edge Drain
5	Each	202-B304	Removal & Replacement of Edge Drain Outlet
66,559	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
95,783	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
2,763	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
18,569	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,076	Cubic Yard	206-A001	Structure Excavation
314	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,766	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
9,511	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
20	Ton	213-C001	Superphosphate
2,604	Square Yard	217-A001	Ditch Liner
84	Thousand Gallon	219-A001	Watering
20	Acre	220-A001	Insect Pest Control
181	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
118	Acre	223-A001	Mowing
13,168	Linear Feet	234-A001	Temporary Silt Fence

6	Each	236-A004	Silt Basin, Type D
510	Linear Feet	239-A001	Temporary Slope Drains
1	Mile	423-A001	Rumble Strips, Ground In
80	Linear Feet	501-E001	Expansion Joints, Without Dowels
5,926	Linear Feet	503-C007	Saw Cut, Full Depth
109,503	Pounds	602-A001	Reinforcing Steel
376	Linear Feet	603-A033	6" Steel Pipe, Wall Thickness 0.250"
540	Linear Feet	603-A034	8" Steel Pipe, Wall Thickness 0.250"
304	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
464	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
328	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
264	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
4	Each	603-CB001	18" Reinforced Concrete End Section
8	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB003	30" Reinforced Concrete End Section
5	Each	603-CB004	36" Reinforced Concrete End Section
3	Each	603-SB005	36" Branch Connections, Stub into Box Culvert
869	Pounds	604-A001	Castings
544	Pounds	604-B001	Gratings
450	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
9,643	Linear Feet	607-B013	72" Type I Chain Link Fence, Class II
2	Each	607-G040	Gate, 10' x 6' Chain Link
2	Each	607-G103	Gate, 4' x 6' Chain Link with Top Guard
906	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
66	Each	607-P2010	Brace Post, 9' x 2 1/2" Galvanized Steel
8	Each	607-P3008	Gate Post, 9' x 3 1/2" Galvanized Steel
708	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
1,699	Linear Feet	609-B002	Concrete Curb, Doweled

1,888	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
645	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
96	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
6,882	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
4,834	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
2,119	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
496	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3003	Delineators, Guard Rail, Yellow
14	Each	619-F3004	Delineators, Guard Rail, White
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
563	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
69	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
514	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,757	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
81	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
280	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
334	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
97	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
359	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
607	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
609	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
233	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
306	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
600	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
2,158	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor

100	Linear Feet	682-A009	Underground Branch Circuit, AWG 10, 3 Conductor
5,776	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
200	Linear Feet	682-A016	Underground Branch Circuit, AWG 2, 4 Conductor
700	Linear Feet	682-A026	Underground Branch Circuit, AWG 4, 4 Conductor
2,552	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
11	Each	682-D001	Underground Pull Box
1	Each	683-D001	Portable Electric Power Units
18	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
59	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
17	Linear Feet	684-B004	Slip Casing, 36" Diameter
9	Linear Feet	684-B007	Slip Casing, 30" Diameter
4,620	Ton	815-A009	Loose Riprap, Size 300
1,040	Square Yard	815-B001	Grouted Riprap
4,191	Square Yard	907-216-B004	Solid Sodding, Bermuda
39	Acre	907-225-A001	Grassing
20	Ton	907-225-B001	Agricultural Limestone
78	Ton	907-225-C001	Mulch, Vegetative Mulch
39	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
2,633	Linear Feet	907-237-A003	Wattles, 20"
1	Lump Sum	907-242-A006	Construction of Scale Building (Northbound)
1	Lump Sum	907-242-A006	Construction of Scale Building (Southbound)
1	Lump Sum	907-242-C001	Construction of STATIC/WEIGH-IN-MOTION SCALE SYSTEMS
1	Lump Sum	907-242-PP001	Water and Sewer Improvements, Per Plans
405	Linear Feet	907-245-A002	Silt Dike
937	Each	907-246-A002	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
586	Ton	907-249-A001	Riprap for Erosion Control
469	Cubic Yard	907-249-B001	Remove and Reset Riprap
906	Linear Feet	907-253-A001	Coir Fiber Baffle

4	Each	907-258-E001	Trash Receptacle
20	Each	907-258-K001	Bollard
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
900	Linear Feet	907-261-A005	6" Diameter HDPE Casing
2	Each	907-290-A001	Flagpole
8,403	Ton	907-304-B009	Granular Material, Class 3, Group D
22,943	Ton	907-304-B011	Granular Material, Class 9, Group B
28,448	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
450	Ton	907-307-D001	Lime
7,106	Gallon	907-307-S001	Bituminous Curing Seal
9,570	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
2,683	Gallon	907-402-B001	Bituminous Tack Coat
695	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
1,835	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
8,453	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,530	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
5,895	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
8,453	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
2,102	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
2,858	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
2,263	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
17,449	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
8,575	Gallon	907-407-A001	Asphalt for Tack Coat
2,469	Square Yard	907-501-B005	10" Plain Cement Concrete Pavement, Broom Finish
542	Cubic Yard	907-601-A001	Class "B" Structural Concrete
67	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
420	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,140	Linear Feet	907-603-DD007	Directional Drilling, 8" HDPE Pipe
530	Linear Feet	907-603-DD008	Directional Drilling, 6" HDPE Pipe
8	Linear Feet	907-604-A001	8" Trench Drain

23	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
440	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5,540	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5,991	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11,521	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
9,269	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,646	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
190	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
10,502	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,448	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
1,888	Linear Feet	907-626-H004	Thermoplastic Legend, White
60	Square Feet	907-626-H005	Thermoplastic Legend, White
168	Linear Feet	907-630-C003	Steel U-Section Posts, 3.0 lb/ft
6	Each	907-630-O003	Remove and Reset Sign, All Sizes
35	Each	907-682-E001	Underground Junction Box With Concrete Pad
4	Each	907-683-A002	Lighting Assembly, High Mast, LED, Type 100-4-S
35	Each	907-683-B016	Lighting Assembly, Low Mast, LED, Type 40-1-15-284
1	Lump Sum	907-699-A002	Roadway Construction Stakes
325	Ton	907-815-F001	Sediment Control Stone
520	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

789	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

789	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

789	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

893 Ton	907-308-A001	Portland Cement
28,448 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
55,947 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
21,100 Gallon	907-308-S001	Bituminous Curing Seal

**ALTERNATE GROUP BB NUMBER 2**

84,395 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
665 Ton	907-311-B001	Lime
2,658 Ton	907-311-C001	Fly Ash, Class C
21,100 Gallon	907-311-S001	Bituminous Curing Seal

CALL No. 08

Bridge Repair on I-55 at Star Landing Road, known as Federal Aid Project No. BR-0055-04(106) / 107394301 in Desoto County.

PROJECT COMPLETION: JULY 31, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

640	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
640	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
640	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
1	Lump Sum	620-A001	Mobilization
990	Square Yard	907-410-D001	High Friction Surface Treatment
25,000	Pounds	907-512-B006	Portland Cement Pressure Grout Slurry, Type 6
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
2	Each	907-619-E3001	Changeable Message Sign
320	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
320	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
320	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

**Bridge Items**

336	Linear Feet	202-B298	Removal of Existing Joint Material
336	Linear Feet	808-A001	Joint Preparation
112	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
224	Linear Feet	907-823-B002	Saw Cut, Type II
1	Each	907-824-PP095	Bridge Repair, Bent 1L Repair
4	Each	907-824-PP095	Bridge Repair, Cap Cleaning
28	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair
440	Square Yard	907-832-PP001	Bridge Concrete Mat



CALL No. 09

Bridge Replacement on SR 19 between the Alabama Line and SR 496, known as Federal Aid Project No. BR-0075-01(011) / 102482302 in Lauderdale County.

PROJECT COMPLETION: 171 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
2,000	Linear Feet	202-B076	Removal of Traffic Stripe
1,489	Square Yard	202-B078	Removal of Pavement, All Types and Depths
510	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,303	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,133	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
4,271	Square Yard	209-A001	Geotextile Stabilization, Type V
1,719	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
133	Square Yard	217-A001	Ditch Liner
4	Acre	220-A001	Insect Pest Control
15	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4	Acre	223-A001	Mowing
223	Square Yard	224-A001	Soil Reinforcing Mat
1,750	Linear Feet	234-A001	Temporary Silt Fence
3	Each	236-A001	Silt Basin, Type A
400	Linear Feet	239-A001	Temporary Slope Drains
1	Mile	423-A001	Rumble Strips, Ground In
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
425	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
4,661	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint

1,861	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,950	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
1,400	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,929	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
98	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
244	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
18	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
71	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
22	Each	630-F001	Delineators, Guard Rail, White
4	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
9	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
3,350	Linear Feet	907-234-C002	Super Silt Fence
3,350	Linear Feet	907-237-A003	Wattles, 20"
350	Each	907-246-B002	Rockbags
185	Cubic Yard	907-249-B001	Remove and Reset Riprap
409	Cubic Yard	907-304-C010	Granular Material, AEA, Class 5, Group E
366	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
379	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
278	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
1,200	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
424	Gallon	907-407-A001	Asphalt for Tack Coat
40	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe

1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-D002	Construction and Removal of Detour
2,100	Linear Feet	907-618-E001	Detour Bridge Piling
1	Lump Sum	907-618-F003	Detour Bridge PDA Test Pile
2,800	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,400	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
66	Linear Feet	907-630-C003	Steel U-Section Posts, 3.0 lb/ft
9	Each	907-630-O003	Remove and Reset Sign, All Sizes
1	Lump Sum	907-699-A002	Roadway Construction Stakes

**ALTERNATE GROUP AA NUMBER 1**

954	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
-----	------------	--------------	-----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

954	Cubic Yard	907-304-G002	Size 610 Crushed Stone Base, AEA
-----	------------	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

954	Cubic Yard	907-304-G003	Size 3/4" and Down Crushed Stone Base, AEA
-----	------------	--------------	--

**Bridge Items**

1,156	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
1,480	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,320	Linear Feet	803-D003	HP 14 x 73 Steel Piling
3	Each	803-I003	PDA Test Pile, HP Steel Pile
2	Each	803-J001	Pile Restrike
84,495	Pounds	805-A001	Reinforcement
524	Linear Feet	813-A002	Concrete Railing, 32"
308	Ton	815-A009	Loose Riprap, Size 300
456	Square Yard	815-E001	Geotextile under Riprap
130	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
335	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
957	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
599	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

SMALL BUSINESS CONCERN PROJECT - Signal Improvements on US 80 at College Drive/Baugh Street, known as Federal Aid Project No. STP-7314-00(029) / 107262301 in Rankin County.

PROJECT COMPLETION: NOVEMBER 30, 2017

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

107	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
38	Linear Feet	202-B038	Removal of Curb, All Types
73	Linear Feet	202-B058	Removal of Legend, All Types
17	Square Feet	202-B059	Removal of Legend, All Types
5	Each	202-B070	Removal of Sign Including Post & Footing
34	Linear Feet	202-B076	Removal of Traffic Stripe
184	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
119	Cubic Yard	203-G004	Excess Excavation, LVM, AH
527	Square Yard	209-A001	Geotextile Stabilization, Type V
1	Ton	213-C001	Superphosphate
17	Thousand Gallon	219-A001	Watering
20	Linear Feet	234-A001	Temporary Silt Fence
178	Linear Feet	503-C007	Saw Cut, Full Depth
396	Linear Feet	609-B005	Concrete Curb, Special Design Doweled
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
160	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
11	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
44	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
20	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
25	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED

2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1	Each	647-A002	Pullbox, Type 3
1	Each	647-A005	Pullbox, Type 2
270	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
250	Linear Feet	666-B049	Electric Cable, Underground in Conduit, THHN, AWG #10, 2 Conductor
350	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
224	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
210	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
20	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
90	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
150	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
840	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-226-A001	Temporary Grassing
1	Each	907-234-D001	Inlet Siltation Guard
160	Linear Feet	907-237-A003	Wattles, 20"
34	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
63	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
89	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
46	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
2,812	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,001	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,032	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
500	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,650	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,452	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
943	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
865	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
527	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1	Each	907-639-A090	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' & 55' Arms

1	Each	907-639-A205	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' & 70' Arms
8	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
1	Each	907-648-A001	Radio Serial Interconnect, Installed in New Controller Cabinet
1	Each	907-648-B001	Radio Serial Interconnect, Installed in Existing Controller Cabinet
2	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
2	Each	907-649-D002	Multi-Sensor Detection System, 1 Sensor
4	Each	907-653-B001	Street Name Sign, Internally Illuminated Sign
1	Lump Sum	907-699-A002	Roadway Construction Stakes

**ALTERNATE GROUP AA NUMBER 1**

163	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

163	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

163	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

CALL No. 11

Modular Joint Retrofit at US 78 over Tenn-Tom Waterway Bridge Nos. 105.9A & 105.9B, known as Federal Aid Project No. BR-9999-01(250) / 107019301 in Itawamba County.

PROJECT COMPLETION: 73 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,890	Linear Feet	202-B298	Removal of Existing Joint Material
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs

**Bridge Items**

2,890	Linear Feet	808-A001	Joint Preparation
85	Linear Feet	907-822-B009	2 5/16" Reinforced Elastomeric Molded Rubber Expansion Joint
1,445	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,890	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-824-PP093	Bridge Repair, Remove and Replace Concrete Bridge Deck

CALL No. 12

Slide Repair on I-20, I-55, I-220, and US 25, known as Federal Aid Project Nos. NHPP-9999-05(027) / 107258301, 302, & 303 in Hinds, Madison, and Scott Counties.

PROJECT COMPLETION: 94 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1,050	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,047	Square Yard	202-B025	Removal of Concrete Paved Ditch
450	Linear Feet	202-B038	Removal of Curb, All Types
300	Linear Feet	202-B041	Removal of Fence, All Types
634	Linear Feet	202-B064	Removal of Pipe, 8" And Above
936	Linear Feet	202-B076	Removal of Traffic Stripe
220	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
75	Linear Feet	202-B135	Removal of Guard Rail Double Faced Rail Including Rail & Posts
1,300	Linear Feet	202-B146	Removal of Existing Wiring
1	Each	202-B247	Removal of Pull Box
17,275	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
20,002	Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,486	Square Yard	204-A008	Geogrid, Type VI, Uniaxial
32	Cubic Yard	206-A001	Structure Excavation
9	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
166	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
9	Ton	213-C001	Superphosphate
100	Square Yard	217-A001	Ditch Liner
14	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
49	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,660	Linear Feet	234-A001	Temporary Silt Fence
175	Linear Feet	503-C007	Saw Cut, Full Depth



621 Pounds	602-A001	Reinforcing Steel
576 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
24 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
1 Each	603-CB006	48" Reinforced Concrete End Section
200 Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1 Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
1 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
220 Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
19 Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
7 Each	607-P2009	Brace Post, 8' x 2 1/2" Galvanized Steel
2 Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel
1 Each	607-P2012	Brace Post, 12' x 2 1/2" Galvanized Steel
1,112 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
200 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
200 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
121 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
656 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
7 Each	619-F3003	Delineators, Guard Rail, Yellow
112 Linear Feet	619-G4001	Barricades, Type III, Single Faced
9 Each	619-G5001	Free Standing Plastic Drums
1 Lump Sum	620-A001	Mobilization
2 Each	647-A003	Pullbox, Type 4
1 Each	647-A004	Pullbox, Type 5
1 Each	647-A005	Pullbox, Type 2
500 Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
50 Linear Feet	668-A014	Traffic Signal Conduit, Underground, Type 4, 1 1/2"
110 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
5,450 Linear Feet	803-D003	HP 14 x 73 Steel Piling
394 Ton	815-A006	Loose Riprap, Size 100
1,091 Square Yard	815-E001	Geotextile under Riprap

655	Square Yard	907-216-A001	Solid Sodding
6	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
9	Ton	907-225-C001	Mulch, Vegetative Mulch
6	Acre	907-226-A001	Temporary Grassing
4,366	Square Yard	907-229-A001	Erosion Mat
5	Each	907-234-D001	Inlet Siltation Guard
1,500	Linear Feet	907-237-A003	Wattles, 20"
100	Each	907-246-B002	Rockbags
71	Ton	907-304-B007	Granular Material, Class 5, Group E
26	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
26	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
11	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
19	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
158	Gallon	907-407-A001	Asphalt for Tack Coat
11	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
9	Each	907-619-E3001	Changeable Message Sign
200	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
200	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
936	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2	Each	907-637-A001	Equipment Cabinet, Type B
2	Each	907-637-B001	ITS Equipment Cabinet Modifications
12,600	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
1,558	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
1,558	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2"
3,500	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
500	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @ 2"
800	Linear Feet	907-682-A1001	Branch Circuit Wire, AWG #1, 3 Conductor

500 Linear Feet 907-682-A1007 Branch Circuit Wire, AWG #4, 3 Conductor

1 Lump Sum 907-699-A002 Roadway Construction Stakes

**ALTERNATE GROUP AA NUMBER 1**

117 Ton 907-304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

117 Ton 907-304-F003 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

117 Ton 907-304-F004 Size 825B Crushed Stone Base

CALL No. 13

Bridge Repair on SR 12 over Sunflower River, known as State Project Nos. SP-0018-01(002) / 107487301 & 302 in Humphreys & Washington Counties.

PROJECT COMPLETION: 6 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

228	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-E3001	Changeable Message Sign

**Bridge Items**

1	Lump Sum	907-824-PP093	Bridge Repair, Structural Steel Repair
2	Each	907-824-PP095	Bridge Repair, Bridge Deck Repair
10	Each	907-824-PP095	Bridge Repair, Reinforcement Dowell Repair

CALL No. 14

Bridge Replacement on SR 30 between New Albany & Prentiss County Line, Bridge Nos. 40.0 & 40.1, known as State Project No. EXB-0044-01(029) / 102381302 in Union County.

PROJECT COMPLETION: 244 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
5,868	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2	Each	202-B009	Removal of Bridge
472	Square Yard	202-B010	Removal of Bridge End Pavement
433	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,298	Linear Feet	202-B076	Removal of Traffic Stripe
708	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
18	Each	202-B111	Removal of Bridge Piling
28,676	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
13,684	Cubic Yard	203-G003	Excess Excavation, FM, AH
143	Cubic Yard	206-A001	Structure Excavation
43	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
2,840	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4	Ton	213-C001	Superphosphate
694	Square Yard	217-A001	Ditch Liner
570	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
7	Acre	223-A001	Mowing
4,692	Linear Feet	234-A001	Temporary Silt Fence
2,925	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
408	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
28,509	Pounds	602-A001	Reinforcing Steel
56	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
525	Linear Feet	606-B001	Guard Rail, Class A, Type 1

8	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E001	Guard Rail, Terminal End Section
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
9,352	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
700	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
13,478	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
700	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
180	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
180	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
340	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Each	619-F3004	Delineators, Guard Rail, White
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
26	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
200	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
8	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
30	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
44	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
38	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
45	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
1,312	Square Yard	815-E001	Geotextile under Riprap
28,494	Square Yard	907-216-A001	Solid Sodding
7	Acre	907-225-A001	Grassing
21	Ton	907-225-B001	Agricultural Limestone

14	Ton	907-225-C001	Mulch, Vegetative Mulch
7	Acre	907-226-A001	Temporary Grassing
28,494	Square Yard	907-228-A001	Erosion Control Blanket, Type I
720	Linear Feet	907-237-A003	Wattles, 20"
100	Linear Feet	907-245-A002	Silt Dike
600	Linear Feet	907-246-B001	Rockbags
1	Each	907-247-A001	Temporary Stream Diversion
943	Ton	907-249-A001	Riprap for Erosion Control
582	Cubic Yard	907-249-B001	Remove and Reset Riprap
1,854	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
5,600	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
1,013	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
778	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
1,216	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
533	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
1,057	Gallon	907-407-A001	Asphalt for Tack Coat
176	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
163	Cubic Yard	907-601-A001	Class "B" Structural Concrete
568	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
68	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
11	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge (Approx. Sta. 52+77)
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge (Approx. Sta. 57+73)
2,288	Linear Feet	907-618-E001	Detour Bridge Piling
1	Lump Sum	907-618-F003	Detour Bridge PDA Test Pile
4,560	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
700	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2,885	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow

224	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
151	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
112	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
27	Ton	907-815-F001	Sediment Control Stone
<b>ALTERNATE GROUP AA NUMBER 1</b>			
1,440	Ton	907-304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
1,440	Ton	907-304-F003	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
1,440	Ton	907-304-F004	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>			
727	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
727	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP BB NUMBER 2</b>			
727	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
727	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
<b>Bridge Items</b>			
1,600	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
6,075	Linear Feet	803-D007	HP 14 x 89 Steel Piling
5	Each	803-I003	PDA Test Pile, HP Steel Pile
4	Each	803-J001	Pile Restrike
130,375	Pounds	805-A001	Reinforcement
726	Linear Feet	813-A002	Concrete Railing, 32"
2,535	Ton	815-A009	Loose Riprap, Size 300
2,592	Square Yard	815-E001	Geotextile under Riprap
231	Cubic Yard	907-804-A018	Bridge Concrete, Substructure, Class AA
469	Cubic Yard	907-804-A019	Bridge Concrete, Superstructure, Class AA
1,189	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
957	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III



For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR