FMS NO. 306137/301000

	LUDED	BEGIN
TH		WITH
PRO	OJECT	SHEET
	ROADWAY	1
	PERMANENT SIGNS	1001
	TRAFFIC SIGNALS	2001
	ITS COMPONENTS	3001
	LIGHTING	4001
	(RESERVED)	5001
	ROADWAY STANDARD DWGS	6001
	BRIDGE STANDARD DWGS	7001
	BRIDGE	8001
	CROSS SECTIONS	9001

BRIDGE STRUCTURES REQ'D.

BOX BRIDGES REQ'D.

GPS CONTROL NOTES

HORIZONTAL DATUM: NAD MS ZONE (US SURVEY FEET)

HORIZONTAL MONUMENT NORTH EAST

VERTICAL DATUM: NAVD

VERTICAL MONUMENT

(US SURVEY FEET)
ELEVATION

ALL AZIMUTHS AND DISTANCES ARE GRID VALUES, US SURVEY FEET

CONVERSION VALUES PROJECT AVERAGE

GROUND TO GRID (COMBINED) FACTOR GRID TO GEODETIC AZIMUTH

STATE OF MISSISSIPPI


MISSISSIPPI DEPARTMENT OF TRANSPORTATION

PLAN AND PROFILE OF PROPOSED STATE HIGHWAY STATE PROJECT NO. MP-5000-00(096)

PLACEMENT OR REMOVAL AND REPLACEMENT
OF RAISED PAVEMENT MARKERS

HOR. 1 IN. = 0 FT. VERT. 1 IN. = 0 FT.

SCALES
TAN 1 IN = 0 FT



EQUATIONS

EXCEPTIONS

LENGTH DATA

 LENGTH OF ROADWAY
 FT.
 NA MI.


 LENGTH OF BRIDGES
 FT.
 NA MI.


 LENGTH OF PROJECT (NET)
 NA MI.


 LENGTH OF EXCEPTIONS
 FT.
 NA MI.

 LENGTH OF PROJECT (GROSS)
 NA MI.

DISTRICT WIDE







DEDIMITO ACOL	IIDED DV N	4DOT
PERMITS ACQL	NIKED BY IV	וטטו
WETLANDS AND (NECESSARY FOR ULTIMA		
	WATERS	WETLANDS
NATIONWIDE #14	N	N
NATIONWIDE (OTHER)*	N	N
GENERAL*	N	N
INDIVIDUAL (404)*	N	N
* ACQUISITION OF PERMITS FOR CONSTRUCTION ARE THE RESPO		

* ACQUISITION OF PERMITS FOR TEMPORARY IMPACTS DURIN CONSTRUCTION ARE THE RESPONSIBILITY OF THE CONTRACTO STORMWATER PERMIT

Y

REQUIRED, CNOI SUBMITTED BY MDOT (DISTURBED AREA = 5 ACRES)

S

REQUIRED, SCNOI TO BE SUBMITTED BY CONTRACTOR (1 TO 4.99 ACRES)

N

NO STORMWATER PERMIT REQUIRED (<1 ACRE)

APPROVED BY:

P S & E DATE: 3/09/2017

APPROVED:

DEPUTY EXECUTIVE DIRECTOR / CHIEF ENGINEER

EXECUTIVE DIRECTOR

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

C.A.D.D. SEC-	H	
ESIGN DIVISION	MISSISSIPPI DEPARTMENT OF	


DESCRIPTION OF SHEET	WKG. NO.	SH. NO.
TITLE SHEET		1
DETAILED INDEX	DI-1	2
GENERAL NOTES	GN-1	3
QUANTITY SHEETS (2)		
SUMMARY OF QUANTITIES	SQ-1	4
ESTIMATED QUANTITIES	EQ-1	5
MAPS (10)		
MAINTENANCE CONTROL SECTION MAP OF HINDS COUNTY	MAP 1	6
MAINTENANCE CONTROL SECTION MAP OF KEMPER COUNTY	MAP 2	7
MAINTENANCE CONTROL SECTION MAP OF LAUDERDALE COUNTY	MAP 3	8
MAINTENANCE CONTROL SECTION MAP OF LEAKE COUNTY	MAP 4	9
MAINTENANCE CONTROL SECTION MAP OF MADISON COUNTY	MAP 5	10
MAINTENANCE CONTROL SECTION MAD OF NEWTON COUNTY	MAP 6 MAP 7	11
MAINTENANCE CONTROL SECTION MAP OF NEWTON COUNTY MAINTENANCE CONTROL SECTION MAP OF NOXUBEE COUNTY	MAP 7	12 13
MAINTENANCE CONTROL SECTION MAP OF RANKIN COUNTY	MAP 9	14
MAINTENANCE CONTROL SECTION MAP OF SCOTT COUNTY	MAP 10	15
SPECIAL DESIGN SHEETS (4)		
LOCAL ROAD DETAIL #1	LRD-1	16
LOCAL ROAD DETAIL #2	LRD-2	17
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT LESS THAN 65 MPH (FOUR LANE: MEDIAN OR OUTSIDE LANE CLOSURE) (EXTENDED PERIOD) TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 MPH OR 70 MPH (INTERSTATE AND OTHER FOUR LANE DIVIDED HIGHWAYS)	SDTCP-3	18
(INTERSTATE AND OTHER FOUR-LANE DIVIDED HIGHWAYS) (MEDIAN LANE OR OUTSIDE LANE CLOSURE) (EXTENDED PERIOD)	SDTCP-4	19

SHEET	NKG. NO.	SH. NO.
	MISS.	MP-5000-00(096)
	STATE	PROJECT NO.

DESCRIPTION OF SHEET		NO.	SH. NO.
STANDARD DRAWINGS - ROADWAY SHEETS (10)			
	42.04.00	DM 4	0400
PAVEMENT MARKING DETAILS FOR 2 & 4-LANE DIVIDED HIGHWAY	12-01-99 10-01-98	PM-1	6120
PAVEMENT MARKING DETAILS FOR 4 & 5-LANE UNDIVIDED ROADWAY	10-01-98	PM-2 PM-3	6121
PAVEMENT MARKING DETAILS FOR INTERCHANGE ENTRANCE RAMPS	10-01-98		6122
PAVEMENT MARKING DETAILS FOR INTERCHANGE EXIT RAMPS 4-LANE TO 2-LANE TRANSITION AT INTERCHANGE	10-01-98	PM-4 PM-8	6123 6127
4-LANE TO 2-LANE TRANSITION AT INTERCHANGE	10-01-90	PIVI-0	0121
TRAFFIC CONTROL PLAN WITH FLAGGER (ONE-LANE CLOSURE OF TWO-WAY TRAFFIC) TRAFFIC CONTROL FOR POSTED SPEED LIMIT LESS THAN 65 MPH	10-01-98	TCP-1	6250
(FOUR-LANE: MEDIAN LANE OR OUTSIDE LANE CLOSURE) (WORK DAY ONLY)	10-01-98	TCP-2	6251
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 MPH OR 70 MPH (INTERSTATE AND OTHER FOUR-LANE DIVIDED HIGHWAYS)			
(MEDIAN LANE OR OUTSIDE LANE CLOSURE) (WORK DAY ONLY)	10-01-98	TCP-5	6254
TRAFFIC CONTROL PLAN MOBILE OPERATION MULTILANE AND TWO-LANE ROADS	10-01-98		6260
DETAILS OF OUTSIDE LANE CLOSURE AT EXIT AND ENTRANCE RAMPS	10-01-98	TCP-12	6261
		SHEET TOTAL	29
		0.1221 1017.2	

DISTRICT V FMS# 306137/301000

PS&E PLAN	S-DATE: 3/09/2017	
	REVISIONS	
DATE	SHEET NO.	BY



STATE PROJECT NO MISS. MP-5000-00(096)

GENERAL NOTES

(HPRPMs) IN ACCORDANCE WITH THE ENCLOSED STANDARD DRAWINGS PM-1, PM-2, PM-3, PM-4, AND PM-8, ALSO ENCLOSED ARE MAPS OF EACH COUNTY/URBAN AREA WITHIN THE DISTRICT SHOWING THE ROUTES OR SEGMENTS OF ROUTES ON WHICH HPRPMS ARE TO BE PLACED. 2) THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL EXISTING RAISED PAVEMENT MARKERS (RPMs) ON ANY ROUTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMS. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN OC CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMS. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER AND IN ACCORDANCE WITH SHEETS LRD-1 AND LRD-2 OF THE PLANS.	MAPS OF EACH COUNTY/URBAN AREA WITHIN THE DISTRICT SHOWING THE ROUTES OR SEGMENTS OF ROUTES ON WHICH HPRPMs ARE TO BE PLACED. 2) THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL EXISTING RAISED PAVEMENT MARKERS (RPMs) ON ANY ROUTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMs. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMS, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	1) THI	CONTRACTOR SHALL BE RESPONSIBLE FOR FURNISHING AND PLACING HIGH PERFORMANCE RAISED PAVEMENT MARKERS
HPRPMs ARE TO BE PLACED. 2) THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL EXISTING RAISED PAVEMENT MARKERS (RPMs) ON ANY ROUTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMs. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS, THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	HPRPMs ARE TO BE PLACED. 2) THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL EXISTING RAISED PAVEMENT MARKERS (RPMs) ON ANY ROUTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMs. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC, 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	(HF	PRPMs) IN ACCORDANCE WITH THE ENCLOSED STANDARD DRAWINGS PM-1, PM-2, PM-3, PM-4, AND PM-8. ALSO ENCLOSED ARE
ROUTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMS. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMS AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMS BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMS. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMS, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	ROUTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMs. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.		
ROUTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMS. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMS AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMS BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMS. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMS, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL. SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	ROUTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMs. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.		
TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS, THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC, 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS, THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC, 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	2) TH	E CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL EXISTING RAISED PAVEMENT MARKERS (RPMs) ON ANY
OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	OF EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS. AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	RO	UTES WHERE THEY ARE CURRENTLY LOCATED PRIOR TO PLACEMENT OF THE NEW HPRPMs. THE CONTRACTOR SHALL
AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	AT THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	TA	KE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE UNDERLYING PAVEMENT IS NOT DAMAGED DURING REMOVAL
PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMS BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMS. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMS, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS, THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC, 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	PAVEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR TO PLACEMENT OF THE NEW HPRPMS. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMS, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	OF	EXISTING RPMs AND SHALL BE RESPONSIBLE FOR ANY PAVEMENT DAMAGE RESULTING FROM THE REMOVAL PROCESS.
TO PLACEMENT OF THE NEW HPRPMS. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMS, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	TO PLACEMENT OF THE NEW HPRPMS. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMS, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS, THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC, 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	AT	THE DISCRETION OF THE ENGINEER, EXISTING RAISED PAVEMENT MARKERS THAT ARE SEVERELY EMBEDDED INTO THE
SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID. 3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	PA	VEMENT MAY BE ALLOWED TO REMAIN. IN NO CASE SHALL EXISTING RPMs BE REMOVED MORE THAN ONE WEEK PRIOR
3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPM'S TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	3) THE CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID.	ТО	PLACEMENT OF THE NEW HPRPMs. SEPARATE PAYMENT WILL NOT BE MADE FOR REMOVAL OF EXISTING RPMs, ITS COST
THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	SH	ALL BE INCLUDED IN THE UNIT PRICES OF OTHER ITEMS BID.
THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	THE RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER		
SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSAR PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	SHEETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	3) TH	E CONTRACTOR WILL BE FURTHER RESPONSIBLE FOR ESTABLISHING ALL THE NECESSARY CONTROLS TO INSURE THAT
PRIOR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	PRIOR TO PLACEMENT OF THE HPRPMS TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	TH	E RAISED PAVEMENT MARKERS ARE INSTALLED IN A UNIFORM LINE IN ACCORDANCE WITH THE ABOVE MENTIONED DETAIL
BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	BE INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS. 4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	SH	EETS. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL PAVEMENT SURFACE CLEANING OR OTHER PREPARATION NECESSARY
4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	4) THE CONTRACTOR SHALL PROVIDE ALL SIGNS AND TRAFFIC HANDLING DEVICES NECESSARY TO SAFELY MAINTAIN TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	PR	OR TO PLACEMENT OF THE HPRPMs TO INSURE A PROPER BOND. SEPARATE PAYMENT WILL NOT BE MADE, ITS COST SHALL
TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	ВЕ	INCLUDED IN THE UNIT PRICES OF OTHER BID ITEMS.
TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	TRAFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. 5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	4)	
5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	5) INCIDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT, AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER		
AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	AND THE COST WILL BE INCLUDED IN THE ITEMS BID. 6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	TR	AFFIC AROUND OR THROUGH THE WORK AREAS. THIS SHALL INCLUDE BOTH VEHICULAR AND PEDESTRIAN TRAFFIC.
6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	6) TWO -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER	5) INC	IDENTAL WORK THAT IS NECESSARY TO COMPLETE THE WORK WILL NOT BE MEASURED FOR SEPARATE PAYMENT,
· ·		AN	D THE COST WILL BE INCLUDED IN THE ITEMS BID.
· ·		6) TV	O -WAY CLEAR PAVEMENT MARKERS ARE TO BE PLACED AROUND LOCAL ROADS AS DIRECTED BY THE ENGINEER

