


Proposal & Plan Sales Will Begin on June 5, 2017



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For June - June 27, 2017



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JUNE - Tuesday, June 27, 2017

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 5, 2017

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 27, 2017; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	HSIP-0055-04(099)/107037301	DESOTO
02	NHPP-0010-01(154)/107215302	JACKSON
03	BR-0014-02(076) / 107429301	MARION
04	BR-0056-01(093)/107404301 & BR-0056-01(093)/107404302	HINDS, RANKIN
* 05	BR-0059-03(096)/107401301	LAUDERDALE
06	STP-9999-07(012)/107497301	FRANKLIN
* 07	MP-2000-00(084)/306163301	DISTRICT 2
* 08	MP-2310-36(001)/306035301	LAFAYETTE

CALL No. 01

Intersection Improvements on I-55 NB & SB Exit Ramp at Hwy 302, known as Federal Aid Project No. HSIP-0055-04(099) / 107037301 in Desoto County.

PROJECT COMPLETION: AUGUST 13, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
688	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4,194	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
2,209	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
6	Each	202-B165	Removal of Inlets, All Sizes
9	Each	202-B179	Removal of Low Mast Lighting Foundation
4	Each	202-B185	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
1,020	Linear Feet	202-B191	Removal of Pipe, 8" And Above
205	Linear Feet	202-B251	Removal of Underground Electric Wire
1,281	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
1,490	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
1,221	Cubic Yard	203-G002	Excess Excavation, LVM, AH
677	Cubic Yard	206-A001	Structure Excavation
2,058	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,493	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
5,086	Square Yard	216-A001	Solid Sodding
268	Square Yard	217-A001	Ditch Liner
102	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
16	Cubic Yard	221-A001	Concrete Paved Ditch
5	Acre	223-A001	Mowing
5	Acre	225-A001	Grassing
2	Ton	225-B001	Agricultural Limestone

9	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing
1,334	Linear Feet	234-A001	Temporary Silt Fence
6	Each	234-D001	Inlet Siltation Guard
12	Each	235-A001	Temporary Erosion Checks
220	Linear Feet	237-A001	Wattles, 12"
48	Linear Feet	237-A002	Wattles, 20"
48	Linear Feet	245-A001	Silt Dike
103	Each	246-A002	Sandbags
24	Each	246-B001	Rockbags
2,040	Ton	304-B002	Granular Material, Class 3, Group D
67	Ton	308-A001	Cement
1,839	Ton	308-B004	Soil-Cement-Water Mixing, Central Plant, Base
1,970	Gallon	308-S001	Bituminous Curing Seal
1,143	Ton	403-A004	19-mm, HT, Asphalt Pavement
1,143	Ton	403-A006	19-mm, ST, Asphalt Pavement
762	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
3,334	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
33,491	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
12,250	Gallon	407-A001	Asphalt for Tack Coat
6,200	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-A001	Class "B" Structural Concrete
60	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
7,108	Pounds	602-A001	Reinforcing Steel
1,024	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
424	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB004	24" Reinforced Concrete End Section
488	Pounds	604-A001	Castings
400	Pounds	604-B001	Gratings
550	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post

1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,466	Linear Feet	609-B003	Concrete Curb, Special Design Type 2 Slotted Curb, Trenched
192	Linear Feet	609-B003	Concrete Curb, Special Design Type 3A Slotted Curb, Trenched
2,556	Linear Feet	609-B004	Concrete Curb, Special Design Doweled Type 2 Slotted Curb
545	Linear Feet	609-B004	Concrete Curb, Special Design Doweled Type 3A Slotted Curb
1,165	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
5,111	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
8	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
461	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
38,436	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
29,169	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
42,310	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
937	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,413	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
2,283	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1,547	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
84	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5	Each	619-D3001	Remove and Reset Signs, All Sizes
4	Each	619-E1001	Flashing Arrow Panel, Type C
4	Each	619-E3001	Changeable Message Sign
742	Linear Feet	619-F1001	Concrete Median Barrier, Precast
742	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
173	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
1	Lump Sum	620-A001	Mobilization

12,239	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7,568	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7,833	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,062	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,565	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,288	Square Feet	626-H004	Thermoplastic Legend, White
1,504	Linear Feet	626-H005	Thermoplastic Legend, White
679	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
66	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
64	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
108	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
99	Square Feet	630-A004	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness, Overhead Mounted
56	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,587	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
26	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
35	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
29	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
168	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
23	Each	630-F006	Delineators, Guard Rail, White
67	Each	630-F010	Delineators, Post Mounted, Double White
58	Each	630-F011	Delineators, Post Mounted, Double Yellow
13	Each	630-F012	Delineators, Post Mounted, Single White
2	Each	630-F013	Delineators, Post Mounted, Single Yellow
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	630-I015	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	630-I022	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
1	Lump Sum	630-I024	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
1	Lump Sum	630-I025	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
56	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
38	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"

28	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Each	632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	632-B010	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	632-C001	Modify Existing Traffic Signal Cabinet Assembly
2	Each	633-A001	Uninterruptable Power Supply
1	Each	634-A003	Traffic Signal Equipment Pole, Type 1, 35' Shaft
2	Each	634-A022	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
2	Each	634-A023	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
2	Each	634-A024	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
14	Cubic Yard	634-C005	Pole Foundations, Class "B" Concrete
15	Each	635-A059	Traffic Signal Head, Type 1
3	Each	635-A061	Traffic Signal Head, Type 2
3	Each	635-A063	Traffic Signal Head, Type 2R
6	Each	635-A073	Traffic Signal Head, Type 4
1	Each	635-A079	Traffic Signal Head, Type 7R
1,865	Linear Feet	636-B018	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
3	Each	637-A008	Pull Box Enclosure, Type 2, Tier 15
2	Each	637-A010	Pull Box Enclosure, Type 3, Tier 15
1	Each	637-A012	Pull Box Enclosure, Type 4, Tier 15
1	Each	637-A014	Pull Box Enclosure, Type 5, Tier 15
260	Linear Feet	637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
490	Linear Feet	637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
635	Linear Feet	637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
60	Linear Feet	637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
460	Linear Feet	637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
7	Each	639-B001	Optical Detector
1,615	Linear Feet	639-E001	Optical Detector Cable
4	Each	641-A002	Signal Stop Bar Radar Detection, 1 Sensor, Type 2
6	Each	641-B002	Signal Advanced Radar Detection, 1 Sensor, Type 2

2,000	Linear Feet	641-D001	Radar Detection Communication Cable
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
15	Square Feet	653-A002	Traffic Sign, Type III
45	Square Feet	653-B003	Street Name Sign, Type III
1	Each	660-A003	Equipment Cabinet, Type B
1,745	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
205	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
445	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
170	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
3	Each	682-D004	Underground Pull Box With Concrete Pad
9	Each	682-E003	Underground Junction Box With Concrete Pad
11	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
9	Each	686-A001	Relocation of Existing Lighting Assemblies
1	Lump Sum	699-A001	Roadway Construction Stakes
18	Each	907-626-H002	Thermoplastic Legend, Interstate Shield
4	Each	907-639-G001	Confirmation Light
4	Each	907-639-H001	Rotating Beacon
4	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
315	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
2	Each	907-663-A001	Network Switch, Type A
250	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
20	Each	907-683-H1002	Renovation of Low Mast Lighting Assembly, Type 40-1-10-255

ALTERNATE GROUP AA NUMBER 1

3,246	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,246	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,246	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 02

Bridge Repair on I-10 over East Pascagoula River, known as Federal Aid Project No. NHPP-0010-01(154) / 107215302 in Jackson County.

PROJECT COMPLETION: DECEMBER 15, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

1	Lump Sum	907-824-PP093	Bridge Repair, Testing and Reporting
1	Lump Sum	907-824-PP093	Bridge Repair, Upper Lateral Bracing Removal
9	Each	907-824-PP095	Bridge Repair, Crack Arrest Repairs

CALL No. 03

Bridge Repair on US 98E Pearl River Bridge, known as Federal Aid Project No. BR-0014-02(076) / 107429301 in Marion County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2,100	Linear Feet	202-B240	Removal of Traffic Stripe
4	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1,250	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,250	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1	Lump Sum	620-A001	Mobilization
10	Each	627-C001	Red-Clear Reflective Raised Markers

ALTERNATE GROUP AA NUMBER 1

700	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
700	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
700	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

700	Linear Feet	628-A002	6" Cold Plastic Traffic Stripe, Skip White
700	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
700	Linear Feet	628-D002	6" Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

230	Each	907-824-PP006	Bridge Repair, Guardrail Connection Assemblies
1,394	Linear Feet	907-824-PP008	Bridge Repair, Installation of Modified Tri-Beam Guardrail (Tri-Beam Provided By the State) Per Plans

CALL No. 04

Bridge Repair on SR 25 at Pearl River, Bridge Nos. 1.7A & 1.7B, known as Federal Aid Project Nos. BR-0056-01(093) / 107404301 & BR-0056-01(093) / 107404302 in Hinds & Rankin Counties.

PROJECT COMPLETION: 204 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
500	Square Yard	228-A004	Erosion Control Blanket, Type IV
1,000	Linear Feet	234-A001	Temporary Silt Fence
500	Linear Feet	234-C001	Super Silt Fence
1,200	Linear Feet	234-F001	Turbidity Barrier
500	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	607-B034	84" Type II Chain Link Fence, Class I
1	Each	607-G004	Gate, 4' x 7' Chain Link
1	Each	607-G124	Gate, 24' x 7' Double Chain Link
5	Each	607-P1024	Line Post, 10' x 2" Galvanized Steel
2	Each	607-P2001	Brace Post, 11' 6" x 2 1/2" Galvanized Steel
4	Each	607-P3014	Gate Post, 11' x 3 1/2" Galvanized Steel
1	Lump Sum	618-A001	Maintenance of Traffic
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,072	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
86	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization

Bridge Items

212	Cubic Yard	804-A001	Bridge Concrete, Class AA
22,977	Pounds	805-A001	Reinforcement
5,640	Linear Feet	808-A001	Joint Preparation
18,800	Ton	815-A009	Loose Riprap, Size 500

11,600	Square Yard	815-E001	Geotextile under Riprap
2,820	Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
5,640	Linear Feet	907-823-B001	Saw Cut, Type I
30	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair, Per Plans
410	Each	907-824-PP006	Bridge Repair, Bearing Replacement, Per Plans
51	Each	907-824-PP006	Bridge Repair, Cap Cleaning
545	Linear Feet	907-824-PP008	Bridge Repair, FRP Wrap, Per Plans
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 05

Bridge Joint Repair on I-20, I-59, and Ramp to I-20W, known as Federal Aid Project No. BR-0059-03(096) / 107401301 in
Lauderdale County.

PROJECT COMPLETION: NOVEMBER 15, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

700	Linear Feet	615-B001	Precast Concrete Median Barrier
1	Lump Sum	618-A001	Maintenance of Traffic
100	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,232	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
5	Each	619-E3001	Changeable Message Sign
700	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
66	Linear Feet	619-G4005	Barricades, Type III, Single Faced
135	Each	619-G5001	Free Standing Plastic Drums
46	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization

Bridge Items

70	Square Yard	202-B026	Removal of Bridge Deck
40	Linear Feet	202-B169	Removal of Joint Material
3	Cubic Yard	804-A001	Bridge Concrete, Class AA
392	Linear Feet	808-A001	Joint Preparation
168	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
28	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
168	Linear Feet	907-823-B001	Saw Cut, Type I
40	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
30	Each	907-824-PP006	Bridge Repair, Bearing Assembly Replacement
6	Each	907-824-PP006	Bridge Repair, Cap Cleaning
10	Each	907-824-PP006	Bridge Repair, Plates and Anchor Assemblies
28	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

CALL No. 06

Bridge Joint Repair on U.S 84 on Bridge Nos. 34.2B, 42.9A, 42.9B, 40.4A, 43.3A, 43.3B, 43.8A & 43.8B, known as Federal Aid Project No. STP-9999-07(012) / 107497301 in Franklin County.

PROJECT COMPLETION: NOVEMBER 03, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,878	Linear Feet	202-B169	Removal of Joint Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

5,710	Linear Feet	808-A001	Joint Preparation
2,097	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
758	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
4,194	Linear Feet	907-823-B001	Saw Cut, Type I
1,516	Linear Feet	907-823-B002	Saw Cut, Type II
68	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 07

Raised Pavement Markers on various routes in District 2, known as State Project No. MP-2000-00(084) / 306163301 Districtwide.

PROJECT COMPLETION: MARCH 30, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
21,757	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
64,261	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 08

Mill & Overlay SR 310 from Panola County Line to Marshall County Line, known as State Project No. MP-2310-36(001) / 306035301 in Lafayette County.

PROJECT COMPLETION: 61 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,733	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
510	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,750	Linear Feet	202-B076	Removal of Traffic Stripe
1,244	Cubic Yard	203-G003	Excess Excavation, FM, AH
17	Mile	423-A001	Rumble Strips, Ground In
510	Linear Feet	606-B001	Guard Rail, Class A, Type 1
170	Each	606-B025	Guard Rail, Replace Metal Blockout
4	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
12	Each	606-E001	Guard Rail, Terminal End Section
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
11,750	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,930	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1,140	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,600	Ton	907-304-B009	Granular Material, Class 3, Group D
14,435	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,500	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
885	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,350	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
3,325	Square Yard	907-406-A001	Cold Milling of Bituminous Pavement, All Depths
15,650	Gallon	907-407-A001	Asphalt for Tack Coat

1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
17	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,696	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
646	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
404	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,930	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

100	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

100	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR