SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDEN	NDUM NO.	1	DATED	7/18/20	17	ADDENDUM NO.	DATED
ADDEN	NDUM NO	2	DATED	7/20/20	17	ADDENDUM NO.	
Number 1 2	Plan Sheet N EBS Download Revised Table Revised Bid I Required.	Nos. 210 & os. 2, 800 d Required e of Contetems; Ame	1, & 8002; Am ents; Add NTB			pectfully Submitted, TE LE DRESS TY, STATE, ZIP ONE X	2 nda issued prior to opening of bids) Contractor Signature
	ed in if a corp				_		
	Our corporation ousiness addre					e of	and the names
titles una	susiness under		o checutives t	are us 10110			
	Pres	sident					Address
	Soor	retary					Address
	Seci	.c.ar y					Audicss
	Trea	surer					Address
Th. C. 11		:	. d				

The following is my (our) itemized proposal.

BR-2839-00(019)/ 100153301000

Prentiss County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

PROJECT: BR-2839-00(019)/100153301 - Prentiss

Section 901 - Advertisement

Section 904 - Notice to	o Bidders
#1	Governing Specification
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#6	Storm Water Discharge Associated with Construction Activity (> 5 Acres)
#7	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#9	Federal Bridge Formula
#10	DUNS Requirement for Federal Funded Projects
#11	Additional Erosion Control Requirements
#12	MASH Compliant Devices
#21	Intermediate Diaphragms
#113	Tack Coat
#114	Right-of-Way Plat
#208	Contract Time
#209	Specialty Items
#210	Additional Construction Requirements
#211	Project Milestone
#212	Removal of Obstructions
#212	Pay Item Correction
906	Required Federal Contract Provisions FHWA 1273, w/Supplements

Section 907 - Special Provisions 907-103-1 Award and Execution of Co

907-103-1	Award and Execution of Contract
907-107-1	Contractor's Erosion Control Plan
907-253-1	Coir Fiber Baffle
907-257-1	Floating Skimmer System
907-624-1	Inverted Profile Thermoplastic Traffic Stripe
907-626-3	Thermoplastic Markings
906-8	Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and DUNS Number

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Pile Data Form

PROJECT: BR-2839-00(019)/100153301 - Prentiss

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)
07/20/2017 04:29 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 212 CODE: (SP)

DATE: 07/20/2017

SUBJECT: Pay Item Correction

PROJECT: BR-2839-00(019) / 100153301 – Prentiss County

Bidders are hereby advised that the Summary of Quantities sheets in the Plans do not include pay item no. 201-A001, Clearing and Grubbing. This is in error. A quantity of **1 Lump Sum** for this pay item has been added to the bid items.

Replacing 7 Bridges on SR 145 between Baldwyn and Booneville, known as Federal Aid Project No. BR-2839-00(019) / 100153301 in Prentiss County.

Line No.	Item Code	Adj Code	Quantity Roady	Units way Items	Description [Fixed Unit Price]
8000	201-A001		1	Lump Sum	Clearing and Grubbing
0010	201-B001		4	Acre	Clearing and Grubbing
0020	202-A001		1	Lump Sum	Removal of Obstructions
0030	202-B007		3,704	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B016		1	Linear Feet	Removal of Box Bridge
0050	202-B062		19,530	Square Yard	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
0060	202-B155		2,827	Each	Removal of Guard Rail, Including Rail, Posts & Cable Anchor s
0070	202-B190		23	Each	Removal of Piling
0800	202-B191		1,662	Linear Feet	Removal of Pipe, 8" And Above
0090	202-B240		1,000	Linear Feet	Removal of Traffic Stripe
0100	203-A001	(E)	39,136	Cubic Yard	Unclassified Excavation, FM, AH
0110	203-EX020	(E)	57,045	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0120	203-G001	(E)	17,708	Cubic Yard	Excess Excavation, FM, AH
0130	206-A001	(S)	1,956	Cubic Yard	Structure Excavation
0140	206-B001	(E)	399	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0150	209-A005		42,055	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0160	211-B001	(E)	14,371	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0170	213-C001		19	Ton	Superphosphate
0180	216-A001		500	Square Yard	Solid Sodding
0190	217-A001		2,495	Square Yard	Ditch Liner
0200	219-A001		6	Thousand Gallon	Watering [\$20.00]
0210	220-A001		18	Acre	Insect Pest Control [\$30.00]
0220	221-A001	(S)	51	Cubic Yard	Concrete Paved Ditch
0230	223-A001		55	Acre	Mowing [\$50.00]
0240	225-A001		35	Acre	Grassing
0250	225-B001		9	Ton	Agricultural Limestone
0260	225-C001		72	Ton	Mulch, Vegetative Mulch
0270	226-A001		35	Acre	Temporary Grassing
0280	234-A001		20,645	Linear Feet	Temporary Silt Fence
0290	235-A001		490	Each	Temporary Erosion Checks
0300	236-A008		12	Each	Silt Basin, Type D
0310	237-A002		1,000	Linear Feet	Wattles, 20"
0320	245-A001		1,140	Linear Feet	Silt Dike

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	246-A002		420	Each	Sandbags
0340	247-A001		2	Each	Temporary Stream Diversion
0350	249-A001		500	Ton	Riprap for Erosion Control
0360	249-B001		9,500	Cubic Yard	Remove and Reset Riprap
0370	304-A002	(GY)	7,140	Cubic Yard	Granular Material, LVM, Class 3, Group C
0380	403-A003	(BA1)	3,367	Ton	12.5-mm, ST, Asphalt Pavement
0390	403-A006	(BA1)	4,589	Ton	19-mm, ST, Asphalt Pavement
0400	403-A015	(BA1)	5,348	Ton	9.5-mm, ST, Asphalt Pavement
0410	406-A002		4,671	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0420	407-A001	(A2)	4,623	Gallon	Asphalt for Tack Coat
0430	408-A002	(A3)	1,667	Gallon	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
0440	413-E001		461	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0450	423-A001		5	Mile	Rumble Strips, Ground In
0460	502-A001	(C)	999	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0470	503-C010		300	Linear Feet	Saw Cut, Full Depth
0480	601-A001	(S)	842	Cubic Yard	Class "B" Structural Concrete
0490	601-B001	(S)	2	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0500	602-A001	(S)	180,904	Pounds	Reinforcing Steel
0510	603-ALT003	(S)	688	Linear Feet	18" Type A Alternate Pipe
0520	603-ALT006	(S)	528	Linear Feet	24" Type A Alternate Pipe
0530	603-ALT011	(S)	120	Linear Feet	36" Type A Alternate Pipe
0540	603-CA026	(S)	112	Linear Feet	24" Reinforced Concrete Pipe, Class III
0550	603-CB004	(S)	4	Each	24" Reinforced Concrete End Section
0560	605-AA001	(S)	256	Square Yard	Geotextile for Subsurface Drainage, Type III
0570	605-O002	(S)	461	Linear Feet	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
0580	605-P002	(S)	50	Linear Feet	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
0590	605-W001	(GY)	17	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type A, FM
0620	606-B001		2,378	Linear Feet	Guard Rail, Class A, Type 1
0630	606-D023		20	Each	Guard Rail, Bridge End Section, Type I, Metal Post
0640	606-E005		23	Each	Guard Rail, Terminal End Section, Flared
0650	606-E007		1	Each	Guard Rail, Terminal End Section, Non-Flared
0660	609-D004	(S)	107	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0670	615-A002	(S)	200	Linear Feet	Concrete Bridge End Barrier, 33.5"

6880 617-A001 197 Each Right-of-Way Marker 0690 618-A001 1 Lump Sum Maintenance of Traffic 0700 619-A1001 3 Mile Temporary Traffic Stripe, Continuous White 0710 619-A5001 590 Linear Feet Temporary Traffic Stripe, Legend 0720 619-A6002 219 Linear Feet Temporary Traffic Stripe, Legend 0740 619-D1001 497 Square Feet Standard Roadside Construction Signs, Less than 10 Square Feet 0750 619-D2001 1,237 Square Feet Standard Roadside Construction Signs, Less than 10 Square Feet 0760 619-B3001 2 Each Changeable Message Sign 0770 619-E3001 2 Each Changeable Message Sign 0780 619-G4001 318 Linear Feet Barricades, Type III, Double Faced 0790 619-G4001 1 Linear Feet Barricades, Type III, Single Faced 0800 629-G4001 1 Linear Feet Barricades, Type III, Single Faced 0810	Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0700 619-A1001 3 Mile Temporary Traffic Stripe, Continuous White 0710 619-A2001 3 Mile Temporary Traffic Stripe, Continuous Yellow 0720 619-A2001 590 Linear Feet Temporary Traffic Stripe, Detail 0730 619-A2002 219 Linear Feet Temporary Traffic Stripe, Legend 0740 619-D1001 497 Square Feet Standard Roadside Construction Signs, Less than 10 Square Feet 0750 619-D2001 1,237 Square Feet Standard Roadside Construction Signs, Lo Square Feet of More 0760 619-D2001 20 Each Remove and Reset Signs, All Sizes 0770 619-G3001 2 Each Changeable Message Sign 0780 619-G4001 318 Linear Feet Barricades, Type III, Double Faced 0790 619-G4001 1 Lump Feet Barricades, Type III, Double Faced 0810 619-G3001 1 Lump Sum Mobilization 0820 622-M002 1 Lump Sum Mobilization 0820 <t< td=""><td>0680</td><td>617-A001</td><td></td><td>197</td><td>Each</td><td>Right-of-Way Marker</td></t<>	0680	617-A001		197	Each	Right-of-Way Marker
0710 619-A2001 3 Mile Temporary Traffic Stripe, Continuous Yellow 0720 619-A5001 590 Linear Feet Temporary Traffic Stripe, Detail 0730 619-A6002 219 Linear Feet Temporary Traffic Stripe, Legend 0740 619-D1001 497 Square Feet Standard Roadside Construction Signs, Less than 10 Square Feet 0760 619-D2001 1,237 Square Feet Standard Roadside Construction Signs, 10 Square Feet or More 0760 619-D3001 20 Each Remove and Reset Signs, All Sizes 0770 619-E3001 21 2 Each Changeable Message Sign 0780 619-G4001 318 Linear Feet Barricades, Type III, Single Faced 0800 619-G4005 192 Linear Feet Barricades, Type III, Single Faced 0800 619-G4001 1 Lump Sum Mobilization 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Mile 6"Thermoplastic Edge Stripe, Continuous White	0690	618-A001		1	Lump Sum	Maintenance of Traffic
0720 619-AS001 590 Linear Feet Temporary Traffic Stripe, Detail 0730 619-A6002 219 Linear Feet Temporary Traffic Stripe, Legend 0740 619-D1001 497 Square Feet Standard Roadside Construction Signs, Less than 10 Square Feet 0750 619-C2001 1,237 Square Feet Standard Roadside Construction Signs, 10 Square Feet or More 0760 619-C3001 2 Each Remove and Reset Signs, All Sizes 0770 619-E3001 318 Linear Feet Barricades, Type III, Double Faced 0780 619-G4001 192 Linear Feet Barricades, Type III, Single Faced 0800 619-G7001 24 Each Warning Lights, Type "B" 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Each Warning Lights, Type "B" 0840 626-C004 5 Mile 6" Thermoplastic Edge Stripe, Continuous White 0840 626-C003 1 Mile 6" Thermoplastic Detail Stripe, White 0860	0700	619-A1001		3	Mile	Temporary Traffic Stripe, Continuous White
0730 619-A6002 219 Linear Feet Temporary Traffic Stripe, Legend 0740 619-D1001 497 Square Feet Standard Roadside Construction Signs, Less than 10 Square Feet 0750 619-D2001 1,237 Square Feet Standard Roadside Construction Signs, 10 Square Feet or More 0760 619-D3001 20 Each Remove and Reset Signs, All Sizes 0770 619-E3001 318 Linear Feet Barricades, Type III, Double Faced 0780 619-G4001 318 Linear Feet Barricades, Type III, Double Faced 0800 619-G7001 24 Each Warning Lights, Type 'B' 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Lump Sum Mobilization 0820 622-A001 5 Mile 6*Thermoplastic Edge Stripe, Continuous White 0840 626-003 1 Mile 6*Thermoplastic Detail Stripe, White 0850 626-0002 1,520 Linear Feet Thermoplastic Legend, White 0860 626-	0710	619-A2001		3	Mile	Temporary Traffic Stripe, Continuous Yellow
0740 619-D1001 497 Square Feet Standard Roadside Construction Signs, Less than 10 Square Feet 0750 619-D2001 1,237 Square Feet Standard Roadside Construction Signs, 10 Square Feet or More 0760 619-D3001 20 Each Remove and Reset Signs, All Sizes 0770 619-E3001 2 Each Changeable Message Sign 0780 619-G4001 318 Linear Feet Barricades, Type III, Double Faced 0790 619-G4005 192 Linear Feet Barricades, Type III, Single Faced 0800 619-G7001 24 Each Warning Lights, Type 'B' 0810 620-R0001 1 Lump Sum Mobilization 0820 622-A002 1 Each Warning Lights, Type 'B' 0830 626-C004 5 Mile 6' Thermoplastic Edge Stripe, Continuous White 0840 626-B003 1 Mile 6' Thermoplastic Detail Stripe, White 0850 626-B002 1,520 Linear Feet Thermoplastic Detail Stripe, Vellow 0880 62	0720	619-A5001		590	Linear Feet	Temporary Traffic Stripe, Detail
0750 619-D2001 1,237 Square Feet Standard Roadside Construction Signs, 10 Square Feet or More 0760 619-D3001 20 Each Remove and Reset Signs, All Sizes 0770 619-E3001 2 Each Changeable Message Sign 0780 619-G4005 192 Linear Feet Barricades, Type III, Double Faced 0800 619-G7001 24 Each Warning Lights, Type 'B' 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Lump Sum Mobilization 0840 626-D003 1 Mile 6" Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6" Thermoplastic Traffic Stripe, Skip Yellow 0860 626-B004 2 Mile 6" Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Detail Stripe, Vellow 0880 626-H005 359 Linear Feet Thermoplastic Legend, White 0890 627-J001 32 E	0730	619-A6002		219	Linear Feet	Temporary Traffic Stripe, Legend
0760 619-03001 20 Each Remove and Reset Signs, All Sizes 0777 619-E3001 2 Each Changeable Message Sign 0780 619-G4001 318 Linear Feet Barricades, Type III, Double Faced 0790 619-G4005 192 Linear Feet Barricades, Type III, Single Faced 0800 619-G7001 24 Each Warning Lights, Type "B" 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Each Engineer's Field Office Building, Type 2 0830 626-C004 5 Mile 6' Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6' Thermoplastic Detail Stripe, Skip Yellow 0850 626-E004 2 Mile 6' Thermoplastic Detail Stripe, White 0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, Yellow 0870 626-G003 1,073 Linear Feet Thermoplastic Legend, White 0890 626-H005 359 Lin	0740	619-D1001		497	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0770 619-E3001 2 Each Changeable Message Sign 0780 619-G4001 318 Linear Feet Barricades, Type III, Double Faced 0790 619-G4005 192 Linear Feet Barricades, Type III, Single Faced 0800 619-G7001 24 Each Warring Lights, Type "B" 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Each Engineer's Field Office Building, Type 2 0830 626-C004 5 Mile 6" Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6" Thermoplastic Traffic Stripe, Skip Yellow 0860 626-E004 2 Mile 6" Thermoplastic Detail Stripe, White 0870 626-G002 1,520 Linear Feet Thermoplastic Legend, White 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0990 627-J001 32 Each	0750	619-D2001		1,237	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0780 619-G4001 318 Linear Feet Barricades, Type III, Double Faced 0790 619-G4005 192 Linear Feet Barricades, Type III, Single Faced 0800 619-G7001 24 Each Warning Lights, Type 'B' 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Each Engineer's Field Office Building, Type 2 0830 626-C004 5 Mile 6' Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6' Thermoplastic Traffic Stripe, Skip Yellow 0850 626-E004 2 Mile 6' Thermoplastic Detail Stripe, Continuous Yellow 0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Legend, White 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0990 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L	0760	619-D3001		20	Each	Remove and Reset Signs, All Sizes
0790 619-G4005 192 Linear Feet Barricades, Type III, Single Faced 0800 619-G7001 24 Each Warning Lights, Type "B" 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Each Engineer's Field Office Building, Type 2 0830 626-C004 5 Mile 6" Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6" Thermoplastic Traffic Stripe, Skip Yellow 0850 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Detail Stripe, Yellow 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930	0770	619-E3001		2	Each	Changeable Message Sign
0800 619-G7001 24 Each Warning Lights, Type "B" 0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Each Engineer's Field Office Building, Type 2 0830 626-C004 5 Mile 6" Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6" Thermoplastic Traffic Stripe, Skip Yellow 0850 626-E004 2 Mile 6" Thermoplastic Detail Stripe, Continuous Yellow 0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Detail Stripe, Yellow 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0990 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 </td <td>0780</td> <td>619-G4001</td> <td></td> <td>318</td> <td>Linear Feet</td> <td>Barricades, Type III, Double Faced</td>	0780	619-G4001		318	Linear Feet	Barricades, Type III, Double Faced
0810 620-A001 1 Lump Sum Mobilization 0820 622-A002 1 Each Engineer's Field Office Building, Type 2 0830 626-C004 5 Mile 6" Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6" Thermoplastic Traffic Stripe, Skip Yellow 0850 626-E004 2 Mile 6" Thermoplastic Detail Stripe, Continuous Yellow 0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Legend, White 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	0790	619-G4005		192	Linear Feet	Barricades, Type III, Single Faced
0820 622-A002 1 Each Engineer's Field Office Building, Type 2 0830 626-C004 5 Mile 6" Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6" Thermoplastic Traffic Stripe, Skip Yellow 0850 626-E004 2 Mile 6" Thermoplastic Detail Stripe, Ontinuous Yellow 0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Legend, White 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-F004 128 Each Delineators, Guard Rail, Double W	0800	619-G7001		24	Each	Warning Lights, Type "B"
0830 626-C004 5 Mile 6" Thermoplastic Edge Stripe, Continuous White 0840 626-D003 1 Mile 6" Thermoplastic Traffic Stripe, Skip Yellow 0850 626-E004 2 Mile 6" Thermoplastic Traffic Stripe, Continuous Yellow 0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Detail Stripe, Yellow 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0990 627-L001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rai	0810	620-A001		1	Lump Sum	Mobilization
0840 626-D003 1 Mile 6" Thermoplastic Traffic Stripe, Skip Yellow 0850 626-E004 2 Mile 6" Thermoplastic Traffic Stripe, Continuous Yellow 0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Detail Stripe, Yellow 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness 0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Del	0820	622-A002		1	Each	Engineer's Field Office Building, Type 2
0850 626-E004 2 Mile 6" Thermoplastic Traffic Stripe, Continuous Yellow 0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Detail Stripe, Yellow 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 30	0830	626-C004		5	Mile	6" Thermoplastic Edge Stripe, Continuous White
0860 626-G002 1,520 Linear Feet Thermoplastic Detail Stripe, White 0870 626-G003 1,073 Linear Feet Thermoplastic Detail Stripe, Yellow 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness 0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose	0840	626-D003		1	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
0870 626-G003 1,073 Linear Feet Thermoplastic Detail Stripe, Yellow 0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 300 0990 815-E001 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under	0850	626-E004		2	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
0880 626-H004 38 Square Feet Thermoplastic Legend, White 0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness 0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard	0860	626-G002		1,520	Linear Feet	Thermoplastic Detail Stripe, White
0890 626-H005 359 Linear Feet Thermoplastic Legend, White 0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness 0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0870	626-G003		1,073	Linear Feet	Thermoplastic Detail Stripe, Yellow
0900 627-J001 32 Each Two-Way Clear Reflective High Performance Raised Markers 0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness 0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0880	626-H004		38	Square Feet	Thermoplastic Legend, White
0910 627-L001 593 Each Two-Way Yellow Reflective High Performance Raised Markers 0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness 0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0890	626-H005		359	Linear Feet	Thermoplastic Legend, White
0920 630-A001 37 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 0930 630-A003 99 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness 0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0900	627-J001		32	Each	Two-Way Clear Reflective High Performance Raised Markers
0930 630-A003 99 Square Feet Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness 0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0910	627-L001		593	Each	Two-Way Yellow Reflective High Performance Raised Markers
0940 630-C003 359 Linear Feet Steel U-Section Posts, 3.0 lb/ft 0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0920	630-A001		37	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0950 630-F004 128 Each Delineators, Guard Rail, Double White 0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0930	630-A003		99	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0960 699-A001 1 Lump Sum Roadway Construction Stakes 0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0940	630-C003		359	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0970 815-A002 (S) 1,280 Ton Loose Riprap, Size 100 0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0950	630-F004		128	Each	Delineators, Guard Rail, Double White
0980 815-A007 (S) 6,672 Ton Loose Riprap, Size 300 0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0960	699-A001		1	Lump Sum	Roadway Construction Stakes
0990 815-E001 (S) 8,974 Square Yard Geotextile under Riprap	0970	815-A002	(S)	1,280	Ton	Loose Riprap, Size 100
	0980	815-A007	(S)	6,672	Ton	Loose Riprap, Size 300
1000 815-F002 (S) 383 Ton Sediment Control Stone	0990	815-E001	(S)	8,974	Square Yard	Geotextile under Riprap
	1000	815-F002	(S)	383	Ton	Sediment Control Stone
1010 907-253-A001 1,559 Linear Feet Coir Fiber Baffle	1010	907-253-A001		1,559	Linear Feet	Coir Fiber Baffle

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1020	907-257-A001		12	Each	Floating Skimmer System
1030	907-626-B002		3	Mile	4" Thermoplastic Traffic Stripe, Continuous White
1040	907-626-E002		3	Mile	4" Thermoplastic Traffic Stripe, Continuous Yellow
1050	907-906001		520	Hours	Trainees [\$5.00]
			ALTERNATE (ROUP AA NUMBE	ER 1
1060	304-H001	(GY)	13,924	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE (GROUP AA NUMBE	ER 2
1070	304-H002	(GY)	13,924	Cubic Yard	Size 610 Crushed Stone Base, LVM
			ALTERNATE (GROUP AA NUMBE	R 3
1080	304-H003	(GY)	13,924	Cubic Yard	Size 825B Crushed Stone Base, LVM
			ALTERNATE (GROUP BB NUMBE	ER 1
1090	907-624-B002		2,302	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1100	907-624-C001		737	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1110	907-624-D002		1,694	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
			ALTERNATE (GROUP BB NUMBE	ER 2
1120	628-H001		2,302	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1130	628-1002		737	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1140	628-J001		1,694	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
			ALTERNATE (GROUP CC NUMBE	ER 1
1142	605-W002	(GY)	17	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type B, FM
			ALTERNATE (ROUP CC NUMBE	ER 2
1144	605-W003	(GY)	17	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type C, FM
			Br	idge Items	
1150	501-K001		5,080	Square Yard	Transverse Grooving
1160	803-B001		5	Each	Conventional Static Pile Load Test [\$5,000.00]
1170	803-D006	(S)	8,600	Linear Feet	HP 14 x 73 Steel Piling
1180	803-1003	(S)	6	Each	PDA Test Pile, HP Steel Pile
1190	803-1004	(S)	10	Each	PDA Test Pile, Steel Pipe Pile
1200	803-J001	(S)	11	Each	Pile Restrike
1210	803-P004	(S)	4,920	Linear Feet	30" Steel Pipe Piling, Wall Thickness 0.750"
1220	804-A009	(S)	780	Cubic Yard	Bridge Concrete, Substructure, Class AA
1230	804-A010	(S)	1,569	Cubic Yard	Bridge Concrete, Superstructure, Class AA
1240	804-C002	(S)	1,769	Linear Feet	100' Prestressed Concrete Beam, Type IV
1250	804-C038	(S)	719	Linear Feet	120' Prestressed Concrete Beam, Type BT-63
1260	804-C055	(S)	1,617	Linear Feet	135' Prestressed Concrete Beam, Type BT-72
		(0)	.,	Emodi i oot	

Proposal (Sheet 2 - 5)

PRENTISS

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1270	804-C065	(S)	239	Linear Feet	40' Prestressed Concrete Beam, Type I+2
1280	804-C073	(S)	594	Linear Feet	50' Prestressed Concrete Beam, Type III
1290	804-C084	(S)	717	Linear Feet	60' Prestressed Concrete Beam, Type II+2
1300	804-C121	(S)	1,911	Linear Feet	80' Prestressed Concrete Beam, Type III
1310	805-A001	(S)	503,984	Pounds	Reinforcement
1320	813-A002	(S)	2,563	Linear Feet	Concrete Railing, 32"
1330	815-A007	(S)	19,520	Ton	Loose Riprap, Size 300
1340	815-E001	(S)	17,948	Square Yard	Geotextile under Riprap