

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 7/18/2017 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

| Number | Description |
|--------|---|
| 1 | Revised Plan Sheet Nos. 2, 6, 7, 8, & 30; Amendment EBS Download Required. |

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

 President Address

 Secretary Address

 Treasurer Address

The following is my (our) itemized proposal.

BR-0447-00(021) / 100589303000

Lauderdale County(ies)

ADDENDUM

| | |
|-------|-----------------|
| STATE | PROJECT NO. |
| MISS. | BR-0447-00(021) |

| DESCRIPTION OF SHEET | WKG. NO. | SH. NO. | DESCRIPTION OF SHEET | WKG. NO. | SH. NO. |
|--|----------|---------|--|-----------|---------|
| TITLE SHEET (1) | | 1 | SPECIAL DESIGN SHEETS (44) | | |
| DETAILED INDEX & GENERAL NOTES (4) | | | VEGETATION SCHEDULE | VS-1 | 32 |
| DETAILED INDEX | DI-1 | 2 | BREAKAWAY SIGN SUPPORTS | SDSN-6B | 33 |
| DETAILED INDEX | DI-2 | 3 | SUPERELEVATION RUNOFF CASE I ROTATION ABOUT CENTERLINE (2% NORMAL SUBGRADE) | SDSE-2A | 34 |
| GENERAL NOTES | GN-1 | 4 | LOCATION OF R16-3 SIGNS | LS-1 | 35 |
| GENERAL NOTES | GN-2 | 5 | RIGHT-OF-WAY MARKER | RW-1 | 36 |
| TYPICAL SECTION SHEETS (3) | | | HIGHWAY SIGNS AND BARRICADE DETAIL FOR CONSTRUCTION PROJECT | SDTCP-10 | 37 |
| TYPICAL SECTION - MAINLINE NEW CONSTRUCTION, WIDENING AND OVERLAY | TS-1 | 6 | TRAFFIC CONTROL DETAIL - DRUM PLACEMENT AND SHOULDER CLOSURE | TCP-SC | 38 |
| TYPICAL SECTION - LOCAL ROADS NEW CONSTRUCTION, WIDENING AND OVERLAY | TS-2 | 7 | TYPICAL TEMP. EROSION CONTROL/ SEDIMENT CONTROL APPLICATIONS | ECD-1 | 39 |
| TYPICAL SECTION - MISCELLANEOUS TYPICAL SECTION DETAILS | TS-3 | 8 | DETAILS OF SEDIMENT BARRIER APPLICATIONS | ECD-2 | 40 |
| QUANTITY SHEETS (11) | | | DETAILS OF SILT FENCE INSTALLATION | ECD-3 | 41 |
| SUMMARY OF QUANTITIES | SQ-1 | 9 | DITCH CHECK STRUCTURES, TYPICAL APPLICATIONS AND DETAILS | ECD-4 | 42 |
| SUMMARY OF QUANTITIES | SQ-2 | 10 | TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES | ECD-5 | 43 |
| SUMMARY OF QUANTITIES | SQ-3 | 11 | DETAILS OF EROSION CONTROL WATTLE DITCH CHECK | ECD-6 | 44 |
| ESTIMATED QUANTITIES - REMOVAL ITEMS | EQ-1 | 12 | DETAILS OF EROSION CONTROL SILT DIKE DITCH CHECK | ECD-7 | 45 |
| ESTIMATED QUANTITIES - SIDE DRAINS AND SUMMARY OF PAVEMENT MARKINGS | EQ-2 | 13 | ROCK DITCH CHECK | ECD-8 | 46 |
| ESTIMATED QUANTITIES - DRAINAGE & BOX BRIDGE | EQ-3 | 14 | ROCK FILTER DAM | ECD-9 | 47 |
| ESTIMATED QUANTITIES - EROSION CONTROL, EW, & HYD. SUMMARY | EQ-4 | 15 | ROCK DITCH CHECK WITH SUMP EXCAVATION AND ROCK FILTER DAM | ECD-10 | 48 |
| ESTIMATED QUANTITIES - PERMANENT SIGNING ITEMS | EQ-5 | 16 | STABILIZED CONSTRUCTION ENTRANCE | ECD-16 | 49 |
| ESTIMATED QUANTITIES - PERMANENT SIGN ASSEMBLIES AND C&G AND DRIVES | EQ-6 | 17 | TEMPORARY CULVERT STREAM CROSSING | ECD-17 | 50 |
| ESTIMATED QUANTITIES - SUMMARY OF TRAFFIC CONTROL ITEMS | EQ-7 | 18 | TEMPORARY STREAM DIVERSION | ECD-18 | 51 |
| ESTIMATED QUANTITIES FOR TRAFFIC CONTROL SIGNS | EQ-8 | 19 | TEMPORARY STREAM DIVERSION (BOX EXTENSIONS) | ECD-19 | 52 |
| PLAN/PROFILE SHEETS (4) | | | FLOATING TURBIDITY CURTAIN | ECD-20 | 53 |
| PLAN/PROFILE SHEET - S.R. 493, DOGWOOD RD., S.R. 495 | WK-3 | 20 | DETAILS OF EROSION CONTROL SANDBAG DITCH CHECK | ECD-21 | 54 |
| PLAN/PROFILE SHEET - S.R. 495 | WK-3A | 21 | SEDIMENT RETENTION BARRIER | ECD-22 | 55 |
| PLAN/PROFILE SHEET - S.R. 493 | WK-4 | 22 | DETAILS OF TYPICAL DITCH TREATMENTS | DT-1 | 56 |
| PROFILE SHEET - S.R. 495 AND DOGWOOD RD. | WK-5 | 23 | EROSION CONTROL | EC-1 | 57 |
| DETAIL OF INTERSECTION SHEETS (2) | | | SUPER SILT FENCE | SSF-1 | 58 |
| DETAIL OF INTERSECTION SHEET - S.R. 493 AT DOGWOOD RD. | DOI-1 | 24 | DRIVEWAYS, CURB & GUTTER & SIDEWALK | SDSD-1 | 59 |
| DETAIL OF INTERSECTION SHEET - S.R. 493 AT S.R. 495 | DOI-2 | 25 | DRIVEWAYS, INTEGRAL CURB & SIDEWALK | SDSD-2 | 60 |
| PAVEMENT MARKING DETAIL SHEETS (2) | | | BASIC BARREL DETAILS FOR DOUBLE CELL BOX CULVERT HEIGHT 12 FT. SPANS 24-40 FT. (SHEET 1 OF 3) | IBD-12 | 61 |
| PAVEMENT MARKING DETAIL SHEET - S.R. 493, DOGWOOD RD. AND S.R. 495 | PMD-1 | 26 | BASIC BARREL DETAILS FOR DOUBLE CELL BOX CULVERT HEIGHT 12 FT. SPANS 24-40 FT. (SHEET 2 OF 3) | IBD-12 | 62 |
| PAVEMENT MARKING DETAIL SHEET - S.R. 493, DOGWOOD RD. AND S.R. 495 | PMD-2 | 27 | BASIC BARREL DETAILS FOR DOUBLE CELL BOX CULVERT HEIGHT 12 FT. SPANS 24-40 FT. (SHEET 3 OF 3) | IBD-12 | 63 |
| TRAFFIC CONTROL SHEETS (3) | | | COLLAR DETAILS FOR BOX STRUCTURES (SINGLE, DOUBLE, TRIPLE & QUADRUPLE) | ICJ-1 | 64 |
| TRAFFIC CONTROL PLAN - PHASE I | TC-1 | 28 | SKewed COLLAR DETAILS FOR BOX STRUCTURES (SINGLE, DOUBLE, TRIPLE & QUADRUPLE) | ICJS-1 | 65 |
| TRAFFIC CONTROL PLAN - PHASE II | TC-2 | 29 | WINGS WITH 3:1 SLOPE FOR BASIC CULVERT DRAWINGS DOUBLE CELL 0° SKEW DETAILS (SHEET 1 OF 3) | IWD-12-3W | 66 |
| TRAFFIC CONTROL PLAN - PHASE III | TC-3 | 30 | WINGS WITH 3:1 SLOPE FOR BASIC CULVERT DRAWINGS DOUBLE CELL 0° SKEW DETAILS (SHEET 2 OF 3) | IWD-12-3W | 67 |
| PRELIMINARY EROSION CONTROL SHEET (1) | | | WINGS WITH 3:1 SLOPE FOR BASIC CULVERT DRAWINGS DOUBLE CELL 0° SKEW DETAILS (SHEET 3 OF 3) | IWD-12-3W | 68 |
| EROSION CONTROL PLAN - S.R. 493, DOGWOOD RD. AND S.R. 495 | ECP-1 | 31 | TYPICAL INSTALLATION AND DETAILS OF DELINEATORS AND DISTANCE REFERENCE SIGNS | SDSN-8 | 69 |

VOLKERT, INC.

| PS & E PLANS-DATE 4/18/2017 | | |
|-----------------------------|-----------|----|
| FMS CON. 100589/303000 | | |
| REVISIONS | | |
| DATE | SHEET NO. | BY |
| 7/7/17 | 6-8, 30 | JL |
| | | |
| | | |





| | |
|--|----------|
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION | |
| DETAILED INDEX | |
| PROJECT NO. BR-0447-00(021) COUNTY : LAUDERDALE | |
| WORKING NUMBER | DI-1 |
| SHEET NUMBER | 2 |
| FILENAME: DI.DGN | |
| DESIGN TEAM: VOLKERT | CHECKED: |
| DATE: | DATE: |

7/7/2017 2:26:20 PM DI.DGN MISSISSIPPI DEPARTMENT OF TRANSPORTATION PLAN DESIGN DIVISION

ADDENDUM

| | |
|-------|-----------------|
| STATE | PROJECT NO. |
| MISS. | BR-0447-00(021) |





TYPICAL SECTION

NEW CONSTRUCTION

S.R. 493
STA. 254 + 50 TO STA. 272 + 50

- Ⓐ EXISTING ASPHALT IN PLACE TO REMAIN
- Ⓑ EXISTING ASPHALT IN PLACE TO BE REMOVED
- ⚠ ① 2.00" ASPHALT PAVEMENT, MT, (12.5 mm MIXTURE) (1 @ 2.00")
- ⚠ ② 6.75" ASPHALT PAVEMENT, MT, (19 mm MIXTURE) (3 @ 2.25")
- ③ 6.00" CRUSHED STONE W/GEOTEXTILE FABRIC TYPE V (NON-WOVEN)
- ④ 8.75" GRANULAR MATERIAL (CLASS 5, GROUP "E")
- ⑥ RUMBLE STRIP
- ⑦ UNCLASSIFIED EXCAVATION
- ⚠ ⑧ ASPHALT PAVEMENT, MT, (12.5 mm MIXTURE), LEVELING
- ⑨ "VARIABLE DEPTH", COLD MILLING OF BITUMINOUS PAVEMENT

INDICATES AREA TO BE TREATED IN ACCORDANCE WITH THE VEGETATION SCHEDULE. SEE WK. SH. NO. VS-1.



SAFETY EDGE REQ'D
TOP 2 LIFTS ONLY
(NOT A PAY ITEM)
NEW CONSTRUCTION

TYPICAL SECTION

WIDENING AND OVERLAY

S.R. 493
STA. 246 + 00 TO STA. 254 + 50
STA. 272 + 50 TO STA. 276 + 50



| DATA FOR PAVEMENT DETERMINATION | | |
|---------------------------------|------|----------|
| (2020) ADT = | 4200 | Current |
| (2030) ADT = | 4800 | |
| (2040) ADT = | 5400 | Design |
| DHV = | 650 | |
| D = | 60 | % of DHV |
| T = | 5 | % of DHV |
| T (total) = | | % of DHV |
| 18K (Rigid) = | 1527 | / 1000 |
| 18K (Flex) = | 985 | / 1000 |
| Design CBR = | 5 | |

| | | |
|---|--|-------------------------------|
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION TYPICAL SECTIONS | | |
| MAINLINE NEW CONSTRUCTION AND WIDENING AND OVERLAY | | |
| COUNTY: LAUDERDALE PROJ. NUM.: BR-0447-00(021) | | WORKING NUMBER TS-1 |
| FILENAME: TS-1.DGN DESIGN TEAM: VOLKERT CHECKED: DATE: | | SHEET NUMBER 6 |

7/7/2017 11:17:19 AM S-1.DGN

ADDENDUM

| | |
|-------|-----------------|
| STATE | PROJECT NO. |
| MISS. | BR-0447-00(021) |





**TYPICAL SECTION
 NEW CONSTRUCTION**

DOGWOOD LAKE RD.
 STA. 259 + 14.294 (STA. 0 + 28.554 TO STA. 1 + 50)
 S.R. 495
 STA. 265 + 62.412 (STA. 12 + 50 TO STA. 17 + 73.962)

- Ⓐ EXISTING ASPHALT IN PLACE TO BE RETAIN
- Ⓑ EXISTING ASPHALT IN PLACE TO BE REMOVED
- Ⓐ ① 2.00" ASPHALT PAVEMENT, MT, (12.5 mm MIXTURE) (1 @ 2.00")
- Ⓐ ② 6.75" ASPHALT PAVEMENT, MT, (19 mm MIXTURE) (3 @ 2.25")
- ③ 6.00" CRUSHED STONE W/GEOTEXTILE FABRIC TYPE V (NON-WOVEN)
- ④ 8.75" GRANULAR MATERIAL (CLASS 5, GROUP "E")
- ⑥ RUMBLE STRIP
- ⑦ UNCLASSIFIED EXCAVATION
- Ⓐ ⑧ ASPHALT PAVEMENT, MT, (12.5 mm MIXTURE), LEVELING
- ⑨ "VARIABLE DEPTH", COLD MILLING OF BITUMINOUS PAVEMENT

INDICATES AREA TO BE TREATED IN ACCORDANCE WITH THE VEGETATION SCHEDULE. SEE WK. SH. NO. VS-1.



**SAFETY EDGE REQ'D
 TOP 2 LIFTS ONLY
 (NOT A PAY ITEM)
 NEW CONSTRUCTION**

**TYPICAL SECTION
 WIDENING AND OVERLAY**


DOGWOOD LAKE RD.
 STA. 259 + 14.294 (STA. 1 + 50 TO STA. 3 + 75.39)
 S.R. 495
 STA. 265 + 62.412 (STA. 8 + 56 TO STA. 12 + 50)

| | | | |
|--|---------|--|------|
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION | | TYPICAL SECTIONS | |
| LOCAL ROADS | | NEW CONSTRUCTION AND WIDENING AND OVERLAY | |
| COUNTY: LAUDERDALE | | WORKING NUMBER TS-2 | |
| PROJ. NUM.: BR-0447-00(021) | | SHEET NUMBER 7 | |
| 7/7/21 | DATE | FILENAME: TS-1.DGN | |
| DESIGN TEAM | VOLKERT | CHECKED | DATE |

7/7/2017 11:17:19 ARS-1.DGN

ADDENDUM


| | |
|-------|-----------------|
| STATE | PROJECT NO. |
| MISS. | BR-0447-00(021) |



PLAN VIEW OF MODIFIED TYPE 2 CURB & GUTTER AT ISLANDS ALONG S.R. 493


SEE INTERSECTION DETAIL SHEETS (DOI-1 - DOI-2) FOR DETAILS

- ① 2.00" ASPHALT PAVEMENT, MT, (12.5 mm MIXTURE) (1 @ 2.00")
- ② 6.75" ASPHALT PAVEMENT, MT, (19 mm MIXTURE) (3 @ 2.25")
- ③ 6.00" CRUSHED STONE
- ⑦ 4" CONCRETE MEDIAN AND/OR ISLAND PAVEMENT (PAY ITEM NO. 616-A001)
- ⑧ 10" & VARIABLE DEPTH CONCRETE MEDIAN AND/OR ISLAND PAVEMENT (PAY ITEM NO. 616-A003)
- ⑨ 1/2" PREMOLDED EXPANSION JOINT (NOT A PAY ITEM) (SPACED AS PER SHEETS SDSD-1 & SDSD-2)
- ⑩ 1/2" TOOLED CONTRACTION JOINT OR AS DIRECTED BY THE ENGINEER (NOT A PAY ITEM) (SPACED AS PER THIS SHEET OR DIRECTED BY ENGINEER).




CHANNEL CROSS SECTION

NOT TO SCALE
 NOTE: 50' UPSTREAM OF PROPOSED BOX APRON AND 50' DOWNSTREAM FROM WEST SIDE OF EXISTING BRIDGE



TYPICAL DETAIL OF MODIFIED TYPE 2 CURB & GUTTER AT ISLAND



DETAIL OF MODIFIED TYPE 2 CURB & GUTTER (MODIFIED 8.75")



| | |
|---|----------|
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION | |
| TYPICAL SECTIONS | |
| MISSISSIPPI | |
| WORKING NUMBER | |
| TS-3 | |
| SHEET NUMBER | |
| 8 | |
| 7/7/21 | DATE |
| DESIGN TEAM | VOLKERT |
| CHECKED | DATE |
| ADDED DESCRIPTIONS | REVISION |
| BY | |
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION MISCELLANEOUS TYPICAL SECTION DETAILS COUNTY: LAUDERDALE PROJ. NUM.: BR-0447-00(021) FILENAME: TS-1.DGN | |

7/7/2017 11:17:19 AM S-1.DGN

ADDENDUM


| | |
|-------|-----------------|
| STATE | PROJECT NO. |
| MISS. | BR-0447-00(021) |

LEGEND
 CONSTRUCTION



NOTE: ONCE TRAFFIC IS TURNED ONTO NEW S.R. 493 ALIGNMENT AS INDICATED IN PHASE III, THE CONTRACTOR MUST COMPLETE THE SECTION WHERE EXISTING S.R. 493 CROSSES S.R. 495 REALIGNMENT WHILE MAINTAINING TRAFFIC ON EXISTING S.R. 495 AND UTILIZING THE CONNECTOR ROAD OF PHASE II TO CONNECT TO NEW S.R. 493. ANY AND ALL TRAFFIC CONTROL REQUIRED WILL BE ABSORBED. ONCE AREA IS COMPLETED CONTINUE TO PHASE III.

*-REQUIRED WHEN PAVEMENT EDGE DROP-OFF EXCEEDS 1/2". SHALL BE COVERED OR REMOVED WHEN NOT IN USE.



| | | |
|--|--|----------------|
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION | | |
| TRAFFIC CONTROL PLAN PHASE III | | |
| COUNTY: LAUDERDALE | | WORKING NUMBER |
| PROJ. NUM.: BR-0447-00(021) | | TC-3 |
| FILENAME: TCP-3.DGN | | SHEET NUMBER |
| DESIGN TEAM VOLKERT CHECKED DATE | | 30 |

7/10/2017 11:18:52 AKCP-3.DGN