

Proposal & Plan Sales Will Begin on July 3, 2017



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For July - July 25, 2017

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 25, 2017

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 3, 2017

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
 For Information Please Contact:
 Contract Administration Division
 Jackson, MS
 Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
 For Information Please Contact:
 MDOT Plans Print Shop
 Jackson, MS
 Telephone: (601) 359-7460
 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 25, 2017; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
* 01	HSIP-0018-01(027)/107500301	WASHINGTON
02	IM-0055-01(113)/107554301	PIKE
* 03	STP-0057-01(005)/107575301	COAHOMA
04	BR-0447-00(021) / 100589303	LAUDERDALE
05	BR-2839-00(019)/100153301	PRENTISS
06	SP-0009-02(067)/107210301	SHARKEY
07	SP-9999-01(007)/107364301 & SP-9999-01(007) / 107364302 & SP-9999-01(007) / 107364303	PONTOTOC, UNION, LEE
08	BWO-2214-05(001)/502996301 & BWO-2215-05(001)/502996302 & BWO-2216-05(001)/502996303 & BWO-2217-05(001)/502996304 & LWO-2096-05(002)/502996305	BENTON
* 09	MP-1000-00(083)/306069301	DISTRICT 1
* 10	MP-3082-76(015)/306136301	WASHINGTON
* 11	MP-5000-52(093)/305744301 & MP-5000-52(093)/305744302	NOXUBEE
* 12	MRP-5020-25(209)/306125302	HINDS
* 13	MP-6000-00(259)/306199301	DISTRICT 6

*

14

MP-6000-34(258) / 306189301 & MP-6000-34(258) / 306189302

JONES

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 22, 2017; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	NH-0008-03(029)/102046301	RANKIN

CALL No. 01

Shoulder Widening of SR 12 from Hollandale to the Sunflower River, known as Federal Aid Project No. HSIP-0018-01(027) / 107500301 in Washington County.

PROJECT COMPLETION: 75 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

3,471	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,000	Ton	304-B004	Granular Material, Class 5, Group D
7,100	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
1,400	Gallon	407-A001	Asphalt for Tack Coat
19	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
19	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White

CALL No. 02

OGFC Lift on I-55 from Louisiana State Line to SR 568, known as Federal Aid Project No. IM-0055-01(113) / 107554301 in Pike County.

PROJECT COMPLETION: OCTOBER 27, 2017

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

402 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
12,075 Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
30,806 Gallon	402-B001	Bituminous Tack Coat
270 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
4,180 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
302,369 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,053 Gallon	407-A001	Asphalt for Tack Coat
1 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
42 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
38 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
34 Mile	619-A3001	Temporary Traffic Stripe, Skip White
52,272 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
392 Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
1 Each	619-E3001	Changeable Message Sign
48 Linear Feet	619-G4005	Barricades, Type III, Single Faced
1 Lump Sum	620-A001	Mobilization
16 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
17 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
17 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
13,068 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,058 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1 Each	907-688-A002	Traffic Recorder WIM Kistler System, 4-Lane

CALL No. 03

Mill and Overlay approximately 11 miles of US 49 from Tallahatchie CL to the beginning of the 4-lane section in Clarksdale, known as Federal Aid Project No. STP-0057-01(005) / 107575301 in Coahoma County.

PROJECT COMPLETION: 85 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

404	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,815	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
8	Each	202-B152	Removal of Guard Rail Terminal End Section
950	Linear Feet	202-B240	Removal of Traffic Stripe
450	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,000	Ton	304-B002	Granular Material, Class 3, Group D
375	Ton	403-A006	19-mm, ST, Asphalt Pavement
17,115	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,620	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
177,900	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
36,900	Gallon	407-A001	Asphalt for Tack Coat
79,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
23	Mile	423-A001	Rumble Strips, Ground In
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
180	Each	606-F003	Guard Rail, Replace Metal Blockout
72	Linear Feet	609-B002	Concrete Curb, Header
76	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
31	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
525	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,700	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

8	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
882	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
23	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
441	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
525	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
525	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,700	Linear Feet	626-H005	Thermoplastic Legend, White
1,008	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
ALTERNATE GROUP AA NUMBER 1			
1,500	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
1,500	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
1,500	Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 04

Replace Bridge on SR 493, known as Federal Aid Project No. BR-0447-00(021) / 100589303 in Lauderdale County.

PROJECT COMPLETION: 120 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
831	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
7,003	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B023	Removal of Bridge
156	Square Yard	202-B081	Removal of Concrete Sidewalks & Driveways, All Depths
153	Linear Feet	202-B092	Removal of Curb, All Types
470	Linear Feet	202-B191	Removal of Pipe, 8" And Above
14	Each	202-B219	Removal of Sign, Ground Mounted with Posts
14,158	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
300	Cubic Yard	203-EX010	Borrow Excavation, AH, FME, Class B17
20,818	Cubic Yard	203-G001	Excess Excavation, FM, AH
817	Cubic Yard	206-A001	Structure Excavation
76	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
25,849	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4	Ton	213-C001	Superphosphate
4,640	Square Yard	216-A001	Solid Sodding
4,728	Square Yard	217-A001	Ditch Liner
93	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
12	Acre	223-A001	Mowing
9	Acre	225-A001	Grassing
4	Ton	225-B001	Agricultural Limestone
26	Ton	225-C001	Mulch, Vegetative Mulch
5	Acre	226-A001	Temporary Grassing
4,420	Linear Feet	234-A001	Temporary Silt Fence

500	Linear Feet	234-C001	Super Silt Fence
3	Each	236-A008	Silt Basin, Type D
840	Linear Feet	237-A002	Wattles, 20"
800	Linear Feet	239-A001	Temporary Slope Drains
1	Each	247-A001	Temporary Stream Diversion
100	Ton	249-A001	Riprap for Erosion Control
8,284	Ton	304-B005	Granular Material, Class 5, Group E
2,266	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
8,180	Ton	403-A005	19-mm, MT, Asphalt Pavement
127	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
3,627	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,040	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
46	Linear Feet	503-C010	Saw Cut, Full Depth
646	Cubic Yard	601-A001	Class "B" Structural Concrete
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
129,690	Pounds	602-A001	Reinforcing Steel
544	Linear Feet	603-ALT003	18" Type A Alternate Pipe
200	Linear Feet	603-ALT006	24" Type A Alternate Pipe
120	Linear Feet	603-ALT009	30" Type A Alternate Pipe
88	Linear Feet	603-ALT011	36" Type A Alternate Pipe
336	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
48	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
4	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
795	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
742	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
191	Square Yard	614-A003	Concrete Driveway, Without Reinforcement, 6-inch Thickness
62	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
515	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch

1	Lump Sum	618-A001	Maintenance of Traffic
8,305	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
5,146	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4,706	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
46	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
617	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
11	Each	619-D3001	Remove and Reset Signs, All Sizes
245	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
348	Linear Feet	619-G4005	Barricades, Type III, Single Faced
305	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-J1003	Impact Attenuator, 50 MPH
1	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
583	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6,588	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9,922	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,666	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
299	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
56	Square Feet	626-H004	Thermoplastic Legend, White
120	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
65	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
254	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
59	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
80	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
9	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
54	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
105	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"

21 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
21 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,550 Ton	815-A007	Loose Riprap, Size 300
106 Ton	815-F002	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

6,862 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

6,862 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

6,862 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

CALL No. 05

Replacing 7 Bridges on SR 145 between Baldwyn and Booneville, known as Federal Aid Project No. BR-2839-00(019) / 100153301 in Prentiss County.

PROJECT COMPLETION: MAY 08, 2020

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
3,704	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Linear Feet	202-B016	Removal of Box Bridge
19,530	Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
2,827	Each	202-B155	Removal of Guard Rail, Including Rail, Posts & Cable Anchor s
23	Each	202-B190	Removal of Piling
1,662	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,000	Linear Feet	202-B240	Removal of Traffic Stripe
39,136	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
57,045	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
17,708	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,956	Cubic Yard	206-A001	Structure Excavation
399	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
42,055	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
14,371	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
19	Ton	213-C001	Superphosphate
500	Square Yard	216-A001	Solid Sodding
2,495	Square Yard	217-A001	Ditch Liner
6	Thousand Gallon	219-A001	Watering
18	Acre	220-A001	Insect Pest Control
51	Cubic Yard	221-A001	Concrete Paved Ditch
55	Acre	223-A001	Mowing
35	Acre	225-A001	Grassing
9	Ton	225-B001	Agricultural Limestone

72	Ton	225-C001	Mulch, Vegetative Mulch
35	Acre	226-A001	Temporary Grassing
20,645	Linear Feet	234-A001	Temporary Silt Fence
490	Each	235-A001	Temporary Erosion Checks
12	Each	236-A008	Silt Basin, Type D
1,000	Linear Feet	237-A002	Wattles, 20"
1,140	Linear Feet	245-A001	Silt Dike
420	Each	246-A002	Sandbags
2	Each	247-A001	Temporary Stream Diversion
500	Ton	249-A001	Riprap for Erosion Control
9,500	Cubic Yard	249-B001	Remove and Reset Riprap
7,140	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
3,367	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
4,589	Ton	403-A006	19-mm, ST, Asphalt Pavement
5,348	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,671	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
4,623	Gallon	407-A001	Asphalt for Tack Coat
1,667	Gallon	408-A002	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
461	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5	Mile	423-A001	Rumble Strips, Ground In
999	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
300	Linear Feet	503-C010	Saw Cut, Full Depth
842	Cubic Yard	601-A001	Class "B" Structural Concrete
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
180,904	Pounds	602-A001	Reinforcing Steel
688	Linear Feet	603-ALT003	18" Type A Alternate Pipe
528	Linear Feet	603-ALT006	24" Type A Alternate Pipe
120	Linear Feet	603-ALT011	36" Type A Alternate Pipe
112	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
4	Each	603-CB004	24" Reinforced Concrete End Section

256	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
461	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
50	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
17	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
17	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
17	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
2,378	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
23	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
107	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
200	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
197	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
590	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
219	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
497	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,237	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
20	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E3001	Changeable Message Sign
318	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
24	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	622-A002	Engineer's Field Office Building, Type 2
5	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow

2 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,520 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,073 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
38 Square Feet	626-H004	Thermoplastic Legend, White
359 Linear Feet	626-H005	Thermoplastic Legend, White
32 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
593 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
37 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
99 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
359 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
128 Each	630-F004	Delineators, Guard Rail, Double White
1 Lump Sum	699-A001	Roadway Construction Stakes
1,280 Ton	815-A002	Loose Riprap, Size 100
6,672 Ton	815-A007	Loose Riprap, Size 300
8,974 Square Yard	815-E001	Geotextile under Riprap
383 Ton	815-F002	Sediment Control Stone
1,559 Linear Feet	907-253-A001	Coir Fiber Baffle
12 Each	907-257-A001	Floating Skimmer System
3 Mile	907-626-B002	4" Thermoplastic Traffic Stripe, Continuous White
3 Mile	907-626-E002	4" Thermoplastic Traffic Stripe, Continuous Yellow
520 Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1		
13,924 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2		
13,924 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3		
13,924 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1		
2,302 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
737 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,694 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,302	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
737	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,694	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

5,080	Square Yard	501-K001	Transverse Grooving
5	Each	803-B001	Conventional Static Pile Load Test
8,600	Linear Feet	803-D006	HP 14 x 73 Steel Piling
6	Each	803-I003	PDA Test Pile, HP Steel Pile
10	Each	803-I004	PDA Test Pile, Steel Pipe Pile
11	Each	803-J001	Pile Restrike
4,920	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
780	Cubic Yard	804-A009	Bridge Concrete, Substructure, Class AA
1,569	Cubic Yard	804-A010	Bridge Concrete, Superstructure, Class AA
1,769	Linear Feet	804-C002	100' Prestressed Concrete Beam, Type IV
719	Linear Feet	804-C038	120' Prestressed Concrete Beam, Type BT-63
1,617	Linear Feet	804-C055	135' Prestressed Concrete Beam, Type BT-72
239	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
594	Linear Feet	804-C073	50' Prestressed Concrete Beam, Type III
717	Linear Feet	804-C084	60' Prestressed Concrete Beam, Type II+2
1,911	Linear Feet	804-C121	80' Prestressed Concrete Beam, Type III
503,984	Pounds	805-A001	Reinforcement
2,563	Linear Feet	813-A002	Concrete Railing, 32"
19,520	Ton	815-A007	Loose Riprap, Size 300
17,948	Square Yard	815-E001	Geotextile under Riprap

CALL No. 06

Intersection Improvements on US 61 at the Theodore Roosevelt / Holt Collier Visitor Center, known as State Project No. SP-0009-02(067) / 107210301 in Sharkey County.

PROJECT COMPLETION: JUNE 29, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-C002	Random Clearing and Grubbing
2,208	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,040	Linear Feet	202-B240	Removal of Traffic Stripe
10,142	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
63	Cubic Yard	206-A001	Structure Excavation
8,723	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3	Ton	213-C001	Superphosphate
362	Square Yard	216-A001	Solid Sodding
19,836	Square Yard	217-A001	Ditch Liner
8	Thousand Gallon	219-A001	Watering
2	Cubic Yard	221-A001	Concrete Paved Ditch
5	Acre	225-A001	Grassing
13	Ton	225-B001	Agricultural Limestone
9	Ton	225-C001	Mulch, Vegetative Mulch
5	Acre	226-A001	Temporary Grassing
89	Square Yard	229-A001	Erosion Mat
3,850	Linear Feet	234-C001	Super Silt Fence
1,150	Each	235-A001	Temporary Erosion Checks
200	Linear Feet	237-A002	Wattles, 20"
60	Linear Feet	245-A001	Silt Dike
60	Each	246-B001	Rockbags
25	Ton	249-A001	Riprap for Erosion Control
3,050	Ton	304-B004	Granular Material, Class 5, Group D
562	Ton	403-A002	12.5-mm, MT, Asphalt Pavement

842	Ton	403-A005	19-mm, MT, Asphalt Pavement
842	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,003	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,049	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,120	Gallon	407-A001	Asphalt for Tack Coat
1,640	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3,500	Linear Feet	503-C010	Saw Cut, Full Depth
8	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
877	Pounds	602-A001	Reinforcing Steel
120	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
2	Each	603-CB005	30" Reinforced Concrete End Section
22	Linear Feet	603-PA008	4' x 4' Precast Concrete Box Culvert
544	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
28	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
93	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7,637	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
7,579	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
55	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
214	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,800	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,800	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
114	Linear Feet	619-G4001	Barricades, Type III, Double Faced
100	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
6	Each	619-J1002	Impact Attenuator, 45 MPH
6	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1,849	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White

1,674	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,280	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,618	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
191	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
74	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
77	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
641	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
49	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
42	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
45	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
11	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
15	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

3,200	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,200	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,200	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 07

Construction of a Tower & ITS Field Device Deployment, known as State Project Nos. SP-9999-01(007) / 107364301, 302 & 303 in Lee, Pontotoc & Union Counties.

PROJECT COMPLETION: SEPTEMBER 27, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1	Each	202-B261	Removal of Antenna Tower Communication Hut
350	Square Yard	216-A001	Solid Sodding
7	Thousand Gallon	219-A001	Watering
250	Linear Feet	234-A001	Temporary Silt Fence
1	Lump Sum	618-A001	Maintenance of Traffic
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
160	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
1	Each	619-E3001	Changeable Message Sign
240	Linear Feet	619-G4005	Barricades, Type III, Single Faced
10	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
6	Each	634-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
8	Each	634-E001	Camera Pole with Foundation, 50' Pole
3	Each	634-E004	Camera Pole with Foundation, 80' Pole
2	Each	634-F002	Detector Pole with Foundation, 35' Pole
7	Each	634-I001	Wood Pole, Class II Height 40'
3,475	Linear Feet	636-B034	Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor
1,765	Linear Feet	636-B041	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
2,125	Linear Feet	636-B048	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
4,770	Linear Feet	636-E001	Electric Cable, Underground in Conduit, Tracer Cable
31	Each	637-A009	Pull Box Enclosure, Type 2, Tier 22
12	Each	637-A013	Pull Box Enclosure, Type 4, Tier 22

12	Each	637-A015	Pull Box Enclosure, Type 5, Tier 22
1,285	Linear Feet	637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
7,485	Linear Feet	637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
380	Linear Feet	637-I004	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 4 @ 2"
3	Each	641-C001	ITS Radar Detection, 1 Sensor
100	Linear Feet	641-D001	Radar Detection Communication Cable
11	Each	660-A003	Equipment Cabinet, Type B
12	Each	660-B001	Cabinet Modifications
7	Each	662-B001	Radio Interconnect, Installed in Existing Controller Cabinet
1	Each	662-D001	Radio Interconnect, Broadband, Long Range
20	Each	662-D002	Radio Interconnect, Broadband, Short Range
1	Lump Sum	699-A001	Roadway Construction Stakes
2	Each	907-636-I001	Ground Mounted Meter Enclosure
2	Each	907-636-I002	Ground Mounted Transformer Enclosure
39	Each	907-650-A002	On Street Video Equipment, Fixed Type
17	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
2,920	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
8	Each	907-663-A001	Network Switch, Type A
2	Each	907-663-A002	Network Switch, Type B
1	Each	907-663-A003	Network Switch, Type C
12	Each	907-663-A006	Network Switch, Type F
8	Each	907-663-B001	Terminal Server
8,355	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1	Each	907-664-B001	Communications Node Hut
6	Each	907-666-A001	Bluetooth Detection System, Type A
6	Each	907-666-C001	Bluetooth Detection System Server Licensing
1	Lump Sum	907-675-A001	Antenna Tower

CALL No. 08

Construction necessary to Build a Maintenance Area Headquarters Building with other Structures and Site Work, known as State Project Nos. BWO-2214-05(001), BWO-2215-05(001), BWO-2216-05(001), BWO-2217-05(001), & LWO-2096-05(002) / 502996301, 302, 303, 304, & 305 in Benton County.

PROJECT COMPLETION: OCTOBER 19, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2,485	Linear Feet	202-B041	Removal of Fence, All Types
13,947	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
12,165	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
16,000	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
15	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
4	Acre	223-A001	Mowing
3,000	Linear Feet	234-A001	Temporary Silt Fence
428	Linear Feet	503-C009	Saw Cut, 2-inch
4,440	Pounds	602-A001	Reinforcing Steel
56	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB002	24" Reinforced Concrete End Section
4,380	Linear Feet	607-B041	72" Type I Chain Link Fence, Class I , With Top Guard
4	Each	607-G042	Gate, 18' x 6' Chain Link
438	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
8	Each	607-P1012	Line Post, 14' x 2" Galvanized Steel
68	Each	607-P2010	Brace Post, 9' x 2 1/2" Galvanized Steel
8	Each	607-P3004	Gate Post, 9' x 2 1/2" Galvanized Steel
159	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
153	Linear Feet	609-B001	Concrete Curb, Header
1	Lump Sum	620-A001	Mobilization
54	Ton	815-A006	Loose Riprap, Size 100

52	Square Yard	815-E001	Geotextile under Riprap
790	Square Yard	907-216-A001	Solid Sodding
4	Acre	907-225-A001	Grassing
1	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
400	Linear Feet	907-237-A002	Wattles, 12"
27	Cubic Yard	907-249-B001	Remove and Reset Riprap
1	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans
1	Each	907-265-PP003	Fire Hydrant Assembly, Per Plans
1	Each	907-290-A001	Flagpole
147	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
220	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
150	Gallon	907-407-A001	Asphalt for Tack Coat
83	Cubic Yard	907-601-A001	Class "B" Structural Concrete
430	Linear Feet	907-603-PVC05	6" Corrugated Poly Vinyl Chloride Pipe
1	Lump Sum	907-607-PP007	Fence Slats, Vinyl
260	Linear Feet	907-626-B001	4" Thermoplastic Traffic Stripe, Continuous White
125	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
1	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
1	Each	907-630-PP005	Site Sign, Per Plans
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

1,293	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

1,293	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,293	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

Building Items

1	Lump Sum	907-242-A006	Construction of Administration Building & Shop
1	Lump Sum	907-242-A006	Construction of Bulk Material Storage

1 Lump Sum	907-242-A006	Construction of Bulk Salt Storage
1 Lump Sum	907-242-A006	Construction of Equipment Shed

CALL No. 09

Raised Pavement Markers on various routes throughout the district, known as State Project No. MP-1000-00(083) / 306069301 District Wide (1).

PROJECT COMPLETION: MAY 21, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
25,191	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
76,568	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 10

Overlay approximately 6 miles of US 82 from Woodlawn to Leland, known as State Project No. MP-3082-76(015) / 306136301 in Washington County.

PROJECT COMPLETION: 93 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,885	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,700	Ton	304-B005	Granular Material, Class 5, Group E
4,500	Ton	403-A005	19-mm, MT, Asphalt Pavement
3,100	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
13,000	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
5,000	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
15,500	Gallon	407-A001	Asphalt for Tack Coat
10	Mile	423-A001	Rumble Strips, Ground In
1,375	Linear Feet	606-B001	Guard Rail, Class A, Type 1
220	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
8	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
16	Each	606-G004	Special Sections, Thrie Beam, Transition Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
10	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
14	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
10	Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
1,211	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint White
568	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint Yellow
3,477	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
945	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White

10 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,211 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
568 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
3,477 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
840 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
230 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,337 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,003 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
56 Each	630-F012	Delineators, Post Mounted, Single White

CALL No. 11

Mill & Overlay approximately 6 miles of SR 39 from SR 21 to SR 145, & approximately 2 miles of SR 21 from 1 mile West of SR 39 to SR 39, known as State Project Nos. MP-5000-52(093) / 305744301 & 302 in Noxubee County.

PROJECT COMPLETION: 34 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,467	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
150	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
300	Linear Feet	202-B240	Removal of Traffic Stripe
400	Cubic Yard	304-A006	Granular Material, LVM, Class 5, Group E
9,150	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
100	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
80,000	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
8,000	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,072	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
944	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
407	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
336	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
20	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
11	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,051	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
994	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
940	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
550	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 12

Sign Truss on I-20 at Ellis Avenue, known as State Project No. MRP-5020-25(209) / 306125302 in Hinds County.

PROJECT COMPLETION: MARCH 07, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

2	Each	202-B130	Removal of Footing
1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
452	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
4	Each	619-E3001	Changeable Message Sign
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
71	Each	619-G5001	Free Standing Plastic Drums
21	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
295	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed

CALL No. 13

Raised Pavement Markers on various routes throughout the district, known as State Project No. MP-6000-00(259) / 306199301 District Wide (6).

PROJECT COMPLETION: 43 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
15,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
28,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
20,475	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 14

Overlay SR 29 and SR 590 from I-59 to the bypass, known as State Project Nos. MP-6000-34(258) / 306189301 & 302 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
90	Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
872	Square Yard	202-B188	Removal of Pavement, All Types and Depths
32	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,616	Linear Feet	202-B240	Removal of Traffic Stripe
131	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
22	Cubic Yard	206-A001	Structure Excavation
19	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
379	Square Yard	216-A001	Solid Sodding
225	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	246-A001	Sandbags
1,600	Ton	304-F003	Size 825B Crushed Stone Base
305	Ton	403-A005	19-mm, MT, Asphalt Pavement
7,150	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,900	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
39,655	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,750	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
8	Cubic Yard	601-A001	Class "B" Structural Concrete
7	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,192	Pounds	602-A001	Reinforcing Steel
2	Each	603-CB003	18" Reinforced Concrete End Section
1	Each	603-CB004	24" Reinforced Concrete End Section
8	Linear Feet	603-RA003	24" Pipe Removed and Relaid

8	Linear Feet	603-RA004	30" Pipe Removed and Relaid
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
126	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,644	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,200	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,200	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,540	Square Feet	626-H004	Thermoplastic Legend, White
4,025	Linear Feet	626-H005	Thermoplastic Legend, White
500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,096	Linear Feet	640-A001	Vehicle Loop Assemblies
375	Ton	815-A007	Loose Riprap, Size 300
207	Square Yard	815-E001	Geotextile under Riprap
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 01

Reconstruction of US 49 from Florence to the Scale Area, known as Federal Aid Project No. NH-0008-03(029) / 102046301 in Rankin County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
276,689	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
5	Each	202-B018	Removal of Box Culvert
4	Each	202-B023	Removal of Bridge
660	Square Yard	202-B029	Removal of Bridge End Pavement
1,360	Linear Feet	202-B037	Removal of Bridge Railing
1	Each	202-B042	Removal of Camera Pole
33	Each	202-B058	Removal of Concrete Lug Anchor
2,611	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
216	Square Yard	202-B063	Removal of Concrete Paved Ditch
231,656	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
105	Square Yard	202-B080	Removal of Concrete Sidewalk
68,916	Linear Feet	202-B092	Removal of Curb, All Types
49	Each	202-B129	Removal of Flared End Section, All Sizes
44	Each	202-B130	Removal of Footing
3,324	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
62	Each	202-B165	Removal of Inlets, All Sizes
20	Each	202-B170	Removal of Junction Box
1	Each	202-B185	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
9	Each	202-B190	Removal of Piling
16,664	Linear Feet	202-B191	Removal of Pipe, 8" And Above
500	Ton	202-B207	Removal of Riprap
3	Each	202-B213	Removal of Sign

129,197	Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
6	Each	202-B239	Removal of Traffic Signal
251,424	Linear Feet	202-B240	Removal of Traffic Stripe
40	Linear Feet	202-B250	Removal of Trench Drain, All Sizes, All Types
205,904	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
226,725	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
7,434	Cubic Yard	203-F001	Channel Excavation, FM
331,970	Cubic Yard	203-G001	Excess Excavation, FM, AH
41,406	Cubic Yard	206-A001	Structure Excavation
737	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
768,774	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
42	Ton	213-C001	Superphosphate
10,929	Square Yard	216-A001	Solid Sodding
2,355	Square Yard	217-A001	Ditch Liner
220	Thousand Gallon	219-A001	Watering
84	Acre	220-A001	Insect Pest Control
4,385	Cubic Yard	221-A001	Concrete Paved Ditch
840	Acre	223-A001	Mowing
84	Acre	225-A001	Grassing
42	Ton	225-B001	Agricultural Limestone
168	Ton	225-C001	Mulch, Vegetative Mulch
84	Acre	226-A001	Temporary Grassing
105,690	Linear Feet	234-A001	Temporary Silt Fence
2,400	Linear Feet	234-C001	Super Silt Fence
127	Each	234-D001	Inlet Siltation Guard
127	Each	234-E001	Reset Inlet Siltation Guard
300	Linear Feet	234-F001	Turbidity Barrier
43,902	Linear Feet	237-A002	Wattles, 20"
5,000	Linear Feet	239-A001	Temporary Slope Drains

5,792	Linear Feet	245-A001	Silt Dike
5,792	Linear Feet	246-A001	Sandbags
375	Each	246-B001	Rockbags
27	Each	247-A001	Temporary Stream Diversion
1,974	Ton	249-A001	Riprap for Erosion Control
500	Cubic Yard	249-B001	Remove and Reset Riprap
49,312	Ton	304-B005	Granular Material, Class 5, Group E
1,000	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
12,995	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
3,003	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
120,166	Ton	403-A004	19-mm, HT, Asphalt Pavement
97,871	Ton	403-A006	19-mm, ST, Asphalt Pavement
8,255	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,252	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
52,861	Ton	403-D003	19-mm, HT, Asphalt Pavement, Polymer Modified
1,941	Ton	403-E004	9.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
58,631	Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
45,997	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
61,700	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
533	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
161,938	Gallon	407-A001	Asphalt for Tack Coat
300	Linear Feet	413-D004	Cleaning and Filling Joints in PCC Pavement, 10" or Less
310	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3	Mile	423-A001	Rumble Strips, Ground In
2,850	Square Yard	501-A001	6" Reinforced Cement Concrete Pavement, Broom Finish
267	Linear Feet	501-E001	Expansion Joints, Without Dowels
533	Square Yard	501-K001	Transverse Grooving
2,316	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
48,047	Linear Feet	503-C010	Saw Cut, Full Depth
1,064	Cubic Yard	601-A001	Class "B" Structural Concrete

1,736	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
562,562	Pounds	602-A001	Reinforcing Steel
1,400	Linear Feet	603-A045	24" Steel Pipe, Jacked or Bored
512	Linear Feet	603-A046	30" Steel Pipe, Jacked or Bored
1,046	Linear Feet	603-A047	36" Steel Pipe, Jacked or Bored
784	Linear Feet	603-A048	42" Steel Pipe, Jacked or Bored
304	Linear Feet	603-A049	48" Steel Pipe, Jacked or Bored
784	Linear Feet	603-ALT003	18" Type A Alternate Pipe
40	Linear Feet	603-ALT006	24" Type A Alternate Pipe
23,864	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
9,932	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
6,600	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
4,032	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
2,952	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
944	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
2,032	Linear Feet	603-CA087	54" Reinforced Concrete Pipe, Class III
150	Each	603-CB003	18" Reinforced Concrete End Section
33	Each	603-CB004	24" Reinforced Concrete End Section
14	Each	603-CB005	30" Reinforced Concrete End Section
24	Each	603-CB006	36" Reinforced Concrete End Section
4	Each	603-CB007	42" Reinforced Concrete End Section
4	Each	603-CB008	48" Reinforced Concrete End Section
4	Each	603-CB009	54" Reinforced Concrete End Section
584	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
440	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
344	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
1,304	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
1,120	Linear Feet	603-CE023	51" x 31" Concrete Arch Pipe, Class A III
816	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
584	Linear Feet	603-CE034	65" x 40" Concrete Arch Pipe, Class A III

1,088	Linear Feet	603-CE039	73" x 45" Concrete Arch Pipe, Class A III
48	Linear Feet	603-CE044	88" x 54" Concrete Arch Pipe, Class A III
10	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
3	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
7	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
31	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
23	Each	603-CF006	51" x 31" Concrete Arch Pipe End Section
7	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
15	Each	603-CF009	73" x 45" Concrete Arch Pipe End Section
142	Linear Feet	603-PA001	10' x 4' Precast Concrete Box Culvert
659	Linear Feet	603-PA009	6' x 3' Precast Concrete Box Culvert
44	Linear Feet	603-PA011	6' x 5' Precast Concrete Box Culvert
146	Linear Feet	603-PA013	8' x 4' Precast Concrete Box Culvert
4	Each	603-PB001	10' x 4' Precast Concrete Box Culvert End Section
1	Each	603-PB007	6' x 3' Precast Concrete Box Culvert End Section
2	Each	603-PB009	6' x 5' Precast Concrete Box Culvert End Section
4	Each	603-PB011	8' x 4' Precast Concrete Box Culvert End Section
14	Each	603-SB014	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB015	18" Branch Connections, Stub into Concrete Box Culvert Wingwall
3	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB029	24" Branch Connections, Stub into Concrete Box Culvert Wingwall
3	Each	603-SB036	30" Branch Connections, Stub into Box Culvert
1	Each	603-SB042	36" Branch Connections, Stub into Concrete Box Culvert Wingwall
1	Each	603-SB046	42" Branch Connections, Stub into Box Culvert
1	Each	603-SB053	54" Branch Connections, Stub into Box Culvert
42,898	Pounds	604-A001	Castings
26,105	Pounds	604-B001	Gratings
58,224	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
646	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5

15	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4,902	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
2,025	Linear Feet	606-B001	Guard Rail, Class A, Type 1
5	Each	606-C003	Guard Rail, Cable Anchor, Type 1
3	Each	606-D005	Guard Rail, Bridge End Section, Type A
6	Each	606-D022	Guard Rail, Bridge End Section, Type I
9	Each	606-E001	Guard Rail, Terminal End Section
5	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
185	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
8,728	Linear Feet	609-B002	Concrete Curb, Header
3,783	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
113,978	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
535	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
8	Each	613-D003	Adjustment of Inlet
22,021	Square Yard	614-B001	Concrete Driveway, With Reinforcement
2,756	Linear Feet	615-A001	Concrete Bridge End Barrier, 32"
312	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
2,320	Linear Feet	615-A023	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
5,388	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,904	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
462	Each	617-A001	Right-of-Way Marker
18	Each	617-B001	Permanent Easement Marker
1	Lump Sum	618-A001	Maintenance of Traffic
16	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
13	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
31	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
1,604	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
181,557	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
7,633	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
10,110	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint

11,444	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
1,200	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
1,920	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,319	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-D3001	Remove and Reset Signs, All Sizes
118	Square Feet	619-D4001	Directional Signs
1	Each	619-E1001	Flashing Arrow Panel, Type C
20	Each	619-E3001	Changeable Message Sign (Radar Capable)
92,823	Linear Feet	619-F1001	Concrete Median Barrier, Precast
9,800	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
96	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4003	Barricades, Type III, Double Faced, Permanent, Red/White
1,974	Linear Feet	619-G4005	Barricades, Type III, Single Faced
5,224	Each	619-G5001	Free Standing Plastic Drums
43	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
47	Each	619-J1003	Impact Attenuator, 50 MPH
47	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1	Each	622-A004	Engineer's Field Office Building, Type 3
31	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,604	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
135,560	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
47,422	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
7,671	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
10,770	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White

7,236	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,201	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Each	629-A004	Vehicular Impact Attenuator, 60 MPH
5	Each	629-B001	Median Barrier End Section
575	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
2,575	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
302	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
59	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
2,309	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
39	Linear Feet	630-D006	Structural Steel Beams, W6 x 12
40	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
245	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
53	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
290	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
2,275	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
2	Each	630-F001	Delineators, Flexible Post Mounted, Crossover, Type I, Green
2	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
61	Each	630-F006	Delineators, Guard Rail, White
31	Each	630-F007	Delineators, Guard Rail, Yellow
44	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
7	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
14	Each	630-G008	Type 2 Object Markers, OM2-2
1	Lump Sum	630-I002	Metal Overhead Sign Supports, Assembly No. 1 DMS-1
1	Lump Sum	630-I014	Metal Overhead Sign Supports, Assembly No. 2 DMS-2
1	Lump Sum	630-I019	Metal Overhead Sign Supports, Assembly No. 3 DMS-3
149	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
689	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1,063	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
8	Each	632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
8	Each	633-A001	Uninterruptable Power Supply

1	Each	634-A036	Traffic Signal Equipment Pole, Type II, 22' Shaft, 100' Arm
1	Each	634-A038	Traffic Signal Equipment Pole, Type II, 22' Shaft, 30' Arm
2	Each	634-A039	Traffic Signal Equipment Pole, Type II, 22' Shaft, 35' Arm
3	Each	634-A041	Traffic Signal Equipment Pole, Type II, 22' Shaft, 45' Arm
1	Each	634-A042	Traffic Signal Equipment Pole, Type II, 22' Shaft, 50' Arm
1	Each	634-A044	Traffic Signal Equipment Pole, Type II, 22' Shaft, 60' Arm
1	Each	634-A045	Traffic Signal Equipment Pole, Type II, 22' Shaft, 65' Arm
2	Each	634-A046	Traffic Signal Equipment Pole, Type II, 22' Shaft, 70' Arm
6	Each	634-A047	Traffic Signal Equipment Pole, Type II, 22' Shaft, 75' Arm
1	Each	634-A048	Traffic Signal Equipment Pole, Type II, 22' Shaft, 80' Arm
1	Each	634-A049	Traffic Signal Equipment Pole, Type II, 22' Shaft, 85' Arm
1	Each	634-A051	Traffic Signal Equipment Pole, Type II, 22' Shaft, 95' Arm
1	Each	634-A172	Traffic Signal Equipment Pole, Type III, 22' Shaft, 75' & 60' Arms
1	Each	634-A174	Traffic Signal Equipment Pole, Type III, 40' Shaft, 80' & 40' Arms
1	Each	634-A195	Traffic Signal Equipment Pole, Type II, 40' Shaft, 40' Arm
1	Each	634-A200	Traffic Signal Equipment Pole, Type II, 40' Shaft, 65' Arm
1	Each	634-A201	Traffic Signal Equipment Pole, Type II, 40' Shaft, 70' Arm
2	Each	634-A202	Traffic Signal Equipment Pole, Type II, 40' Shaft, 75' Arm
1	Each	634-A203	Traffic Signal Equipment Pole, Type II, 40' Shaft, 80' Arm
1	Each	634-A205	Traffic Signal Equipment Pole, Type II, 40' Shaft, 90' Arm
150	Cubic Yard	634-C005	Pole Foundations, Class "B" Concrete
4	Each	634-E001	Camera Pole with Foundation, 50' Pole
78	Each	635-A059	Traffic Signal Head, Type 1
25	Each	635-A061	Traffic Signal Head, Type 2
12	Each	635-A065	Traffic Signal Head, Type 2 FYA
7	Each	635-A070	Traffic Signal Head, Type 3
2	Each	635-A076	Traffic Signal Head, Type 6
7,526	Linear Feet	636-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
2,983	Linear Feet	636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor

9,448	Linear Feet	636-B018	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
568	Linear Feet	636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
705	Linear Feet	636-B035	Electric Cable, Underground in Conduit, THHN, AWG #1, 4 Conductor
2,080	Linear Feet	636-B054	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
72	Each	637-A009	Pull Box Enclosure, Type 2, Tier 22
18	Each	637-A011	Pull Box Enclosure, Type 3, Tier 22
77	Each	637-A013	Pull Box Enclosure, Type 4, Tier 22
17	Each	637-A015	Pull Box Enclosure, Type 5, Tier 22
800	Linear Feet	637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
5,485	Linear Feet	637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
316	Linear Feet	637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,877	Linear Feet	637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
3,697	Linear Feet	637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2,540	Linear Feet	637-F005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
40	Linear Feet	637-G006	Traffic Signal Conduit, Underground Encased in Concrete, Type 3, 2"
22,455	Linear Feet	637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
275	Linear Feet	637-H003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
26,035	Linear Feet	637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
885	Linear Feet	637-I003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
6	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
1	Each	639-A001	Railroad Signal Preemption
32	Each	639-B001	Optical Detector
8	Each	639-C001	Multimode Phase Selector
8,622	Linear Feet	639-E001	Optical Detector Cable
619	Linear Feet	640-B003	Shielded Cable, AWG #14, 2 Conductor
32	Each	641-A002	Signal Stop Bar Radar Detection, 1 Sensor, Type 2
16	Each	641-B002	Signal Advanced Radar Detection, 1 Sensor, Type 2
16	Each	641-C001	ITS Radar Detection, 1 Sensor
7,470	Linear Feet	641-D001	Radar Detection Communication Cable
1	Each	646-C001	LED Blank-Out Sign

321	Square Feet	653-B003	Street Name Sign, Type III
3	Each	656-A001	Dynamic Message Sign, Type 1
12	Each	660-A003	Equipment Cabinet, Type B
1	Lump Sum	699-A001	Roadway Construction Stakes
1,267	Cubic Yard	804-B001	Box Bridge Concrete, Class B
5,371	Ton	815-A007	Loose Riprap, Size 300
5,359	Square Yard	815-B001	Grouted Riprap
14,698	Square Yard	815-E001	Geotextile under Riprap
110	Ton	815-F002	Sediment Control Stone
500	Pounds	907-250-A001	Polyacrylamide (PAM)
65	Linear Feet	907-603-MK001	12" Slotted Drain Pipe
40	Linear Feet	907-604-T001	12" Trench Drain
1	Lump Sum	907-618-M1001	Service Patrol
1,100	Linear Feet	907-619-S001	Construction Safety Fence
32	Mile	907-626-U002	4" Thermoplastic Traffic Stripe, Skip White, 40-mil min. TRAFFIC CONTROL
45	Mile	907-626-V002	4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min. TRAFFIC CONTROL
47	Mile	907-626-X002	4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min. TRAFFIC CONTROL
81,909	Linear Feet	907-626-Y001	Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min. TRAFFIC CONTROL
1,442	Linear Feet	907-626-Y003	Thermoplastic Detail Traffic Stripe, Yellow, 4" Equivalent Length, 40-mil. min. TRAFFIC CONTROL
19,409	Linear Feet	907-626-Z001	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min. TRAFFIC CONTROL
2,100	Square Feet	907-626-Z002	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min. TRAFFIC CONTROL
36	Each	907-650-A002	On Street Video Equipment, Fixed Type
12	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
50,240	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
1,335	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
8	Each	907-663-A001	Network Switch, Type A
12	Each	907-663-A002	Network Switch, Type B
7	Each	907-663-B001	Terminal Server

805	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1	Lump Sum	907-899-A001	Railway-Highway Provisions
1,040	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
378,296	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
378,296	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
378,296	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
7,843	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
7,843	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items			
628	Linear Feet	202-B169	Removal of Joint Material
5,966	Square Yard	501-K001	Transverse Grooving
6	Each	803-B001	Conventional Static Pile Load Test
7,805	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
13,760	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
5,100	Linear Feet	803-D005	HP 14 x 117 Steel Piling
3,109	Linear Feet	803-F008	20" Pre-Formed Pile Hole
22	Each	803-I002	PDA Test Pile, Concrete Pile
4	Each	803-I003	PDA Test Pile, HP Steel Pile
12	Each	803-J001	Pile Restrike
3,477	Cubic Yard	804-A001	Bridge Concrete, Class AA
8,287	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
3,227	Linear Feet	804-C084	60' Prestressed Concrete Beam, Type II+2
737,034	Pounds	805-A001	Reinforcement
628	Linear Feet	808-A001	Joint Preparation
3,046	Linear Feet	813-A001	Concrete Railing
7,498	Ton	815-A007	Loose Riprap, Size 300

10,756	Square Yard	815-E001	Geotextile under Riprap
314	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
628	Linear Feet	907-823-B001	Saw Cut, Type I
60	Each	907-824-PP006	Bridge Repair, (Remove Existing Bearings & Install 1'-3"x9" Laminated Bearing Pads) Per Plans
60	Each	907-824-PP006	Bridge Repair, (Remove Existing Bearings & Install 1'-7"x10" Laminated Bearing Pads) Per Plans

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR