

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 10/19/2017 </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>
ADDENDUM NO. <u> </u>	DATED <u> </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>
ADDENDUM NO. <u> </u>	DATED <u> </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>

Number	Description
--------	-------------

1	Revised Table of Contents; Revised NTB No. 350; Added NTB Nos. 353, & 354; Revised Bid Items; Revised or Added Plan Sheet Nos. 2, 8, 10, 12, 24, & 25; Amendment EBS Download Required.
---	---

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
--------------------	------------------

_____ Secretary	_____ Address
--------------------	------------------

_____ Treasurer	_____ Address
--------------------	------------------

The following is my (our) itemized proposal.

STP-0047-01(015)/ 106446301000 & STP-0047-01(015)/ 106446302000

Issaquena & Sharkey County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

**PROJECT: STP-0047-01(015)/106446301 - Issaquena
STP-0047-01(015)/106446302 - Sharkey**

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#6	Storm Water Discharge Associated with Construction Activity (> 5 Acres)
#7	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#8	Errata and Modifications to the 2017 Standard Specifications
#9	Federal Bridge Formula
#10	DUNS Requirement for Federal Funded Projects
#11	Additional Erosion Control Requirements
#12	MASH Compliant Devices
#113	Tack Coat
#114	Right-of-Way Plat
#296	Reduced Speed Limit Signs
#349	Contract Time
#350	Specialty Items
#351	Removal of Obstructions
#352	Placement of Fill Material in Federally Regulated Areas
#353	Additional Construction Requirements
#354	Pay Item Correction

906 Required Federal Contract Provisions -- FHWA 1273, w/Supplements

Section 907 - Special Provisions

907-103-2	Award and Execution of Contract
907-107-1	Contractor's Erosion Control Plan
907-424-1	Roadbed Reclamation with Cement
907-619-4	Temporary Portable Rumble Strips

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts
Certification Regarding Non-Collusion, Debarment and Suspension
SAM.GOV Registration and DUNS Number

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Progress Schedule

PROJECT: STP-0047-01(015)/106446301 - Issaquena
STP-0047-01(015)/106446302 - Sharkey

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

10/19/2017 09:55 AM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 350

DATE: 10/19/2017

SUBJECT: Specialty Items

PROJECT: STP-0047-01(015)/106446301 & STP-0047-01(015)/106446302 - ISSAQUENA

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: EROSION CONTROL

Line No	Pay Item	Description
0080	213-C001	Superphosphate
0090	217-A001	Ditch Liner
0100	220-A001	Insect Pest Control
0110	223-A001	Mowing
0120	224-A001	Soil Reinforcing Mat
0130	225-A001	Grassing
0140	225-B001	Agricultural Limestone
0150	225-C001	Mulch, Vegetative Mulch
0160	226-A001	Temporary Grassing
0170	234-A001	Temporary Silt Fence
0180	235-A001	Temporary Erosion Checks
0190	237-A002	Wattles, 20"

CATEGORY: GUARDRAIL, GUIDERAIL

Line No	Pay Item	Description
0360	606-B001	Guard Rail, Class A, Type 1
0370	606-D005	Guard Rail, Bridge End Section, Type A
0380	606-E001	Guard Rail, Terminal End Section

CATEGORY: PAVEMENT STRIPING AND MARKING

Line No	Pay Item	Description
0530	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0540	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
0550	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0560	626-G004	Thermoplastic Double Drop Detail Stripe, White
0570	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
0580	626-H002	Thermoplastic Double Drop Legend, White
0590	627-J001	Two-Way Clear Reflective High Performance Raised Markers
0600	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CATEGORY: SURVEY AND STAKING

Line No	Pay Item	Description
0710	699-A001	Roadway Construction Stakes

CATEGORY: TRAFFIC CONTROL - PERMANENT

Line No	Pay Item	Description
0620	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0630	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0640	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0650	630-C002	Steel U-Section Posts, 2.0 lb/ft
0660	630-C003	Steel U-Section Posts, 3.0 lb/ft
0670	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0680	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
0690	630-K002	Welded & Seamless Steel Pipe Posts, 3"
0700	630-K003	Welded & Seamless Steel Pipe Posts, 4"

CATEGORY: TRAFFIC CONTROL - TEMPORARY

Line No	Pay Item	Description
0410	619-A1001	Temporary Traffic Stripe, Continuous White
0420	619-A2001	Temporary Traffic Stripe, Continuous Yellow
0430	619-A4002	Temporary Traffic Stripe, Skip Yellow
0440	619-A5001	Temporary Traffic Stripe, Detail
0450	619-A6002	Temporary Traffic Stripe, Legend
0460	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
0470	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
0480	619-F3001	Delineators, Guard Rail, White
0490	619-G4001	Barricades, Type III, Double Faced
0500	619-G7001	Warning Lights, Type "B"
0740	907-619-B001	Temporary Portable Rumble Strips

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 353

CODE: (SP)

DATE: 10/17/2017

SUBJECT: Additional Construction Requirements

PROJECT: STP-0047-01(015) / 106446301&302 – Issaquena & Sharkey Counties

Bidders are hereby advised that mats are required to cross any area with an underground gas line.

The Contractor shall be responsible for any damage which might occur to an underground gas line, and no payment will be made for any replacements or repairs.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 354

CODE: (SP)

DATE: 10/18/2017

SUBJECT: Pay Item Correction

PROJECT: STP-0047-01(015) / 106446301&302 – Issaquena & Sharkey Counties

The Bidder's attention is called to the Summary of Quantities in the Contract Plans. Pay Item 606-D022, Guard Rail, Bridge End Section, Type I, is in error. The correct Pay Item is 606-D005, Guard Rail, Bridge End Section, Type A. The Bid Sheets in the Proposal are correct.

Pavement Restoration and Widening approximately 4 miles on SR 14 from the intersection of SR 1 to SR 826, known as Federal Aid Project Nos. STP-0047-01(015) / 106446301 & 302 in Issaquena and Sharkey Counties.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-A001		1	Lump Sum	Removal of Obstructions
0030	202-B191		454	Linear Feet	Removal of Pipe, 8" And Above
0040	203-EX020	(E)	56,624	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0050	203-G002	(E)	3,000	Cubic Yard	Excess Excavation, LVM, AH
0060	206-A001	(S)	381	Cubic Yard	Structure Excavation
0070	206-B001	(E)	35	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0080	213-C001		30	Ton	Superphosphate
0090	217-A001		5,910	Square Yard	Ditch Liner
0100	220-A001		30	Acre	Insect Pest Control [\$30.00]
0110	223-A001		60	Acre	Mowing [\$50.00]
0120	224-A001		356	Square Yard	Soil Reinforcing Mat
0130	225-A001		60	Acre	Grassing
0140	225-B001		30	Ton	Agricultural Limestone
0150	225-C001		120	Ton	Mulch, Vegetative Mulch
0160	226-A001		60	Acre	Temporary Grassing
0170	234-A001		33,800	Linear Feet	Temporary Silt Fence
0180	235-A001		508	Each	Temporary Erosion Checks
0190	237-A002		366	Linear Feet	Wattles, 20"
0200	403-A006	(BA1)	11,168	Ton	19-mm, ST, Asphalt Pavement
0210	403-A015	(BA1)	5,510	Ton	9.5-mm, ST, Asphalt Pavement
0220	406-A002		49,720	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0230	407-A001	(A2)	6,572	Gallon	Asphalt for Tack Coat
0240	423-A001		8	Mile	Rumble Strips, Ground In
0250	601-B001	(S)	15	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0260	602-A001	(S)	1,601	Pounds	Reinforcing Steel
0270	603-CA011	(S)	352	Linear Feet	18" Reinforced Concrete Pipe, Class III
0280	603-CA026	(S)	210	Linear Feet	24" Reinforced Concrete Pipe, Class III
0290	603-CA040	(S)	88	Linear Feet	30" Reinforced Concrete Pipe, Class III
0300	603-CA055	(S)	48	Linear Feet	36" Reinforced Concrete Pipe, Class III
0310	603-CA076	(S)	40	Linear Feet	48" Reinforced Concrete Pipe, Class III
0320	603-CB003	(S)	2	Each	18" Reinforced Concrete End Section

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	603-CB004	(S)	4	Each	24" Reinforced Concrete End Section
0340	603-CB005	(S)	4	Each	30" Reinforced Concrete End Section
0350	603-CB006	(S)	4	Each	36" Reinforced Concrete End Section
0360	606-B001		776	Linear Feet	Guard Rail, Class A, Type 1
0370	606-D005		7	Each	Guard Rail, Bridge End Section, Type A
0380	606-E001		7	Each	Guard Rail, Terminal End Section
0390	617-A001		52	Each	Right-of-Way Marker
0400	618-A001		1	Lump Sum	Maintenance of Traffic
0410	619-A1001		4	Mile	Temporary Traffic Stripe, Continuous White
0420	619-A2001		2	Mile	Temporary Traffic Stripe, Continuous Yellow
0430	619-A4002		3	Mile	Temporary Traffic Stripe, Skip Yellow
0440	619-A5001		3,981	Linear Feet	Temporary Traffic Stripe, Detail
0450	619-A6002		288	Linear Feet	Temporary Traffic Stripe, Legend
0460	619-D1001		144	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0470	619-D2001		308	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0480	619-F3001		39	Each	Delineators, Guard Rail, White
0490	619-G4001		24	Linear Feet	Barricades, Type III, Double Faced
0500	619-G7001		4	Each	Warning Lights, Type "B"
0510	620-A001		1	Lump Sum	Mobilization
0520	622-B001		1	Each	Engineer's Field Office Building, Type 2 LO
0530	626-C002		8	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0540	626-D001		3	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
0550	626-E001		2	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0560	626-G004		3,981	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0570	626-G005		320	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
0580	626-H002		288	Linear Feet	Thermoplastic Double Drop Legend, White
0590	627-J001		104	Each	Two-Way Clear Reflective High Performance Raised Markers
0600	627-L001		317	Each	Two-Way Yellow Reflective High Performance Raised Markers
0610	629-A003		1	Each	Vehicular Impact Attenuator, 55 MPH
0620	630-A001		328	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0630	630-A003		195	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0640	630-B002		118	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0650	630-C002		138	Linear Feet	Steel U-Section Posts, 2.0 lb/ft


Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0660	630-C003		719	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0670	630-E004		202	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0680	630-K001		37	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
0690	630-K002		67	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
0700	630-K003		20	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0710	699-A001		1	Lump Sum	Roadway Construction Stakes
0720	907-424-A001		65,704	Square Yard	Roadbed Reclamation with Cement
0730	907-424-B001		985	Ton	Cement
0740	907-619-B001		66	Linear Feet	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1					
0750	304-F001	(GT)	15,638	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
0760	304-F002	(GT)	15,638	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
0770	304-F003	(GT)	15,638	Ton	Size 825B Crushed Stone Base

ADDENDUM

STATE	PROJECT NO.
MISS	STP-0047-01(015)/STP-0047-01(015)

PAY ITEM NO.	PAY ITEM	UNIT	ISSAQUENA : 106446-301000	
			Prelim	Final
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	1	
619-A4002	Temporary Traffic Stripe, Skip Yellow	MI	2	
619-A5001	Temporary Traffic Stripe, Detail	LF	2,923	
619-A6002	Temporary Traffic Stripe, Legend	LF	192	
907-619-B001	Temporary Portable Rumble Strips	LF	33	
619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	SF	72	
619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	SF	118	
619-F3001	Delineators, Guard Rail, White	EA	11	
619-G4001	Barricades, Type III, Double Faced	LF	12	
619-G7001	Warning Lights, Type "B"	EA	2	
620-A001	Mobilization	LS	1	
622-B001	Engineer's Field Office Building, Type 2 LO	EA	1	
626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White	MI	4	
626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow	MI	2	
626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	MI	1	
626-G004	Thermoplastic Double Drop Detail Stripe, White	LF	2,923	
626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	LF	240	
626-H002	Thermoplastic Double Drop Legend, White	LF	192	
627-J001	Two-Way Clear Reflective High Performance Raised Markers	EA	52	
627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	153	
630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	SF	181	
630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	SF	98	
630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted	SF	80	
630-C002	Steel U-Section Posts, 2.0 lb/ft	LF	84	
630-C003	Steel U-Section Posts, 3.0 lb/ft	LF	354	
630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	LBS	96	
630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"	LF	17	
630-K002	Welded & Seamless Steel Pipe Posts, 3"	LF	16	
630-K003	Welded & Seamless Steel Pipe Posts, 4"	LF	20	
699-A001	Roadway Construction Stakes	LS	1	



10/10/2017	REVISION	By	Date
	REVISION		
MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES			
Proj No: STP-0047-01(015) County: ISSAQUENA			
FILENAME : sqs14.dgn Design Team <small>brown</small>		Working Number SQ-2	Sheet Number 8
		Checked <small>brown</small>	Date <small>2/14/12</small>

ADDENDUM

STATE	MISS	PROJECT NO.
		STP-0047-01(015)/STP-0047-01(015)

SUMMARY OF QUANTITIES (SHEET 4)


PAY ITEM NO.	PAY ITEM	UNIT	SHARKEY : 106446-302000	
			Prelim	Final
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	1	
619-A4002	Temporary Traffic Stripe, Skip Yellow	MI	1	
619-A5001	Temporary Traffic Stripe, Detail	LF	1,058	
619-A6002	Temporary Traffic Stripe, Legend	LF	96	
907-619-B001	Temporary Portable Rumble Strips	LF	33	
619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	SF	72	
619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	SF	190	
619-F3001	Delineators, Guard Rail, White	EA	28	
619-G4001	Barricades, Type III, Double Faced	LF	12	
619-G7001	Warning Lights, Type "B"	EA	2	
620-A001	Mobilization	LS	1	
626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White	MI	4	
626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow	MI	1	
626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	MI	1	
626-G004	Thermoplastic Double Drop Detail Stripe, White	LF	1,058	
626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	LF	80	
626-H002	Thermoplastic Double Drop Legend, White	LF	96	
627-J001	Two-Way Clear Reflective High Performance Raised Markers	EA	52	
627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	164	
629-A003	Vehicular Impact Attenuator, 55 MPH	EA	1	
630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	SF	147	
630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	SF	97	
630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted	SF	38	
630-C002	Steel U-Section Posts, 2.0 lb/ft	LF	54	
630-C003	Steel U-Section Posts, 3.0 lb/ft	LF	365	
630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	LBS	106	
630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"	LF	20	
630-K002	Welded & Seamless Steel Pipe Posts, 3"	LF	51	
699-A001	Roadway Construction Stakes	LS	1	

① APPROVED ATTENUATOR TO BE INSTALLED FOLLOWING MANUFACTURER'S RECOMMENDATION. CONTRACTOR SHALL PROVIDE TWO COPIES OF MANUFACTURER'S INSTALLATION DETAILS TO THE PROJECT ENGINEER. THE ENGINEER SHALL KEEP ONE COPY IN PROJECT FILE AND PROVIDE ONE COPY TO DISTRICT MAINTENANCE ENGINEER. THE INSTALLATION DETAILS SHALL BE ENGINEERING DRAWINGS. A MINIMUM OF 11"X17" IN SIZE. REFLECTIVE ADHESIVE SHEETING WITH ALTERNATING BLACK AND YELLOW STRIPES (SLOPING DOWNWARD AT AN ANGLE OF 45 DEGREES IN THE DIRECTION TRAFFIC IS TO PASS) IS REQUIRED ON THE END OF THE TERMINAL SECTION. THE TYPE OF TERMINAL ERECTED SHALL BE WRITTEN ON THE BACK OF THE TERMINAL WITH A WATERPROOF FORMULA PERMANENT MARKING STICK OR BY SOME OTHER MEANS OF PERMANENT IDENTIFICATION.

①

△
△



10/10/2017	REVISION	By	
	Revision		
			
MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES		Working Number SQ-4	
Proj No: STP-0047-01(015) County: SHARKEY		Sheet Number 10	
FILENAME : sqs14.dgn Design Team brow		Checked brow Date 2/14/12	


ADDENDUM

STATE	MISS	PROJECT NO.
		STP-0047-01(015)/STP-0047-01(015)

SUMMARY OF QUANTITIES (SHEET 6)

PAY ITEM NO.	PAY ITEM	UNIT	Total Amount	
			Prelim	Final
606-E001	Guard Rail, Terminal End Section	EA	7	
617-A001	Right-of-Way Marker	EA	52	
618-A001	Maintenance of Traffic	LS	1	
619-A1001	Temporary Traffic Stripe, Continuous White	MI	4	
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	2	
619-A4002	Temporary Traffic Stripe, Skip Yellow	MI	3	
619-A5001	Temporary Traffic Stripe, Detail	LF	3,981	
619-A6002	Temporary Traffic Stripe, Legend	LF	288	
907-619-B001	Temporary Portable Rumble Strips	LF	66	
619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	SF	144	
619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	SF	308	
619-F3001	Delineators, Guard Rail, White	EA	39	
619-G4001	Barricades, Type III, Double Faced	LF	24	
619-G7001	Warning Lights, Type "B"	EA	4	
620-A001	Mobilization	LS	1	
622-B001	Engineer's Field Office Building, Type 2 LO	EA	1	
626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White	MI	8	
626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow	MI	3	
626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	MI	2	
626-G004	Thermoplastic Double Drop Detail Stripe, White	LF	3,981	
626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	LF	320	
626-H002	Thermoplastic Double Drop Legend, White	LF	288	
627-J001	Two-Way Clear Reflective High Performance Raised Markers	EA	104	
627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	317	
629-A003	Vehicular Impact Attenuator, 55 MPH	EA	1	①
630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	SF	328	
630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	SF	195	
630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted	SF	118	
630-C002	Steel U-Section Posts, 2.0 lb/ft	LF	138	△
630-C003	Steel U-Section Posts, 3.0 lb/ft	LF	719	△
630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	LBS	202	
630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"	LF	37	
630-K002	Welded & Seamless Steel Pipe Posts, 3"	LF	67	
630-K003	Welded & Seamless Steel Pipe Posts, 4"	LF	20	
699-A001	Roadway Construction Stakes	LS	1	

① APPROVED ATTENUATOR TO BE INSTALLED FOLLOWING MANUFACTURER'S RECOMMENDATION. CONTRACTOR SHALL PROVIDE TWO COPIES OF MANUFACTURER'S INSTALLATION DETAILS TO THE PROJECT ENGINEER. THE ENGINEER SHALL KEEP ONE COPY IN PROJECT FILE AND PROVIDE ONE COPY TO DISTRICT MAINTENANCE ENGINEER. THE INSTALLATION DETAILS SHALL BE ENGINEERING DRAWINGS. A MINIMUM OF 11"X17" IN SIZE. REFLECTIVE ADHESIVE SHEETING WITH ALTERNATING BLACK AND YELLOW STRIPES (SLOPING DOWNWARD AT AN ANGLE OF 45 DEGREES IN THE DIRECTION TRAFFIC IS TO PASS) IS REQUIRED ON THE END OF THE TERMINAL SECTION. THE TYPE OF TERMINAL ERECTED SHALL BE WRITTEN ON THE BACK OF THE TERMINAL WITH A WATERPROOF FORMULA PERMANENT MARKING STICK OR BY SOME OTHER MEANS OF PERMANENT IDENTIFICATION.



MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
SUMMARY OF QUANTITIES - PROJECT TOTALS	
By	Revision
DB	REVISED QUANTITY
10/10/2017	
DB	REVISED QUANTITY
10/10/2017	
Proj No: STP-0047-01(015)/STP-0047-01(015)	
FMS: 106446-301000/106446-302000	
Date	FILENAME : sqs14.dgn
Design Team	Checked
brown	Date 2/14/12
Working Number	SQ-6
Sheet Number	12

ADDENDUM

SHEET NO.	LETTERING CODE	STANDARD ROADSIDE SIGNS TO BE MOUNTED	STANDARD PIPE MOUNTING POST				U-SECTION MOUNTING POST		STRUCTURAL STEEL BARS	FOOTING CLASS "B" CONCRETE
			3"	3 1/2"	4"	5"	2-LBS/FT.	3-LBS/FT.		
PSP-1	①	W3-1a					1@13.50'	3.8-LBS/FT.		
PSP-1	②	M2-1, M1-5, R12-1					1@15.50'			
PSP-1	③	DIRECTIONAL PANEL SIGN 1@7' x 3'-6"				2@5'-0" Δ	1@10.00' 1@11.00'			
PSP-1	④	M3-2, M3-4, 2-M1-5, M3-3, M1-6, GRR, 2-M6-2R	19.5			2@4'-6"		4@2'-8"	.13	
PSP-1	⑤	R1-1					1@13.50'			
PSP-1	⑥	R1-2, R5-1					1@13.50'			
PSP-1	⑦	M3-3, M3-4, M1-6 M1-5, 2-R12-1, GRR	16.5'			2@5'-8"		2@2'-8"	.13	
PSP-1	⑧	R2-1					1@13.00"			
PSP-1	⑨	DIRECTIONAL PANEL SIGN 1@7' x 3'-6"				2@5'-0" Δ	1@10.00' 1@11.00'			
PSP-1	⑩	DIRECTIONAL PANEL SIGN 1@7' x 3'-6"				2@5'-0" Δ	1@10.00' 1@11.00'			
PSP-1	⑪	M3-1, M1-6, GRR 2-M6-1L	16.00'			1@4'-5" 1@3'-3"		2@2'-4"	.13	
PSP-1	⑫	R2-1, R5-1					1@13.50'			
PSP-1	⑬	W3-1a					1@13.50'			
PSP-1	⑭	R1-1					1@13.50'			
PSP-1	⑮	M3-2, M1-5, R11-2					1@15.50'			
PSP-1	⑯	R2-1					1@13.00'			
PSP-1	⑰	M2-1, M1-6, GRR, R12-1				1@2'-8"	1@15.50'			
PSP-1	⑱	DIRECTIONAL PANEL SIGN 1@7' x 3'-6"					1@10.00' 1@11.00'			
PSP-1	⑲	DIRECTIONAL PANEL SIGN 1@7' x 3'-6"					1@10.00' 1@11.00'			
PSP-1	⑳	M3-3, M3-1, 2-M1-6, M6-1R, M6-3				1@4'-5" 1@3'-3"		2@2'-4"	.13	
PSP-1	㉑	R5-1, R1-2					1@13.50'			
PSP-1	㉒	M3-1, M1-6, R12-1, GRR					1@15.50'			
PSP-1	㉓	R2-1					1@13.00'			
PSP-1	㉔	W8-13, OM3-L, OM3-R					2@9.00' 1@14.00'			
PAY ITEM			LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	POUNDS	CU. YDS.	
SHEET 1 TOTALS			16.00'	16.50'	19.50'	Δ 78.33	332.50 Δ	25.33	0.52	
TOTAL POUNDS						Δ 156.66	997.50 Δ	96.25		
PSP-2	①	W3-1a					1@13.50'			
PSP-2	②	R1-1					1@13.50'			
PSP-2	③	M3-4, M1-5, R12-1					1@15.50'			
PSP-2	④	R2-1					1@13.00'			
PSP-2	⑤	M2-1, M1-5, R12-1					1@18.00'			
PSP-2	⑥	M3-2, M4-5, M1-5, M1-4 2-M6-1R	16.50'			2@5'-8"		2@2'-8"	.13	

10/10/17	REVISION	BY
10/10/17	REVISOR QUANTITY	DMB


MISSISSIPPI DEPARTMENT OF TRANSPORTATION

STANDARD ROADSIDE SIGN (POST) QUANTITIES

PROJECT NO: STP-0047-01(015)
 COUNTY: ISSAQUENA & SHARKEY

WORKING NUMBER **SRS-4**
 SHEET NUMBER 24

FILENAME: SRS11-DCN
 DESIGN TEAM BROWN
 CHECKED _____
 DATE _____



ADDENDUM

SHEET LETTERING NO.	STANDARD ROADSIDE SIGNS TO BE MOUNTED	STANDARD PIPE MOUNTING POST				U-SECTION MOUNTING POST		STRUCTURAL STEEL BARS	FOOTING CLASS "B" CONCRETE
		3"	3 1/2"	4"	5"	2-LBS/FT.	3-LBS/FT.		
PSP-2 ⑦	M3-2, M4-5; M1-5, M1-4 R12-1	18.00'				1@5'-8"	1@15.50'	2@2'-8"	.13
PSP-2 ⑧	R2-1						1@13.00'		
PSP-2 ⑨	W3-1						1@13.50'		
PSP-2 ⑩	M2-1, M1-5, R12-1						1@18.00'		
PSP-2 ⑪	DIRECTIONAL PANEL SIGN 1@7' x 3'-6"					2@5'-6" Δ	1@10.00' 1@11.00'		
PSP-2 ⑫	M3-4, M3-2, 2-M1-5, M6-1L M6-1R, M4-5, M1-6, M6-1L	20.00'				1@6'-0" 1@4'-0"		3@4'-0"	
PSP-2 ⑬	R1-1						1@13.50'		
PSP-2 ⑭	M3-2, M1-5, R12-1						1@15.50'		
PSP-2 ⑮	R2-1						1@13.00'		
PSP-2 ⑯	M2-1, M1-5, R12-1						1@15.50'		
PSP-2 ⑰	M3-2, M4-5, M1-5, M1-4 2-M6-1L	16.50'				2@5'-8"		2@2'-8"	.13
PAY ITEM		LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	POUNDS	CU. YDS.
SHEET 2 TOTALS		51.00'	20.00'			Δ 49.33	212.00	28.00	0.39
TOTAL POUNDS						Δ 98.66	636.00	106.40	
PSP-3 ①	W1-3a						1@13.00'		
PSP-3 ②	R1-1						1@13.00'		
PSP-3 ③	W1-7						2@12.50'		
PAY ITEM		LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	POUNDS	CU. YDS.
SHEET 3 TOTALS							51.00		
TOTAL POUNDS							153.00		
PSP-4 ①	W1-7						2@11.50'		
PSP-4 ②	DIRECTIONAL PANEL SIGN 1@5' x 2'-6"					Δ 2@3'-0"	1@10.00' 1@11.00'		
PSP-4 ③	DIRECTIONAL PANEL SIGN 1@4'-6" x 2'-6"					Δ 2@2'-6"	1@10.00' 1@11.00'		
PSP-4 ④	W1-3a						1@13.00'		
PSP-4 ⑤	R1-1						1@13.00'		
PSP-4 ⑥	W8-13, OM3-L, OM3-R						2@9.00' 1@14.00'		
PAY ITEM		LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	POUNDS	CU. YDS.
SHEET 4 TOTALS						11.00' Δ	123.00		
TOTAL POUNDS						22.00' Δ	369.00		
PAY ITEM		LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	POUNDS	CU. YDS.
JOB TOTALS		67.00	36.50'	19.50'		Δ 138.66	718.50 Δ	53.33	0.91
TOTAL POUNDS						Δ 277.32	2155.50 Δ	202.65	

10/17	REVISION	DATE
DMB	BY	

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

STANDARD ROADSIDE SIGN (POST) QUANTITIES

PROJECT NO: STP-0047-01(015)
 COUNTY: ISSAQUENA & SHARKEY

WORKING NUMBER **SRS-5**

FILENAME: SRS1-DGN
 DESIGN TEAM: BROWN
 CHECKED: _____
 DATE: _____

SHEET NUMBER 25