SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

ADDENDUM NO	DATED	ADDENDUM NO. DATED
ADDENDUM NO	DATED	ADDENDUM NO. DATED
Number	Description s; Added Plan Sht. Nos. 2, 14, & 20;	TOTAL ADDENDA: (Must agree with total addenda issued prior to opening of bids)
	Download Required.	Respectfully Submitted,
		DATE
		Contractor
		Signature TITLE_
		ADDRESS
		CITY, STATE, ZIP
		PHONE
		FAX
		E-MAIL
(To be filled in if a cor	rporation)	
	rtered under the Laws of the State ofresses of the executives are as follows:	and the names
	President	Address
	Secretary	Address

Address

The following is my (our) itemized proposal.

BR-0055-04(104)/ 107420301000

Tate County(ies)

Treasurer

Revised 01/26/2016

Replace Twin Bridges on I-55 over SR 306, known as Federal Aid Project No. BR-0055-04(104) / 107420301 in Tate County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
			Roadv	vay Items	
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-A001		1	Lump Sum	Removal of Obstructions
0030	202-B007		10,428	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B039		2,044	Linear Feet	Removal of Cable Barrier
0050	202-B072		5,490	Square Yard	Removal of Concrete Pavement, 9" Depth
0060	202-B122		14	Each	Removal of Edge Drain Outlet
0070	202-B158		1,553	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0800	202-B179		4	Each	Removal of Low Mast Lighting Foundation
0090	202-B219		2	Each	Removal of Sign, Ground Mounted with Posts
0100	202-B240		13,184	Linear Feet	Removal of Traffic Stripe
0110	203-A001	(E)	8,387	Cubic Yard	Unclassified Excavation, FM, AH
0120	203-EX021	(E)	13,270	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0130	203-G001	(E)	500	Cubic Yard	Excess Excavation, FM, AH
0140	206-A001	(S)	304	Cubic Yard	Structure Excavation
0150	209-A001		1,368	Square Yard	Geotextile Stabilization, Type III
0160	209-A005		11,278	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0170	211-B001	(E)	1,384	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0180	213-C001		3	Ton	Superphosphate
0190	216-A001		400	Square Yard	Solid Sodding
0200	219-A001		8	Thousand Gallon	Watering [\$20.00]
0210	220-A001		3	Acre	Insect Pest Control [\$30.00]
0220	221-A001	(S)	88	Cubic Yard	Concrete Paved Ditch
0230	223-A001		5	Acre	Mowing [\$50.00]
0240	225-A001		5	Acre	Grassing
0250	225-B001		3	Ton	Agricultural Limestone
0260	225-C001		10	Ton	Mulch, Vegetative Mulch
0270	226-A001		3	Acre	Temporary Grassing
0280	234-A001		2,000	Linear Feet	Temporary Silt Fence
0290	234-D001		2	Each	Inlet Siltation Guard
0300	237-A002		240	Linear Feet	Wattles, 20"
0310	246-A002		300	Each	Sandbags
0320	304-B002	(GT)	11,068	Ton	Granular Material, Class 3, Group D
0330	402-A002	(BA1)	1,362	Ton	Open Graded Friction Course, 9.5-mm Mixture

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	403-A001	(BA1)	694	Ton	12.5-mm, HT, Asphalt Pavement
0350	403-A002	(BA1)	1,181	Ton	12.5-mm, MT, Asphalt Pavement
0360	403-A003	(BA1)	307	Ton	12.5-mm, ST, Asphalt Pavement
0370	403-A004	(BA1)	1,141	Ton	19-mm, HT, Asphalt Pavement
0380	403-A005	(BA1)	1,624	Ton	19-mm, MT, Asphalt Pavement
0390	403-A006	(BA1)	3,331	Ton	19-mm, ST, Asphalt Pavement
0400	403-A014	(BA1)	993	Ton	9.5-mm, MT, Asphalt Pavement
0410	403-A015	(BA1)	228	Ton	9.5-mm, ST, Asphalt Pavement
0420	403-C003	(BA1)	39	Ton	19-mm, ST, Asphalt Pavement, Trench Widening
0430	405-A001	(BA1)	750	Ton	Stone Matrix Asphalt, 12.5 mm Mixture
0440	405-A002	(BA1)	560	Ton	Stone Matrix Asphalt, 9.5 mm Mixture
0450	406-A002		9,384	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0460	406-D001		24,285	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0470	407-A001	(A2)	5,944	Gallon	Asphalt for Tack Coat
0480	408-A001	(A3)	7,523	Gallon	Asphalt for Prime Coat, Cut-Back MC-70
0490	413-E001		180	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0500	423-A001		2	Mile	Rumble Strips, Ground In
0510	502-A001	(C)	386	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0520	601-B001	(S)	11	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0530	602-A001	(S)	65	Pounds	Reinforcing Steel
0540	603-CA001	(S)	640	Linear Feet	12" Reinforced Concrete Pipe, Class III
0550	603-CA011	(S)	16	Linear Feet	18" Reinforced Concrete Pipe, Class III
0560	603-CB003	(S)	2	Each	18" Reinforced Concrete End Section
0570	605-1001	(S)	152	Linear Feet	Edge Drain Outlets/Vents
0580	605-T002	(S)	192	Linear Feet	6" Perforated Pipe for Underdrains
0590	605-U002	(S)	80	Linear Feet	6" Non-perforated Pipe for Underdrains
0600	605-W001	(GY)	272	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type A, FM
0610	606-B001		700	Linear Feet	Guard Rail, Class A, Type 1
0620	606-D022		4	Each	Guard Rail, Bridge End Section, Type I
0630	606-E005		4	Each	Guard Rail, Terminal End Section, Flared
0640	610-A001		2,370	Linear Feet	Cable Barrier
0650	610-B001		4	Each	Cable Barrier Terminal Section
0660	615-A002	(S)	80	Linear Feet	Concrete Bridge End Barrier, 33.5"

Proposal (Sheet 2 - 3)

Line No. 0670	Item Code 618-A001	Adj Code	Quantity	Units Lump Sum	Description [Fixed Unit Price] Maintenance of Traffic
0680	618-C001		1	Lump Sum	Construction and Removal of Detour Bridge
0690	619-A1002		23,220	Linear Feet	Temporary Traffic Stripe, Continuous White
0700	619-A2002		20,210	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
			•		
0710	619-A3002		20,530	Linear Feet	Temporary Traffic Stripe, Skip White
0720	619-A5001		1,360	Linear Feet	Temporary Traffic Stripe, Detail
0730	619-D1001		48	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0740	619-D2001		768	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0750	619-D3001		4	Each	Remove and Reset Signs, All Sizes
0760	619-E3001		4	Each	Changeable Message Sign
0770	619-F1001		6,350	Linear Feet	Concrete Median Barrier, Precast
0780	619-F2002		3,175	Linear Feet	Remove and Reset Portable Median Barrier
0790	619-G4005		24	Linear Feet	Barricades, Type III, Single Faced
0800	619-G5001		28	Each	Free Standing Plastic Drums
0810	619-G7001		4	Each	Warning Lights, Type "B"
0820	619-J1004		3	Each	Impact Attenuator, 60 MPH
0830	619-J2004		1	Each	Impact Attenuator, 60 MPH, Replacement Package
0840	620-A001		1	Lump Sum	Mobilization
0850	626-A002		10,489	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0860	626-C001		12,833	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0870	626-E002		1,133	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0880	626-F002		11,456	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0890	626-G002		1,352	Linear Feet	Thermoplastic Detail Stripe, White
0900	626-H001		296	Square Feet	Thermoplastic Double Drop Legend, White
0910	627-K001		1,001	Each	Red-Clear Reflective High Performance Raised Markers
0920	627-L001		28	Each	Two-Way Yellow Reflective High Performance Raised Markers
0930	630-A001		12	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0940	630-B002		54	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0950	630-D002		60	Linear Feet	Structural Steel Beams, S4 x 7.7
0960	630-E001		8	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
0970	630-E002		7	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
0980	630-F006		16	Each	Delineators, Guard Rail, White
0990	630-F007		16	Each	Delineators, Guard Rail, Yellow

L'ann Ma	Karra On In	A !! O . I .	0	112	Description (Fig. 111-1) Disc.
Line No. 1000	Item Code 630-G005	Adj Code	Quantity 4	Units Each	Description [Fixed Unit Price] Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1010	682-A039		600	Linear Feet	Underground Branch Circuit, AWG 8, 3 Conductor
1020	682-E002		6	Each	Underground Junction Box
1030	684-A003		4	Cubic Yard	Pole Foundation, 24" Diameter
1040	686-A001		4	Each	Relocation of Existing Lighting Assemblies
1050	699-A001		1	Lump Sum	Roadway Construction Stakes
1060	815-A007	(S)	180	Ton	Loose Riprap, Size 300
1070	815-F002	(S)	125	Ton	Sediment Control Stone
1080	907-683-H1002		10	Each	Renovation of Low Mast Lighting Assembly, Type 40-1-10-255
1090	907-906001		720	Hours	Trainees [\$5.00]
			ALTERNATE GF	ROUP AA NUMBEF	₹1
1100	304-F001	(GT)	13,154	Ton	3/4" and Down Crushed Stone Base
			ALTERNATE GF	ROUP AA NUMBEF	₹ 2
1110	304-F002	(GT)	13,154	Ton	Size 610 Crushed Stone Base
			ALTERNATE GF	ROUP AA NUMBEF	₹3
1120	304-F003	(GT)	13,154	Ton	Size 825B Crushed Stone Base
			Brid	ge Items	
1130	206-A001	(S)	427	Cubic Yard	Structure Excavation
1140	304-D004	(GT)	3,116	Ton	Granular Material, Size 57
1150	501-K001		862	Square Yard	Transverse Grooving
1160	601-A001	(S)	773	Cubic Yard	Class "B" Structural Concrete
1170	605-AA003	(S)	555	Square Yard	Geotextile for Subsurface Drainage, Type V, Non-Woven
1180	605-O005	(S)	760	Linear Feet	6" Perforated Sewer Pipe for Underdrains, SDR 35
1190	605-X002	(GY)	456	Cubic Yard	Filter Material for Filter Beds, Type A
1200	802-A001	(S)	10,816	Square Feet	Permanent Steel Sheet Piling
1210	803-B001		1	Each	Conventional Static Pile Load Test [\$5,000.00]
1220	803-F014	(S)	3,318	Linear Feet	30" Pre-Formed Pile Hole
1230	803-1001	(S)	2	Each	PDA Test Pile
1240	803-J001	(S)	1	Each	Pile Restrike
1250	803-O027	(S)	3,318	Linear Feet	Temporary Casing, 30" Diameter
1260	803-P001	(S)	2,890	Linear Feet	24" Steel Pipe Piling, Wall Thickness 0.500"
1270	804-A001	(S)	269	Cubic Yard	Bridge Concrete, Class AA
1280	804-A004	(S)	331	Cubic Yard	Bridge Concrete, Class BD
1290	804-C164	(S)	1,628	Linear Feet	100' Prestressed Concrete Beam, Type FIB 36"

BR-0055-04(104)/107420301

Proposal (Sheet 2 - 5)

TATE

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1300	805-A001	(S)	127,541	Pounds	Reinforcement
1310	810-A006	(S)	970,900	Pounds	Structural Steel, A 709, Grade 50
1320	813-A002	(S)	412	Linear Feet	Concrete Railing, 32"
1330	815-D001	(S)	25	Cubic Yard	Concrete Slope Paving
1340	907-831-PP001		949	Square Yard	Precast Panels

				FMS CON: 107420-301000		
ADDENDUM						PROJECT NO BR-0055-04(104
DESCRIPTION OF SHEET	WKG. NO.	SH. NO.	DESCRIPTION OF SHEET		WKG.	SH. NO.
TITLE SHEET (1)		1	SPECIAL DESIGN SHEETS (85)			
DETAILED INDEX & GENERAL NOTES (4)			FORM GRADES - NB-CROSSOVER FORM GRADES - NB-CROSSOVER FORM GRADES - NB-CROSSOVER		FG-NB-1 FG-NB-2 FG-NB-3	52 53 54
DETAILED INDEX DETAILED INDEX GENERAL NOTES GENERAL NOTES SEE BRIDGE PLANS FOR BRIDGE DETAILED INDEX SHEET	DI-1 DI-2 GN-1 GN-2	2 • 3 4 5	FORM GRADES - NB-CROSSOVER FORM GRADES - SB-CROSSOVER FORM GRADES - SB-CROSSOVER FORM GRADES - SB-CROSSOVER FORM GRADES - SB-CROSSOVER		FG-NB-4 FG-SB-1 FG-SB-2 FG-SB-3 FG-SB-4	55 56 57 58 59
TYPICAL SECTION SHEETS (8) TYPICAL SECTION - MILLING AND OVERLAY I-55 TYPICAL SECTION - CONCRETE REMOVAL AND RECONSTRUCTION I-55 TYPICAL SECTION - FULL BUILDUP I-55	TS-1 TS-2 TS-3	6 7 8	DETAIL OF CONSTRUCTION SIGNING - I-55 DETAIL OF CONSTRUCTION SIGNING - I-55 AND S.R. 306 DETAIL OF CONSTRUCTION SIGNING - I-55		DCS-1 DCS-2 DCS-3	6Ø 61 62
TYPICAL SECTION - WIDENING AND OVERLAY S.R. 306 TYPICAL SECTION - TEMPORARY CONSTRUCTION NB CROSSOVER TYPICAL SECTION - TEMPORARY CONSTRUCTION SB CROSSOVER TYPICAL SECTION - MISCELLANEOUS DETAILS - GUARD RAIL RAVEMENT TYPICAL SECTION - MISCELLANEOUS DETAILS - CABLE RAILS	TS-4 TS-5 TS-6 TS-7 TS-8	9 10 11 12 13	TRAFFIC CONTROL PLAN - PHASE I		TCP-1 TCP-2 TCP-3 TCP-4 TCP-5	63 64 65 66 67
QUANTITY SHEETS (13) SUMMARY OF QUANTITIES SUMMARY OF QUANTITIES SUMMARY OF QUANTITIES SEE BRIDGE PLANS FOR BRIDGE SUMMARY OF QUANTITIES SHEET	SQ-1 SQ-2 SQ-3	14 15 16	TRAFFIC CONTROL PLAN - PHASE II TRAFFIC CONTROL PLAN - PHASE III TRAFFIC CONTROL PLAN - PHASE III		TCP-6 TCP-7 TCP-8 TCP-9 TCP-10 TCP-11 TCP-12	68 69 70 71 72 73 74
ESTIMATED QUANTITIES - REMOVAL ITEMS ESTIMATED QUANTITIES - ROADWAY ITEMS ESTIMATED QUANTITIES - ROADWAY ITEMS ESTIMATED QUANTITIES - ROADWAY ITEMS ESTIMATED QUANTITIES - SIGNING ITEMS ESTIMATED QUANTITIES - ROADWAY ITEMS ESTIMATED QUANTITIES - ROADWAY ITEMS ESTIMATED QUANTITIES - SUMMARY OF PAVEMENT MARKINGS ESTIMATED QUANTITIES - SUMMARY OF TRAFFIC CONTROL ITEMS ESTIMATED QUANTITIES - TRAFFIC CONTROL SIGNS SEE BRIDGE PLANS FOR BRIDGE ESTIMATED QUANTITIES SHEET	EQ-1 EQ-2 EQ-3 EQ-4 EQ-5 EQ-6 EQ-7 EQ-8 EQ-9 EQ-10	17 18 19 20 21 22 23 24 25 26	TRAFFIC CONTROL PLAN - PHASE III TRAFFIC CONTROL PLAN - PHASE III TRAFFIC CONTROL PLAN - PHASE III TRAFFIC CONTROL PLAN - PHASE IV TRAFFIC CONTROL PLAN - PHASE V		TCP-13 TCP-14 TCP-15 TCP-16 TCP-17 TCP-18 TCP-19 TCP-20 TCP-21 TCP-21 TCP-22 TCP-23 TCP-24 TCP-24	75 76 77 78 79 81 82 84 85 86 87
PLAN/PROFILE SHEETS (25)		\$				
PLAN SHEET - I-55 PROFILE SHEET - I-55 PLAN SHEET - I-55 PLAN SHEET - I-55 PLAN SHEET - I-55 - NB CROSSOVER PLAN SHEET - I-55 - SB CROSSOVER PROFILE SHEET - I-55 PROFILE SHEET - I-55 - NB CROSSOVER PROFILE SHEET - I-55 - SB CROSSOVER PLAN SHEET - I-55 AND S.R. 306 PLAN SHEET - I-55 AND S.R. 306 - NB CROSSOVER PLAN SHEET - I-55 AND S.R. 306 - SB CROSSOVER PROFILE SHEET - I-55	WK-3 WK-4 WK-5 WK-5A WK-5B WK-6 WK-6A WK-6B WK-7 WK-7	27 28 29 30 31 32 33 34 35 36 37 38	PAVEMENT MARKING DETAIL SHEET - I-55 PAVEMENT MARKING DETAIL SHEET - I-55 AND S.R. 306 PAVEMENT MARKING DETAIL SHEET - I-55		PMD-1 PMD-2 PMD-3	88 89 9Ø
PROFILE SHEET - I-55 - NB CROSSOVER PROFILE SHEET - I-55 - SB CROSSOVER PLAN SHEET - I-55 PLAN SHEET - I-55 - NB CROSSOVER	WK-8A WK-8B WK-9 WK-9A	39 40 41 42	VOLKERT, INC.		NT OF TRANSI	PORTA'
PLAN SHEET - I-55 - SB CROSSOVER PROFILE SHEET - I-55 PROFILE SHEET - I-55 - NB CROSSOVER PROFILE SHEET - I-55 - SB CROSSOVER PLAN SHEET - I-55	WK-9B WK-1Ø WK-1ØA WK-1ØB WK-11	43 44 45 46 47	PS & E PLANS - 7/19/17 FMS CON. 107420-301000 REVISIONS DATE SHEET NO. BY 9/19/17 5 JL	DETAILED II	NDEX	OF TRA
PROFILE SHEET - I-55 PROFILE SHEET - S.R. 306 PLAN/PROFILE SHEET - RETAINING WALL NORTH PLAN/PROFILE SHEET - RETAINING WALL SOUTH	WK-12 WK-13 WK-14 WK-15	48 49 5Ø 51	10/16/17 14, 20 JL	PROJECT NO. BR-0055-04	104)	WORKING N
				☐ FILENAME: DI.DGN DESIGN TEAM VOLKERT CHECKED	DATE	SHEET NU


ADDENDUM

	SUMMARY OF QUANTITIES (SHEET	1)		
PAY ITEM NO.	PAY ITEM	UNIT	TATE: 10742	0-301000
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,711 = 1.	0.121	Prelim	Final
201-A001	Clearing and Grubbing	LS	1	
202-A001	Removal of Obstructions	LS	1	(
202-B007	Removal of Asphalt Pavement, All Depths	SY	10,428	
202-B039	Removal of Cable Barrier	LF	2,044	
202-B072	Removal of Concrete Pavement, 9" Depth	SY	5,490	
202-B122	Removal of Edge Drain Outlet	EA	14	
202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends	LF	1,553	
202-B179	Removal of Low Mast Lighting Foundation	EA	4	
202-B219	Removal of Sign, Ground Mounted with Posts	EA	2	
202-B240	Removal of Traffic Stripe	LF	13,184	
203-A001	Unclassified Excavation, FM, AH	CY	8,387	
203-EX021	Borrow Excavation, AH, FME, Class B9-6	CY	13,270	
203-G001	Excess Excavation, FM, AH	CY	500	
206-A001	Structure Excavation	CY	304	
209-A001	Geotextile Stabilization, Type III	SY	1,368	(
209-A005	Geotextile Stabilization, Type V, Non-Woven	SY	11,278	
211-B001	Topsoil for Slope Treatment, Contractor Furnished	CY	1,384	
213-C001	Superphosphate	TON	3	
216-A001	Solid Sodding	SY	400	
219-A001	Watering	KGAL	8	
220-A001	Insect Pest Control	ACRE	3	
221-A001	Concrete Paved Ditch	CY	88	/
223-A001	Mowing	ACRE	5	
225-A001	Grassing	ACRE	5	
225-B001	Agricultural Limestone	TON	3	
225-C001	Mulch, Vegetative Mulch	TON	10	
226-A001	Temporary Grassing	ACRE	3	
234-A001	Temporary Silt Fence	LF	2,000	
234-D001	Inlet Siltation Guard	EA	2	
237-A002	Wattles, 20"	LF	240	
246-A002	Sandbags	EA	300	(
304-B002	Granular Material, Class 3, Group D	TON	11,068	(
304-F001	3/4" and Down Crushed Stone Base	TON	13,154	(
3011001	OR		13/13	
304-F002	Size 610 Crushed Stone Base	TON	13,154	(
	OR	1014	15,151	
304-F003	Size 825B Crushed Stone Base	TON	13,154	(
		1011	13/13	
402-A002	Open Graded Friction Course, 9.5-mm Mixture	TON	1,362	
403-A001	12.5-mm, HT, Asphalt Pavement	TON	694	
403-A002	12.5-mm, MT, Asphalt Pavement	TON	1,181	
403-A003	12.5-mm, ST, Asphalt Pavement	TON	307	

FMS: 107420-301000

STATE	PROJECT NO.
MISS	BR-0055-04(104)

- 1 INCLUDES 280 SQ YD FOR EROSION CONTROL QUANTITIES AND 1088 SQ YD FOR BRIDGE END PAVEMENT.
- ② INCLUDES 20% INCREASE FROM CALCULATED QUANTITIES.
- ③ ESTIMATED QUANTITY.
- 4 EXISTING TWIN BRIDGES ARE 160' X 42'. 160 FT CONTINUOUS CONCRETE BOX GIRDER SPAN (46'-6", 67'-0", 46'-6")



FMS CON:107420-301000

ADDENDUM

STATE PRO

STATE PROJECT NO.

MISS. BR-0055-04(104)

CABLE BARRIER RAIL REQUIRED									
WK. NO.	ALIGNMENT	ENT STATION	VEGATATION PAD	STD. DWG.	CABLE BARRIER RAIL LENGTHS		CABLE BARRIER TERMINAL	PORTLAND CEMENT CONC.	REMARKS
					TL-3	TL-4		221-A001	
WK-5	I-55	633+00 RT	YES	N/A		400	1	15	
WK-7	I-55	637+00 RT	YES	N/A		600	1	22	
WK-7	I-55	646+80 RT	YES	N/A		720	1	27	
WK-9	I-55	654+00 RT	YES	N/A		650	1	24	
		UNITS			L. F.	L. F.	EACH	C.Y.	
		TOTALS			0	2370	4	88	

 \triangle

MISSISSIPPI DEPARTMENT OF TRANSPORTATION ESTIMATED QUANTITIES

CABLE BARRIER RAIL

COUNTY: TATE
PROJ. NUM.: BR-0055-04(104)

FILENAME: EQ.DGN
DESIGN TEAM CHECKED DATE 20