

**Proposal & Plan Sales Will Begin on October 2, 2017**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For October - October 24, 2017**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR OCTOBER - Tuesday, October 24, 2017

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 2, 2017

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 24, 2017; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	STP-0003-01(193)/107192301 & STP-0003-01(193)/107192302	HARRISON
02	NH-0007-01(084)/107659301	ALCORN
03	NH-0009-01(137)/107604301	WILKINSON
* 04	NH-0011-01(067)/107672301	WASHINGTON
* 05	NH-0014-03(072)/107646301	GREENE
06	NH-0018-03(026)/107656301	OKTIBBEHA
* 07	NH-0021-01(064)/107660301	DESOTO
08	STP-0047-01(015)/106446301 & STP-0047-01(015)/106446302	ISSAQUENA, SHARKEY
09	BR-0055-04(104)/107420301	TATE
* 10	NH-0056-01(096)/107626301	LEAKE
* 11	STP-0057-01(005)/107575301	COAHOMA
12	BWO-5231-51(001)/503006301 & LWO-5001-51(008)/503006302	NEWTON



CALL No. 01

Construction of a Pedestrian Crossing Bridge over US 90 near Caillavet Street in Biloxi, known as Federal Aid Project Nos. STP-0003-01(193) / 107192301 & 302 in Harrison County.

PROJECT COMPLETION: DECEMBER 14, 2018

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
289	Square Yard	202-B080	Removal of Concrete Sidewalk
165	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
35	Square Yard	202-B168	Removal of Island Pavement, All Types
560	Square Feet	202-B172	Removal of Legend, All Types
1	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
1	Each	202-B195	Removal of Pull Box
50	Cubic Yard	203-G002	Excess Excavation, LVM, AH
47	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,189	Square Yard	216-B001	Solid Sodding, Bermuda
7	Thousand Gallon	219-A001	Watering
600	Linear Feet	234-A001	Temporary Silt Fence
2	Each	234-D001	Inlet Siltation Guard
80	Linear Feet	237-A002	Wattles, 20"
166	Linear Feet	503-C010	Saw Cut, Full Depth
253	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
112	Square Feet	608-C001	Detectable Warning Panels
16	Linear Feet	609-B001	Concrete Curb, Doweled
166	Linear Feet	609-D013	Combination Concrete Curb and Gutter Type 3B
35	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1	Lump Sum	618-A001	Maintenance of Traffic
34	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
300	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3	Each	619-E3001	Changeable Message Sign

1,160	Linear Feet	619-F1006	Portable Median Barrier, Less Than or Equal to 45 MPH
1,160	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
335	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
6	Each	635-A076	Traffic Signal Head, Type 6
1	Each	637-A002	Pullbox Enclosure, Type 2
6	Each	645-B001	Accessible Pedestrian Detection Assembly
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
14	Square Feet	653-A002	Traffic Sign, Type III
1	Lump Sum	699-A001	Roadway Construction Stakes

**Bridge Items**

1,840	Linear Feet	803-K003	Drilled Shaft, 30" Diameter
60	Linear Feet	803-M002	Trial Shaft, 30" Diameter
1,040	Linear Feet	803-O004	Permanent Casing, 30" Diameter
240	Linear Feet	803-O027	Temporary Casing, 30" Diameter
1	Each	907-821-A001	Prefabricated Pedestrian Bridge
1	Lump Sum	907-821-B001	Prefabricated Pedestrian Bridge, Elevator-Stair Towers

CALL No. 02

Mill and Overlay US 72 from CR 262 to the Tishomingo County Line, known as Federal Aid Project No. NH-0007-01(084) / 107659301 in Alcorn County.

PROJECT COMPLETION: 58 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

555 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
400 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,000 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
4,500 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
9,780 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
128,900 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,245 Gallon	407-A001	Asphalt for Tack Coat
12 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
9 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A3001	Temporary Traffic Stripe, Skip White
20,400 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,840 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
7 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
7 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
6 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
10,070 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
10,330 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,420 Linear Feet	626-H005	Thermoplastic Legend, White
250 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,046 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
111 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

22 Each 630-F001 Delineators, Flexible Post Mounted, Crossover, Type I, Green  
22 Each 630-F002 Delineators, Flexible Post Mounted, Crossover, Type I, Yellow

**ALTERNATE GROUP AA NUMBER 1**

400 Cubic Yard 304-H001 3/4" and Down Crushed Stone Base, LVM

**ALTERNATE GROUP AA NUMBER 2**

400 Cubic Yard 304-H002 Size 610 Crushed Stone Base, LVM

**ALTERNATE GROUP AA NUMBER 3**

400 Cubic Yard 304-H003 Size 825B Crushed Stone Base, LVM

CALL No. 03

Overlay of US 61 from the Louisiana State Line to Woodville, known as Federal Aid Project No. NH-0009-01(137) / 107604301 in Wilkinson County.

PROJECT COMPLETION: 83 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

324	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
9,439	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
36	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
98	Ton	403-A005	19-mm, MT, Asphalt Pavement
21,615	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
902	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
18,219	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
21,270	Gallon	407-A001	Asphalt for Tack Coat
2,880	Square Feet	412-A001	Pre-Grinding
23	Mile	423-A001	Rumble Strips, Ground In
350	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
30	Mile	619-A3001	Temporary Traffic Stripe, Skip White
41,358	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
937	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
720	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
13	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,139	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
30,219	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow



937 Square Feet	626-H004 Thermoplastic Legend, White
720 Linear Feet	626-H005 Thermoplastic Legend, White
117 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
1,434 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
116 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
2 Each	627-P001 Two-Way Blue Reflective High Performance Raised Markers
32 Each	630-F001 Delineators, Flexible Post Mounted, Crossover, Type I, Green
32 Each	630-F002 Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1 Each	907-688-A002 Traffic Recorder WIM Kistler System, 4-Lane

**ALTERNATE GROUP AA NUMBER 1**

91 Ton	304-F001 3/4" and Down Crushed Stone Base
--------	---

**ALTERNATE GROUP AA NUMBER 2**

91 Ton	304-F002 Size 610 Crushed Stone Base
--------	--------------------------------------

**ALTERNATE GROUP AA NUMBER 3**

91 Ton	304-F003 Size 825B Crushed Stone Base
--------	---------------------------------------

CALL No. 04

Mill and Overlay approximately 2 miles of US 82 in Leland, known as Federal Aid Project No. NH-0011-01(067) / 107672301 in Washington County.

PROJECT COMPLETION: 55 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Each	202-B138	Removal of Guard Rail Bridge End Section
308	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2,246	Square Yard	202-B188	Removal of Pavement, All Types and Depths
1,185	Linear Feet	202-B240	Removal of Traffic Stripe
749	Cubic Yard	203-G001	Excess Excavation, FM, AH
750	Ton	403-A009	25-mm, ST, Asphalt Pavement
7,500	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
85,100	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
8,508	Gallon	407-A001	Asphalt for Tack Coat
3,760	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
196	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-D001	Guard Rail, Bridge End Section
3	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
4	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
4	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
9,476	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,024	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
4	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,564	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

5,912	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,024	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
405	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
510	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	630-F012	Delineators, Post Mounted, Single White

**ALTERNATE GROUP AA NUMBER 1**

2,000	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

2,000	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

2,000	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

480	Linear Feet	628-A002	6" Cold Plastic Traffic Stripe, Skip White
602	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
485	Linear Feet	628-D002	6" Cold Plastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

480	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
602	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
485	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 05

Overlay approximately 6 miles of US 98 from Perry County Line to 1.7 miles East of SR 57, known as Federal Aid Project No. NH-0014-03(072) / 107646301 in Greene County.

PROJECT COMPLETION: 46 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

860	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
6,770	Square Yard	202-B188	Removal of Pavement, All Types and Depths
10,100	Linear Feet	202-B240	Removal of Traffic Stripe
5,000	Ton	304-F003	Size 825B Crushed Stone Base
2,400	Ton	403-A004	19-mm, HT, Asphalt Pavement
12,133	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,550	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
7,300	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
8,040	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
20,000	Gallon	407-A001	Asphalt for Tack Coat
15	Mile	423-A001	Rumble Strips, Ground In
660	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
4	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A3001	Temporary Traffic Stripe, Skip White
32,360	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,520	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

16,860	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
15,030	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,275	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
415	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,350	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
75	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

CALL No. 06

Mill and Overlay approximately 2 miles on SR 12, known as Federal Aid Project No. NH-0018-03(026) / 107656301 in Oktibbeha County.

PROJECT COMPLETION: 43 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

150 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
25,100 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,200 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
6,800 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
76,400 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,800 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
8 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A3001	Temporary Traffic Stripe, Skip White
12,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
680 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
3 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
4 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
4 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
18,000 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,100 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
78 Square Feet	626-H004	Thermoplastic Legend, White
340 Linear Feet	626-H005	Thermoplastic Legend, White
1,225 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
38 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
200 Linear Feet	628-L001	High Performance Cold Plastic Legend, White

78 Square Feet                      628-L002 High Performance Cold Plastic Legend, White

**ALTERNATE GROUP AA NUMBER 1**

9,800 Linear Feet                      907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

9,400 Linear Feet                      907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

9,900 Linear Feet                      907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

3,100 Linear Feet                      907-624-E001 Inverted Profile Thermoplastic Detail Traffic Stripe, White

**ALTERNATE GROUP AA NUMBER 2**

9,800 Linear Feet                      628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

9,400 Linear Feet                      628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

9,900 Linear Feet                      628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

3,100 Linear Feet                      628-K001 High Performance Cold Plastic Detail Stripe, White

CALL No. 07

Mill & Overlay approximately 5 miles on SR 302 from US 78 to Polk Lane, known as Federal Aid Project NH-0021-01(064) / 107660301 in Desoto County.

PROJECT COMPLETION: 95 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2	Each	202-B138	Removal of Guard Rail Bridge End Section
50	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
31,250	Linear Feet	202-B240	Removal of Traffic Stripe
6,800	Ton	304-B002	Granular Material, Class 3, Group D
3,315	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,925	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,000	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
19,703	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
313,873	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
22,000	Gallon	407-A001	Asphalt for Tack Coat
20	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3001	Temporary Traffic Stripe, Skip White
164,950	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,400	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8,100	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
9	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
9,420	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White



6,925	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
50,775	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
31,700	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
148	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
6,925	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,300	Square Feet	626-H004	Thermoplastic Legend, White
2,700	Linear Feet	626-H005	Thermoplastic Legend, White
4,950	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,610	Linear Feet	640-A001	Vehicle Loop Assemblies
28	Each	642-B011	Magnetometer Detection System Component, Wireless Detection Sensor

CALL No. 08

Pavement Restoration and Widening approximately 4 miles on SR 14 from the intersection of SR 1 to SR 826, known as Federal Aid Project Nos. STP-0047-01(015) / 106446301 & 302 in Issaquena and Sharkey Counties.

PROJECT COMPLETION: 101 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
454	Linear Feet	202-B191	Removal of Pipe, 8" And Above
56,624	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
3,000	Cubic Yard	203-G002	Excess Excavation, LVM, AH
381	Cubic Yard	206-A001	Structure Excavation
35	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
30	Ton	213-C001	Superphosphate
5,910	Square Yard	217-A001	Ditch Liner
30	Acre	220-A001	Insect Pest Control
60	Acre	223-A001	Mowing
356	Square Yard	224-A001	Soil Reinforcing Mat
60	Acre	225-A001	Grassing
30	Ton	225-B001	Agricultural Limestone
120	Ton	225-C001	Mulch, Vegetative Mulch
60	Acre	226-A001	Temporary Grassing
33,800	Linear Feet	234-A001	Temporary Silt Fence
508	Each	235-A001	Temporary Erosion Checks
366	Linear Feet	237-A002	Wattles, 20"
11,168	Ton	403-A006	19-mm, ST, Asphalt Pavement
5,510	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
49,720	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
6,572	Gallon	407-A001	Asphalt for Tack Coat
8	Mile	423-A001	Rumble Strips, Ground In
15	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures

1,601 Pounds	602-A001	Reinforcing Steel
352 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
210 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
88 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
48 Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
2 Each	603-CB003	18" Reinforced Concrete End Section
4 Each	603-CB004	24" Reinforced Concrete End Section
4 Each	603-CB005	30" Reinforced Concrete End Section
4 Each	603-CB006	36" Reinforced Concrete End Section
776 Linear Feet	606-B001	Guard Rail, Class A, Type 1
7 Each	606-D022	Guard Rail, Bridge End Section, Type I
7 Each	606-E001	Guard Rail, Terminal End Section
52 Each	617-A001	Right-of-Way Marker
1 Lump Sum	618-A001	Maintenance of Traffic
4 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,981 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
288 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
144 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
308 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
39 Each	619-F3001	Delineators, Guard Rail, White
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
4 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
1 Each	622-B001	Engineer's Field Office Building, Type 2 LO
8 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

3,981	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
320	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
288	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
104	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
317	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	629-A003	Vehicular Impact Attenuator, 55 MPH
328	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
195	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
118	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
154	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
2,060	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
202	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
37	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
67	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
20	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes
65,704	Square Yard	907-424-A001	Roadbed Reclamation with Cement
985	Ton	907-424-B001	Cement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

15,638	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

15,638	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

15,638	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

CALL No. 09

Replace Twin Bridges on I-55 over SR 306, known as Federal Aid Project No. BR-0055-04(104) / 107420301 in Tate County.

PROJECT COMPLETION: 227 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
10,428	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,044	Linear Feet	202-B039	Removal of Cable Barrier
5,490	Square Yard	202-B072	Removal of Concrete Pavement, 9" Depth
14	Each	202-B122	Removal of Edge Drain Outlet
1,553	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
4	Each	202-B179	Removal of Low Mast Lighting Foundation
2	Each	202-B219	Removal of Sign, Ground Mounted with Posts
13,184	Linear Feet	202-B240	Removal of Traffic Stripe
8,387	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
13,270	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
500	Cubic Yard	203-G001	Excess Excavation, FM, AH
304	Cubic Yard	206-A001	Structure Excavation
1,368	Square Yard	209-A001	Geotextile Stabilization, Type III
11,278	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,384	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
400	Square Yard	216-A001	Solid Sodding
8	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
2,370	Cubic Yard	221-A001	Concrete Paved Ditch
5	Acre	223-A001	Mowing
5	Acre	225-A001	Grassing
3	Ton	225-B001	Agricultural Limestone

10 Ton	225-C001	Mulch, Vegetative Mulch
3 Acre	226-A001	Temporary Grassing
2,000 Linear Feet	234-A001	Temporary Silt Fence
2 Each	234-D001	Inlet Siltation Guard
240 Linear Feet	237-A002	Wattles, 20"
300 Each	246-A002	Sandbags
11,068 Ton	304-B002	Granular Material, Class 3, Group D
1,362 Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
694 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
1,181 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
307 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,141 Ton	403-A004	19-mm, HT, Asphalt Pavement
1,624 Ton	403-A005	19-mm, MT, Asphalt Pavement
3,331 Ton	403-A006	19-mm, ST, Asphalt Pavement
993 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
228 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
39 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
750 Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
560 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
9,384 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
24,285 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,944 Gallon	407-A001	Asphalt for Tack Coat
7,523 Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
180 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2 Mile	423-A001	Rumble Strips, Ground In
386 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
11 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
65 Pounds	602-A001	Reinforcing Steel
640 Linear Feet	603-CA001	12" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III

2	Each	603-CB003	18" Reinforced Concrete End Section
152	Linear Feet	605-I001	Edge Drain Outlets/Vents
192	Linear Feet	605-T002	6" Perforated Pipe for Underdrains
80	Linear Feet	605-U002	6" Non-perforated Pipe for Underdrains
272	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
700	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
2,370	Linear Feet	610-A001	Cable Barrier
4	Each	610-B001	Cable Barrier Terminal Section
80	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
23,220	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
20,210	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20,530	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
1,360	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
768	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-D3001	Remove and Reset Signs, All Sizes
4	Each	619-E3001	Changeable Message Sign
6,350	Linear Feet	619-F1001	Concrete Median Barrier, Precast
3,175	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
28	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
3	Each	619-J1004	Impact Attenuator, 60 MPH
1	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
10,489	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White

12,833	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,133	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
11,456	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,352	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
296	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,001	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
28	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
60	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
8	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
7	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
16	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
600	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
6	Each	682-E002	Underground Junction Box
4	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
4	Each	686-A001	Relocation of Existing Lighting Assemblies
1	Lump Sum	699-A001	Roadway Construction Stakes
180	Ton	815-A007	Loose Riprap, Size 300
125	Ton	815-F002	Sediment Control Stone
10	Each	907-683-H1002	Renovation of Low Mast Lighting Assembly, Type 40-1-10-255
720	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

13,154	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

13,154	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

13,154	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------



### Bridge Items

427	Cubic Yard	206-A001	Structure Excavation
3,116	Ton	304-D004	Granular Material, Size 57
862	Square Yard	501-K001	Transverse Grooving
773	Cubic Yard	601-A001	Class "B" Structural Concrete
555	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
760	Linear Feet	605-O005	6" Perforated Sewer Pipe for Underdrains, SDR 35
456	Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
10,816	Square Feet	802-A001	Permanent Steel Sheet Piling
1	Each	803-B001	Conventional Static Pile Load Test
3,318	Linear Feet	803-F014	30" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
3,318	Linear Feet	803-O027	Temporary Casing, 30" Diameter
2,890	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
269	Cubic Yard	804-A009	Bridge Concrete, Substructure, Class AA
331	Cubic Yard	804-A010	Bridge Concrete, Superstructure, Class AA
1,628	Linear Feet	804-C164	100' Prestressed Concrete Beam, Type FIB 36"
127,541	Pounds	805-A001	Reinforcement
970,900	Pounds	810-A006	Structural Steel, A 709, Grade 50
412	Linear Feet	813-A002	Concrete Railing, 32"
25	Cubic Yard	815-D001	Concrete Slope Paving
949	Square Yard	907-831-PP001	Precast Panels

CALL No. 10

Mill & Overlay approximately 10 miles on SR 25 from SR 16 to SR 35, known as Federal Aid Project No. NH-0056-01(096) / 107626301 in Leake County.

PROJECT COMPLETION: 125 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

5,530	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
9	Each	202-B148	Removal of Guard Rail End Section, All Types
3,376	Linear Feet	202-B240	Removal of Traffic Stripe
922	Cubic Yard	203-G002	Excess Excavation, LVM, AH
3,900	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
50	Cubic Yard	305-B002	Size I Stabilizer Aggregate, Coarse
39,900	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,400	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,900	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
7,000	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
387,900	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,600	Gallon	407-A001	Asphalt for Tack Coat
34	Mile	423-A001	Rumble Strips, Ground In
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3001	Temporary Traffic Stripe, Skip White
53,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,700	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,076	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced

1	Lump Sum	620-A001	Mobilization
20	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
20	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
46,700	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
29,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
43	Square Feet	626-H004	Thermoplastic Legend, White
2,700	Linear Feet	626-H005	Thermoplastic Legend, White
320	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,264	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
377	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
38	Each	630-F001	Delineators, Flexible Post Mounted, Crossover, Type I, Green
38	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
28	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow

CALL No. 11

Mill and Overlay approximately 11 miles of US 49 from Tallahatchie CL to the beginning of the 4-lane section in Clarksdale, known as Federal Aid Project No. STP-0057-01(005) / 107575301 in Coahoma County.

PROJECT COMPLETION: 67 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

404	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,815	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
8	Each	202-B152	Removal of Guard Rail Terminal End Section
950	Linear Feet	202-B240	Removal of Traffic Stripe
450	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,000	Ton	304-B002	Granular Material, Class 3, Group D
375	Ton	403-A006	19-mm, ST, Asphalt Pavement
17,115	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,620	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
177,900	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
36,900	Gallon	407-A001	Asphalt for Tack Coat
79,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
23	Mile	423-A001	Rumble Strips, Ground In
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
180	Each	606-F003	Guard Rail, Replace Metal Blockout
72	Linear Feet	609-B002	Concrete Curb, Header
76	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
31	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
525	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,700	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

8	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
882	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
23	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
441	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
525	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
525	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,700	Linear Feet	626-H005	Thermoplastic Legend, White
1,008	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

1,500	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

1,500	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

1,500	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 12

Construction of District 5 Warehouse, known as State Project Nos. BWO-5231-51(001) & LWO-5001-51(008) / 503006301 & 302 in Newton County.

PROJECT COMPLETION: MAY 15, 2019

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3,268	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B125	Removal of Fence Gate, All Types, All Sizes
548	Linear Feet	202-B126	Removal of Fence, All Types
515	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
7,723	Cubic Yard	203-EX031	Borrow Excavation, AH, LVM, Class B17
4,300	Cubic Yard	203-G002	Excess Excavation, LVM, AH
6,285	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
20	Cubic Yard	221-A001	Concrete Paved Ditch
1,056	Linear Feet	234-A001	Temporary Silt Fence
70	Linear Feet	237-A002	Wattles, 20"
30	Each	246-B001	Rockbags
908	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
306	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
370	Gallon	407-A001	Asphalt for Tack Coat
769	Linear Feet	607-B026	72" Type I Chain Link Fence, Class I , With Top Guard
769	Linear Feet	607-D002	Barbed Wire Fence, 3 Strands, Galvanized Steel
1	Each	607-G059	Gate, 12' x 6' Chain Link With Top Guard
2	Each	607-G062	Gate, 12' x 6' Double Chain Link with Top Guard
78	Each	607-P1018	Line Post, 9' x 2" Galvanized Steel
9	Each	607-P2013	Brace Post, 10' x 2 1/2" Galvanized Steel
6	Each	607-P3008	Gate Post, 9' x 2 1/2" Galvanized Steel
75	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1	Lump Sum	620-A001	Mobilization
104	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
635	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

2	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
11	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
24	Each	907-258-K001	Bollard
32	Each	907-258-N001	Car Stop
1	Lump Sum	907-260-A005	Utility Work - Sewer, Improvements
1	Lump Sum	907-262-A007	Utility Work - Water, Improvements
1	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

**ALTERNATE GROUP AA NUMBER 1**

2,441	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

2,441	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

2,441	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

**Building Items**

1	Lump Sum	907-242-A001	Construction of Warehouse Building
---	----------	--------------	------------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR