

Proposal & Plan Sales Will Begin on December 15, 2017



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For January - January 08, 2018

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JANUARY - Monday, January 08, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON DECEMBER 15, 2017

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Monday, January 08, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	HSIP-0018-03(024)/106863303	OKTIBBEHA

CALL No. 01

Work necessary to install Median Barrier on MS 12 from West of Eckford Drive to Russell Street, known as Federal Aid Project No. HSIP-0018-03(024) / 106863303 in Oktibbeha County.

PROJECT COMPLETION: AUGUST 27, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

98	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
605	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
26	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
737	Square Yard	202-B062	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
92	Square Yard	202-B080	Removal of Concrete Sidewalk
10	Square Yard	202-B083	Removal of Concrete Slope Paving
1,041	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
100	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
4	Each	202-B135	Removal of Guard Post
6	Each	202-B165	Removal of Inlets, All Sizes
720	Square Feet	202-B172	Removal of Legend, All Types
217	Square Feet	202-B186	Removal of Overhead Sign Panels
8	Linear Feet	202-B191	Removal of Pipe, 8" And Above
17	Each	202-B213	Removal of Sign
29	Each	202-B215	Removal of Sign Including Post & Footing
2,000	Linear Feet	202-B240	Removal of Traffic Stripe
200	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
450	Cubic Yard	203-G002	Excess Excavation, LVM, AH
67	Cubic Yard	206-A001	Structure Excavation
1,389	Square Yard	209-A004	Geotextile Stabilization, Type V
49	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
942	Square Yard	216-A001	Solid Sodding
19	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control

1 Acre	223-A001	Mowing
1 Acre	226-A001	Temporary Grassing
292 Square Feet	230-D001	Bed Preparation
17 Cubic Yard	233-A003	Tree Bark Mulch, Type III
33 Cubic Yard	233-A005	Tree Bark Mulch, Type V
600 Linear Feet	234-A001	Temporary Silt Fence
2 Each	234-D001	Inlet Siltation Guard
200 Linear Feet	237-A001	Wattles, 12"
200 Linear Feet	237-A002	Wattles, 20"
200 Linear Feet	246-A001	Sandbags
203 Ton	403-A005	19-mm, MT, Asphalt Pavement
3,317 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
30,275 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
3,036 Gallon	407-A001	Asphalt for Tack Coat
1,053 Linear Feet	503-C006	Saw Cut, 6-inch
6,900 Linear Feet	503-C010	Saw Cut, Full Depth
38 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
4,825 Pounds	602-A001	Reinforcing Steel
56 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
72 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1 Each	603-SB031	24" Branch Connections, Stub into Inlet
632 Pounds	604-A001	Castings
200 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
102 Square Feet	608-C001	Detectable Warning Panels
457 Linear Feet	609-B002	Concrete Curb, Header
3,053 Linear Feet	609-B003	Concrete Curb, Special Design
1,157 Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
816 Linear Feet	609-D014	Combination Concrete Curb and Gutter Type 3B Modified
206 Square Yard	614-B001	Concrete Driveway, With Reinforcement
13 Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch

210	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
28	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
4	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3001	Temporary Traffic Stripe, Skip White
13,390	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,813	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
7,988	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
49	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
344	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E3001	Changeable Message Sign
18	Linear Feet	619-G4001	Barricades, Type III, Double Faced
750	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,593	Linear Feet	626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
3,083	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,580	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,575	Square Feet	626-H004	Thermoplastic Legend, White
3,826	Linear Feet	626-H005	Thermoplastic Legend, White
369	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
27	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
152	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
133	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

387	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
219	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
22	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
300	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
42	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
43	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
44	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
37	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
31	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
16	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2	Each	632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
2	Each	632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	632-C001	Modify Existing Traffic Signal Cabinet Assembly
2	Each	633-A001	Uninterruptable Power Supply
1	Each	634-A020	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	634-A170	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Each	634-A242	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm
3	Each	634-A244	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
2	Each	634-A245	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
1	Each	634-A247	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm
1	Each	634-A527	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 45' & 50' Arm
1	Each	634-A534	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 50' & 55' Arm
1	Each	634-A550	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 70' & 70' Arm
1	Each	634-A622	Traffic Signal Equipment Pole, Type III(L), 22' Shaft, 55' & 70' Arm
50	Cubic Yard	634-C005	Pole Foundations, Class "B" Concrete
29	Each	635-A059	Traffic Signal Head, Type 1
10	Each	635-A065	Traffic Signal Head, Type 2 FYA
4	Each	635-A070	Traffic Signal Head, Type 3
1	Each	635-A073	Traffic Signal Head, Type 4

2	Each	635-A076	Traffic Signal Head, Type 6
1	Each	635-A079	Traffic Signal Head, Type 7R
180	Linear Feet	636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,605	Linear Feet	636-B018	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
860	Linear Feet	636-B036	Electric Cable, Underground in Conduit, THHN, AWG #10, 2 Conductor
185	Linear Feet	636-B051	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
1,063	Linear Feet	636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
20	Each	637-A009	Pull Box Enclosure, Type 2, Tier 22
5	Each	637-A013	Pull Box Enclosure, Type 4, Tier 22
7	Each	637-A015	Pull Box Enclosure, Type 5, Tier 22
85	Linear Feet	637-C026	Traffic Signal Conduit, Underground, Type 4, 1"
200	Linear Feet	637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
235	Linear Feet	637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
75	Linear Feet	637-D001	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
735	Linear Feet	637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
350	Linear Feet	637-D004	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 4"
6,490	Linear Feet	637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
1,160	Linear Feet	637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
16	Each	639-B001	Optical Detector
4	Each	639-C001	Multimode Phase Selector
2,290	Linear Feet	639-E001	Optical Detector Cable
16	Each	641-A002	Signal Stop Bar Radar Detection, 1 Sensor, Type 2
8	Each	641-B002	Signal Advanced Radar Detection, 1 Sensor, Type 2
2	Each	641-C001	ITS Radar Detection, 1 Sensor
2,950	Linear Feet	641-D001	Radar Detection Communication Cable
2	Each	645-B001	Accessible Pedestrian Detection Assembly
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
43	Square Feet	653-A002	Traffic Sign, Type III
104	Square Feet	653-B003	Street Name Sign, Type III

1	Each	660-A004	Equipment Cabinet, Type C
1	Lump Sum	699-A001	Roadway Construction Stakes
28	Cubic Yard	815-D001	Concrete Slope Paving
400	Linear Feet	907-619-S001	Construction Safety Fence
11	Each	907-650-A002	On Street Video Equipment, Fixed Type
3	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
6,315	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
1,350	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
3	Each	907-663-A001	Network Switch, Type A
2	Each	907-663-A002	Network Switch, Type B
1	Each	907-663-A005	Network Switch, Type E
2	Each	907-666-A001	Bluetooth Detection System, Type A

ALTERNATE GROUP AA NUMBER 1

485	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

485	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

485	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR