

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

|                       |                        |                    |             |
|-----------------------|------------------------|--------------------|-------------|
| ADDENDUM NO. <u>1</u> | DATED <u>1/17/2018</u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. <u>2</u> | DATED <u>1/18/2018</u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. <u>3</u> | DATED <u>1/18/2018</u> | ADDENDUM NO. _____ | DATED _____ |

| Number | Description   |
|--------|---|
| 1      | Revised Table of Contents; Add NTB No. 506; Add SP 907-803-1; Revised Wage Rates; Revised Bid Items; Amendment EBS Download Required. |
| 2      | Revised NTB No. 506; Revised or Added Plan Sheet Nos. 8001-8004; Amendment EBS Download Required.                                     |
| 3      | Revised NTB No. 506; Revised Bid Items; Amendment EBS Download Required.  |

TOTAL ADDENDA: 3  
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

|                    |                  |
|--------------------|------------------|
| _____<br>President | _____<br>Address |
| _____<br>Secretary | _____<br>Address |
| _____<br>Treasurer | _____<br>Address |

The following is my (our) itemized proposal.

BR-0008-05(037)/ 105344301000

Tallahatchie County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 -NOTICE TO BIDDERS NO. 506**

**CODE: (SP)**

**DATE: 1/18/2018**

**SUBJECT: Pay Item Correction**

**PROJECT: BR-0008-05(037) / 105344301 – Tallahatchie County**

The Bidder's attention is called to the Summary of Quantities in the Contract Plans.

On Working Sheet SQ-1, Sheet Number 10:

The quantity of 30,800 SY shown for Pay Item 202-B062, Removal of Concrete Pavement Overlaid w/ Asphalt Pavement, All Depths is incorrect. The correct quantity is 2,000 SY.

On Working Sheet SQ-3, Sheet Number 12:

Pay Item 618-E001, Detour Bridge Piling, 4,110 LF was inadvertently omitted from the plans.  
Pay Item 618-F001, Detour Bridge PDA Test Pile, 1 LS, was inadvertently omitted from the plans.

The Bid Sheets are correct.

Bridge Replacement on US 49E across Black Bayou on bridge 278.4, known as Federal Aid Project No. BR-0008-05(037) / 105344301 in Tallahatchie County.

| Line No.             | Item Code | Adj Code | Quantity | Units           | Description [Fixed Unit Price]                               |
|----------------------|-----------|----------|----------|-----------------|--|
| <b>Roadway Items</b> |           |          |          |                 |  |
| 0010                 | 201-A001  |          | 1        | Lump Sum        | Clearing and Grubbing  |
| 0020                 | 202-A001  |          | 1        | Lump Sum        | Removal of Obstructions                                      |
| 0030                 | 202-B007  |          | 4,070    | Square Yard     | Removal of Asphalt Pavement, All Depths                      |
| 0040                 | 202-B062  |          | 2,000    | Square Yard     | Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths |
| 0050                 | 202-B088  |          | 100      | Linear Feet     | Removal of Curb & Gutter, All Types                          |
| 0060                 | 202-B150  |          | 720      | Linear Feet     | Removal of Guard Rail Including Post, Blockouts & Hardware   |
| 0070                 | 202-B191  |          | 180      | Linear Feet     | Removal of Pipe, 8" And Above                                |
| 0080                 | 202-B240  |          | 3,200    | Linear Feet     | Removal of Traffic Stripe                                    |
| 0090                 | 203-A001  | (E)      | 12,684   | Cubic Yard      | Unclassified Excavation, FM, AH                              |
| 0100                 | 203-EX020 | (E)      | 18,271   | Cubic Yard      | Borrow Excavation, AH, FME, Class B9                         |
| 0110                 | 203-G001  | (E)      | 3,209    | Cubic Yard      | Excess Excavation, FM, AH                                    |
| 0120                 | 206-A001  | (S)      | 760      | Cubic Yard      | Structure Excavation   |
| 0130                 | 209-A005  |          | 4,812    | Square Yard     | Geotextile Stabilization, Type V, Non-Woven                  |
| 0140                 | 213-C001  |          | 4        | Ton             | Superphosphate   |
| 0150                 | 216-A001  |          | 121      | Square Yard     | Solid Sodding  |
| 0160                 | 217-A001  |          | 80       | Square Yard     | Ditch Liner  |
| 0170                 | 219-A001  |          | 3        | Thousand Gallon | Watering [\$20.00]   |
| 0180                 | 220-A001  |          | 8        | Acre            | Insect Pest Control [\$30.00]                                |
| 0190                 | 221-A001  | (S)      | 25       | Cubic Yard      | Concrete Paved Ditch   |
| 0200                 | 223-A001  |          | 16       | Acre            | Mowing [\$50.00]   |
| 0210                 | 225-A001  |          | 8        | Acre            | Grassing   |
| 0220                 | 225-B001  |          | 4        | Ton             | Agricultural Limestone                                       |
| 0230                 | 225-C001  |          | 16       | Ton             | Mulch, Vegetative Mulch                                      |
| 0240                 | 226-A001  |          | 8        | Acre            | Temporary Grassing   |
| 0250                 | 234-A001  |          | 523      | Linear Feet     | Temporary Silt Fence   |
| 0260                 | 234-C001  |          | 411      | Linear Feet     | Super Silt Fence   |
| 0270                 | 237-A002  |          | 440      | Linear Feet     | Wattles, 20"   |
| 0280                 | 239-A001  |          | 300      | Linear Feet     | Temporary Slope Drains                                       |
| 0290                 | 245-A001  |          | 220      | Linear Feet     | Silt Dike  |
| 0300                 | 246-A001  |          | 220      | Linear Feet     | Sandbags   |
| 0310                 | 249-A001  |          | 60       | Ton             | Riprap for Erosion Control                                   |
| 0320                 | 249-B001  |          | 500      | Cubic Yard      | Remove and Reset Riprap                                      |

| Line No. | Item Code  | Adj Code | Quantity | Units       | Description [Fixed Unit Price]   |
|----------|------------|----------|----------|-------------|--|
| 0330     | 304-B002   | (GT)     | 5,438    | Ton         | Granular Material, Class 3, Group D  |
| 0340     | 403-A002   | (BA1)    | 1,116    | Ton         | 12.5-mm, MT, Asphalt Pavement  |
| 0350     | 403-A005   | (BA1)    | 1,495    | Ton         | 19-mm, MT, Asphalt Pavement  |
| 0360     | 403-A014   | (BA1)    | 729      | Ton         | 9.5-mm, MT, Asphalt Pavement   |
| 0370     | 406-A002   |          | 3,067    | Square Yard | Cold Milling of Bituminous Pavement, All Depths                            |
| 0380     | 407-A001   | (A2)     | 527      | Gallon      | Asphalt for Tack Coat  |
| 0390     | 413-E001   |          | 56       | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement                   |
| 0400     | 423-A001   |          | 1        | Mile        | Rumble Strips, Ground In   |
| 0410     | 502-A001   | (C)      | 187      | Square Yard | Reinforced Cement Concrete Bridge End Pavement                             |
| 0420     | 503-C010   |          | 56       | Linear Feet | Saw Cut, Full Depth  |
| 0430     | 601-A001   | (S)      | 17       | Cubic Yard  | Class "B" Structural Concrete  |
| 0440     | 602-A001   | (S)      | 1,436    | Pounds      | Reinforcing Steel  |
| 0450     | 603-ALT003 | (S)      | 32       | Linear Feet | 18" Type A Alternate Pipe  |
| 0460     | 603-ALT016 | (S)      | 120      | Linear Feet | 48" Type A Alternate Pipe  |
| 0470     | 603-CA099  | (S)      | 240      | Linear Feet | 60" Reinforced Concrete Pipe, Class III                                    |
| 0480     | 605-AA001  | (S)      | 60       | Square Yard | Geotextile for Subsurface Drainage, Type III                               |
| 0490     | 605-O002   | (S)      | 107      | Linear Feet | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5                         |
| 0500     | 605-U001   | (S)      | 69       | Linear Feet | 4" Non-perforated Pipe for Underdrains                                     |
| 0510     | 605-W001   | (GY)     | 4        | Cubic Yard  | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 0520     | 606-B001   |          | 238      | Linear Feet | Guard Rail, Class A, Type 1  |
| 0530     | 606-D022   |          | 4        | Each        | Guard Rail, Bridge End Section, Type I                                     |
| 0540     | 606-E005   |          | 4        | Each        | Guard Rail, Terminal End Section, Flared                                   |
| 0550     | 609-D004   | (S)      | 212      | Linear Feet | Combination Concrete Curb and Gutter Type 2 Modified                       |
| 0560     | 615-A002   | (S)      | 40       | Linear Feet | Concrete Bridge End Barrier, 33.5"   |
| 0570     | 617-A001   |          | 18       | Each        | Right-of-Way Marker  |
| 0580     | 618-A001   |          | 1        | Lump Sum    | Maintenance of Traffic   |
| 0590     | 618-C001   |          | 1        | Lump Sum    | Construction and Removal of Detour Bridge                                  |
| 0600     | 619-A1003  |          | 7,773    | Linear Feet | Temporary Traffic Stripe, Continuous White, Paint                          |
| 0610     | 619-A2003  |          | 3,400    | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Paint                         |
| 0620     | 619-A2008  |          | 2,000    | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape              |
| 0630     | 619-A4003  |          | 2,500    | Linear Feet | Temporary Traffic Stripe, Skip Yellow, Paint                               |
| 0632     | 618-E001   |          | 4,110    | Linear Feet | Detour Bridge Piling   |
| 0634     | 618-F001   |          | 1        | Lump Sum    | Detour Bridge PDA Test Pile  |

| Line No.                           | Item Code | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                                 |
|------------------------------------|-----------|----------|----------|-------------|--|
| 0640                               | 619-A5002 |          | 841      | Linear Feet | Temporary Traffic Stripe, Detail, Paint                        |
| 0650                               | 619-A5003 |          | 4,161    | Linear Feet | Temporary Traffic Stripe, Detail, Type 1 Tape                  |
| 0660                               | 619-A6002 |          | 99       | Linear Feet | Temporary Traffic Stripe, Legend                               |
| 0670                               | 619-D1001 |          | 106      | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 0680                               | 619-D2001 |          | 464      | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 0690                               | 619-F3001 |          | 12       | Each        | Delineators, Guard Rail, White                                 |
| 0700                               | 619-G4001 |          | 48       | Linear Feet | Barricades, Type III, Double Faced                             |
| 0710                               | 619-G4005 |          | 288      | Linear Feet | Barricades, Type III, Single Faced                             |
| 0720                               | 619-G5001 |          | 59       | Each        | Free Standing Plastic Drums                                    |
| 0730                               | 619-G7001 |          | 8        | Each        | Warning Lights, Type "B"                                       |
| 0740                               | 619-K2001 |          | 4        | Each        | Installation and Removal of Guard Rail, Bridge End Section     |
| 0750                               | 619-K4001 |          | 4        | Each        | Installation and Removal of Guardrail, Terminal End Section    |
| 0760                               | 620-A001  |          | 1        | Lump Sum    | Mobilization   |
| 0770                               | 626-C001  |          | 4,518    | Linear Feet | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 0780                               | 626-D002  |          | 2,500    | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow       |
| 0790                               | 626-G002  |          | 522      | Linear Feet | Thermoplastic Detail Stripe, White                             |
| 0800                               | 626-G003  |          | 156      | Linear Feet | Thermoplastic Detail Stripe, Yellow                            |
| 0810                               | 626-H005  |          | 65       | Linear Feet | Thermoplastic Legend, White                                    |
| 0820                               | 627-D001  |          | 95       | Each        | Two-Way Yellow Reflective Raised Markers                       |
| 0830                               | 630-A001  |          | 7        | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 0840                               | 630-A003  |          | 47       | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 0850                               | 630-C003  |          | 84       | Linear Feet | Steel U-Section Posts, 3.0 lb/ft                               |
| 0860                               | 630-F006  |          | 16       | Each        | Delineators, Guard Rail, White                                 |
| 0870                               | 630-G005  |          | 4        | Each        | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted            |
| 0880                               | 699-A001  |          | 1        | Lump Sum    | Roadway Construction Stakes                                    |
| 0890                               | 815-A007  | (S)      | 300      | Ton         | Loose Riprap, Size 300   |
| 0900                               | 815-E001  | (S)      | 300      | Square Yard | Geotextile under Riprap  |
| 0910                               | 815-F002  | (S)      | 20       | Ton         | Sediment Control Stone   |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |           |          |          |             |  |
| 0920                               | 304-F001  | (GT)     | 2,212    | Ton         | 3/4" and Down Crushed Stone Base                               |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |           |          |          |             |  |
| 0930                               | 304-F002  | (GT)     | 2,212    | Ton         | Size 610 Crushed Stone Base                                    |
| <b>ALTERNATE GROUP AA NUMBER 3</b> |           |          |          |             |  |
| 0940                               | 304-F003  | (GT)     | 2,212    | Ton         | Size 825B Crushed Stone Base                                   |

| Line No.                           | Item Code    | Adj Code | Quantity | Units       | Description [Fixed Unit Price]   |
|------------------------------------|--------------|----------|----------|-------------|--|
| <b>ALTERNATE GROUP BB NUMBER 1</b> |              |          |          |             |  |
| 0950                               | 605-W002     | (GY)     | 74       | Cubic Yard  | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| <b>ALTERNATE GROUP BB NUMBER 2</b> |              |          |          |             |  |
| 0960                               | 605-W003     | (GY)     | 74       | Cubic Yard  | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
| <b>Bridge Items</b>                |              |          |          |             |  |
| 0970                               | 501-K001     |          | 2,400    | Square Yard | Transverse Grooving  |
| 0980                               | 803-C003     | (S)      | 1,705    | Linear Feet | 16" x 16" Prestressed Concrete Piling                                      |
| 0990                               | 803-C004     | (S)      | 3,770    | Linear Feet | 18" x 18" Prestressed Concrete Piling                                      |
| 1010                               | 803-I002     | (S)      | 3        | Each        | PDA Test Pile, Concrete Pile   |
| 1020                               | 803-J001     | (S)      | 2        | Each        | Pile Restrike  |
| 1030                               | 804-A001     | (S)      | 172      | Cubic Yard  | Bridge Concrete, Class AA  |
| 1040                               | 804-A004     | (S)      | 713      | Cubic Yard  | Bridge Concrete, Class BD  |
| 1050                               | 804-C165     | (S)      | 3,577    | Linear Feet | 100' Prestressed Concrete Beam, Type BT-54                                 |
| 1060                               | 805-A001     | (S)      | 223,823  | Pounds      | Reinforcement  |
| 1070                               | 813-A002     | (S)      | 1,204    | Linear Feet | Concrete Railing, 32"  |
| 1080                               | 815-A007     | (S)      | 606      | Ton         | Loose Riprap, Size 300   |
| 1090                               | 815-E001     | (S)      | 402      | Square Yard | Geotextile under Riprap  |
| 1100                               | 815-F002     | (S)      | 75       | Ton         | Sediment Control Stone   |
| 1102                               | 907-803-H001 | (S)      | 2        | Each        | PDA Test Pile and Conventional Load Test                                   |