

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 1/12/2018 </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>
ADDENDUM NO. <u> </u>	DATED <u> </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>
ADDENDUM NO. <u> </u>	DATED <u> </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>

Number	Description
1	Revised Wage Rates; Revised Bid Items; Revised or Added Plan Sheet Nos. 2,11-13,15-16; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.
IM-0055-02(229)/ 106389301000 & IM-0055-02(230)/ 106389302000
Hinds & Madison County(ies)

Revised 01/26/2016

General Decision Number: MS180238 01/05/2018 MS238

Superseded General Decision Number: MS20170238

State: Mississippi

Construction Type: Highway

County: Hinds County in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.35 for calendar year 2018 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.35 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2018. The EO minimum wage rate will be adjusted annually. Please note that this EO applies to the above-mentioned types of contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but it does not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60). Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Number	Publication Date
0	01/05/2018

* ELEC0480-010 07/01/2016

	Rates	Fringes
TRAFFIC SIGNALIZATION		
Electrician.....	\$ 24.60	3%+7.48

SUMS2010-057 08/04/2014

	Rates	Fringes
CARPENTER (Form Work Only).....	\$ 13.73	0.00
CEMENT MASON/CONCRETE FINISHER...	\$ 13.93	0.00
ELECTRICIAN.....	\$ 24.04	5.87
HIGHWAY/PARKING LOT STRIPING:		
Truck Driver (Line Striping		
Truck).....	\$ 11.81	0.00
INSTALLER - GUARDRAIL.....	\$ 12.07	0.00
INSTALLER - SIGN.....	\$ 12.13	0.00

IRONWORKER, REINFORCING.....	\$ 15.47	0.00
LABORER: Common or General, Including Asphalt Raking, Shoveling, Spreading; and Grade Checking.....	\$ 10.32	0.00
LABORER: Flagger.....	\$ 9.69	0.00
LABORER: Luteman.....	\$ 12.88	0.00
LABORER: Mason Tender - Cement/Concrete.....	\$ 12.11	0.00
LABORER: Pipelayer.....	\$ 13.44	0.00
LABORER: Laborer-Cones/ Barricades/Barrels - Setter/Mover/Sweeper.....	\$ 10.39	0.00
OPERATOR: Asphalt Spreader.....	\$ 14.71	0.00
OPERATOR: Backhoe/Excavator/Trackhoe.....	\$ 16.01	0.00
OPERATOR: Bobcat/Skid Steer/Skid Loader.....	\$ 11.64	0.00
OPERATOR: Broom/Sweeper.....	\$ 9.75	0.00
OPERATOR: Bulldozer.....	\$ 13.87	0.00
OPERATOR: Concrete Saw.....	\$ 14.38	0.00
OPERATOR: Crane.....	\$ 21.33	0.00
OPERATOR: Distributor.....	\$ 10.25	0.00
OPERATOR: Grader/Blade.....	\$ 14.31	0.00
OPERATOR: Grinding/Grooving Machine.....	\$ 15.90	0.00
OPERATOR: Loader.....	\$ 11.96	0.00
OPERATOR: Mechanic.....	\$ 15.20	0.00
OPERATOR: Milling Machine.....	\$ 14.68	0.00
OPERATOR: Mixer.....	\$ 14.25	0.00
OPERATOR: Oiler.....	\$ 12.13	0.00
OPERATOR: Paver (Asphalt, Aggregate, and Concrete).....	\$ 11.59	0.00
OPERATOR: Roller (All Types)....	\$ 11.53	0.00
OPERATOR: Scraper.....	\$ 12.25	0.00

OPERATOR: Tractor.....	\$ 11.81	0.00
TRUCK DRIVER: Flatbed Truck.....	\$ 14.06	0.00
TRUCK DRIVER: Lowboy Truck.....	\$ 12.56	0.00
TRUCK DRIVER: Mechanic.....	\$ 13.00	0.00
TRUCK DRIVER: Water Truck.....	\$ 10.00	0.00
TRUCK DRIVER: Dump Truck (All Types).....	\$ 11.39	0.00
TRUCK DRIVER: Semi/Trailer Truck.....	\$ 14.60	0.00

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than "SU" or "UAVG" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the "SU" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
 Wage and Hour Division
 U.S. Department of Labor
 200 Constitution Avenue, N.W.
 Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
 U.S. Department of Labor
 200 Constitution Avenue, N.W.
 Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
 U.S. Department of Labor
 200 Constitution Avenue, N.W.
 Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

Mill & Overlay approximately 8 miles of I-55 from Rankin County Line to Madison County Line, & approximately 2 miles of I-55 from Hinds County Line to Ridgeland, known as Federal Aid Project Nos. IM-0055-02(229) / 106389301, & IM-0055-02(230) / 106389302 in Hinds & Madison Counties.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	202-B009		364	Square Yard	Removal of Asphalt Pavement, Failed Areas
0020	202-B076		364	Square Yard	Removal of Concrete Pavement, Failed Areas
0030	202-B082		6	Square Feet	Removal of Concrete Sidewalks & Driveways, All Depths
0040	202-B089		16	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
0050	202-B158		9,056	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0060	202-B162		1	Each	Removal of Impact Attenuator
0070	202-B240		160,000	Linear Feet	Removal of Traffic Stripe
0080	203-G002	(E)	200	Cubic Yard	Excess Excavation, LVM, AH
0090	234-A001		1,000	Linear Feet	Temporary Silt Fence
0100	304-B003	(GT)	2,800	Ton	Granular Material, Class 5, Group C
0110	402-A002	(BA1)	23,778	Ton	Open Graded Friction Course, 9.5-mm Mixture
0120	402-B001	(A3)	51,175	Gallon	Bituminous Tack Coat
0130	403-A003	(BA1)	16,656	Ton	12.5-mm, ST, Asphalt Pavement
0140	403-B004	(BA1)	200	Ton	19-mm, HT, Asphalt Pavement, Leveling
0150	403-D001	(BA1)	34,071	Ton	12.5-mm, HT, Asphalt Pavement, Polymer Modified
0160	403-E002	(BA1)	1,811	Ton	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
0170	403-S001		115	Mile	Joint Sealant
0180	405-A001	(BA1)	62,129	Ton	Stone Matrix Asphalt, 12.5 mm Mixture
0190	406-D003		110,155	Ton	Fine Milling of Bituminous Pavement, All Depths
0200	407-A001	(A2)	50,224	Gallon	Asphalt for Tack Coat
0210	413-B001		3,044	Linear Feet	Cleaning and Sealing Joints
0220	413-E001		2,580	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0230	423-A001		40	Mile	Rumble Strips, Ground In
0240	503-A001	(C)	364	Square Yard	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
0250	503-B001		366	Linear Feet	Saw Cut, Longitudinal Joints
0260	503-C004		552	Linear Feet	Saw Cut, 3-inch
0270	503-C010		552	Linear Feet	Saw Cut, Full Depth
0280	503-D001		31	Cubic Yard	Concrete for Base Repair
0290	503-E002		213	Each	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
0300	606-B001		8,166	Linear Feet	Guard Rail, Class A, Type 1
0310	606-C003		2	Each	Guard Rail, Cable Anchor, Type 1
0320	606-D001		13	Each	Guard Rail, Bridge End Section

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	606-E001		41	Each	Guard Rail, Terminal End Section
0340	609-D001	(S)	16	Linear Feet	Combination Concrete Curb and Gutter Type 1
0350	615-A022	(S)	170	Linear Feet	Concrete Type IV Modified Cast-in-Place Median Barrier
0360	618-A001		1	Lump Sum	Maintenance of Traffic
0370	619-A1001		82	Mile	Temporary Traffic Stripe, Continuous White
0380	619-A2001		82	Mile	Temporary Traffic Stripe, Continuous Yellow
0390	619-A3001		134	Mile	Temporary Traffic Stripe, Skip White
0400	619-A5001		203,140	Linear Feet	Temporary Traffic Stripe, Detail
0410	619-A6001		16,188	Square Feet	Temporary Traffic Stripe, Legend
0420	619-A6002		182,504	Linear Feet	Temporary Traffic Stripe, Legend
0430	619-C6001		28,216	Each	Red-Clear Reflective High Performance Raised Marker
0440	619-C7001		120	Each	Two-Way Yellow Reflective High Performance Raised Marker
0450	619-D1001		937	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0460	619-D2001		2,316	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0470	619-E3001		8	Each	Changeable Message Sign
0480	619-G4005		72	Linear Feet	Barricades, Type III, Single Faced
0490	619-G7001		6	Each	Warning Lights, Type "B"
0500	620-A001		1	Lump Sum	Mobilization
0510	626-A001		63	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0520	626-C002		39	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0530	626-F001		39	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0540	626-G004		97,490	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0550	626-G005		420	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
0560	626-H001		8,094	Square Feet	Thermoplastic Double Drop Legend, White
0570	626-H002		89,929	Linear Feet	Thermoplastic Double Drop Legend, White
0580	627-K001		14,108	Each	Red-Clear Reflective High Performance Raised Markers
0590	627-L001		60	Each	Two-Way Yellow Reflective High Performance Raised Markers
0600	629-A004		1	Each	Vehicular Impact Attenuator, 60 MPH
0610	630-F006		42	Each	Delineators, Guard Rail, White
0620	630-F007		33	Each	Delineators, Guard Rail, Yellow
0630	632-D009		4	Each	Solid State Traffic Actuated Controller, Type 1
0640	641-A002		59	Each	Signal Stop Bar Radar Detection, 1 Sensor, Type 2
0650	907-416-A001		9,742	Square Yard	High Friction Surface Treatment
0660	907-606-PP002		3,993	Linear Feet	Guard Rail Repair, 'W' Beam, Per Plans

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	907-906001		520	Hours	Trainees [\$5.00]
Bridge Items					
0680	808-A001	(S)	9,338	Linear Feet	Joint Preparation
0690	907-823-A001		2,809	Linear Feet	Preformed Joint Seal, Type I
0700	907-823-A002		1,860	Linear Feet	Preformed Joint Seal, Type II
0710	907-823-B001		5,618	Linear Feet	Saw Cut, Type I
0720	907-823-B002		2,826	Linear Feet	Saw Cut, Type II

STATE PROJECT NO. MISS. IM-0055-02(229) IM-0055-02(230)

DESCRIPTION OF SHEET

DESCRIPTION OF SHEET

Table with columns: WKG. NO., SH. NO., DESCRIPTION OF SHEET, WKG. NO., SH. NO. Includes detailed index and general notes for various sheet types and quantities.

Table with columns: PS & E PLANS-DATE 11/8/2017, FMS CON. * 106389,301000,302000, REVISIONS, DATE, SHEET NO., BY, 1/11/2018, 11,12,13,15,16, AZ

MISSISSIPPI DEPARTMENT OF TRANSPORTATION DETAILED INDEX P S & E DATE: 11/8/2017 PROJECT: IM-0055-02(229) COUNTY: HINDS & MADISON WORKING NUMBER DI-1 SHEET NUMBER 2


ADDENDUM


STATE	PROJECT NO.
MISS	IM-0055-02(229)/IM-0055-02(230)

SUMMARY OF QUANTITIES (SHEET 1)

PAY ITEM NO.	PAY ITEM	UNIT	HINDS : 106389-301000	
			Prelim	Final
202-B009	Removal of Asphalt Pavement, Failed Areas	SY	364	
202-B076	Removal of Concrete Pavement, Failed Areas	SY	364	
202-B082	Removal of Concrete Sidewalks & Driveways, All Depths	SF	6	
202-B089	Removal of Curb &/or Curb and Gutter, All Types	LF	16	
202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends	LF	6,383	
202-B162	Removal of Impact Attenuator	EA	1	
202-B240	Removal of Traffic Stripe	LF	150,000	
203-G002	Excess Excavation, LVM, AH	CY	200	
234-A001	Temporary Silt Fence	LF	1,000	
304-B003	Granular Material, Class 5, Group C	TON	2,300	
402-A002	Open Graded Friction Course, 9.5-mm Mixture	TON	19,988	
402-B001	Bituminous Tack Coat	GAL	42,080	
403-A003	12.5-mm, ST, Asphalt Pavement	TON	13,742	
403-B004	19-mm, HT, Asphalt Pavement, Leveling	TON	100	
403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified	TON	32,351	
403-E002	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling	TON	1,811	
405-A001	Stone Matrix Asphalt, 12.5 mm Mixture	TON	52,187	
403-S001	Joint Sealant	MI	105	
406-D003	Fine Milling of Bituminous Pavement, All Depths	TON	96,011	
407-A001	Asphalt for Tack Coat	GAL	43,639	
907-416-A001	High Friction Surface Treatment	SY	9,742	
413-B001	Cleaning and Sealing Joints	LF	2,725	
413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement	LF	2,580	
423-A001	Rumble Strips, Ground In	MI	32	
503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish	SY	364	
503-B001	Saw Cut, Longitudinal Joints	LF	366	
503-C004	Saw Cut, 3-inch	LF	552	
503-C010	Saw Cut, Full Depth	LF	552	
503-D001	Concrete for Base Repair	CY	31	
503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted	EA	213	
606-B001	Guard Rail, Class A, Type 1	LF	5,681	
606-C003	Guard Rail, Cable Anchor, Type 1	EA	2	
606-D001	Guard Rail, Bridge End Section	EA	13	
606-E001	Guard Rail, Terminal End Section	EA	36	
609-D001	Combination Concrete Curb and Gutter Type 1	LF	16	
615-A022	Concrete Type IV Modified Cast-in-Place Median Barrier	LF	170	

- ① FOR CONCRETE AND BRIDGE SECTIONS
- ② TO BE DELIVERED BY THE CONTRACTOR TO THE WHITFIELD MAINTENANCE HEADQUARTERS ESTIMATED QUANTITY USED AS DIRECTED
- ③
- ④ FOR FAILED AREAS IN FULL DEPTH ASPHALT USED AS DIRECTED
- ⑤ INCLUDES REMOVAL OF EXISTING (NOT A SEPERATE PAY ITEM) MILLING WILL NOT BE ALLOWED FOR REMOVAL OF THE MILLED MATERIAL, THE LESSOR OF FIFTY PERCENT (50%) OR TEN THOUSAND (10,000) TONS WILL BE RETAINED BY MDOT. THE MATERIAL WILL BE DELIVERED TO THE HIGHWAY 51 LOCATION. THE CONTRACTOR SHALL PROVIDE EQUIPMENT AND OPERATORS TO NEATLY STOCKPILE THE MATERIAL.
- ⑦ QUANTITY TO BE USED TO WIDEN THE SHOULDER FOR CONCRETE MEDIAN BARRIER, GUARDRAIL, AND GUARDRAIL PAD.
- ⑧ TO BE USED AT THE INTERSECTION OF EAST I-55 FRONTAGE ROAD AND RIDGEWOOD CT DR. GRASSING TO BE ABSORBED.
- ⑨ LOCATION: I-55 SB EXIT RAMP TO ADKINS BLVD/BEASLEY RD



	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES	
Proj No: IM-0055-02(229) County: HINDS	
FILENAME : SQS - Hinds	
Design Team _____ Checked _____ Date _____	
Date 01/12/2018	Revision BY AZ
Revised Quantity/Added Footnote/Removed Pay Item	Working Number SQ-1
Sheet Number 11	Sheet Number 11

ADDENDUM

STATE	PROJECT NO.
MISS	IM-0055-02(229)/IM-0055-02(230)

SUMMARY OF QUANTITIES (SHEET 2)

PAY ITEM NO.	PAY ITEM	UNIT	HINDS : 106389-301000	
			Prelim	Final
618-A001	Maintenance of Traffic	LS	1	
619-A1001	Temporary Traffic Stripe, Continuous White	MI	70	
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	70	
619-A3001	Temporary Traffic Stripe, Skip White	MI	112	
619-A5001	Temporary Traffic Stripe, Detail	LF	168,532	
619-A6001	Temporary Traffic Stripe, Legend	SF	15,130	
619-A6002	Temporary Traffic Stripe, Legend	LF	167,752	
619-C6001	Red-Clear Reflective High Performance Raised Marker	EA	23,584	
619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	EA	80	
619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	SF	781	
619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	SF	1,512	
619-E3001	Changeable Message Sign	EA	6	
619-G4005	Barricades, Type III, Single Faced	LF	24	
619-G7001	Warning Lights, Type "B"	EA	2	
620-A001	Mobilization	LS	1	
626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White	MI	56	
626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White	MI	35	
626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	MI	35	
626-G004	Thermoplastic Double Drop Detail Stripe, White	LF	88,226	
626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	LF	390	
626-H001	Thermoplastic Double Drop Legend, White	SF	7,565	
626-H002	Thermoplastic Double Drop Legend, White	LF	83,876	
627-K001	Red-Clear Reflective High Performance Raised Markers	EA	11,792	
627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	40	
629-A004	Vehicular Impact Attenuator, 60 MPH	EA	1	
630-F006	Delineators, Guard Rail, White	EA	42	
630-F007	Delineators, Guard Rail, Yellow	EA	33	
632-D009	Solid State Traffic Actuated Controller, Type 1	EA	4	
641-A002	Signal Stop Bar Radar Detection, 1 Sensor, Type 2	EA	59	
808-A001	Joint Preparation	LF	7,948	
907-823-A001	Preformed Joint Seal, Type I	LF	2,639	
907-823-A002	Preformed Joint Seal, Type II	LF	1,335	
907-823-B001	Saw Cut, Type I	LF	5,278	
907-823-B002	Saw Cut, Type II	LF	1,956	

① THERE IS NO SEPARATE PAY-ITEM FOR RADAR DETECTION CABLE. ALL RADAR DETECTION CABLE SHALL BE COST ABSORBED.

Ⓐ ② LOCATION: I-55 SB EXIT RAMP TO ADKINS BLVD/BEASLEY RD

② Ⓐ

①

MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES		Working Number SQ-2
Proj No: IM-0055-02(229) County: HINDS		Sheet Number 12
01/12/2018	REVISION	Date
AZ	FOOTNOTE/REMOVED PAY ITEM	Design Team
	FILENAME : SQS - Hinds	Checked
		Date

ADDENDUM

STATE	PROJECT NO.
MISS	IM-0055-02(229)/IM-0055-02(230)


SUMMARY OF QUANTITIES (SHEET 3)

PAY ITEM NO.	PAY ITEM	UNIT	MADISON : 106389-302000	
			Prelim	Final
202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends	LF	2,673	
202-B240	Removal of Traffic Stripe	LF	10,000	
304-B003	Granular Material, Class 5, Group C	TON	500	
402-A002	Open Graded Friction Course, 9.5-mm Mixture	TON	3,790	
402-B001	Bituminous Tack Coat	GAL	9,095	
403-A003	12.5-mm, ST, Asphalt Pavement	TON	2,914	
403-B004	19-mm, HT, Asphalt Pavement, Leveling	TON	100	
403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified	TON	1,720	
405-A001	Stone Matrix Asphalt, 12.5 mm Mixture	TON	9,942	
403-S001	Joint Sealant	MI	10	
406-D003	Fine Milling of Bituminous Pavement, All Depths	TON	14,144	
407-A001	Asphalt for Tack Coat	GAL	6,585	
413-B001	Cleaning and Sealing Joints	LF	319	
423-A001	Rumble Strips, Ground In	MI	8	
606-B001	Guard Rail, Class A, Type 1	LF	2,485	
606-E001	Guard Rail, Terminal End Section	EA	5	
618-A001	Maintenance of Traffic	LS	1	
619-A1001	Temporary Traffic Stripe, Continuous White	MI	12	
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	12	
619-A3001	Temporary Traffic Stripe, Skip White	MI	22	
619-A5001	Temporary Traffic Stripe, Detail	LF	34,608	
619-A6001	Temporary Traffic Stripe, Legend	SF	1,058	
619-A6002	Temporary Traffic Stripe, Legend	LF	14,752	
619-C6001	Red-Clear Reflective High Performance Raised Marker	EA	4,632	
619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	EA	40	
619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	SF	156	
619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	SF	804	
619-E3001	Changeable Message Sign	EA	2	
619-G4005	Barricades, Type III, Single Faced	LF	48	
619-G7001	Warning Lights, Type "B"	EA	4	
620-A001	Mobilization	LS	1	
626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White	MI	7	
626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White	MI	4	
626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	MI	4	
626-G004	Thermoplastic Double Drop Detail Stripe, White	LF	9,264	
626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	LF	30	

- ① FOR CONCRETE AND BRIDGE SECTIONS
- ② TO BE DELIVERED BY THE CONTRACTOR TO THE WHITFIELD MAINTENANCE HEADQUARTERS ESTIMATED QUANTITY USED AS DIRECTED
- ③
- ④ FOR FAILED AREAS IN FULL DEPTH ASPHALT USED AS DIRECTED
- ⑤ OF THE MILLED MATERIAL, THE LESSOR OF FIFTY PERCENT (50%) OR TEN THOUSAND (10,000) TONS WILL BE RETAINED BY MDOT. THE MATERIAL WILL BE DELIVERED TO THE HIGHWAY 51 LOCATION. THE CONTRACTOR SHALL PROVIDE EQUIPMENT AND OPERATORS TO NEATLY STOCKPILE THE MATERIAL.
- ⑥ QUANTITY TO BE USED TO WIDEN THE SHOULDER FOR CONCRETE MEDIAN BARRIER, GUARDRAIL, AND GUARDRAIL PAD.

②
①
③
⑥



01/12/2018	REVISION	BY
FOOTNOTE/REMOVED PAY ITEM		AZ
MISSISSIPPI DEPARTMENT OF TRANSPORTATION		
SUMMARY OF QUANTITIES		
		
Proj No: IM-0055-02(230) County: MADISON		
FILENAME : SQS - Hinds Design Team Checked Date		
		Working Number SQ-3 Sheet Number 13

ADDENDUM

STATE	PROJECT NO.
MISS	IM-0055-02(229)/IM-0055-02(230)

SUMMARY OF QUANTITIES (SHEET 5)				
PAY ITEM NO.	PAY ITEM	UNIT	Total Amount	
			Prelim	Final
202-B009	Removal of Asphalt Pavement, Failed Areas	SY	364	
202-B076	Removal of Concrete Pavement, Failed Areas	SY	364	
202-B082	Removal of Concrete Sidewalks & Driveways, All Depths	SF	6	
202-B089	Removal of Curb &/or Curb and Gutter, All Types	LF	16	
202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends	LF	9,056	
202-B162	Removal of Impact Attenuator	EA	1	
202-B240	Removal of Traffic Stripe	LF	160,000	
203-G002	Excess Excavation, LVM, AH	CY	200	
234-A001	Temporary Silt Fence	LF	1,000	
304-B003	Granular Material, Class 5, Group C	TON	2,800	
402-A002	Open Graded Friction Course, 9.5-mm Mixture	TON	23,778	
402-B001	Bituminous Tack Coat	GAL	51,175	
403-A003	12.5-mm, ST, Asphalt Pavement	TON	16,656	
403-B004	19-mm, HT, Asphalt Pavement, Leveling	TON	200	
403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified	TON	34,071	
403-E002	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling	TON	1,811	
405-A001	Stone Matrix Asphalt, 12.5 mm Mixture	TON	62,129	
403-S001	Joint Sealant	MI	115	
406-D003	Fine Milling of Bituminous Pavement, All Depths	TON	110,155	
407-A001	Asphalt for Tack Coat	GAL	50,224	
907-416-A001	High Friction Surface Treatment	SY	9,742	
413-B001	Cleaning and Sealing Joints	LF	3,044	
413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement	LF	2,580	
423-A001	Rumble Strips, Ground In	MI	40	
503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish	SY	364	
503-B001	Saw Cut, Longitudinal Joints	LF	366	
503-C004	Saw Cut, 3-inch	LF	552	
503-C010	Saw Cut, Full Depth	LF	552	
503-D001	Concrete for Base Repair	CY	31	
503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted	EA	213	
606-B001	Guard Rail, Class A, Type 1	LF	8,166	
606-C003	Guard Rail, Cable Anchor, Type 1	EA	2	
606-D001	Guard Rail, Bridge End Section	EA	13	
606-E001	Guard Rail, Terminal End Section	EA	41	
609-D001	Combination Concrete Curb and Gutter Type 1	LF	16	
615-A022	Concrete Type IV Modified Cast-in-Place Median Barrier	LF	170	

- ① FOR CONCRETE AND BRIDGE SECTIONS
- ② TO BE DELIVERED BY THE CONTRACTOR TO THE WHITFIELD MAINTENANCE HEADQUARTERS
- ③ ESTIMATED QUANTITY USED AS DIRECTED
- ④ FOR FAILED AREAS IN FULL DEPTH ASPHALT USED AS DIRECTED
- ⑤ INCLUDES REMOVAL OF EXISTING (NOT A SEPERATE PAY ITEM) MILLING WILL NOT BE ALLOWED FOR REMOVAL OF THE MILLED MATERIAL, THE LESSOR OF FIFTY PERCENT (50%) OR TEN THOUSAND (10,000) TONS WILL BE RETAINED BY MDOT. THE MATERIAL WILL BE DELIVERED TO THE HIGHWAY 51 LOCATION. THE CONTRACTOR SHALL PROVIDE EQUIPMENT AND OPERATORS TO NEATLY STOCKPILE THE MATERIAL.
- ⑦ QUANTITY TO BE USED TO WIDEN THE SHOULDER FOR CONCRETE MEDIAN BARRIER, GUARDRAIL, AND GUARDRAIL PAD.
- ⑧ TO BE USED AT THE INTERSECTION OF EAST I-55 FRONTAGE ROAD AND RIDGEWOOD CT DR. GRASSING TO BE ABSORBED.
- ⑨ LOCATION: I-55 SB EXIT RAMP TO ADKINS BLVD/BEASLEY RD



MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES - PROJECT TOTALS	
01/12/2018	REVISION
AZ	FOOTNOTE/REMOVED PAY ITEM
01/12/2018	REVISION
AZ	FOOTNOTE/REMOVED PAY ITEM
Proj No: IM-0055-02(229)/IM-0055-02(230)	
FMS: 106389-301000/106389-302000	
Working Number	SQ-5
Sheet Number	15
Design Team	FILENAME : SQS - Hinds
Checked	Date

ADDENDUM

STATE	PROJECT NO.
MISS	IM-0055-02(229)/IM-0055-02(230)

SUMMARY OF QUANTITIES (SHEET 6)


PAY ITEM NO.	PAY ITEM	UNIT	Total Amount	
			Prelim	Final
618-A001	Maintenance of Traffic	LS	1	
619-A1001	Temporary Traffic Stripe, Continuous White	MI	82	
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	82	
619-A3001	Temporary Traffic Stripe, Skip White	MI	134	
619-A5001	Temporary Traffic Stripe, Detail	LF	203,140	
619-A6001	Temporary Traffic Stripe, Legend	SF	16,188	
619-A6002	Temporary Traffic Stripe, Legend	LF	182,504	
619-C6001	Red-Clear Reflective High Performance Raised Marker	EA	28,216	
619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	EA	120	
619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	SF	937	
619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	SF	2,316	
619-E3001	Changeable Message Sign	EA	8	
619-G4005	Barricades, Type III, Single Faced	LF	72	
619-G7001	Warning Lights, Type "B"	EA	6	
620-A001	Mobilization	LS	1	
626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White	MI	63	
626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White	MI	39	
626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	MI	39	
626-G004	Thermoplastic Double Drop Detail Stripe, White	LF	97,490	
626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	LF	420	
626-H001	Thermoplastic Double Drop Legend, White	SF	8,094	
626-H002	Thermoplastic Double Drop Legend, White	LF	89,929	
627-K001	Red-Clear Reflective High Performance Raised Markers	EA	14,108	
627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	60	
629-A004	Vehicular Impact Attenuator, 60 MPH	EA	1	
630-F006	Delineators, Guard Rail, White	EA	42	
630-F007	Delineators, Guard Rail, Yellow	EA	33	
632-D009	Solid State Traffic Actuated Controller, Type 1	EA	4	
641-A002	Signal Stop Bar Radar Detection, 1 Sensor, Type 2	EA	59	
808-A001	Joint Preparation	LF	9,338	
907-823-A001	Preformed Joint Seal, Type I	LF	2,809	
907-823-A002	Preformed Joint Seal, Type II	LF	1,860	
907-823-B001	Saw Cut, Type I	LF	5,618	
907-823-B002	Saw Cut, Type II	LF	2,826	

① THERE IS NO SEPARATE PAY-ITEM FOR RADAR DETECTION CABLE. ALL RADAR DETECTION CABLE SHALL BE COST ABSORBED.

② LOCATION: I-55 SB EXIT RAMP TO ADKINS BLVD/BEASLEY RD

② ⚠

①



MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES - PROJECT TOTALS	
01/12/2018	REVISION
01/12/2018	REVISION
Proj No: IM-0055-02(229)/IM-0055-02(230)	Working Number
FMS: 106389-301000/106389-302000	SQ-6
FILENAME : SQS - Hinds	Sheet Number
Design Team	Checked
Date	16