

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>1</u>	DATED <u>1/12/2018</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. <u>2</u>	DATED <u>1/17/2018</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

- | Number | Description |
|--------|---|
| 1 | Revised Table of Contents; Added NTB Nos. 635, & 636; Revised Wage Rates; Revised or Added Plan Sheet Nos. 2,8,24,48,51, & 55; Amendment EBS Download Required. |
| 2 | Revised Bid Items; Amendment EBS Download Required. |

TOTAL ADDENDA: 2
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

SP-0020-01(234)/ 107241302000
 Hinds County(ies)

Revised 01/26/2016

Interchange Improvements on I-20 at Norrell Road and Frontage Road Widening, known as Federal Aid Project No. SP-0020-01(234) / 107241302 in Hinds County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-A001		1	Lump Sum	Removal of Obstructions
0030	202-B009		1,000	Square Yard	Removal of Asphalt Pavement, Failed Areas
0040	202-B016		85	Linear Feet	Removal of Box Bridge
0050	202-B019		124	Linear Feet	Removal of Box Culvert
0060	202-B059		235	Square Yard	Removal of Concrete Median & Island Pavement, All Depths
0070	202-B060		96	Linear Feet	Removal of Concrete Median Barrier
0080	202-B063		2,941	Square Yard	Removal of Concrete Paved Ditch
0090	202-B089		3,195	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
0100	202-B126		12,526	Linear Feet	Removal of Fence, All Types
0110	202-B129		12	Each	Removal of Flared End Section, All Sizes
0120	202-B158		681	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0130	202-B163		1	Each	Removal of Inlet Tops
0140	202-B188		51,036	Square Yard	Removal of Pavement, All Types and Depths
0150	202-B191		460	Linear Feet	Removal of Pipe, 8" And Above
0160	202-B215		49	Each	Removal of Sign Including Post & Footing
0170	202-B226		30,332	Square Yard	Removal of Soil Cement Treated Base, All Depths
0180	202-B240		20,000	Linear Feet	Removal of Traffic Stripe
0190	203-A001	(E)	96,716	Cubic Yard	Unclassified Excavation, FM, AH
0200	203-D001	(E)	500	Cubic Yard	Muck Excavation, FM
0210	203-EX021	(E)	145,827	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0220	203-F001	(E)	6,323	Cubic Yard	Channel Excavation, FM
0230	203-G001	(E)	54,555	Cubic Yard	Excess Excavation, FM, AH
0240	203-I002		20,835	Square Yard	Site Grading
0250	206-A001	(S)	4,060	Cubic Yard	Structure Excavation
0260	206-B001	(E)	481	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0270	209-A001		64	Square Yard	Geotextile Stabilization, Type III
0280	209-A005		21,435	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0290	211-B001	(E)	5,000	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0300	213-C001		47	Ton	Superphosphate
0310	216-A001		1,372	Square Yard	Solid Sodding
0320	217-A001		2,546	Square Yard	Ditch Liner

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	219-A001		33	Thousand Gallon	Watering [\$20.00]
0340	220-A001		75	Acre	Insect Pest Control [\$30.00]
0350	221-A001	(S)	190	Cubic Yard	Concrete Paved Ditch
0360	223-A001		810	Acre	Mowing [\$50.00]
0370	224-A001		5,955	Square Yard	Soil Reinforcing Mat
0380	225-A001		95	Acre	Grassing
0390	225-B001		47	Ton	Agricultural Limestone
0400	225-C001		189	Ton	Mulch, Vegetative Mulch
0410	226-A001		95	Acre	Temporary Grassing
0420	234-A001		25,250	Linear Feet	Temporary Silt Fence
0430	234-C001		2,870	Linear Feet	Super Silt Fence
0440	234-D001		4	Each	Inlet Siltation Guard
0450	234-E001		4	Each	Reset Inlet Siltation Guard
0460	236-A008		9	Each	Silt Basin, Type D
0470	237-A002		12,500	Linear Feet	Wattles, 20"
0480	239-A001		650	Linear Feet	Temporary Slope Drains
0490	245-A001		1,478	Linear Feet	Silt Dike
0500	246-B001		500	Each	Rockbags
0510	247-A001		2	Each	Temporary Stream Diversion
0520	249-A001		300	Ton	Riprap for Erosion Control
0530	304-B003	(GT)	20,019	Ton	Granular Material, Class 5, Group C
0540	304-B009	(GT)	28,386	Ton	Granular Material, Class 9, Group C
0550	307-C004	(M)	54,474	Square Yard	6" Soil-Lime-Water Mixing, Class C
0560	307-D001		735	Ton	Lime
0570	307-S001	(A3)	13,618	Gallon	Bituminous Curing Seal
0580	402-A002	(BA1)	1,745	Ton	Open Graded Friction Course, 9.5-mm Mixture
0590	402-B001	(A3)	2,430	Gallon	Bituminous Tack Coat
0600	403-A003	(BA1)	1,181	Ton	12.5-mm, ST, Asphalt Pavement
0610	403-A004	(BA1)	14,324	Ton	19-mm, HT, Asphalt Pavement
0620	403-A006	(BA1)	17,029	Ton	19-mm, ST, Asphalt Pavement
0630	403-A014	(BA1)	3,286	Ton	9.5-mm, MT, Asphalt Pavement
0640	403-A015	(BA1)	968	Ton	9.5-mm, ST, Asphalt Pavement
0650	403-B001	(BA1)	200	Ton	12.5-mm, HT, Asphalt Pavement, Leveling
0660	403-C001	(BA1)	285	Ton	19-mm, HT, Asphalt Pavement, Trench Widening

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	403-C003	(BA1)	285	Ton	19-mm, ST, Asphalt Pavement, Trench Widening
0680	403-C007	(BA1)	146	Ton	12.5-mm, HT, Asphalt Pavement, Trench Widening
0690	403-D001	(BA1)	9,422	Ton	12.5-mm, HT, Asphalt Pavement, Polymer Modified
0700	403-D007	(BA1)	7,591	Ton	9.5-mm, HT, Asphalt Pavement, Polymer Modified
0710	405-A001	(BA1)	1,366	Ton	Stone Matrix Asphalt, 12.5 mm Mixture
0720	405-A002	(BA1)	1,187	Ton	Stone Matrix Asphalt, 9.5 mm Mixture
0730	406-D001		28,787	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0740	407-A001	(A2)	34,505	Gallon	Asphalt for Tack Coat
0750	413-E001		142	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0760	423-A001		1	Mile	Rumble Strips, Ground In
0770	501-E001		25	Linear Feet	Expansion Joints, Without Dowels
0780	501-K001		56	Square Yard	Transverse Grooving
0790	502-A001	(C)	367	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0800	601-A001	(S)	997	Cubic Yard	Class "B" Structural Concrete
0810	601-B001	(S)	28	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0820	602-A001	(S)	191,683	Pounds	Reinforcing Steel
0830	603-ALT003	(S)	388	Linear Feet	18" Type A Alternate Pipe
0840	603-ALT006	(S)	160	Linear Feet	24" Type A Alternate Pipe
0850	603-CA011	(S)	112	Linear Feet	18" Reinforced Concrete Pipe, Class III
0860	603-CA026	(S)	240	Linear Feet	24" Reinforced Concrete Pipe, Class III
0870	603-CA040	(S)	84	Linear Feet	30" Reinforced Concrete Pipe, Class III
0880	603-CA042	(S)	56	Linear Feet	30" Reinforced Concrete Pipe, Class IV
0890	603-CA066	(S)	72	Linear Feet	42" Reinforced Concrete Pipe, Class III
0900	603-CA076	(S)	24	Linear Feet	48" Reinforced Concrete Pipe, Class III
0910	603-CA087	(S)	144	Linear Feet	54" Reinforced Concrete Pipe, Class III
0920	603-CB003	(S)	4	Each	18" Reinforced Concrete End Section
0930	603-CB004	(S)	5	Each	24" Reinforced Concrete End Section
0940	603-CB005	(S)	5	Each	30" Reinforced Concrete End Section
0950	603-CB007	(S)	1	Each	42" Reinforced Concrete End Section
0960	603-CB008	(S)	1	Each	48" Reinforced Concrete End Section
0970	603-CB009	(S)	2	Each	54" Reinforced Concrete End Section
0980	603-SB028	(S)	3	Each	24" Branch Connections, Stub into Box Culvert
0990	603-SB036	(S)	1	Each	30" Branch Connections, Stub into Box Culvert

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1000	604-B001		1,000	Pounds	Gratings
1010	605-O002	(S)	144	Linear Feet	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
1020	605-P002	(S)	19	Linear Feet	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1030	605-W001	(GY)	6	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1040	605-W002	(GY)	101	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1050	605-Z001		2	Each	Underdrain Appurtenances, Concrete Apron, Precast or Cast-In-Place
1060	606-B003		1,113	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1070	606-D022		10	Each	Guard Rail, Bridge End Section, Type I
1080	606-E005		4	Each	Guard Rail, Terminal End Section, Flared
1090	606-E007		6	Each	Guard Rail, Terminal End Section, Non-Flared
1100	607-A002		10,356	Linear Feet	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
1110	607-P1007		579	Each	Line Post, 7' Tee Post Steel
1120	607-P1017		115	Each	Line Post, 9' Tee Post Steel
1130	607-P1021		78	Each	Line Post, 10' Tee Post Steel
1140	607-P2009		103	Each	Brace Post, 8' x 6" Timber
1150	607-P2015		20	Each	Brace Post, 10' x 6" Timber
1160	607-P2019		14	Each	Brace Post, 12' x 6" Timber
1170	607-Z001		137	Each	Concrete Anchors
1180	609-D004	(S)	3,053	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
1190	609-D012	(S)	3,143	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
1200	615-A001	(S)	40	Linear Feet	Concrete Bridge End Barrier, 32"
1210	615-A002	(S)	40	Linear Feet	Concrete Bridge End Barrier, 33.5"
1220	615-A020	(S)	102	Linear Feet	Concrete Type IV Cast-in-Place Median Barrier
1230	616-A001	(S)	76	Square Yard	Concrete Median and/or Island Pavement, 10-inch
1240	616-A004	(S)	1,364	Square Yard	Concrete Median and/or Island Pavement, 4-inch
1250	617-A001		70	Each	Right-of-Way Marker
1260	618-A001		1	Lump Sum	Maintenance of Traffic
1270	619-A1001		20	Mile	Temporary Traffic Stripe, Continuous White
1280	619-A2001		15	Mile	Temporary Traffic Stripe, Continuous Yellow
1290	619-A3002		29,427	Linear Feet	Temporary Traffic Stripe, Skip White
1300	619-A4001		5,720	Linear Feet	Temporary Traffic Stripe, Skip Yellow
1310	619-A5001		66,499	Linear Feet	Temporary Traffic Stripe, Detail
1320	619-A6001		717	Square Feet	Temporary Traffic Stripe, Legend

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1330	619-A6002		4,090	Linear Feet	Temporary Traffic Stripe, Legend
1340	619-C6001		1,123	Each	Red-Clear Reflective High Performance Raised Marker
1350	619-C7001		1,491	Each	Two-Way Yellow Reflective High Performance Raised Marker
1360	619-D1001		284	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1370	619-D2001		1,273	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
1380	619-D3001		18	Each	Remove and Reset Signs, All Sizes
1390	619-E3001		2	Each	Changeable Message Sign
1400	619-F1001		3,870	Linear Feet	Concrete Median Barrier, Precast
1410	619-F2001		5,060	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
1420	619-G4001		60	Linear Feet	Barricades, Type III, Double Faced
1430	619-G4005		390	Linear Feet	Barricades, Type III, Single Faced
1440	619-G5001		258	Each	Free Standing Plastic Drums
1450	619-G7001		15	Each	Warning Lights, Type "B"
1460	619-J1003		3	Each	Impact Attenuator, 50 MPH
1470	619-J1005		3	Each	Impact Attenuator, 70 MPH
1480	619-J2003		3	Each	Impact Attenuator, 50 MPH, Replacement Package
1490	619-J2005		3	Each	Impact Attenuator, 70 MPH, Replacement Package
1500	619-J3001		5	Each	Remove and Reset Impact Attenuator
1510	620-A001		1	Lump Sum	Mobilization
1520	622-B003		1	Each	Engineer's Field Office Building, Type 3 LO
1530	626-A002		17,200	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1540	626-B002		1	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1550	626-C002		16	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1560	626-D002		7,825	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1570	626-E001		10	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1580	626-F002		11,132	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1590	626-G004		15,452	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
1600	626-G005		23,847	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
1610	626-H001		1,534	Square Feet	Thermoplastic Double Drop Legend, White
1620	626-H002		2,401	Linear Feet	Thermoplastic Double Drop Legend, White
1630	627-B001		249	Each	Two-Way Clear Reflective Raised Markers
1640	627-K001		1,123	Each	Red-Clear Reflective High Performance Raised Markers
1650	627-L001		1,491	Each	Two-Way Yellow Reflective High Performance Raised Markers
1660	630-A001		104	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1670	630-A003		526	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1680	630-B002		173	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1690	630-C003		547	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
1700	630-D008		234	Linear Feet	Structural Steel Beams, W6 x 9
1710	630-E002		203	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1720	630-E004		502	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1730	630-F006		50	Each	Delineators, Guard Rail, White
1740	630-F007		8	Each	Delineators, Guard Rail, Yellow
1750	630-F010		79	Each	Delineators, Post Mounted, Double White
1760	630-F011		51	Each	Delineators, Post Mounted, Double Yellow
1770	630-F012		46	Each	Delineators, Post Mounted, Single White
1780	630-F013		15	Each	Delineators, Post Mounted, Single Yellow
1790	630-G003		2	Each	Type 3 Object Markers, OM-3L, Post Mounted
1800	630-G007		2	Each	Type 3 Object Markers, OM-3R, Post Mounted
1810	630-K001		126	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
1820	630-K003		222	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
1830	632-A007		3	Each	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1840	634-A242		2	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm
1850	634-A244		2	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
1860	634-A245		5	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
1870	634-A247		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm
1880	634-A249		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm
1890	634-C005		44	Cubic Yard	Pole Foundations, Class "B" Concrete
1900	634-E001		1	Each	Camera Pole with Foundation, 50' Pole
1910	635-A059		17	Each	Traffic Signal Head, Type 1
1920	635-A061		3	Each	Traffic Signal Head, Type 2
1930	635-A063		1	Each	Traffic Signal Head, Type 2R
1940	635-A065		4	Each	Traffic Signal Head, Type 2 FYA
1950	635-A070		1	Each	Traffic Signal Head, Type 3
1960	635-A073		1	Each	Traffic Signal Head, Type 4
1970	635-A074		2	Each	Traffic Signal Head, Type 4R
1980	635-A079		1	Each	Traffic Signal Head, Type 7R
1990	636-B005		1,040	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2000	636-B018		1,890	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
2010	636-B051		530	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
2020	636-C009		532	Linear Feet	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
2030	637-A009		12	Each	Pull Box Enclosure, Type 2, Tier 22
2040	637-A011		3	Each	Pull Box Enclosure, Type 3, Tier 22
2050	637-A013		1	Each	Pull Box Enclosure, Type 4, Tier 22
2060	637-A015		3	Each	Pull Box Enclosure, Type 5, Tier 22
2070	637-C026		45	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
2080	637-C028		120	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
2090	637-C030		215	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
2100	637-D003		765	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2110	637-I001		1,145	Linear Feet	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
2120	637-I002		385	Linear Feet	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
2130	639-B001		10	Each	Optical Detector
2140	639-C001		3	Each	Multimode Phase Selector
2150	639-E001		1,700	Linear Feet	Optical Detector Cable
2160	643-A002		10	Each	Video Detection System, 1 Sensor, Type 1
2170	643-E001		3	Each	Multi-Sensor Detection System, 1 Sensor
2180	653-A002		17	Square Feet	Traffic Sign, Type III
2190	653-B003		92	Square Feet	Street Name Sign, Type III
2200	660-A003		1	Each	Equipment Cabinet, Type B
2210	660-A004		1	Each	Equipment Cabinet, Type C
2220	662-D002		2	Each	Radio Interconnect, Broadband, Short Range
2230	682-A005		2,200	Linear Feet	Underground Branch Circuit, AWG 1/0, 3 Conductor
2240	682-A018		4,735	Linear Feet	Underground Branch Circuit, AWG 2, 3 Conductor
2250	682-A034		16,440	Linear Feet	Underground Branch Circuit, AWG 6, 3 Conductor
2260	682-B005		345	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
2270	682-B016		760	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
2280	682-B032		1,006	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
2290	682-C028		2,320	Linear Feet	Structure Mounted Branch Circuit, AWG 6, 3 Conductor
2300	682-D002		4	Each	Structure Mounted Pull Box
2310	682-D003		29	Each	Underground Pull Box
2320	682-E003		63	Each	Underground Junction Box With Concrete Pad

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2330	682-F001		3	Each	Secondary Power Controller
2340	683-A119		1	Each	Lighting Assembly, High Mast, LED, Type 100-4-A
2350	683-A120		2	Each	Lighting Assembly, High Mast, LED, Type 100-4-S
2360	683-A121		5	Each	Lighting Assembly, High Mast, LED, Type 100-6-A
2370	683-A122		1	Each	Lighting Assembly, High Mast, LED, Type 100-6-S
2380	683-A123		2	Each	Lighting Assembly, High Mast, LED, Type 100-8-S
2390	683-B003		63	Each	Lighting Assembly, Low Mast, LED, Type 40-1-15-284
2400	683-B194		8	Each	Lighting Assembly, Low Mast, LED, Type 40-1-4-284
2410	683-D001		1	Each	Portable Electric Power Units
2420	684-A004		104	Cubic Yard	Pole Foundation, 30" Diameter
2430	684-A005		50	Cubic Yard	Pole Foundation, 36" Diameter
2440	684-B004		657	Linear Feet	Slip Casing, 30" Diameter
2450	684-B005		204	Linear Feet	Slip Casing, 36" Diameter
2460	699-A001		1	Lump Sum	Roadway Construction Stakes
2470	804-B001	(S)	203	Cubic Yard	Box Bridge Concrete, Class B
2480	815-A007	(S)	4,178	Ton	Loose Riprap, Size 300
2490	815-E001	(S)	4,753	Square Yard	Geotextile under Riprap
2500	815-F002	(S)	207	Ton	Sediment Control Stone
2510	907-253-A001		1,202	Linear Feet	Coir Fiber Baffle
2520	907-650-A002		2	Each	On Street Video Equipment, Fixed Type
2530	907-650-A003		1	Each	On Street Video Equipment, PTZ Type
2540	907-659-A002		1	Each	Traffic Management Center Modifications
2550	907-661-A004		1,145	Linear Feet	Fiber Optic Cable, 72 SM
2560	907-661-B002		35	Linear Feet	Fiber Optic Drop Cable, 12 SM
2570	907-663-A001		4	Each	Network Switch, Type A
2580	907-663-A005		1	Each	Network Switch, Type E
2590	907-899-A001		1	Lump Sum	Railway-Highway Provisions
2600	907-906001		720	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
2610	304-F001	(GT)	15,048	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
2620	304-F002	(GT)	15,048	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
2630	304-F003	(GT)	15,048	Ton	Size 825B Crushed Stone Base

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
ALTERNATE GROUP BB NUMBER 1					
2640	308-A001		490	Ton	Cement
2650	308-B003	(M)	54,474	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
2660	308-S001	(A3)	13,618	Gallon	Bituminous Curing Seal
ALTERNATE GROUP BB NUMBER 2					
2670	311-A003	(M)	54,474	Square Yard	6" Processing Lime and Fly Ash Treated Course
2680	311-B001		368	Ton	Lime
2690	311-C001		1,472	Ton	Fly Ash, Class C
2700	311-S001	(A3)	13,618	Gallon	Bituminous Curing Seal
ALTERNATE GROUP CC NUMBER 1					
2710	308-A001		1,208	Ton	Cement
2720	308-B002	(M)	93,495	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base
2730	308-S001	(A3)	23,373	Gallon	Bituminous Curing Seal
ALTERNATE GROUP CC NUMBER 2					
2740	311-A003	(M)	93,495	Square Yard	6" Processing Lime and Fly Ash Treated Course
2750	311-B001		660	Ton	Lime
2760	311-C001		2,935	Ton	Fly Ash, Class C
2770	311-S001	(A3)	23,373	Gallon	Bituminous Curing Seal
Bridge Items					
2780	202-B027		88	Square Yard	Removal of Bridge Deck, Curb and Railing
2790	501-K001		11,757	Square Yard	Transverse Grooving
2800	803-B001		3	Each	Conventional Static Pile Load Test [\$5,000.00]
2810	803-C002	(S)	360	Linear Feet	14" x 14" Prestressed Concrete Piling
2820	803-C005	(S)	120	Linear Feet	20" x 20" Prestressed Concrete Piling
2830	803-D007	(S)	3,675	Linear Feet	HP 14 x 89 Steel Piling
2840	803-I002	(S)	2	Each	PDA Test Pile, Concrete Pile
2850	803-I003	(S)	2	Each	PDA Test Pile, HP Steel Pile
2860	803-J001	(S)	4	Each	Pile Restrike
2870	803-K007	(S)	2,921	Linear Feet	Drilled Shaft, 54" Diameter
2880	803-L003	(S)	1	Each	Test Shaft, 54" Diameter
2890	803-M006	(S)	70	Linear Feet	Trial Shaft, 54" Diameter
2900	803-N001	(S)	250	Linear Feet	Exploration
2910	803-O008	(S)	250	Linear Feet	Permanent Casing, 54" Diameter
2920	803-O019	(S)	600	Linear Feet	Temporary Casing, 54" Diameter

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2930	804-A001	(S)	1,528	Cubic Yard	Bridge Concrete, Class AA
2940	804-A004	(S)	3,573	Cubic Yard	Bridge Concrete, Class BD
2950	804-C007	(S)	398	Linear Feet	103' Prestressed Concrete Beam, Type BT-72
2960	804-C033	(S)	448	Linear Feet	115' Prestressed Concrete Beam, Type BT-72
2970	804-C046	(S)	4,991	Linear Feet	125' Prestressed Concrete Beam, Type BT-72
2980	804-C049	(S)	497	Linear Feet	128' Prestressed Concrete Beam, Type BT-72
2990	804-C055	(S)	8,086	Linear Feet	135' Prestressed Concrete Beam, Type BT-72
3000	804-C059	(S)	1,392	Linear Feet	140' Prestressed Concrete Beam, Type BT-72
3010	804-C074	(S)	305	Linear Feet	51' Prestressed Concrete Beam, Type II+2
3020	804-C117	(S)	299	Linear Feet	78' Prestressed Concrete Beam, Type BT-72
3030	804-C143	(S)	349	Linear Feet	91' Prestressed Concrete Beam, Type BT-72
3040	805-A001	(S)	1,109,141	Pounds	Reinforcement
3050	813-A002	(S)	3,614	Linear Feet	Concrete Railing, 32"
3060	815-A007	(S)	3,382	Ton	Loose Riprap, Size 300
3070	815-D001	(S)	26	Cubic Yard	Concrete Slope Paving
3080	815-E001	(S)	4,423	Square Yard	Geotextile under Riprap
3090	907-607-PP001		280	Linear Feet	Safety Fence