


Proposal & Plan Sales Will Begin on February 5, 2018



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For February - February 27, 2018**



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR FEBRUARY - Tuesday, February 27, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 5, 2018

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, February 27, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	ER-0015-02(099)/107491301	WAYNE
* 02	HSIP-0231-00(082)/107251301 & HSIP-0231-00(082)/107251302	GEORGE, JACKSON
* 03	STP-0002-02(070)/107744301	CLARKE
* 04	NH-0002-03(088)/107627301 & NH-0002-03(093)/107627302	NOXUBEE
* 05	NH-0003-01(195)/107650301	JACKSON
06	BR-0007-01(091)/107392301	TIPPAH
07	NH-0007-01(093)/107671301	TISHOMINGO
08	NH-0011-03(083)/107670301 & NH-0011-03(084)/107670302	OKTIBBEHA, LOWNDES
09	STP-0022-04(063)/102607303	PONTOTOC
10	STP-0037-01(060)/107606301	SIMPSON
11	NH-0040-03(019)/107666301	TISHOMINGO
12	IM-0055-01(107)/106669301	LINCOLN
13	IM-0059-02(102)/106390301	JASPER
14	BR-0059-03(093)/107399301	LAUDERDALE
* 15	NH-0072-03(022)/107725301 & NH-0072-03(022)/107725302 & NH-0072-03(022)/107725303	YAZOO, HUMPHREYS

*	16	STP-0098-00(004)/107651301	HARRISON
	17	STP-0179-00(019)/107605301	PIKE
	18	BR-2841-00(005)/102426301	LEE
	19	BR-9999-05(032)/107597301	HINDS



CALL No. 01

Slide Repair on US 84, 0.35 miles West of SR 184 near Waynesboro, known as Federal Aid Project No. ER-0015-02(099) / 107491301 in Wayne County.

PROJECT COMPLETION: 26 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
2,460	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
3,159	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
770	Cubic Yard	203-G001	Excess Excavation, FM, AH
350	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3,000	Square Yard	216-A001	Solid Sodding
100	Square Yard	217-A001	Ditch Liner
60	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
370	Square Yard	229-A001	Erosion Mat
450	Linear Feet	234-A001	Temporary Silt Fence
100	Each	235-A001	Temporary Erosion Checks
450	Linear Feet	237-A002	Wattles, 20"
100	Each	246-A002	Sandbags
10	Ton	249-A001	Riprap for Erosion Control
55	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
90	Square Yard	605-BB001	Prefabricated Sheet Drain
75	Linear Feet	605-O005	6" Perforated Sewer Pipe for Underdrains, SDR 35
75	Linear Feet	605-P005	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
10	Ton	605-X001	Filter Material for Filter Beds, Type A
165	Ton	605-X004	Filter Material for Filter Beds, Type B
440	Linear Feet	615-B001	Precast Concrete Median Barrier
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs

2	Each	619-E3001	Changeable Message Sign
48	Each	619-G5001	Free Standing Plastic Drums
1	Each	619-J1005	Impact Attenuator, 70 MPH
1	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes

CALL No. 02

Systemic Safety Improvements in and adjacent to curves along SR 613, known as Federal Aid Project Nos. HSIP-0231-00(082) / 107251301 & HSIP-0231-00(082) / 107251302 in George & Jackson Counties.

PROJECT COMPLETION: AUGUST 17, 2018

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

126	Square Feet	202-B172	Removal of Legend, All Types
105	Each	202-B219	Removal of Sign, Ground Mounted with Posts
720	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,635	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
11,325	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
9,207	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
820	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
553	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
553	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
14,100	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
2,665	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
7,494	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,586	Square Feet	626-H004	Thermoplastic Legend, White
552	Linear Feet	626-H005	Thermoplastic Legend, White
354	Each	627-D001	Two-Way Yellow Reflective Raised Markers
1,369	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,738	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,115	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
4,487	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
24	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
876	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
10,557	Square Yard	907-416-A001	High Friction Surface Treatment



3 Mile	907-626-C003	Thermoplastic Audible Edge Stripe
240 Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced

CALL No. 03

Widen and Overlay US 45 from CR 280 to 1.3 miles S of Lauderdale CL, known as Federal Aid Project No. STP-0002-02(070) / 107744301 in Clarke County.

PROJECT COMPLETION: 128 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

17,123	Linear Feet	202-B240	Removal of Traffic Stripe
26,592	Ton	304-F003	Size 825B Crushed Stone Base
6,625	Ton	403-A004	19-mm, HT, Asphalt Pavement
9,859	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
16,459	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
27,843	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
33,570	Gallon	407-A001	Asphalt for Tack Coat
26,869	Ton	411-A001	Ultra Thin Asphalt Pavement
74	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
76	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
78	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
80	Mile	619-A3001	Temporary Traffic Stripe, Skip White
143,867	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,148	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
39	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
37	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
40,609	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
31	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
98,769	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
45,098	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
4,212	Square Feet	626-H004	Thermoplastic Legend, White
4,148	Linear Feet	626-H005	Thermoplastic Legend, White

995	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
6,304	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,753	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 04

Mill & Overlay approximately 4 miles of US 45A from Brooksville to Lowndes County & approximately 2 miles of US 45 through Brooksville, known as Federal Aid Project Nos. NH-0002-03(088) / 107627301 & NH-0002-03(093) / 107627302 in Noxubee County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

825	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
190	Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
70	Each	202-B117	Removal of Delineator, All Types
2	Each	202-B138	Removal of Guard Rail Bridge End Section
400	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,425	Linear Feet	202-B240	Removal of Traffic Stripe
230	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,920	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
125	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
180	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
25,100	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
231,200	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
23,200	Gallon	407-A001	Asphalt for Tack Coat
18,578	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	423-A001	Rumble Strips, Ground In
600	Linear Feet	503-C010	Saw Cut, Full Depth
300	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
26	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
26	Mile	619-A3001	Temporary Traffic Stripe, Skip White
69,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

1,700	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
428	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
13	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
13	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
22,300	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
17,050	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
850	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
975	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,700	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
245	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Flexible Post Mounted, Crossover, Type I, Green
28	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
7	Each	630-F006	Delineators, Guard Rail, White
7	Each	630-F007	Delineators, Guard Rail, Yellow

CALL No. 05

Overlay approximately 4 miles of US 90 from the Singing River Bridge to 14th Street, known as Federal Aid Project No. NH-0003-01(195) / 107650301 in Jackson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

23	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
224	Linear Feet	202-B191	Removal of Pipe, 8" And Above
29,195	Linear Feet	202-B240	Removal of Traffic Stripe
107	Square Yard	216-A001	Solid Sodding
2	Thousand Gallon	219-A001	Watering
2,616	Ton	304-F003	Size 825B Crushed Stone Base
16,903	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
9,245	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
221,225	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
23,425	Gallon	407-A001	Asphalt for Tack Coat
9,500	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
224	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB004	24" Reinforced Concrete End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
36	Mile	619-A3001	Temporary Traffic Stripe, Skip White
46,990	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,368	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
5,416	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
18	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
21,185	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

6,865	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,904	Square Feet	626-H004	Thermoplastic Legend, White
2,708	Linear Feet	626-H005	Thermoplastic Legend, White
2,986	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,784	Linear Feet	640-A001	Vehicle Loop Assemblies
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 06

Bridge Preservation on US 72 at Big Creek, known as Federal Aid Project No. BR-0007-01(091) / 107392301 in Tippah County.

PROJECT COMPLETION: 87 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,907	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
3,131	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
88	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
84	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
623	Linear Feet	619-F1001	Concrete Median Barrier, Precast
558	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
32	Linear Feet	619-G4005	Barricades, Type III, Single Faced
22	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
597	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
597	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
597	Linear Feet	626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

**ALTERNATE GROUP AA NUMBER 1**

372	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
372	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
372	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

372	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
372	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
372	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

960	Linear Feet	808-A001	Joint Preparation
1,182	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
87	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete



480	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
960	Linear Feet	907-823-B001	Saw Cut, Type I
1,207	Square Feet	907-824-PP003	Bridge Repair, Bridge Deck Repair
8	Each	907-824-PP006	Bridge Repair, Cap Cleaning
80	Linear Feet	907-824-PP008	Bridge Repair, Endwall Removal and Repair

CALL No. 07

Mill & Overlay US 72 approximately 5 miles from Alcorn County Line to West of SR 172, known as Federal Aid Project No. NH-0007-01(093) / 107671301 in Tishomingo County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

210 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
8 Each	202-B138	Removal of Guard Rail Bridge End Section
7 Each	202-B152	Removal of Guard Rail Terminal End Section
2,475 Linear Feet	202-B156	Removal of Guard Rail, Including Rail, Posts & Cable Anchor s
4 Each	202-B162	Removal of Impact Attenuator
7,764 Linear Feet	202-B240	Removal of Traffic Stripe
140 Cubic Yard	203-G001	Excess Excavation, FM, AH
4,000 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
3,400 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
11,800 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
180,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
14,000 Gallon	407-A001	Asphalt for Tack Coat
6 Mile	423-A001	Rumble Strips, Ground In
2,388 Linear Feet	606-B001	Guard Rail, Class A, Type 1
50 Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
25 Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
5 Each	606-C003	Guard Rail, Cable Anchor, Type 1
4 Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
4 Each	606-D019	Guard Rail, Bridge End Section, Type H
7 Each	606-E005	Guard Rail, Terminal End Section, Flared
57 Linear Feet	609-B002	Concrete Curb, Header
13 Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
15 Mile	619-A1001	Temporary Traffic Stripe, Continuous White

14 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18 Mile	619-A3001	Temporary Traffic Stripe, Skip White
26,520 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,720 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
4 Each	619-J1005	Impact Attenuator, 70 MPH
1 Lump Sum	620-A001	Mobilization
9 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
8 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
7 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
14,205 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
12,315 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,860 Linear Feet	626-H005	Thermoplastic Legend, White
335 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,450 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
70 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28 Each	630-F001	Delineators, Flexible Post Mounted, Crossover, Type I, Green
28 Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
66 Each	630-F006	Delineators, Guard Rail, White
44 Each	630-F007	Delineators, Guard Rail, Yellow
<b>ALTERNATE GROUP AA NUMBER 1</b>		
210 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>		
210 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>		
210 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
<b>ALTERNATE GROUP BB NUMBER 1</b>		
3,452 Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,452 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,452 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP BB NUMBER 2</b>		
3,452 Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White

3,452 Linear Feet

628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

3,452 Linear Feet

628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 08

Mill & Overlay approximately 6 miles of US 82 from SR 182 to Lowndes County Line & approximately 4 miles of US 82 from Oktibbeha County Line to Catapala Creek, known as Federal Aid Project Nos. NH-0011-03(083) / 107670301 & NH-0011-03(084) / 107670302 in Oktibbeha & Lowndes Counties.

PROJECT COMPLETION: 99 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

300	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
150	Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
6,710	Linear Feet	202-B136	Removal of Guard Rail
3	Each	202-B144	Removal of Guard Rail Cable Anchor, Including Post, Rail, Anchor & Hardware
9,700	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
120	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Cubic Yard	221-A001	Concrete Paved Ditch
2,300	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
660	Ton	305-B003	Size II Stabilizer Aggregate, Coarse
790	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
650	Ton	403-A004	19-mm, HT, Asphalt Pavement
185	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
5,640	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,770	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
23,300	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
428,700	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
22,550	Gallon	407-A001	Asphalt for Tack Coat
34	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
10	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
4,474	Linear Feet	606-B001	Guard Rail, Class A, Type 1
325	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced

3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
30	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
15	Each	606-E001	Guard Rail, Terminal End Section
1	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3001	Temporary Traffic Stripe, Skip White
24,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
800	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
18	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3,400	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
20	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
18,600	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,200	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
800	Linear Feet	626-H005	Thermoplastic Legend, White
2,700	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
96	Each	630-F006	Delineators, Guard Rail, White
96	Each	630-F007	Delineators, Guard Rail, Yellow

**ALTERNATE GROUP AA NUMBER 1**

200	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

200	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

200	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

**ALTERNATE GROUP BB NUMBER 1**

4,300	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,300	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
4,300	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

4,300	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,300	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,300	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 09

Reconstruction of SR 15 (Pave, Grade and Bridge Replacements) from SR 76 to the Union County Line, known as Federal Aid Project No. STP-0022-04(063) / 102607303 in Pontotoc County.

PROJECT COMPLETION: 371 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
1,809	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
29,127	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Each	202-B018	Removal of Box Culvert
2	Each	202-B023	Removal of Bridge
5	Each	202-B036	Removal of Bridge Piling
19,265	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
879	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,898	Square Yard	202-B063	Removal of Concrete Paved Ditch
3,366	Linear Feet	202-B092	Removal of Curb, All Types
5,725	Linear Feet	202-B136	Removal of Guard Rail
1	Each	202-B165	Removal of Inlets, All Sizes
4,663	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1	Mile	202-B241	Removal of Traffic Stripe
69,589	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
24,668	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
155,309	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,698	Cubic Yard	206-A001	Structure Excavation
68	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
40,423	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
18,289	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
23	Ton	213-C001	Superphosphate
8,660	Square Yard	216-A001	Solid Sodding
2,633	Square Yard	217-A001	Ditch Liner



68 Thousand Gallon	219-A001	Watering
23 Acre	220-A001	Insect Pest Control
301 Cubic Yard	221-A001	Concrete Paved Ditch
828 Acre	223-A001	Mowing
45 Acre	225-A001	Grassing
23 Ton	225-B001	Agricultural Limestone
91 Ton	225-C001	Mulch, Vegetative Mulch
45 Acre	226-A001	Temporary Grassing
3,850 Linear Feet	234-A001	Temporary Silt Fence
300 Linear Feet	234-C001	Super Silt Fence
1 Each	234-D001	Inlet Siltation Guard
250 Linear Feet	234-F001	Turbidity Barrier
820 Each	235-A001	Temporary Erosion Checks
23 Each	236-A008	Silt Basin, Type D
40 Linear Feet	237-A001	Wattles, 12"
5,800 Linear Feet	237-A002	Wattles, 20"
500 Linear Feet	239-A001	Temporary Slope Drains
4,176 Linear Feet	245-A001	Silt Dike
4,200 Linear Feet	246-A001	Sandbags
5 Each	247-A001	Temporary Stream Diversion
200 Ton	249-A001	Riprap for Erosion Control
1,250 Cubic Yard	249-B001	Remove and Reset Riprap
86,494 Ton	304-B001	Granular Material, Class 3, Group C
34,948 Cubic Yard	304-C009	Granular Material, AEA, Class 9, Group C
120,843 Square Yard	307-B001	10" Soil-Lime-Water Mixing, Class B
3,171 Ton	307-D001	Lime
28,955 Gallon	307-S001	Bituminous Curing Seal
5 Mile	321-A003	6" In-Grade Preparation
4,774 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
51,653 Ton	403-A005	19-mm, MT, Asphalt Pavement

25,183	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,310	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
18,769	Gallon	407-A001	Asphalt for Tack Coat
201	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	423-A001	Rumble Strips, Ground In
446	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,830	Linear Feet	503-C010	Saw Cut, Full Depth
244	Cubic Yard	601-A001	Class "B" Structural Concrete
24	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
37,352	Pounds	602-A001	Reinforcing Steel
3,548	Linear Feet	603-ALT003	18" Type A Alternate Pipe
804	Linear Feet	603-ALT006	24" Type A Alternate Pipe
200	Linear Feet	603-ALT009	30" Type A Alternate Pipe
264	Linear Feet	603-ALT011	36" Type A Alternate Pipe
204	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1,768	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
40	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
240	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
184	Linear Feet	603-CA111	66" Reinforced Concrete Pipe, Class III
3	Each	603-CB003	18" Reinforced Concrete End Section
26	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB006	36" Reinforced Concrete End Section
4	Each	603-CB007	42" Reinforced Concrete End Section
1	Each	603-CB011	66" Reinforced Concrete End Section
96	Linear Feet	603-CE023	51" x 31" Concrete Arch Pipe, Class A III
120	Linear Feet	603-CE034	65" x 40" Concrete Arch Pipe, Class A III
2	Each	603-CF006	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF008	65" x 40" Concrete Arch Pipe End Section
4	Each	603-SB018	18" Branch Connections, Stub into Existing Box Culvert

1	Each	603-SB031	24" Branch Connections, Stub into Inlet
1	Each	603-SB045	42" Branch Connection, Stub Into Existing Inlet
1	Each	603-SB059	66" Branch Connections, Stub into Box Culvert
1,750	Pounds	604-B001	Gratings
103	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
185	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
12	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
7	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,928	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
10	Each	606-D022	Guard Rail, Bridge End Section, Type I
11	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
9,328	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
97	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
3,479	Square Yard	614-B001	Concrete Driveway, With Reinforcement
80	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
55	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
3,601	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
40	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
24	Mile	619-A3001	Temporary Traffic Stripe, Skip White
4,374	Linear Feet	619-A3008	Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,079	Linear Feet	619-A4007	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape
156,720	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,906	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
6,940	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,255	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

21	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
1,190	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
1,124	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,952	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E3001	Changeable Message Sign
12	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
3,120	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1,261	Each	619-G5001	Free Standing Plastic Drums
41	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
6	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
6	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
12	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
41,818	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
20,969	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
3,470	Square Feet	626-H004	Thermoplastic Legend, White
2,929	Linear Feet	626-H005	Thermoplastic Legend, White
419	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,950	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,850	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
772	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
934	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
621	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
154	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft

2,254	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1,684	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Flexible Post Mounted, Crossover, Type I, Green
22	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
44	Each	630-F006	Delineators, Guard Rail, White
42	Each	630-F007	Delineators, Guard Rail, Yellow
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
47	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
239	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1,228	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
3	Each	632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	632-D009	Solid State Traffic Actuated Controller, Type 1
2	Each	632-D012	Solid State Traffic Actuated Controller, Type M
1	Each	632-G001	Malfunction Management Unit
3	Each	634-A014	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	634-A015	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	634-A020	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	634-A051	Traffic Signal Equipment Pole, Type II, 22' Shaft, 95' Arm
1	Each	634-A056	Traffic Signal Equipment Pole, Type II, 30' Shaft, 45' Arm
1	Each	634-A057	Traffic Signal Equipment Pole, Type II, 30' Shaft, 55' Arm
1	Each	634-A182	Traffic Signal Equipment Pole, Type II, 30' Shaft, 30' Arm
1	Each	634-A183	Traffic Signal Equipment Pole, Type II, 30' Shaft, 35' Arm
1	Each	634-A184	Traffic Signal Equipment Pole, Type II, 30' Shaft, 50' Arm
32	Cubic Yard	634-C005	Pole Foundations, Class "B" Concrete
20	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A060	Traffic Signal Head, Type 1A
2	Each	635-A061	Traffic Signal Head, Type 2
3	Each	635-A065	Traffic Signal Head, Type 2 FYA
471	Linear Feet	636-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
1,457	Linear Feet	636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor

1,275	Linear Feet	636-B018	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
222	Linear Feet	636-B051	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
91	Linear Feet	636-C006	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 4 Conductor
534	Linear Feet	636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
15	Each	637-A009	Pull Box Enclosure, Type 2, Tier 22
3	Each	637-A011	Pull Box Enclosure, Type 3, Tier 22
2,272	Linear Feet	637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
123	Linear Feet	637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,264	Linear Feet	637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	638-A006	Flasher Assembly, Prepare To Stop
4	Each	638-D001	School Zone Flasher Assembly - Solar Powered
9	Each	641-A002	Signal Stop Bar Radar Detection, 1 Sensor, Type 2
6	Each	641-B002	Signal Advanced Radar Detection, 1 Sensor, Type 2
2,121	Linear Feet	641-D001	Radar Detection Communication Cable
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
38	Square Feet	653-A002	Traffic Sign, Type III
93	Square Feet	653-B003	Street Name Sign, Type III
3	Each	662-A001	Radio Interconnect, Installed in New Controller Cabinet
1	Each	662-B001	Radio Interconnect, Installed in Existing Controller Cabinet
1	Lump Sum	699-A001	Roadway Construction Stakes
6,085	Ton	815-A007	Loose Riprap, Size 300
1,549	Square Yard	815-E001	Geotextile under Riprap
900	Ton	815-F002	Sediment Control Stone
246	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
2	Each	907-663-C001	Cellular Modem
1,040	Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>			
47,713	Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
47,713	Ton	304-F002	Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

47,713 Ton 304-F003 Size 825B Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 1**

190 Ton 308-A001 Cement  
13,427 Square Yard 308-B002 Soil-Cement-Water Mixing, Optional Mixers, Base  
4,048 Gallon 308-S001 Bituminous Curing Seal

**ALTERNATE GROUP BB NUMBER 2**

13,427 Square Yard 311-A001 10" Processing Lime and Fly Ash Treated Course  
187 Ton 311-B001 Lime  
754 Ton 311-C001 Fly Ash, Class C  
4,048 Gallon 311-S001 Bituminous Curing Seal

**ALTERNATE GROUP CC NUMBER 1**

1,521 Ton 308-A001 Cement  
98,151 Square Yard 308-B003 Soil-Cement-Water Mixing, Optional Mixers, Design Soil  
23,952 Gallon 308-S001 Bituminous Curing Seal

**ALTERNATE GROUP CC NUMBER 2**

98,151 Square Yard 311-A005 8" Processing Lime and Fly Ash Treated Course  
883 Ton 311-B001 Lime  
3,531 Ton 311-C001 Fly Ash, Class C  
23,952 Gallon 311-S001 Bituminous Curing Seal

**ALTERNATE GROUP DD NUMBER 1**

2,187 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White  
2,187 Linear Feet 628-K001 High Performance Cold Plastic Detail Stripe, White  
2,187 Linear Feet 628-K002 High Performance Cold Plastic Detail Stripe, Yellow

**ALTERNATE GROUP DD NUMBER 2**

2,187 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White  
2,187 Linear Feet 907-624-E001 Inverted Profile Thermoplastic Detail Traffic Stripe, White  
2,187 Linear Feet 907-624-E003 Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

**ALTERNATE GROUP EE NUMBER 1**

150 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

**ALTERNATE GROUP EE NUMBER 2**

150 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

**Bridge Items**

1,280	Square Yard	501-K001	Transverse Grooving
3	Each	803-B001	Conventional Static Pile Load Test
665	Linear Feet	803-D004	HP 12 x 84 Steel Piling
1,895	Linear Feet	803-D005	HP 14 x 117 Steel Piling
5	Each	803-I003	PDA Test Pile, HP Steel Pile
4	Each	803-J001	Pile Restrike
364	Cubic Yard	804-A001	Bridge Concrete, Class AA
386	Cubic Yard	804-A004	Bridge Concrete, Class BD
947	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
957	Linear Feet	804-C121	80' Prestressed Concrete Beam, Type III
121,353	Pounds	805-A001	Reinforcement
3,698	Square Feet	809-A003	Retaining Wall System, Mechanically Stabilized
649	Linear Feet	813-A002	Concrete Railing, 32"
2,204	Ton	815-A007	Loose Riprap, Size 300
2,418	Square Yard	815-E001	Geotextile under Riprap
3	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Mortar Repair
14	Each	907-824-PP006	Bridge Repair, Cleaning of Caps
739	Linear Feet	907-824-PP008	Bridge Repair, Pile Encasement Repair



CALL No. 10

Widen & Overlay approximately 6 miles of SR 13 from just North of US 49 North to the Rankin County Line, known as Federal Aid Project No. STP-0037-01(060) / 107606301 in Simpson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,400	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,490	Linear Feet	202-B240	Removal of Traffic Stripe
1,504	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
257	Ton	403-A006	19-mm, ST, Asphalt Pavement
9,126	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
510	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
4,800	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,867	Gallon	407-A001	Asphalt for Tack Coat
5,748	Square Feet	412-A001	Pre-Grinding
10	Mile	423-A001	Rumble Strips, Ground In
2,363	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
16	Each	606-D005	Guard Rail, Bridge End Section, Type A
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
16	Each	606-G001	Special Sections, Bridge Connector
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,455	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,069	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow

3 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,205 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
250 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,069 Linear Feet	626-H005	Thermoplastic Legend, White
238 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
370 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
130 Each	630-F006	Delineators, Guard Rail, White
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

1,320 Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
170 Linear Feet	907-624-C003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow, High Contrast

**ALTERNATE GROUP AA NUMBER 2**

1,320 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
170 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 11

Mill and Overlay approximately 5 miles SR 25 from beginning of 4-lane S of US 72 to the end of 4-lane N of US 172, known as Federal Aid Project No. NH-0040-03(019) / 107666301 in Tishomingo County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

200 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
8 Each	202-B138	Removal of Guard Rail Bridge End Section
4 Each	202-B152	Removal of Guard Rail Terminal End Section
1,334 Linear Feet	202-B156	Removal of Guard Rail, Including Rail, Posts & Cable Anchor s
2,790 Linear Feet	202-B240	Removal of Traffic Stripe
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
5,000 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
20,500 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
246,725 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,450 Gallon	407-A001	Asphalt for Tack Coat
2,316 Linear Feet	413-C001	Cleaning and Sealing Cracks
15 Mile	423-A001	Rumble Strips, Ground In
1,300 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-C003	Guard Rail, Cable Anchor, Type 1
8 Each	606-D019	Guard Rail, Bridge End Section, Type H
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
15 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21 Mile	619-A3001	Temporary Traffic Stripe, Skip White
20,400 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,840 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
11 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White

8 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
8 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
36,260 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
32,370 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
233 Square Feet	626-H004	Thermoplastic Legend, White
3,060 Linear Feet	626-H005	Thermoplastic Legend, White
685 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,700 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,100 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
34 Each	630-F001	Delineators, Flexible Post Mounted, Crossover, Type I, Green
34 Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
32 Each	630-F006	Delineators, Guard Rail, White
32 Each	630-F007	Delineators, Guard Rail, Yellow
2 Each	907-630-O002	Remove and Reset Sign, 1 U-post
<b>ALTERNATE GROUP AA NUMBER 1</b>		
150 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>		
150 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>		
150 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
<b>ALTERNATE GROUP BB NUMBER 1</b>		
1,240 Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,240 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,240 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP BB NUMBER 2</b>		
1,240 Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,240 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,240 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 12

Mill and Overlay approximately 9 miles of I-55 from Bogue Chitto Exit to the Bogue Chitto River, known as Federal Aid Project No. IM-0055-01(107) / 106669301 in Lincoln County.

PROJECT COMPLETION: 115 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
58	Acre	201-D002	Random Clearing
2,794	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
394	Square Yard	202-B063	Removal of Concrete Paved Ditch
58	Square Yard	202-B083	Removal of Concrete Slope Paving
1,749	Linear Feet	202-B136	Removal of Guard Rail
4,028	Square Yard	202-B227	Removal of Soil Cement Treated Shoulders, All Depths
1	Mile	202-B241	Removal of Traffic Stripe
7,568	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
8,558	Cubic Yard	203-G002	Excess Excavation, LVM, AH
42	Cubic Yard	206-A001	Structure Excavation
20,761	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
34	Ton	213-C001	Superphosphate
574	Square Yard	216-A001	Solid Sodding
12	Thousand Gallon	219-A001	Watering
87	Cubic Yard	221-A001	Concrete Paved Ditch
538	Acre	223-A001	Mowing
68	Acre	225-A001	Grassing
34	Ton	225-B001	Agricultural Limestone
136	Ton	225-C001	Mulch, Vegetative Mulch
68	Acre	226-A001	Temporary Grassing
92,150	Linear Feet	234-A001	Temporary Silt Fence
10,990	Linear Feet	237-A002	Wattles, 20"
1,536	Each	246-B001	Rockbags
9,550	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D

15,056	Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
30,335	Gallon	402-B001	Bituminous Tack Coat
9,598	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
922	Ton	403-A006	19-mm, ST, Asphalt Pavement
10,889	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
37	Mile	403-S001	Joint Sealant
34,759	Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
26,069	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
400,257	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
32,918	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
63,812	Gallon	407-A001	Asphalt for Tack Coat
36	Mile	423-A001	Rumble Strips, Ground In
4,037	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
8	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA099	60" Reinforced Concrete Pipe, Class III
1	Each	603-CB005	30" Reinforced Concrete End Section
1	Each	603-CB010	60" Reinforced Concrete End Section
1,900	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
1,250	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
140	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
10	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
64	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
138	Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
1	Lump Sum	618-A001	Maintenance of Traffic
58	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
58	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
54	Mile	619-A3001	Temporary Traffic Stripe, Skip White

4,064	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
624	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
648	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
7	Each	619-D3001	Remove and Reset Signs, All Sizes
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
18	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
21	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
20	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
4,064	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
624	Linear Feet	626-H005	Thermoplastic Legend, White
2,124	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
22	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
90	Each	630-F006	Delineators, Guard Rail, White
90	Each	630-F007	Delineators, Guard Rail, Yellow
216	Each	630-F010	Delineators, Post Mounted, Double White
44	Each	630-F011	Delineators, Post Mounted, Double Yellow
84	Each	630-F012	Delineators, Post Mounted, Single White
52	Each	630-F013	Delineators, Post Mounted, Single Yellow
1	Lump Sum	699-A001	Roadway Construction Stakes
21	Cubic Yard	815-D001	Concrete Slope Paving
1	Each	907-688-A002	Traffic Recorder WIM Kistler System, 4-Lane
520	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

4,550	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

4,550	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

4,550 Ton 304-F003 Size 825B Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 1**

2,997 Linear Feet 907-624-A003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast

2,276 Linear Feet 907-624-B003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast

2,276 Linear Feet 907-624-D001 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

**ALTERNATE GROUP BB NUMBER 2**

2,997 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

2,276 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

2,276 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow



CALL No. 13

Mill and Overlay approximately 7 miles of I-59 just North of SR 528 to the Clarke County Line, known as Federal Aid Project No. IM-0059-02(102) / 106390301 in Jasper County.

PROJECT COMPLETION: 115 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1 Acre	201-B001	Clearing and Grubbing
32 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
10 Square Yard	202-B063	Removal of Concrete Paved Ditch
210 Square Yard	202-B083	Removal of Concrete Slope Paving
2,923 Linear Feet	202-B121	Removal of Edge Drain
620 Linear Feet	202-B126	Removal of Fence, All Types
8 Each	202-B129	Removal of Flared End Section, All Sizes
3,425 Linear Feet	202-B136	Removal of Guard Rail
608 Linear Feet	202-B169	Removal of Joint Material
3,000 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
3,000 Cubic Yard	203-EX037	Borrow Excavation, AH, LVM, Class B7
710 Cubic Yard	203-G001	Excess Excavation, FM, AH
11 Cubic Yard	206-A001	Structure Excavation
11 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,250 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
4,000 Square Yard	216-A001	Solid Sodding
1,000 Square Yard	217-A001	Ditch Liner
15 Thousand Gallon	219-A001	Watering
10 Cubic Yard	221-A001	Concrete Paved Ditch
800 Linear Feet	234-A001	Temporary Silt Fence
160 Linear Feet	237-A002	Wattles, 20"
12,897 Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
28,302 Gallon	402-B001	Bituminous Tack Coat
658 Ton	403-A006	19-mm, ST, Asphalt Pavement
5,860 Ton	403-A015	9.5-mm, ST, Asphalt Pavement

24 Mile	403-S001	Joint Sealant
25,794 Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
20,728 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
206,600 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
23,166 Gallon	407-A001	Asphalt for Tack Coat
400 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
25 Mile	423-A001	Rumble Strips, Ground In
6,400 Linear Feet	503-C010	Saw Cut, Full Depth
2 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
5 Each	603-CB003	18" Reinforced Concrete End Section
3 Each	603-CB004	24" Reinforced Concrete End Section
217 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
2,863 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4 Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
4 Each	606-D005	Guard Rail, Bridge End Section, Type A
2 Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
10 Each	606-E005	Guard Rail, Terminal End Section, Flared
4 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
620 Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
46 Each	607-P1025	Line Post, 10' x 4" Timber
12 Each	607-P2015	Brace Post, 10' x 6" Timber
12 Each	607-Z001	Concrete Anchors
3 Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
100 Linear Feet	615-A022	Concrete Type IV Modified Cast-in-Place Median Barrier
1 Lump Sum	618-A001	Maintenance of Traffic
37 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
37 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
37 Mile	619-A3001	Temporary Traffic Stripe, Skip White
48 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
264 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
40	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
13	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,161	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
90	Each	630-F006	Delineators, Guard Rail, White
40	Each	630-F007	Delineators, Guard Rail, Yellow
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

**ALTERNATE GROUP AA NUMBER 1**

9,950	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

9,950	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

9,950	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

**Bridge Items**

608	Linear Feet	808-A001	Joint Preparation
24	Cubic Yard	815-D001	Concrete Slope Paving
312	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
608	Linear Feet	907-823-B001	Saw Cut, Type I
1,014	Square Yard	907-826-A001	Waterproofing Membrane

CALL No. 14

Bridge Preservation of Bridge No. 153.0B on SR 145, known as Federal Aid Project No. BR-0059-03(093) / 107399301 in  
Lauderdale County.

PROJECT COMPLETION: JULY 18, 2018

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

337	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
429	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
429	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
857	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
462	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
1	Each	619-E3001	Changeable Message Sign
420	Linear Feet	619-F1001	Concrete Median Barrier, Precast
420	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
75	Each	619-G5001	Free Standing Plastic Drums
14	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1003	Impact Attenuator, 50 MPH
1	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
240	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
429	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
429	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
337	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

**Bridge Items**

792	Linear Feet	808-A001	Joint Preparation
1,521	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
67	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete

396	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
792	Linear Feet	907-823-B001	Saw Cut, Type I
593	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
5	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
2	Each	907-824-PP006	Bridge Repair, Bridge Riser Replacement
4	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 15

Overlay approximately 5 miles of US 49 and approximately 13 miles of US 49 W, known as Federal Aid Project No. NH-0072-03(022) / 107725301, 302, 303 in Yazoo and Humphreys Counties.

PROJECT COMPLETION: 121 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

15,114 Ton	304-B004	Granular Material, Class 5, Group D
13,500 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
12,000 Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
40,500 Gallon	407-A001	Asphalt for Tack Coat
27,980 Ton	411-A001	Ultra Thin Asphalt Pavement
1 Lump Sum	618-A001	Maintenance of Traffic
3 Square Feet	618-B001	Additional Construction Signs
33 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
28 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
36 Mile	619-A3001	Temporary Traffic Stripe, Skip White
5 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
80,395 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
426 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,987 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
36 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
33 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
28 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
80,200 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
8,800 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,579 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,316 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
950 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,770 Each	627-K001	Red-Clear Reflective High Performance Raised Markers

4,010 Each

627-L001 Two-Way Yellow Reflective High Performance Raised Markers

2,880 Linear Feet

640-A001 Vehicle Loop Assemblies

CALL No. 16

Overlay approximately 2 miles of SR 605 from US 90 to Pass Road, known as Federal Aid Project No. STP-0098-00(004) / 107651301 in Harrison County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

761	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
680	Square Yard	202-B081	Removal of Concrete Sidewalks & Driveways, All Depths
20	Ton	304-F003	Size 825B Crushed Stone Base
5,250	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
61,630	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,470	Gallon	407-A001	Asphalt for Tack Coat
650	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
340	Square Feet	608-C001	Detectable Warning Panels
770	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
27	Square Yard	614-A003	Concrete Driveway, Without Reinforcement, 6-inch Thickness
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11,780	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
11,780	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11,780	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
11,780	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
3,496	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
300	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11,780	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
18,000	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11,780	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
11,780	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,185	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,495	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow



2,818 Square Feet	626-H004 Thermoplastic Legend, White
10,630 Linear Feet	626-H005 Thermoplastic Legend, White
363 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
652 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
3 Each	627-P001 Two-Way Blue Reflective High Performance Raised Markers
372 Linear Feet	640-A001 Vehicle Loop Assemblies
1 Lump Sum	907-899-A001 Railway-Highway Provisions

CALL No. 17

Overlay approximately 6 miles of SR 44 from Bogue Chitto River to Walthall CL, known as Federal Aid Project No. STP-0179-00(019) / 107605301 in Pike County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

397	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,512	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2,040	Linear Feet	202-B240	Removal of Traffic Stripe
3,466	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
120	Ton	403-A006	19-mm, ST, Asphalt Pavement
10,408	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
615	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
8,172	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,336	Gallon	407-A001	Asphalt for Tack Coat
4,620	Square Feet	412-A001	Pre-Grinding
12	Mile	423-A001	Rumble Strips, Ground In
504	Linear Feet	503-C010	Saw Cut, Full Depth
806	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
8	Each	606-D005	Guard Rail, Bridge End Section, Type A
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
3	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
8	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,732	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
71	Square Feet	619-A6001	Temporary Traffic Stripe, Legend

2,008	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
12	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,698	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,034	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
71	Square Feet	626-H004	Thermoplastic Legend, White
2,008	Linear Feet	626-H005	Thermoplastic Legend, White
654	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
971	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
58	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
<b>ALTERNATE GROUP AA NUMBER 1</b>			
1,280	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
300	Linear Feet	907-624-C003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow, High Contrast
680	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast
<b>ALTERNATE GROUP AA NUMBER 2</b>			
1,280	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
300	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
680	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Replacement on SR 245 at Bridge No. 202.0, known as Federal Aid Project No. BR-2841-00(005) / 102426301 in Lee County.

PROJECT COMPLETION: OCTOBER 17, 2018

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
4,240	Square Yard	202-B062	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
300	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
11,318	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
2,607	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,000	Cubic Yard	203-G001	Excess Excavation, FM, AH
4,550	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,276	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
81	Square Yard	216-A001	Solid Sodding
2	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
11	Cubic Yard	221-A001	Concrete Paved Ditch
8	Acre	223-A001	Mowing
8	Acre	225-A001	Grassing
2	Ton	225-B001	Agricultural Limestone
15	Ton	225-C001	Mulch, Vegetative Mulch
8	Acre	226-A001	Temporary Grassing
800	Linear Feet	234-A001	Temporary Silt Fence
100	Linear Feet	234-F001	Turbidity Barrier
20	Each	235-A001	Temporary Erosion Checks
1	Each	236-A008	Silt Basin, Type D
200	Linear Feet	237-A002	Wattles, 20"

200	Linear Feet	245-A001	Silt Dike
200	Linear Feet	246-B002	Rockbags
20	Ton	249-A001	Riprap for Erosion Control
4,722	Ton	304-B001	Granular Material, Class 3, Group C
871	Ton	403-A006	19-mm, ST, Asphalt Pavement
352	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
534	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
234	Gallon	407-A001	Asphalt for Tack Coat
286	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
94	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
205	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
136	Linear Feet	603-ALT006	24" Type A Alternate Pipe
112	Linear Feet	603-ALT011	36" Type A Alternate Pipe
144	Linear Feet	603-ALT016	48" Type A Alternate Pipe
58	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
105	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
26	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
20	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
2,936	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
665	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
1,468	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
333	Linear Feet	619-A4007	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape

309	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
191	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E3001	Changeable Message Sign
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,936	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
1,468	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
23	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-A001	Roadway Construction Stakes
520	Ton	815-A007	Loose Riprap, Size 300
470	Square Yard	815-E001	Geotextile under Riprap
23	Ton	815-F002	Sediment Control Stone

**ALTERNATE GROUP AA NUMBER 1**

1,524	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

1,524	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

1,524	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

73	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

**ALTERNATE GROUP BB NUMBER 2**

73	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

**ALTERNATE GROUP CC NUMBER 1**

665	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-----	-------------	--------------	--

333 Linear Feet 907-624-C001 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

**ALTERNATE GROUP CC NUMBER 2**

665 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

333 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

**Bridge Items**

1,467 Square Yard 501-K001 Transverse Grooving

1 Each 803-B001 Conventional Static Pile Load Test

1,265 Linear Feet 803-D005 HP 14 x 117 Steel Piling

1,240 Linear Feet 803-D006 HP 14 x 73 Steel Piling

2 Each 803-I003 PDA Test Pile, HP Steel Pile

2 Each 803-J001 Pile Restrike

129 Cubic Yard 804-A001 Bridge Concrete, Class AA

425 Cubic Yard 804-A004 Bridge Concrete, Class BD

1,968 Linear Feet 804-C024 110' Prestressed Concrete Beam, Type BT-54

146,284 Pounds 805-A001 Reinforcement

664 Linear Feet 813-A002 Concrete Railing, 32"

827 Ton 815-A007 Loose Riprap, Size 300

585 Square Yard 815-E001 Geotextile under Riprap

CALL No. 19

Bridge Jacking on Tank Road and Green Gable Road, known as Federal Aid Bridge No. BR-9999-05(032) / 107597301 in Hinds County.

PROJECT COMPLETION: 93 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

141	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
1,806	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
2	Each	202-B090	Removal of Curb Inlet
1,099	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
40	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,164	Linear Feet	202-B240	Removal of Traffic Stripe
379	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
10,166	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
19	Cubic Yard	206-A001	Structure Excavation
990	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
7	Ton	215-A001	Vegetative Materials for Mulch
351	Square Yard	216-A001	Solid Sodding
303	Square Yard	217-A001	Ditch Liner
7	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
36	Cubic Yard	221-A001	Concrete Paved Ditch
4	Acre	225-A001	Grassing
11	Ton	225-B001	Agricultural Limestone
4	Acre	226-A001	Temporary Grassing
4,750	Linear Feet	234-A001	Temporary Silt Fence
2,000	Linear Feet	237-A002	Wattles, 20"
5,150	Linear Feet	239-A001	Temporary Slope Drains
250	Each	246-B001	Rockbags
50	Ton	249-A001	Riprap for Erosion Control



4,500	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
3,468	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,151	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
5,962	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,388	Gallon	407-A001	Asphalt for Tack Coat
74	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
12	Linear Feet	603-CA003	15" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
20	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB002	15" Reinforced Concrete End Section
2	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D003	Guard Rail, Bridge End Section, Special Design
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
218	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
283	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
1	Lump Sum	618-A001	Maintenance of Traffic
10,065	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
10,116	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,338	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,109	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
142	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,024	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
330	Square Feet	619-D4001	Directional Signs
4	Each	619-E3001	Changeable Message Sign
144	Linear Feet	619-G4005	Barricades, Type III, Single Faced
48	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"

1	Lump Sum	620-A001	Mobilization
4,012	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,480	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,048	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
582	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
528	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
45	Each	627-D001	Two-Way Yellow Reflective Raised Markers
32	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
22	Each	907-630-O006	Remove and Reset Signs, Ground Mounted

**Bridge Items**

208	Linear Feet	808-A001	Joint Preparation
104	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1	Lump Sum	907-824-PP001	Bridge Raising Raising Green Gable Road Bridge 1'-10"
1	Lump Sum	907-824-PP001	Bridge Raising Raising Tank Road Bridge 1'-9"
110	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
21	Square Feet	907-824-PP003	Bridge Repair, Full depth slab repair, bottom
208	Square Feet	907-824-PP003	Bridge Repair, Full depth slab repair, top
1	Lump Sum	907-824-PP004	Bridge Repair, Concrete Support Knee Modifications
10	Each	907-824-PP006	Bridge Repair, Cleaning bent caps
3	Each	907-824-PP006	Bridge Repair, Remove and replace aluminum brackets
2	Each	907-824-PP006	Bridge Repair, Remove and replace aluminum railing

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR