

Proposal & Plan Sales Will Begin on April 2, 2018



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For April - April 17, 2018

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 17, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 2, 2018

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 17, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR APRIL

| CALL | CONTRACT | COUNTY |
|------|---------------------------|---------|
| 01 | BR-0006-01(091)/106111301 | BOLIVAR |

CALL No. 01

Bridge Replacement on SR 32 (Bridge No. 7.1), known as Federal Aid Project No. BR-0006-01(091) / 106111301 in Bolivar County.

PROJECT COMPLETION: AUGUST 31, 2018

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

| | | | |
|-------|-----------------|----------|---|
| 1 | Lump Sum | 201-A001 | Clearing and Grubbing |
| 1 | Lump Sum | 202-A001 | Removal of Obstructions |
| 29 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 4 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 8 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 714 | Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 12 | Cubic Yard | 206-A001 | Structure Excavation |
| 7,926 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 1 | Ton | 213-C001 | Superphosphate |
| 455 | Square Yard | 216-A001 | Solid Sodding |
| 100 | Square Yard | 217-A001 | Ditch Liner |
| 10 | Thousand Gallon | 219-A001 | Watering |
| 1 | Acre | 220-A001 | Insect Pest Control |
| 3 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 500 | Square Yard | 229-A001 | Erosion Mat |
| 1,900 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 150 | Each | 235-A001 | Temporary Erosion Checks |
| 150 | Linear Feet | 237-A002 | Wattles, 20" |
| 60 | Linear Feet | 239-A001 | Temporary Slope Drains |
| 150 | Linear Feet | 245-A001 | Silt Dike |
| 150 | Linear Feet | 246-A001 | Sandbags |
| 150 | Ton | 249-A001 | Riprap for Erosion Control |
| 382 | Ton | 403-A003 | 12.5-mm, ST, Asphalt Pavement |
| 473 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |

| | | | |
|-------|-------------|-----------|--|
| 368 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 354 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 68 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 160 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 40 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 1 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 24 | Linear Feet | 603-CA011 | 18" Reinforced Concrete Pipe, Class III |
| 2 | Each | 603-CB003 | 18" Reinforced Concrete End Section |
| 42 | Square Yard | 605-AA001 | Geotextile for Subsurface Drainage, Type III |
| 74 | Linear Feet | 605-O002 | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 35 | Linear Feet | 605-P002 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 3 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 150 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 2 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 2 | Each | 606-E007 | Guard Rail, Terminal End Section, Non-Flared |
| 20 | Cubic Yard | 612-B001 | Flowable Fill, Non-Excavatable |
| 40 | Linear Feet | 615-A002 | Concrete Bridge End Barrier, 33.5" |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 2,497 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 1,315 | Linear Feet | 619-A4001 | Temporary Traffic Stripe, Skip Yellow |
| 464 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 165 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 2,497 | Linear Feet | 626-C003 | 6" Thermoplastic Edge Stripe, Continuous White |
| 1,315 | Linear Feet | 626-D004 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 278 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 186 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 165 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 31 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |

| | | | |
|-----|-------------|---------------|---|
| 33 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 2 | Each | 629-A004 | Vehicular Impact Attenuator, 60 MPH |
| 22 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 59 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 10 | Each | 630-F006 | Delineators, Guard Rail, White |
| 8 | Each | 630-G007 | Type 3 Object Markers, OM-3R, Post Mounted |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 706 | Square Yard | 907-832-PP003 | Concrete Mat |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|-------|-----|----------|----------------------------------|
| 5,800 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-------|-----|----------|----------------------------------|

ALTERNATE GROUP AA NUMBER 2

| | | | |
|-------|-----|----------|-----------------------------|
| 5,800 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-------|-----|----------|-----------------------------|

ALTERNATE GROUP AA NUMBER 3

| | | | |
|-------|-----|----------|------------------------------|
| 5,800 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-------|-----|----------|------------------------------|

ALTERNATE GROUP BB NUMBER 1

| | | | |
|----|------------|----------|--|
| 64 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
|----|------------|----------|--|

ALTERNATE GROUP BB NUMBER 2

| | | | |
|----|------------|----------|--|
| 64 | Cubic Yard | 605-W003 | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
|----|------------|----------|--|

ALTERNATE GROUP CC NUMBER 1

| | | | |
|-----|-------------|--------------|--|
| 170 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
|-----|-------------|--------------|--|

| | | | |
|----|-------------|--------------|---|
| 85 | Linear Feet | 907-624-C001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow |
|----|-------------|--------------|---|

ALTERNATE GROUP CC NUMBER 2

| | | | |
|-----|-------------|----------|---|
| 170 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
|-----|-------------|----------|---|

| | | | |
|----|-------------|----------|--|
| 85 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
|----|-------------|----------|--|

Bridge Items

| | | | |
|-------|-------------|----------|---------------------------------------|
| 284 | Square Yard | 501-K001 | Transverse Grooving |
| 1 | Each | 803-B001 | Conventional Static Pile Load Test |
| 1,925 | Linear Feet | 803-C002 | 14" x 14" Prestressed Concrete Piling |
| 1 | Each | 803-I002 | PDA Test Pile, Concrete Pile |
| 2 | Each | 803-J001 | Pile Restrike |
| 59 | Cubic Yard | 804-A001 | Bridge Concrete, Class AA |
| 88 | Cubic Yard | 804-A004 | Bridge Concrete, Class BD |

| | |
|-----------------|--|
| 330 Linear Feet | 804-C166 85' Prestressed Concrete Beam, Type 36" FIB |
| 28,206 Pounds | 805-A001 Reinforcement |
| 170 Linear Feet | 813-A002 Concrete Railing, 32" |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR