

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 4/10/2018 </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>
ADDENDUM NO. <u> </u>	DATED <u> </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>
ADDENDUM NO. <u> </u>	DATED <u> </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>

Number	Description
1	Revised Table of Contents; Added NTB No. 854; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

 President Address

 Secretary Address

 Treasurer Address

The following is my (our) itemized proposal.

MP-5019-50(013)/ 306368301000

Neshoba County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

PROJECT: MP-5019-50(013)/306368301 - Neshoba

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification
#3	Final Cleanup
#8	Errata and Modifications to the 2017 Standard Specifications
#9	Federal Bridge Formula
#12	MASH Compliant Devices
#13	Safety Edge
#113	Tack Coat
#296	Reduced Speed Limit Signs
#401	Standard Drawings
#445	Mississippi Agent and Qualified Nonresident Agent
#447	Traffic on Milled Surface in Rural Areas
#738	Contract Time
#739	Scope of Work
#740	Temporary Construction Signs
#741	Crushed Stone
#854	Bridge Repair

Section 907 - Special Provisions

907-102-2	Bidding Requirements and Conditions
907-103-2	Award and Execution of Contract
907-619-6	Temporary Portable Rumble Strips

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

State Board of Contractors Requirement

State Certification Regarding Non-Collusion, Debarment and Suspensions

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

04/10/2018 10:36 AM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 854


CODE: (SP)

DATE: 04/05/2018

SUBJECT: Bridge Repair


PROJECT: MP-5019-50(013)/306368301 -- Neshoba County

Bidders are hereby advised of a bridge repair that will be required on SR 19 bridge 63.1 over the Pearl River. The bridge deck will be repaired as per the attached detail. Payment for said bridge repair will be made under pay item 907-824-PP003: Bridge Repair, Epoxy Repair, SF.




~ Denotes areas of existing spalled concrete

***NOTE:**
Saw cut existing concrete 1" deep so as to obtain a rectangular area. All existing reinforcement shall be carefully preserved and blast cleaned.



PLAN OF SPALL REPAIR DETAILS



ELEVATION OF SPALL REPAIR DETAILS

***NOTE:**

1. The perimeter of the work area shall be saw cut to a depth of 1" prior to concrete removal. The depth of the existing reinforcement shall be located prior to beginning any work.
2. Care shall be exercised to protect the existing reinforcement from damage. Any damage to the reinforcement shall be repaired by the Contractor by a method approved by the Director of Structures, State Bridge Engineer at no additional cost to the State.
3. Concrete shall be removed with small handheld chipping hammers that will not damage the reinforcing steel of the deck.
4. The bridge deck shall be repaired with a high strength epoxy grout. The Contractor shall submit the technical data for the epoxy grout to the Director of Structures, State Bridge Engineer for approval.
5. The surface of the newly finished deck shall match the existing deck surface.
6. The cost of saw cutting, removing spalled or cracked concrete, cleaning exposed reinforcing steel, patching material, labor, and any miscellaneous materials necessary to complete the repairs as shown shall be paid for on a per square foot basis as Bridge Repair, Epoxy Repair. This item shall be bid such that this item may be increased, decreased, or eliminated as directed by the Project Engineer.
7. Any damage to the existing structure that occurs throughout the duration of this project shall be repaired by the Contractor to the satisfaction of the Engineer at no additional cost to the State.

Mill & Overlay approximately 15 miles of SR 19 from SR 15 to the Winston County Line, known as State Project No. MP-5019-50(013) / 306368301 in Neshoba County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	202-B007		3,550	Square Yard	Removal of Asphalt Pavement, All Depths
0020	202-B117		180	Each	Removal of Delineator, All Types
0030	202-B138		16	Each	Removal of Guard Rail Bridge End Section
0040	202-B158		3,450	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0050	202-B240		3,100	Linear Feet	Removal of Traffic Stripe
0060	203-G001	(E)	100	Cubic Yard	Excess Excavation, FM, AH
0070	403-A002	(BA1)	1,200	Ton	12.5-mm, MT, Asphalt Pavement
0080	403-A014	(BA1)	22,050	Ton	9.5-mm, MT, Asphalt Pavement
0090	406-D001		262,700	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0100	407-A001	(A2)	26,270	Gallon	Asphalt for Tack Coat
0110	503-C010		50	Linear Feet	Saw Cut, Full Depth
0120	606-B003		2,100	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
0130	606-D003		4	Each	Guard Rail, Bridge End Section, Special Design
0140	606-D005		4	Each	Guard Rail, Bridge End Section, Type A
0150	606-D020		12	Each	Guard Rail, Bridge End Section, Type H, Metal Post
0160	606-E005		24	Each	Guard Rail, Terminal End Section, Flared
0170	609-E001		44	Linear Feet	Bituminous Curb
0180	616-B002	(S)	8	Square Yard	Bituminous Median and/or Island Pavement,
0190	618-A001		1	Lump Sum	Maintenance of Traffic
0200	619-A1001		58	Mile	Temporary Traffic Stripe, Continuous White
0210	619-A2001		38	Mile	Temporary Traffic Stripe, Continuous Yellow
0220	619-A3001		2	Mile	Temporary Traffic Stripe, Skip White
0230	619-A4002		14	Mile	Temporary Traffic Stripe, Skip Yellow
0240	619-A5001		41,940	Linear Feet	Temporary Traffic Stripe, Detail
0250	619-A6001		2,000	Square Feet	Temporary Traffic Stripe, Legend
0260	619-D1001		1,005	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0270	619-D2001		380	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0280	619-G4001		30	Linear Feet	Barricades, Type III, Double Faced
0290	620-A001		1	Lump Sum	Mobilization
0300	626-A001		1	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0310	626-B002		29	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
0320	626-D001		7	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	626-E001		19	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0340	626-G004		9,400	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0350	626-G005		11,570	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
0360	626-H001		1,000	Square Feet	Thermoplastic Double Drop Legend, White
0370	627-J001		700	Each	Two-Way Clear Reflective High Performance Raised Markers
0380	627-K001		130	Each	Red-Clear Reflective High Performance Raised Markers
0390	627-L001		1,600	Each	Two-Way Yellow Reflective High Performance Raised Markers
0400	630-F002		10	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
0410	630-F006		180	Each	Delineators, Guard Rail, White
0420	630-G003		8	Each	Type 3 Object Markers, OM-3L, Post Mounted
0430	630-G007		8	Each	Type 3 Object Markers, OM-3R, Post Mounted
0440	907-619-B001		66	Linear Feet	Temporary Portable Rumble Strips
0441	907-824-PP003		95	Square Feet	Bridge Repair, Epoxy Repair
ALTERNATE GROUP AA NUMBER 1					
0450	304-H001	(GY)	3,000	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2					
0460	304-H002	(GY)	3,000	Cubic Yard	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3					
0470	304-H003	(GY)	3,000	Cubic Yard	Size 825B Crushed Stone Base, LVM