

Proposal & Plan Sales Will Begin on April 2, 2018



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For April - April 24, 2018

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 24, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 23, 2018

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 24, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

	CALL	CONTRACT	COUNTY
*	01	STP-0002-01(054)/107751301	JACKSON
	02	BR-0003-00(003)/103089301	AMITE
*	03	STP-0003-01(198)/107748301	HARRISON
	05	SP-0032-01(022) / 106247301	HANCOCK
	06	BR-0014-01(058)/106190301	PIKE
*	07	MP-2004-69(007)/306391301	TATE
*	08	MP-5019-50(013)/306368301	NESHOBA
*	09	MP-6000-00(285)/306433301	DISTRICT 6
*	10	MP-6026-20(009)/306429301	GEORGE
*	11	MP-6042-00(284)/306430301 & MP-6042-00(284)/306430302	LAMAR, FORREST
*	12	MP-6614-30(004)/306431301	JACKSON
*	13	MP-7000-00(191)/306412301	DISTRICT 7
	14	MP-7013-46(008)/306410301	MARION
	15	MP-7024-03(013)/306408301	AMITE
*	16	MP-7584-57(002)/306409301	PIKE

CALL No. 01

Overlay approximately 6 miles of SR 63 from I-10 to SR 613, known as Federal Aid Project No. STP-0002-01(054) / 107751301 in Jackson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

4,698 Ton	304-F003	Size 825B Crushed Stone Base
16,744 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
9,473 Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
10,340 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
12,233 Gallon	407-A001	Asphalt for Tack Coat
22 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
22 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22 Mile	619-A3001	Temporary Traffic Stripe, Skip White
83,638 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,526 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
7,928 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
11 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
11 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
24,214 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
18,915 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
763 Square Feet	626-H004	Thermoplastic Legend, White
3,964 Linear Feet	626-H005	Thermoplastic Legend, White
1,211 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,485 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

195 Each	627-M001 One-Way Clear Reflective High Performance Raised Markers
1,482 Linear Feet	640-A001 Vehicle Loop Assemblies

CALL No. 02

Bridge Replacements on SR 571 between the Louisiana State Line and SR 584 (Bridge Nos. 0.0 and 0.9), known as Federal Aid Project No. BR-0003-00(003) / 103089301 in Amite County.

PROJECT COMPLETION: 77 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

458	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Each	202-B023	Removal of Bridge
1,102	Linear Feet	202-B136	Removal of Guard Rail
40	Linear Feet	202-B191	Removal of Pipe, 8" And Above
20	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
255	Cubic Yard	203-G002	Excess Excavation, LVM, AH
533	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,667	Square Yard	216-A001	Solid Sodding
1,334	Square Yard	217-A001	Ditch Liner
53	Thousand Gallon	219-A001	Watering
1	Acre	226-A001	Temporary Grassing
400	Linear Feet	234-A001	Temporary Silt Fence
400	Linear Feet	234-C001	Super Silt Fence
400	Linear Feet	237-A002	Wattles, 20"
400	Each	246-B001	Rockbags
50	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
38	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
61	Ton	403-A006	19-mm, ST, Asphalt Pavement
110	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
978	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
86	Gallon	407-A001	Asphalt for Tack Coat
115	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
88	Linear Feet	503-C010	Saw Cut, Full Depth
40	Linear Feet	603-ALT006	24" Type A Alternate Pipe
400	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam

1 Each	606-C003	Guard Rail, Cable Anchor, Type 1
8 Each	606-D022	Guard Rail, Bridge End Section, Type I
7 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
686 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
686 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
9 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
238 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
262 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5 Each	619-E3001	Changeable Message Sign
36 Each	619-F3001	Delineators, Guard Rail, White
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
48 Linear Feet	619-G4005	Barricades, Type III, Single Faced
16 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
9 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
132 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1 Lump Sum	699-A001	Roadway Construction Stakes
250 Linear Feet	907-628-H001	4" High Performance Cold Plastic Traffic Stripe, Continuous White
250 Linear Feet	907-628-J001	4" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 1

80 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
---------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

80 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
---------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

80 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
---------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

686 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
686 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

686	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
686	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

8,250	Square Feet	802-A001	Permanent Steel Sheet Piling
2,060	Linear Feet	803-D006	HP 14 x 73 Steel Piling
4	Each	803-I003	PDA Test Pile, HP Steel Pile
4	Each	803-J001	Pile Restrike
39	Cubic Yard	804-A001	Bridge Concrete, Class AA
3,155	Pounds	805-A001	Reinforcement
12	Each	806-A002	31' Precast Concrete Slab Units, 3'-6" Interior
12	Each	806-A003	31' Precast Concrete Slab Units, 4'-6" Interior
12	Each	806-A007	31' Precast Concrete Slab Units, 3'-6" Exterior
12	Each	806-C002	31' Precast Barrier Rail Units
4	Each	806-D004	26' Precast Concrete Caps, Intermediate Unit
4	Each	806-E003	26' Precast Concrete Caps, End Unit with Wall
1,021	Ton	815-A007	Loose Riprap, Size 300
23	Cubic Yard	815-D001	Concrete Slope Paving
1,012	Square Yard	815-E001	Geotextile under Riprap
8	Each	907-806-PP001	9.25' Precast Concrete Wing

CALL No. 03

Overlay of US 90 from Russell Ave. to Debuys Road, known as Federal Aid Project No. STP-0003-01(198) / 107748301 in Harrison County.

PROJECT COMPLETION: 104 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100 Linear Feet	202-B051	Removal of Concrete Curb
170 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
215 Square Yard	202-B080	Removal of Concrete Sidewalk
8 Each	202-B099	Removal of Debris and Sand From Inlet and Junction Box, All ypes & Sizes
250 Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
5 Each	202-B163	Removal of Inlet Tops
240 Square Yard	202-B188	Removal of Pavement, All Types and Depths
150 Cubic Yard	203-E001	Borrow Excavation, AH, LVM, State Furnished
450 Ton	304-F003	Size 825B Crushed Stone Base
250 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
22,000 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
8,100 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
13,000 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
4,500 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,200 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
55,500 Gallon	407-A001	Asphalt for Tack Coat
82,000 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
222 Pounds	602-A001	Reinforcing Steel
220 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
84 Linear Feet	609-B002	Concrete Curb, Header
150 Cubic Yard	612-A001	Flowable Fill, Excavatable
254 Each	613-C001	Adjustment of Grating
86 Each	613-D005	Adjustment of Manhole
65 Each	613-D009	Adjustment of Utility Appurtenance

1	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
170	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3001	Temporary Traffic Stripe, Skip White
52,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
13	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,350	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
93,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
40,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
416	Square Feet	626-H003	Thermoplastic Legend, Blue-ADA
6,065	Square Feet	626-H004	Thermoplastic Legend, White
30,000	Linear Feet	626-H005	Thermoplastic Legend, White
4,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
355	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
600	Linear Feet	907-603-V001	Video Pipe Inspection, All Sizes
1	Each	907-687-A001	Traffic Recorder Classification Permanent System
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 05

Intersection Improvements on Hwy 43 at Texas Flat Road, Kiln-Delisle Road, Benville Road, & Kiln-Waveland Cutoff, known as State Project No. SP-0032-01(022) / 106247301 in Hancock County.

PROJECT COMPLETION: JANUARY 31, 2019

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
454	Square Yard	202-B188	Removal of Pavement, All Types and Depths
295	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,942	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,182	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
111	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,427	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,620	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
3	Ton	213-C001	Superphosphate
275	Square Yard	217-A001	Ditch Liner
5	Acre	225-A001	Grassing
12	Ton	225-B001	Agricultural Limestone
8	Ton	225-C001	Mulch, Vegetative Mulch
5	Acre	226-A001	Temporary Grassing
2,000	Linear Feet	234-A001	Temporary Silt Fence
650	Linear Feet	237-A002	Wattles, 20"
105	Ton	249-A001	Riprap for Erosion Control
615	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
651	Ton	403-A005	19-mm, MT, Asphalt Pavement
651	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,912	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
17,587	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
679	Gallon	407-A001	Asphalt for Tack Coat
4,906	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures

20	Linear Feet	603-ALT003	18" Type A Alternate Pipe
264	Linear Feet	603-ALT006	24" Type A Alternate Pipe
184	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
20	Linear Feet	603-CA077	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
4	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB006	36" Reinforced Concrete End Section
1	Each	603-CB008	48" Reinforced Concrete End Section
524	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
1	Lump Sum	618-A001	Maintenance of Traffic
10,346	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
15,506	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
280	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
593	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
148	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
664	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
84	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,478	Linear Feet	626-B003	6" Thermoplastic Traffic Stripe, Continuous White
8,868	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15,506	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,308	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,870	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
280	Square Feet	626-H004	Thermoplastic Legend, White
593	Linear Feet	626-H005	Thermoplastic Legend, White
55	Each	627-B001	Two-Way Clear Reflective Raised Markers
51	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
661	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

45 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
65 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1 Each	632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1 Each	634-A548	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 65' & 65' Arm
1 Each	634-A623	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 65' & 75' Arm
8 Cubic Yard	634-C006	Pole Foundations, Class "DS" Concrete
30 Linear Feet	634-D003	Slip Casing, 36" Diameter
4 Each	635-A059	Traffic Signal Head, Type 1
2 Each	635-A065	Traffic Signal Head, Type 2 FYA
2 Each	635-A070	Traffic Signal Head, Type 3
2 Each	635-A073	Traffic Signal Head, Type 4
789 Linear Feet	636-B018	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
432 Linear Feet	636-B037	Electric Cable, Underground in Conduit, THHN, AWG #10, 3 Conductor
130 Linear Feet	636-B048	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
2 Each	637-A007	Pull Box Enclosure, Type 1, Tier 22
2 Each	637-A009	Pull Box Enclosure, Type 2, Tier 22
2 Each	637-A011	Pull Box Enclosure, Type 3, Tier 22
744 Linear Feet	637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
391 Linear Feet	637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
3 Each	639-B001	Optical Detector
1 Each	639-C001	Multimode Phase Selector
790 Linear Feet	639-E001	Optical Detector Cable
464 Linear Feet	640-A001	Vehicle Loop Assemblies
1,071 Linear Feet	640-B004	Shielded Cable, AWG #18, 4 Conductor
1 Each	640-C005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
3 Each	643-A003	Video Detection System, 1 Sensor, Type 2
1 Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
44 Square Feet	653-B003	Street Name Sign, Type III
1 Lump Sum	699-A001	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

2,868	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
2,868	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
2,868	Ton	304-F003	Size 825B Crushed Stone Base

Bridge Rehabilitation on US 98 at CNIC RR Bridge No. 78.3, known as Federal Aid Project No. BR-0014-01(058) / 106190301 in Pike County.

PROJECT COMPLETION: 160 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

900	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter All Types
100	Linear Feet	202-B126	Removal of Fence, All Types
1,414	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
10,424	Linear Feet	202-B240	Removal of Traffic Stripe
367	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
459	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
367	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,404	Square Yard	216-A001	Solid Sodding
109	Thousand Gallon	219-A001	Watering
1,450	Linear Feet	234-A001	Temporary Silt Fence
1,450	Linear Feet	237-A002	Wattles, 20"
74	Ton	304-B006	Granular Material, Class 6, Group C
1	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1	Ton	403-A005	19-mm, MT, Asphalt Pavement
743	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
8,750	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
450	Gallon	407-A001	Asphalt for Tack Coat
1,600	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
119	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
540	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
100	Linear Feet	607-B017	60" Type I Chain Link Fence, Class I

2	Each	607-G005	Gate, 4' x 9' Chain Link
900	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2,853	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
3,741	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
400	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
132	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
75	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
76	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
404	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
10	Each	619-E3001	Changeable Message Sign
1,740	Linear Feet	619-F1001	Concrete Median Barrier, Precast
150	Linear Feet	619-F1006	Portable Median Barrier, Less Than or Equal to 45 MPH
1,740	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
198	Linear Feet	619-G4001	Barricades, Type III, Double Faced
112	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,506	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
165	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,079	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,320	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
988	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
399	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
131	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
87	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
239	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
63	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

64	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
75	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
90	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
152	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
10	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
67	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
21	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2	Each	638-C001	Flasher Assembly - Solar Powered
1	Lump Sum	699-A001	Roadway Construction Stakes
1	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NUMBER 1			
338	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
338	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
338	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
612	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
612	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
612	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
612	Linear Feet	628-A002	6" Cold Plastic Traffic Stripe, Skip White
612	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
612	Linear Feet	628-D002	6" Cold Plastic Traffic Stripe, Continuous Yellow
Bridge Items			
838	Square Yard	202-B027	Removal of Bridge Deck, Curb and Railing
64	Square Yard	202-B029	Removal of Bridge End Pavement
90	Ton	304-B006	Granular Material, Class 6, Group C
1,716	Linear Feet	503-C001	Saw Cut, 1-inch

2,640	Square Feet	802-C001	Temporary Steel Sheet Piling
12	Cubic Yard	804-A001	Bridge Concrete, Class AA
238	Cubic Yard	804-A004	Bridge Concrete, Class BD
70,821	Pounds	805-A001	Reinforcement
57,353	Pounds	810-A006	Structural Steel, A 709, Grade 50
612	Linear Feet	813-B001	Concrete-Steel Railing
968	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
45	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
454	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,019	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
5	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
64	Each	907-824-PP006	Bridge Repair, Bearing Replacements
8	Each	907-824-PP006	Bridge Repair, Cap Cleaning
4	Each	907-824-PP006	Bridge Repair, Riser Repairs
50	Linear Feet	907-824-PP008	Bridge Repair, FRP Wrap
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

ALTERNATE GROUP CC NUMBER 1

280	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP CC NUMBER 2

280	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP CC NUMBER 3

280	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 07

Overlay of SR 4 from SR 305 to the Marshall County Line, known as State Project No. MP-2004-69(007) / 306391301 in Tate County.

PROJECT COMPLETION: 42 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

112 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
38 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,625 Ton	304-B002	Granular Material, Class 3, Group D
11,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
6,800 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,680 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
8,275 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
36 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
32 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,410 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1 Lump Sum	620-A001	Mobilization
18 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
16 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,705 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,720 Linear Feet	626-H005	Thermoplastic Legend, White
843 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 08

Mill & Overlay approximately 15 miles of SR 19 from SR 15 to the Winston County Line, known as State Project No. MP-5019-50(013) / 306368301 in Neshoba County.

PROJECT COMPLETION: 89 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,550	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
180	Each	202-B117	Removal of Delineator, All Types
16	Each	202-B138	Removal of Guard Rail Bridge End Section
3,450	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,100	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,200	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
22,050	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
262,700	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
26,270	Gallon	407-A001	Asphalt for Tack Coat
50	Linear Feet	503-C010	Saw Cut, Full Depth
2,100	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D003	Guard Rail, Bridge End Section, Special Design
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
12	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
24	Each	606-E005	Guard Rail, Terminal End Section, Flared
44	Linear Feet	609-E001	Bituminous Curb
8	Square Yard	616-B002	Bituminous Median and/or Island Pavement,
1	Lump Sum	618-A001	Maintenance of Traffic
58	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
38	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
41,940	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend

1,005	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
380	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
29	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
19	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,400	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
11,570	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,000	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
130	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
180	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
8	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
3,000	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
3,000	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
3,000	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

CALL No. 09

Chip/Fog Seal on various routes in District 6, known as State Project No. MP-6000-00(285) / 306433301 Districtwide (6).

PROJECT COMPLETION: 86 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

316,855	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
9,221	Cubic Yard	410-B003	Seal Aggregate Cover Material, Size 7, Limestone, State Furnished
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
55	Mile	625-B003	Traffic Stripe, Skip Yellow, High Build
125	Mile	625-C004	Traffic Stripe, Continuous White, High Build
75	Mile	625-D004	Traffic Stripe, Continuous Yellow, High Build
7,650	Each	627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
5,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
7,650	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
99,582	Gallon	907-410-C005	Asphalt for Fog Seal, Grade LD-7 or CHPF-1

CALL No. 10

Overlay approximately 3 miles of SR 26 from the W ROW of SR 63 to the Junction of SR 198, known as State Project No. MP-6026-20(009) / 306429301 in George County.

PROJECT COMPLETION: 17 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,142	Linear Feet	202-B240	Removal of Traffic Stripe
726	Ton	304-F003	Size 825B Crushed Stone Base
5,297	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
3,830	Gallon	407-A001	Asphalt for Tack Coat
4,595	Ton	411-A001	Ultra Thin Asphalt Pavement
8	Each	613-D005	Adjustment of Manhole
6	Each	613-D009	Adjustment of Utility Appurtenance
7	Each	613-D011	Adjustment of Water Valve
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,760	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
516	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
98	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,613	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
14,907	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
230	Square Feet	626-H004	Thermoplastic Legend, White
2,276	Linear Feet	626-H005	Thermoplastic Legend, White
440	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

68 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
728 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 11

Overlay approximately 9 miles of SR 42 from Mill Creek to the Forrest County Line & from the Lamar County Line to US 49, known as State Project Nos. MP-6042-00(284) / 306430301 & 302 in Lamar & Forrest Counties.

PROJECT COMPLETION: 30 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

510 Linear Feet	202-B136 Removal of Guard Rail
6,500 Ton	304-F003 Size 825B Crushed Stone Base
9,800 Ton	403-A014 9.5-mm, MT, Asphalt Pavement
6,500 Ton	403-B011 9.5-mm, MT, Asphalt Pavement, Leveling
1,650 Square Yard	406-A002 Cold Milling of Bituminous Pavement, All Depths
9,000 Gallon	407-A001 Asphalt for Tack Coat
17 Mile	423-A001 Rumble Strips, Ground In
290 Linear Feet	606-B003 Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4 Each	606-D001 Guard Rail, Bridge End Section
4 Each	606-E001 Guard Rail, Terminal End Section
1 Lump Sum	618-A001 Maintenance of Traffic
2 Square Feet	618-B001 Additional Construction Signs
18 Mile	619-A1001 Temporary Traffic Stripe, Continuous White
11 Mile	619-A2001 Temporary Traffic Stripe, Continuous Yellow
25,000 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
1,175 Linear Feet	619-A6002 Temporary Traffic Stripe, Legend
12 Each	619-F3001 Delineators, Guard Rail, White
1 Lump Sum	620-A001 Mobilization
16 Mile	626-C002 6" Thermoplastic Double Drop Edge Stripe, Continuous White
3 Mile	626-D003 6" Thermoplastic Traffic Stripe, Skip Yellow
8 Mile	626-E004 6" Thermoplastic Traffic Stripe, Continuous Yellow
12,000 Linear Feet	626-G002 Thermoplastic Detail Stripe, White
13,500 Linear Feet	626-G003 Thermoplastic Detail Stripe, Yellow
475 Square Feet	626-H004 Thermoplastic Legend, White
1,175 Linear Feet	626-H005 Thermoplastic Legend, White

360	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 12

Overlay approximately 6 miles of SR 614 from the Junction of SR 613 to the Alabama State Line, known as State Project No. MP-6614-30(004) / 306431301 in Jackson County.

PROJECT COMPLETION: 21 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

600 Linear Feet	202-B136 Removal of Guard Rail
2,318 Linear Feet	202-B240 Removal of Traffic Stripe
1,316 Ton	304-F003 Size 825B Crushed Stone Base
952 Ton	403-A015 9.5-mm, ST, Asphalt Pavement
3,426 Square Yard	406-A002 Cold Milling of Bituminous Pavement, All Depths
4,834 Gallon	407-A001 Asphalt for Tack Coat
5,822 Ton	411-A001 Ultra Thin Asphalt Pavement
300 Linear Feet	606-B001 Guard Rail, Class A, Type 1
4 Each	606-D001 Guard Rail, Bridge End Section
4 Each	606-E007 Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001 Maintenance of Traffic
1 Square Feet	618-B001 Additional Construction Signs
22 Mile	619-A1001 Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001 Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4002 Temporary Traffic Stripe, Skip Yellow
8,972 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
252 Square Feet	619-A6001 Temporary Traffic Stripe, Legend
1,888 Linear Feet	619-A6002 Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001 Mobilization
11 Mile	626-C004 6" Thermoplastic Edge Stripe, Continuous White
5 Mile	626-D003 6" Thermoplastic Traffic Stripe, Skip Yellow
4 Mile	626-E004 6" Thermoplastic Traffic Stripe, Continuous Yellow
3,500 Linear Feet	626-G002 Thermoplastic Detail Stripe, White
986 Linear Feet	626-G003 Thermoplastic Detail Stripe, Yellow
126 Square Feet	626-H004 Thermoplastic Legend, White

944	Linear Feet	626-H005	Thermoplastic Legend, White
338	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 13

Scrub Seal approximately 31 miles on various routes in Covington, Lawrence, Smith, & Walthall Counties, known as State Project No. MP-7000-00(191) / 306412301 Districtwide (7).

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,863	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
50	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1	Lump Sum	620-A001	Mobilization
12	Mile	625-B001	Traffic Stripe, Skip Yellow
59	Mile	625-C001	Traffic Stripe, Continuous White
47	Mile	625-D001	Traffic Stripe, Continuous Yellow
11,659	Linear Feet	625-E001	Detail Traffic Stripe
4,896	Linear Feet	625-F001	Legend
2,687	Each	627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
1,500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,687	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
430,117	Square Yard	907-414-A001	Scrub Seal
51,961	Gallon	907-414-B001	Asphalt for Fog Seal

ALTERNATE GROUP AA NUMBER 1

1,156	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
90	Linear Feet	907-624-C003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow, High Contrast
617	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

ALTERNATE GROUP AA NUMBER 2

1,156	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
90	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
617	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 14

Overlay approximately 8 miles of SR 13 from JCT SR 35 in Columbia to Jefferson Davis County Line, known as State project No. MP-7013-46(008) / 306410301 in Marion County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

75	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4,996	Linear Feet	202-B240	Removal of Traffic Stripe
4,677	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
7,881	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
13,394	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,931	Gallon	407-A001	Asphalt for Tack Coat
8,486	Ton	411-A001	Ultra Thin Asphalt Pavement
4,560	Square Feet	412-A001	Pre-Grinding
15	Mile	423-A001	Rumble Strips, Ground In
75	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,066	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
35	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,116	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
15	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,360	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,636	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
35	Square Feet	626-H004	Thermoplastic Legend, White

2,116	Linear Feet	626-H005	Thermoplastic Legend, White
586	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
806	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
96	Each	630-F006	Delineators, Guard Rail, White
506	Each	907-606-PP007	Remove and Replace Guard Rail Blockouts
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

2,944	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
1,472	Linear Feet	907-624-C003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow, High Contrast
580	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

ALTERNATE GROUP AA NUMBER 2

2,944	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,472	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
580	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 15

Scrub Seal & Overlay approximately 12 miles of SR 24 from JCT SR 33 east to JCT SR 567, known as State Project No. MP-7024-03(013) / 306408301 in Amite County.

PROJECT COMPLETION: 70 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,142	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,998	Linear Feet	202-B240	Removal of Traffic Stripe
4,644	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
17,017	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,214	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
7,820	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,065	Gallon	407-A001	Asphalt for Tack Coat
1,068	Square Feet	412-A001	Pre-Grinding
22	Mile	423-A001	Rumble Strips, Ground In
1,500	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
47	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,172	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,744	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
23	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,766	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
820	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,308	Linear Feet	626-H005	Thermoplastic Legend, White

1,031	Each	627-H001	Chip Seal Reflective Raised Markers
388	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,064	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
150	Each	630-F006	Delineators, Guard Rail, White
164,953	Square Yard	907-414-A001	Scrub Seal
15,600	Pounds	907-420-A001	Undersealing
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
1,588	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
170	Linear Feet	907-624-C003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow, High Contrast
240	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast
ALTERNATE GROUP AA NUMBER 2			
1,588	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
170	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
240	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 16

Scrub Seal & Overlay of approximately 5 miles of SR 584 from the Amite County Line to the Jct. of US 51, known as State Project No. MP-7584-57(002) / 306409301 in Pike County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

881	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
150	Linear Feet	202-B136	Removal of Guard Rail
916	Linear Feet	202-B240	Removal of Traffic Stripe
1,701	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
218	Ton	403-A006	19-mm, ST, Asphalt Pavement
451	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,064	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,908	Gallon	407-A001	Asphalt for Tack Coat
3,666	Ton	411-A001	Ultra Thin Asphalt Pavement
6,492	Square Feet	412-A001	Pre-Grinding
1,357	Linear Feet	503-C010	Saw Cut, Full Depth
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,283	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
932	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,457	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
826	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,472	Linear Feet	626-H005	Thermoplastic Legend, White

416	Each	627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
342	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
441	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
17	Each	630-F006	Delineators, Guard Rail, White
60,956	Square Yard	907-414-A001	Scrub Seal
56	Each	907-606-PP007	Remove and Replace Guard Rail Blockouts
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
9	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

ALTERNATE GROUP AA NUMBER 1

297	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

297	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

297	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

564	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
282	Linear Feet	907-624-C003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow, High Contrast
282	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

ALTERNATE GROUP BB NUMBER 2

564	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
282	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
282	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR