Proposal & Plan Sales Will Begin on April 30, 2018



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For May - May 22, 2018

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Tuesday, May 22, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 30, 2018

Proposals must be purchased online at: https://shopmdot.ms.gov
For Information Please Contact:
Contract Administration Division

Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460

Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, May 22, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR MAY

	CALL	CONTRACT	COUNTY
	01	HSIP-0003-01(192)/107127301	HANCOCK
*	02	STP-0003-01(199)/107749301	HARRISON
	03	STP-0015-02(122)/107729301	LAWRENCE
*	04	STP-0015-02(123)/107798301	COVINGTON
*	05	BR-0020-01(243) / 107641301	HINDS
*	06	IM-0055-04(108) / 107797301 & IM-0055- 03(093) / 107797302	YALOBUSHA, PANOLA
	07	STP-0389-00(001)/107370301	SIMPSON
*	80	HSIP-9999-01(363)/107809301 & SP-9999- 01(363)/107809601	DISTRICT 1
*	09	HSIP-9999-02(364)/107810301 & SP-9999- 02(364)/107810601	DISTRICT 2
*	10	HSIP-9999-03(365)/107811301 & SP-9999- 03(365)/107811601	DISTRICT 3
*	11	HSIP-9999-05(366)/107812301 & SP-9999- 05(366)/107812601	DISTRICT 5
*	12	HSIP-9999-06(367)/107813301 & SP-9999- 06(367)/107813601	DISTRICT 6
*	13	HSIP-9999-07(368)/107814301 & SP-9999- 07(368)/107814601	DISTRICT 7
	14	MP-1006-48(006)/306454301	MONROE

^{*} No plans except Standard Drawings

*	15	MP-2007-42(008)/306394301	LEFLORE
*	16	MP-2051-54(006)/306393301	PANOLA
*	17	MP-2178-17(004)/306389301	DESOTO
*	18	MP-3003-75(005) / 306456301	WARREN
	19	MP-5000-00(100)/306449301	DISTRICT 5
*	20	MP-6015-56(007)/306434301 & MP-6042- 21(010)/306434302 & MP-6063- 21(017)/306434303	PERRY, GREENE

Page 3

_

Traffic Signal Improvements on US 90 from Waveland Avenue to Beach Boulevard, known as Federal Aid Project No. HSIP-0003-01(192) / 107127301 in Hancock County.

PROJECT COMPLETION: JULY 10, 2019

			· · · · · · · · · · · · · · · · · · ·
1	Lump Sum	201-A001	Clearing and Grubbing
31	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
162	Square Yard	202-B081	Removal of Concrete Sidewalks & Driveways, All Depths
8,991	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
1	Each	202-B163	Removal of Inlet Tops
3,140	Linear Feet	202-B171	Removal of Legend, All Types
1,015	Square Feet	202-B172	Removal of Legend, All Types
24	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
41	Each	202-B195	Removal of Pull Box
35	Square Yard	202-B202	Removal of Reinforced Concrete Pavement, 9" Depth
3	Each	202-B215	Removal of Sign Including Post & Footing
12,583	Linear Feet	202-B240	Removal of Traffic Stripe
8,022	Linear Feet	202-B258	Removal of Wiring
2,431	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
452	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
2,430	Cubic Yard	203-G001	Excess Excavation, FM, AH
1	Cubic Yard	206-A001	Structure Excavation
8,992	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
50	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,575	Square Yard	216-A001	Solid Sodding
22	Thousand Gallon	219-A001	Watering
1	Cubic Yard	221-A001	Concrete Paved Ditch
1	Acre	223-A001	Mowing
200	Linear Feet	234-A001	Temporary Silt Fence

100	Linear Feet	237-A001	Wattles, 12"	
25	Each	246-A002	Sandbags	
472	Ton	403-A002	12.5-mm, MT, Asphalt Pavement	
1,304	Ton	403-A014	9.5-mm, MT, Asphalt Pavement	
14,293	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths	
786	Gallon	407-A001	Asphalt for Tack Coat	
6,272	Square Yard	501-B007	9" Plain Cement Concrete Pavement, Drag Finish	
3,491	Linear Feet	501-D001	Expansion Joints, With Dowels	
2,796	Each	501-G001	Dowels, Drilled and Installed	
8,023	Linear Feet	503-C010	Saw Cut, Full Depth	
2,603	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted	
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures	
160	Pounds	602-A001	Reinforcing Steel	
79	Pounds	604-A001	Castings	
267	Linear Feet	606-B001	Guard Rail, Class A, Type 1	
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1	
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared	
1,659	Linear Feet	609-B002	Concrete Curb, Header	
6,500	Linear Feet	609-C002	Concrete Integral Curb, Type 2	
1,448	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A	
844	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch	
1	Lump Sum	618-A001	Maintenance of Traffic	
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	
1,064	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced	
4	Each	619-G7001	Warning Lights, Type "B"	
1	Lump Sum	620-A001	Mobilization	
8	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White	
3	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White	
34,078	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White	

13,829 Linear Feet 626-C003 6" Thermoplastic Edge Stripe, Continuous Vellow 13,472 Linear Feet 626-E002 6" Thermoplastic Datal Stripe, Continuous Yellow 16,136 Linear Feet 626-G002 Thermoplastic Datal Stripe, White 3,386 Linear Feet 626-G003 Thermoplastic Datal Stripe, Vellow 44,668 Linear Feet 626-G004 Thermoplastic Double Drop Detail Stripe, White 16,014 Linear Feet 626-G005 Thermoplastic Double Drop Detail Stripe, Yellow 2,526 Square Feet 626-H005 Thermoplastic Double Drop Detail Stripe, Yellow 2,543 Square Feet 628-H004 Thermoplastic Double Drop Legend, White 3,477 Linear Feet 628-H005 Thermoplastic Legend, White 5,733 Linear Feet 628-H005 Thermoplastic Legend, White 1,793 Each 627-H001 Two-Way Yellow Reflective High Performance Raised Markers 103 Each 627-H001 Two-Way Yellow Reflective High Performance Raised Markers 92 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 137 Linear Feet 630-A003 Steel U-Section Posts, 3.0 lbrft 2 Each 632-A007 Solid State Traffic					
13.472 Linear Feet 626-6003 6" Thermoplastic Traffic Stripe, Continuous Yellow 16.136 Linear Feet 626-6002 Thermoplastic Detail Stripe, White 3.388 Linear Feet 626-6003 Thermoplastic Double Drop Detail Stripe, White 16.014 Linear Feet 626-6005 Thermoplastic Double Drop Detail Stripe, Yellow 2.526 Square Feet 626-H001 Thermoplastic Double Drop Legend, White 3.477 Linear Feet 626-H002 Thermoplastic Legend, White 2.548 Square Feet 626-H003 Thermoplastic Legend, White 5.733 Linear Feet 626-H004 Thermoplastic Legend, White 1.793 Each 627-H001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-H001 Two-Way Jellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 103 Each 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 137 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lbift 2	13,629	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White	
16,136 Linear Feet 626-G002 Thermoplastic Detail Stripe, White 3,388 Linear Feet 626-G003 Thermoplastic Double Drop Detail Stripe, Vellow 44,668 Linear Feet 626-G005 Thermoplastic Double Drop Detail Stripe, Yellow 2,526 Square Feet 626-H001 Thermoplastic Double Drop Legend, White 3,477 Linear Feet 626-H002 Thermoplastic Legend, White 1,748 Square Feet 626-H004 Thermoplastic Legend, White 5,733 Linear Feet 626-H005 Thermoplastic Legend, White 1,793 Each 627-H001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-H001 Two-Way Pellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 137 Linear Feet 630-C003 Stael U-Section Posts, 3.0 lb/lt 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 1	19,518	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	
3,388 Linear Feet 626-G003 Thermoplastic Detail Stripe, Yellow 44,668 Linear Feet 626-G004 Thermoplastic Double Drop Detail Stripe, White 16,014 Linear Feet 626-G005 Thermoplastic Double Drop Degend, White 2,526 Square Feet 626-H002 Thermoplastic Double Drop Legend, White 2,548 Square Feet 626-H004 Thermoplastic Legend, White 5,733 Linear Feet 626-H005 Thermoplastic Legend, White 1,793 Each 627-K001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 12 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 137 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/It 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type I Controller 3 Each 632-A007 Traffic Signal Equipment Pole, Type III, Joy O'Shaft, 35' Arm	13,472	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	
44,668 Linear Feet 626-G004 Thermoplastic Double Drop Detail Stripe, White 16,014 Linear Feet 626-G005 Thermoplastic Double Drop Detail Stripe, Yellow 2,526 Square Feet 626-H001 Thermoplastic Double Drop Legend, White 3,477 Linear Feet 626-H002 Thermoplastic Double Drop Legend, White 2,548 Square Feet 626-H004 Thermoplastic Legend, White 5,733 Linear Feet 626-H005 Thermoplastic Legend, White 1,793 Each 627-K001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers 92 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 137 Linear Feet 630-C003 Steel U-Section Posts, 3,0 lb/ft 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 8 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30" Shaft, 35" Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30" Shaft, 40" Arm 3 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30" Shaft, 40" Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30" Shaft, 65" Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30" Shaft, 55" Arm 4 Each 634-A240 Traffic Signal Equipment Pole, Type II(L), 30" Shaft, 55" Arm 5 Each 634-A241 Traffic Signal Equipment Pole, Type II(L), 30" Shaft, 55" Arm 6 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 6 Sulpar Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50" Pole	16,136	Linear Feet	626-G002	Thermoplastic Detail Stripe, White	
16,014 Linear Feet 626-G005 Thermoplastic Double Drop Detail Stripe, Yellow 2,526 Square Feet 626-H002 Thermoplastic Double Drop Legend, White 3,477 Linear Feet 626-H002 Thermoplastic Double Drop Legend, White 2,548 Square Feet 626-H004 Thermoplastic Legend, White 5,733 Linear Feet 626-H005 Thermoplastic Legend, White 1,793 Each 627-K001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers 104 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 105 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 106 Each 627-P001 Standard Roadside Signs, Sheet Aluminum, 0.080° Thickness 107 Linear Feet 630-A001 State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 634-A017 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A242 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A243 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 40' Arm 1 Each 634-A248 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 65' Arm 1 Each 634-A249 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 1 Each 634-A240 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 1 Each 634-A240 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 1 Each 634-A240 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 1 Each 634-A250 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 1 Each 634-A260 Folio Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 1 Each 634-A260 Gaing, 36' Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	3,388	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow	
2,526 Square Feet 626-H001 Thermoplastic Double Drop Legend, White 3,477 Linear Feet 626-H002 Thermoplastic Legend, White 2,548 Square Feet 626-H004 Thermoplastic Legend, White 5,733 Linear Feet 626-H005 Thermoplastic Legend, White 1,793 Each 627-K001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-H001 Two-Way Yellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Pellow Reflective High Performance Raised Markers 92 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080* Thickness 137 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/ft 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 8 Each 632-A007 Solid State Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 35' Arm 1 Each 634-A242 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 40' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type III(L), 30' Shaft,	44,668	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White	
3,477 Linear Feet 626-H002 Thermoplastic Legend, White 2,548 Square Feet 626-H004 Thermoplastic Legend, White 5,733 Linear Feet 626-H005 Thermoplastic Legend, White 1,793 Each 627-K001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 92 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 137 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/lt 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 8 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type II Cabinet, Type III Cabinet, Type II Cabinet, Type III Cabinet,	16,014	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	
2,548 Square Feet 626-H004 Thermoplastic Legend, White 5,733 Linear Feet 626-H005 Thermoplastic Legend, White 1,793 Each 627-K001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 104 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080* Thickness 137 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/ft 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 8 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 634-A170 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A242 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 35' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 40' Arm 2 Each 634-A244 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' Arm 4 Each 634-A240 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 65' Arm 4 Each 634-A240 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 70' Arm 5 Each 634-A240 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 70' Arm 6 Each 634-A240 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 75' Arm 6 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 6 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 7 Each 634-B001 Camera Pole with Foundation, 50' Pole	2,526	Square Feet	626-H001	Thermoplastic Double Drop Legend, White	
5,733 Linear Feet 626-H005 Thermoplastic Legend, White 1,793 Each 627-K001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 104 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 105 Ininear Feet 630-C003 Steel U-Section Posts, 3.0 lb/ft 106 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 107 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 108 Each 634-A217 Traffic Signal Equipment Pole, Type VI, 8' Shaft 109 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 110 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 111 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 112 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 113 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 114 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 115 Each 634-A240 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 116 Each 634-A240 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 117 Each 634-A240 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm 118 Each 634-A240 Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm 118 Each 634-A240 Gade-Coole Pole Foundations, Class 'DS' Concrete 1255 Linear Feet 634-D003 Slip Casing, 36' Diameter 1256 Linear Feet 634-D004 Camera Pole with Foundation, 50' Pole	3,477	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White	
1,793 Each 627-K001 Red-Clear Reflective High Performance Raised Markers 103 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 105 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 107 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 108 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/ft 109 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 109 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 110 Each 634-A217 Traffic Signal Equipment Pole, Type VI, 8' Shaft 111 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 111 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 112 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 113 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 114 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 115 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 116 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 117 Each 634-A240 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 118 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 118 Each 634-A260 Folia Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 118 Each 634-C006 Pole Foundations, Class 'DS' Concrete 128 Each 634-E001 Camera Pole with Foundation, 50' Pole	2,548	Square Feet	626-H004	Thermoplastic Legend, White	
103 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers 103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 105 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 107 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/ft 108 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 108 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 119 Each 634-A170 Traffic Signal Equipment Pole, Type VI, 8' Shaft 110 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 110 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 110 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 110 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 111 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 111 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 111 Each 634-A240 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' & 65' Arm 111 Each 634-A240 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 111 Each 634-A240 Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 112 Each 634-A250 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 113 Each 634-C006 Pole Foundations, Class 'DS' Concrete 1255 Linear Feet 634-D003 Slip Casing, 36' Diameter 1256 Linear Feet 634-E001 Camera Pole with Foundation, 50' Pole	5,733	Linear Feet	626-H005	Thermoplastic Legend, White	
103 Each 627-P001 Two-Way Blue Reflective High Performance Raised Markers 92 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 137 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/ft 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 8 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 634-A170 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 2 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 2 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 2 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 3 Each 634-A251 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 4 Each 634-A251 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 5 Each 634-A251 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 6 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 6 Subject Standard Camera Pole with Foundation, 50' Pole	1,793	Each	627-K001	Red-Clear Reflective High Performance Raised Markers	
92 Square Feet 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness 137 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/ft 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 8 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 634-A170 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 3 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	103	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	
137 Linear Feet 630-C003 Steel U-Section Posts, 3.0 lb/ft 2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 8 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 634-A170 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 3 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	103	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers	
2 Each 632-A007 Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller 8 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 634-A170 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 3 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	92	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	
8 Each 632-B008 Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller 1 Each 634-A170 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 3 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	137	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft	
1 Each 634-A242 Traffic Signal Equipment Pole, Type VI, 8' Shaft 1 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 3 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	2	Each	632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller	
1 Each 634-A242 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm 1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 3 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	8	Each	632-B008	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller	
1 Each 634-A243 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm 3 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	1	Each	634-A170	Traffic Signal Equipment Pole, Type VI, 8' Shaft	
3 Each 634-A247 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm 5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 5 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 634-A250 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 75' Arm 634-A251 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 634-A250 Pole Foundations, Class "DS" Concrete 634-C006 Pole Foundations, Class "DS" Concrete 634-D003 Slip Casing, 36" Diameter 634-E001 Camera Pole with Foundation, 50' Pole	1	Each	634-A242	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm	
5 Each 634-A248 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm 4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	1	Each	634-A243	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm	
4 Each 634-A249 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm 2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	3	Each	634-A247	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm	
2 Each 634-A250 Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm 1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	5	Each	634-A248	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm	
1 Each 634-A541 Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm 68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	4	Each	634-A249	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm	
68 Cubic Yard 634-C006 Pole Foundations, Class "DS" Concrete 255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	2	Each	634-A250	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm	
255 Linear Feet 634-D003 Slip Casing, 36" Diameter 2 Each 634-E001 Camera Pole with Foundation, 50' Pole	1	Each	634-A541	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 65' Arm	
2 Each 634-E001 Camera Pole with Foundation, 50' Pole	68	Cubic Yard	634-C006	Pole Foundations, Class "DS" Concrete	
	255	Linear Feet	634-D003	Slip Casing, 36" Diameter	
58 Each 635-A059 Traffic Signal Head, Type 1	2	Each	634-E001	Camera Pole with Foundation, 50' Pole	
	58	Each	635-A059	Traffic Signal Head, Type 1	

10	Each	635-A060	Traffic Signal Head, Type 1A
18	Each	635-A065	Traffic Signal Head, Type 2 FYA
5	Each	635-A066	Traffic Signal Head, Type 2A FYA
12	Each	635-A070	Traffic Signal Head, Type 3
1	Each	635-A071	Traffic Signal Head, Type 3A
1	Each	635-A073	Traffic Signal Head, Type 4
4	Each	635-A076	Traffic Signal Head, Type 6
2,553	Linear Feet	636-B005	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
700	Linear Feet	636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
5,304	Linear Feet	636-B018	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
441	Linear Feet	636-B029	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
925	Linear Feet	636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
40	Linear Feet	636-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
90	Linear Feet	636-D012	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 8, 3 Conductor
3,125	Linear Feet	636-D021	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
14	Each	637-A009	Pull Box Enclosure, Type 2, Tier 22
8	Each	637-A011	Pull Box Enclosure, Type 3, Tier 22
19	Each	637-A013	Pull Box Enclosure, Type 4, Tier 22
23	Each	637-A015	Pull Box Enclosure, Type 5, Tier 22
268	Linear Feet	637-C026	Traffic Signal Conduit, Underground, Type 4, 1"
658	Linear Feet	637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
435	Linear Feet	637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
2,446	Linear Feet	637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,854	Linear Feet	637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
30,814	Linear Feet	637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
40	Each	639-B001	Optical Detector
10	Each	639-C001	Multimode Phase Selector
7,376	Linear Feet	639-E001	Optical Detector Cable
20	Each	643-A003	Video Detection System, 1 Sensor, Type 2
20	Each	643-E001	Multi-Sensor Detection System, 1 Sensor

4	Each	645-B001	Accessible Pedestrian Detection Assembly
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
385	Square Feet	653-B003	Street Name Sign, Type III
1	Each	656-A002	Dynamic Message Sign, Type 2
2	Each	656-A003	Dynamic Message Sign, Type 3
1	Each	660-A002	Equipment Cabinet, Type A
2	Each	660-A003	Equipment Cabinet, Type B
4	Each	660-A004	Equipment Cabinet, Type C
11	Each	660-B001	Cabinet Modifications
1	Lump Sum 90	7-630-L001	Pedestal Sign Support, Assembly No 1, Contractor Designed DMS Type 2
1	Lump Sum 907	7-630-M002	Post Sign Support, Assembly No 2, Contractor Designed DMS Type 3
1	Lump Sum 907	7-630-M003	Post Sign Support, Assembly No 3, Contractor Designed DMS Type 3
8	Each 90	7-650-A002	On Street Video Equipment, Fixed Type
8	Each 90	7-650-A003	On Street Video Equipment, PTZ Type
1	Lump Sum 90	7-659-A001	Traffic Management Center Modifications
30,554	Linear Feet 90	7-661-A004	Fiber Optic Cable, 72 SM
1,340	Linear Feet 90	7-661-B002	Fiber Optic Drop Cable, 12 SM
12	Each 90	7-663-A001	Network Switch, Type A
2	Each 90	7-663-A002	Network Switch, Type B
1	Each 90	7-663-A005	Network Switch, Type E
			ALTERNATE GROUP AA NUMBER 1
3,240	Ton	304-F001	3/4" and Down Crushed Stone Base
0.040	T .	004 5000	ALTERNATE GROUP AA NUMBER 2
3,240	LOH	3U4-FUU2	Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3
3,240	Ton	304-F003	Size 825B Crushed Stone Base
•			

Overlay on US 90 from Debuys Road to West end of Biloxi Bay Bridge, known as Federal Aid Project No. STP-0003-01(199) / 107749301 in Harrison County.

PROJECT COMPLETION: 126 Working Days

			Roadway Items
300	Linear Feet	202-B051	Removal of Concrete Curb
7	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,300	Square Yard	202-B080	Removal of Concrete Sidewalk
7	Each	202-B099	Removal of Debris and Sand From Inlet and Junction Box, All ypes & Sizes
456	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
7	Each	202-B163	Removal of Inlet Tops
470	Square Yard	202-B188	Removal of Pavement, All Types and Depths
427	Cubic Yard	203-E001	Borrow Excavation, AH, LVM, State Furnished
110	Ton	304-F003	Size 825B Crushed Stone Base
155	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
22,000	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
8,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10,000	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
4,000	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
68,896	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
54,000	Gallon	407-A001	Asphalt for Tack Coat
97,792	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
200	Pounds	602-A001	Reinforcing Steel
1,300	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
300	Linear Feet	609-B002	Concrete Curb, Header
100	Cubic Yard	612-A001	Flowable Fill, Excavatable
83	Each	613-C001	Adjustment of Grating
110	Each	613-D005	Adjustment of Manhole
48	Each	613-D009	Adjustment of Utility Appurtenance

1	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
7	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
36	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,380	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
61,145	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
18	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,378	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
539	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
73,275	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
49,800	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
624	Square Feet	626-H003	Thermoplastic Legend, Blue-ADA
8,200	Square Feet	626-H004	Thermoplastic Legend, White
35,800	Linear Feet	626-H005	Thermoplastic Legend, White
4,383	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
456	Linear Feet	907-603-V001	Video Pipe Inspection, All Sizes

Scrub Seal & Overlay approximately 5 miles of US 84 from JCT 184 East to Jefferson Davis County Line, known as Federal Aid Project No. STP-0015-02(122) / 107729301 in Lawrence County.

PROJECT COMPLETION: 60 Working Days

			,
3,281	Linear Feet	202-B240	Removal of Traffic Stripe
8,962	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
411	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
15,934	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
991	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
19,729	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,054	Gallon	407-A001	Asphalt for Tack Coat
168	Square Feet	412-A001	Pre-Grinding
20	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A3001	Temporary Traffic Stripe, Skip White
32,717	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
448	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
472	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
19,370	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
13,347	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
448	Square Feet	626-H004	Thermoplastic Legend, White
1,642	Linear Feet	626-H005	Thermoplastic Legend, White

Each	627-H001	Chip Seal Reflective Raised Markers
Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
Each	627-K001	Red-Clear Reflective High Performance Raised Markers
Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
Each	630-F006	Delineators, Guard Rail, White
Each	630-F007	Delineators, Guard Rail, Yellow
Square Yard	907-414-A001	Scrub Seal
		ALTERNATE GROUP AA NUMBER 1
Linear Feet	907-624-A003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast
Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continous Yellow, High Contrast
		ALTERNATE GROUP AA NUMBER 2
Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
Linear Feet	628-,1001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
	Each Each Each Each Each Each Each Each	Each 627-J001 Each 627-K001 Each 627-L001 Each 630-F002 Each 630-F006 Each 630-F007 Square Yard 907-414-A001 Linear Feet 907-624-A003 Linear Feet 907-624-D001 Linear Feet 628-G001 Linear Feet 628-H001

Overlay approximately 10 miles of US 84 (East Bound Lanes Only) from SR 588 to the Jones County Line, known as Federal Aid Project No. STP-0015-02(123) / 107798301 in Covington County.

PROJECT COMPLETION: 52 Working Days

			Rodaway Remo
2,170	Linear Feet	202-B240	Removal of Traffic Stripe
180	Cubic Yard	203-G002	Excess Excavation, LVM, AH
5,311	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
1,259	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
12,510	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
923	Ton	403-E004	9.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
9,855	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
14,158	Gallon	407-A001	Asphalt for Tack Coat
2,232	Square Feet	412-A001	Pre-Grinding
16	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3001	Temporary Traffic Stripe, Skip White
34,148	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
850	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
9	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
21,600	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
12,548	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
118	Square Feet	626-H004	Thermoplastic Legend, White
850	Linear Feet	626-H005	Thermoplastic Legend, White

600	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,213	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
142	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
31	Each	630-F006	Delineators, Guard Rail, White
31	Each	630-F007	Delineators, Guard Rail, Yellow
158	Each	907-606-PP007	Remove and Replace Guard Rail Blockouts
			ALTERNATE GROUP AA NUMBER 1
960	Linear Feet	907-624-A003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast
960	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
960	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continous Yellow, High Contrast
			ALTERNATE GROUP AA NUMBER 2
960	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
960	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
960	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 05

Bridge Maintenance on I-20 at Farr Road (Bridge No. 25.1), known as Federal Aid Project No. BR-0020-01(243) / 107641301 in Hinds County.

PROJECT COMPLETION: OCTOBER 03, 2018

22,800	Pounds	512-B002	Cement Pressure Grout Slurry, Type 6
1	Lump Sum	618-A001	Maintenance of Traffic
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
544	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
			Bridge Items
2	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
8	Each	907-824-PP006	Bridge Repair, Bearing Assembly Replacement
2	Each	907-824-PP006	Bridge Repair, Pressure Wash & Clean End Bent Cap

Fog Seal Approximately 27 miles of I-55 from Cobb Road to 0.4 Miles North of SR 330, known as Federal Aid Project Nos. IM-0055-04(108) & IM-0055-03(093) / 107797301 & 302 in Panola & Yalobusha Counties.

PROJECT COMPLETION: 44 Working Days

22,290	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
55	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
55	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
55	Mile	619-A3001	Temporary Traffic Stripe, Skip White
17,250	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
55	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
55	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
55	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
17,250	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,025	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
118,050	Gallon	907-410-C005	Asphalt for Fog Seal, Grade LD-7 or CHPF-1

CALL No. 07

Slide Repair on SR 43 approximately 0.5 miles South of SR 28, known as Federal Aid Project No. STP-0389-00(001) / 107370301 in Simpson County.

PROJECT COMPLETION: OCTOBER 31, 2018

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1,500	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
261	Linear Feet	202-B191	Removal of Pipe, 8" And Above
16,500	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
14,000	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,500	Square Yard	204-A003	Geogrid, Type II, Biaxial
300	Cubic Yard	206-A001	Structure Excavation
14,170	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,350	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-A001	Agricultural Limestone
5,400	Square Yard	216-A001	Solid Sodding
3,375	Square Yard	217-A001	Ditch Liner
108	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
2	Acre	226-A001	Temporary Grassing
150	Square Yard	229-A001	Erosion Mat
2,200	Linear Feet	234-A001	Temporary Silt Fence
600	Linear Feet	234-C001	Super Silt Fence
1	Each	234-D001	Inlet Siltation Guard
2,200	Linear Feet	237-A002	Wattles, 20"
60	Each	246-B001	Rockbags
100	Ton	249-A001	Riprap for Erosion Control
3,678	Cubic Yard	304-E005	Granular Material, LVM, Size 57 (Crushed Limestone)

324	Ton 40)3-A003	12.5-mm, ST, Asphalt Pavement
283	Ton 40	3-A006	19-mm, ST, Asphalt Pavement
293	Ton 40	3-A015	9.5-mm, ST, Asphalt Pavement
534	Square Yard 40	06-A002	Cold Milling of Bituminous Pavement, All Depths
260	Gallon 40	7-A001	Asphalt for Tack Coat
48	Linear Feet 50	3-C010	Saw Cut, Full Depth
2	Cubic Yard 60)1-B001	Class "B" Structural Concrete, Minor Structures
97	Pounds 60)2-A001	Reinforcing Steel
8	Linear Feet 603-	-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
152	Linear Feet 603-	-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
112	Linear Feet 603-	-CA047	30" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
2	Each 603-	-CB004	24" Reinforced Concrete End Section
1	Each 603-	-CB005	30" Reinforced Concrete End Section
1,100	Pounds 60)4-A001	Castings
180	Pounds 60	04-B001	Gratings
34	Linear Feet 60	4-C001	Precast Manhole, 48" Diameter
360	Linear Feet 60s	5-0006	8" Perforated Sewer Pipe for Underdrains, SDR 35
550	Linear Feet 60	06-B001	Guard Rail, Class A, Type 1
2	Each 60	6-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum 61	8-A001	Maintenance of Traffic
1,800	Linear Feet 619	9-A1002	Temporary Traffic Stripe, Continuous White
1,800	Linear Feet 619	9-A2002	Temporary Traffic Stripe, Continuous Yellow
387	Square Feet 619	D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
326	Square Feet 619)-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5	Each 619	9-E3001	Changeable Message Sign
48	Linear Feet 619	9-F1001	Concrete Median Barrier, Precast
34	Each 619	9-F3001	Delineators, Guard Rail, White
96	Linear Feet 619	-G4001	Barricades, Type III, Double Faced
50	Each 619-	-G5001	Free Standing Plastic Drums
16	Each 619	-G7001	Warning Lights, Type "B"

1	Lump Sum	620-A001	Mobilization
20	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
225	Ton	815-A007	Loose Riprap, Size 300
150	Square Yard	815-E001	Geotextile under Riprap
			ALTERNATE GROUP AA NUMBER 1
1,666	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
1,666	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
1,666	Ton	304-F003	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NUMBER 1
1,800	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
1,800	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continous Yellow, High Contrast
			ALTERNATE GROUP BB NUMBER 2
1,800	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,800	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project Nos. HSIP-9999-01(363) / 107809301 & SP-9999-01(363) / 107809601 in District 1.

PROJECT COMPLETION: JUNE 30, 2019

2,000	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
100	Each	907-610-A1002	Repair of Cable Barrier System, Gibraltar
700	Each	907-610-A1002	Repair of Cable Barrier System, Safence
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Gibraltar
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Safence
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
10	Each	907-610-E1001	Splice
2,000	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-11001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project Nos. HSIP-9999-02(364) / 107810301 & SP-9999-02(364) / 107810601 in District 2.

PROJECT COMPLETION: JUNE 30, 2019

1,200	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
500	Each	907-610-A1002	Repair of Cable Barrier System, Nucor
800	Each	907-610-A1002	Repair of Cable Barrier System, Safence
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Nucor
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Safence
500	Linear Feet	907-610-C1001	Cable Rope
10	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
1,300	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-11001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project Nos. HSIP-9999-03(365) / 107811301 & SP-9999-03(365) / 107811601 in District 3.

PROJECT COMPLETION: JUNE 30, 2019

300	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
200	Each	907-610-A1002	Repair of Cable Barrier System, Nucor
400	Each	907-610-A1002	Repair of Cable Barrier System, Safence
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Nucor
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Safence
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
185	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-I1001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project Nos. HSIP-9999-05(366) / 107812301 & SP-9999-05(366) / 107812601 in District 5.

PROJECT COMPLETION: JUNE 30, 2019

550	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
800	Each	907-610-A1002	Repair of Cable Barrier System, Gibraltar
50	Each	907-610-A1002	Repair of Cable Barrier System, Nucor
1,100	Each	907-610-A1002	Repair of Cable Barrier System, Safence
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Gibraltar
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Nucor
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Safence
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
100	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-I1001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project Nos. HSIP-9999-06(367) / 107813301 & SP-9999-06(367) / 107813601 in District 6.

PROJECT COMPLETION: JUNE 30, 2019

1,500	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
50	Each	907-610-A1002	Repair of Cable Barrier System, Gibraltar
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Gibraltar
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
100	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-11001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

CALL No. 13

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project Nos. HSIP-9999-07(368) / 107814301 & SP-9999-07(368) / 107814601 in District 7.

PROJECT COMPLETION: JUNE 30, 2019

600	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
100	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-11001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

Scrub Seal & Overlay approximately 10 miles of SR 6 from SR 145 in Nettleton to SR 25 in Amory, known as State Project No. MP-1006-48(006) / 306454301 in Monroe County.

PROJECT COMPLETION: 64 Working Days

			Roduway items
140	Square Yard 2	02-B007	Removal of Asphalt Pavement, All Depths
8,800	Linear Feet 2	02-B240	Removal of Traffic Stripe
110	Cubic Yard 20	03-G001	Excess Excavation, FM, AH
110	Square Yard 2	09-A005	Geotextile Stabilization, Type V, Non-Woven
5,700	Cubic Yard 3	04-A003	Granular Material, LVM, Class 3, Group D
70	Ton 4	03-A005	19-mm, MT, Asphalt Pavement
15,750	Ton 4	03-A014	9.5-mm, MT, Asphalt Pavement
86,000	Square Yard 4	06-D001	Fine Milling of Bituminous Pavement, All Depths
9,500	Gallon 4	07-A001	Asphalt for Tack Coat
14	Mile 4	23-A001	Rumble Strips, Ground In
1	Lump Sum 6	18-A001	Maintenance of Traffic
1	Square Feet 6	18-B001	Additional Construction Signs
40	Mile 61	9-A1001	Temporary Traffic Stripe, Continuous White
10	Mile 61	9-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile 61	9-A4002	Temporary Traffic Stripe, Skip Yellow
11,000	Linear Feet 61	9-A5001	Temporary Traffic Stripe, Detail
150	Square Feet 61	9-A6001	Temporary Traffic Stripe, Legend
3,000	Linear Feet 61	9-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 6.	20-A001	Mobilization
20	Mile 62	26-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile 62	26-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile 6	26-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,300	Linear Feet 62	26-G002	Thermoplastic Detail Stripe, White
2,750	Linear Feet 62	26-G003	Thermoplastic Detail Stripe, Yellow
150	Square Feet 62	26-H004	Thermoplastic Legend, White

6,800	Linear Feet	626-H005	Thermoplastic Legend, White
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
120	Each	630-F006	Delineators, Guard Rail, White
110,000	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-899-A001	Railway-Highway Provisions
			ALTERNATE GROUP AA NUMBER 1
110	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
110	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
110	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NUMBER 1
5,100	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,000	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
3,600	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP BB NUMBER 2
5,100	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,000	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,600	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Mill & Overlay approximately 3 miles of SR 7 from Itta Bena to US 82, known as State Project No. MP-2007-42(008) / 306394301 in Leflore County.

PROJECT COMPLETION: 34 Working Days

			Roduway items
460	Square Yard	202-B062	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
150	Cubic Yard	203-G001	Excess Excavation, FM, AH
500	Ton	304-B002	Granular Material, Class 3, Group D
300	Ton	403-A006	19-mm, ST, Asphalt Pavement
4,350	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
49,850	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,750	Gallon	407-A001	Asphalt for Tack Coat
6,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,400	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
6	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
129	Square Feet	626-H004	Thermoplastic Legend, White
1,700	Linear Feet	626-H005	Thermoplastic Legend, White
340	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

ALTERNATE GROUP AA NUMBER 1

350 Ton	304-F001	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NUMBER 2
350 Ton	304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NUMBER 3
350 Ton	304-F003	Size 825B Crushed Stone Base

Mill & Overlay approximately 10 miles of US 51 beginning at the Yalobusha / Panola County Line to Eureka Street, known as State Project No. MP-2051-54(006) / 306393301 in Panola County.

PROJECT COMPLETION: 46 Working Days

			Roadway Items
130	Square Yard 202-B0	07	Removal of Asphalt Pavement, All Depths
952	Square Yard 202-B0	62	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
1,054	Linear Feet 202-B2	40	Removal of Traffic Stripe
182	Cubic Yard 203-G0	01	Excess Excavation, FM, AH
2,200	Ton 304-B0	02	Granular Material, Class 3, Group D
725	Ton 403-A0	06	19-mm, ST, Asphalt Pavement
13,850	Ton 403-A0	15	9.5-mm, ST, Asphalt Pavement
167,300	Square Yard 406-D0	01	Fine Milling of Bituminous Pavement, All Depths
12,550	Gallon 407-A0	01	Asphalt for Tack Coat
63,255	Linear Feet 413-E0	01	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum 618-A0	01	Maintenance of Traffic
1	Square Feet 618-B0	01	Additional Construction Signs
40	Mile 619-A10	01	Temporary Traffic Stripe, Continuous White
25	Mile 619-A20	01	Temporary Traffic Stripe, Continuous Yellow
11	Mile 619-A40	02	Temporary Traffic Stripe, Skip Yellow
7,310	Linear Feet 619-A50	01	Temporary Traffic Stripe, Detail
3,110	Linear Feet 619-A60	02	Temporary Traffic Stripe, Legend
1	Lump Sum 620-A0	01	Mobilization
940	Linear Feet 626-C0	01	6" Thermoplastic Double Drop Edge Stripe, Continuous White
20	Mile 626-C0	04	6" Thermoplastic Edge Stripe, Continuous White
470	Linear Feet 626-D0	02	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Mile 626-D0	03	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile 626-E0	04	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,475	Linear Feet 626-G0	02	Thermoplastic Detail Stripe, White
2,840	Linear Feet 626-G0	03	Thermoplastic Detail Stripe, Yellow

3,110	Linear Feet	626-H005	Thermoplastic Legend, White
1,027	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
105	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
105	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
105	Ton	304-F003	Size 825B Crushed Stone Base

Mill & Overlay approximately 3 miles of SR 178 from the Tennessee State Line to the West Olive Branch City Limits, known as State Project No. MP-2178-17(004) / 306389301 in Desoto County.

PROJECT COMPLETION: 36 Working Days

		Roddwdy Romo
500	Square Yard 202-B188	Removal of Pavement, All Types and Depths
160	Cubic Yard 203-G00	Excess Excavation, FM, AH
386	Ton 304-B002	? Granular Material, Class 3, Group D
330	Ton 403-A005	5 19-mm, MT, Asphalt Pavement
5,850	Ton 403-A014	9.5-mm, MT, Asphalt Pavement
64,525	Square Yard 406-D00	Fine Milling of Bituminous Pavement, All Depths
5,500	Gallon 407-A00	Asphalt for Tack Coat
14,840	Linear Feet 413-E00	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum 618-A00	Maintenance of Traffic
1	Square Feet 618-B00	Additional Construction Signs
12	Mile 619-A100	Temporary Traffic Stripe, Continuous White
5	Mile 619-A200	Temporary Traffic Stripe, Continuous Yellow
5	Mile 619-A4002	? Temporary Traffic Stripe, Skip Yellow
3,190	Linear Feet 619-A500	Temporary Traffic Stripe, Detail
375	Square Feet 619-A600	Temporary Traffic Stripe, Legend
3,180	Linear Feet 619-A6002	? Temporary Traffic Stripe, Legend
1	Lump Sum 620-A00	Mobilization
6	Mile 626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile 626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile 626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,595	Linear Feet 626-G002	? Thermoplastic Detail Stripe, White
1,330	Linear Feet 626-G003	Thermoplastic Detail Stripe, Yellow
187	Square Feet 626-H004	Thermoplastic Legend, White
1,590	Linear Feet 626-H005	5 Thermoplastic Legend, White
28	Each 627-K00	Red-Clear Reflective High Performance Raised Markers

432	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,190	Linear Feet	907-640-A001	Vehicle Loop Assemblies
			ALTERNATE GROUP AA NUMBER 1
160	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
160	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
160	Ton	304-F003	Size 825B Crushed Stone Base

Overlay approximately 12 miles of SR 3 from US 61 to the Yazoo County Line, known as State Project No. MP-3003-75(005) / 306456301 in Warren County.

PROJECT COMPLETION: 57 Working Days

			-
150	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
150	Square Yard	202-B076	Removal of Concrete Pavement, Failed Areas
1,384	Linear Feet	202-B136	Removal of Guard Rail
1,184	Linear Feet	202-B240	Removal of Traffic Stripe
150	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,000	Ton	304-B004	Granular Material, Class 5, Group D
8,275	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
14,500	Gallon	407-A001	Asphalt for Tack Coat
11,000	Ton	411-A001	Ultra Thin Asphalt Pavement
1,764	Square Feet	412-A001	Pre-Grinding
1,150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
13	Each	606-D001	Guard Rail, Bridge End Section
13	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
8	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
9	Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
4,500	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
325	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
22	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,209	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

4,898	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
38	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
652	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
185	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
78	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,132	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
80	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
25	Cubic Yard	304-G001	Size 3/4" and Down Crushed Stone Base, AEA
			ALTERNATE GROUP AA NUMBER 2
25	Cubic Yard	304-G002	Size 610 Crushed Stone Base, AEA
			ALTERNATE GROUP AA NUMBER 3
25	Cubic Yard	304-G003	Size 825B Crushed Stone Base, AEA
			ALTERNATE GROUP BB NUMBER 1
1,054	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
130	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
			ALTERNATE GROUP BB NUMBER 2
1,054	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
130	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 19

Raised Pavement Markers installation on various routes throughout the District, known as State Project No. MP-5000-00(100) / 306449301 in District 5.

PROJECT COMPLETION: OCTOBER 10, 2018

1 Lump Sum	618-A001	Maintenance of Traffic
14,744 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
30,336 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
37,715 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Overlay approximately 6 miles of SR 15 from SR 42 to Jones County Line, & approximately 6 miles of SR 42 from Perry County Line East, & 8 miles from SR 57 West & SR 63 from Neely Road to SR 42, known as State Project Nos. MP-6015-56(007) / 306434301, MP-6042-21(010) / 306434302, & MP-6063-21(017) / 306434303 in Perry & Greene Counties.

PROJECT COMPLETION: 63 Working Days

			Noadway items
8,362	Square Yard 2	02-B188	Removal of Pavement, All Types and Depths
3,100	Linear Feet 2	02-B240	Removal of Traffic Stripe
2,800	Ton 3	804-F003	Size 825B Crushed Stone Base
1,475	Ton 4	03-A005	19-mm, MT, Asphalt Pavement
4,000	Ton 4	03-B011	9.5-mm, MT, Asphalt Pavement, Leveling
13,250	Ton 4	06-A001	Cold Milling of Bituminous Pavement, All Depths
58,900	Gallon 4	07-A001	Asphalt for Tack Coat
18,900	Ton 4	11-A001	Ultra Thin Asphalt Pavement
1	Lump Sum 6	18-A001	Maintenance of Traffic
1	Square Feet 6	18-B001	Additional Construction Signs
57	Mile 61	9-A1001	Temporary Traffic Stripe, Continuous White
27	Mile 61	9-A2001	Temporary Traffic Stripe, Continuous Yellow
23	Mile 61	9-A4002	Temporary Traffic Stripe, Skip Yellow
6,685	Linear Feet 61	9-A5001	Temporary Traffic Stripe, Detail
3,080	Linear Feet 61	9-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 6	20-A001	Mobilization
45	Mile 6	26-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
17	Mile 6	26-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
22	Mile 6	26-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,575	Linear Feet 6	26-G002	Thermoplastic Detail Stripe, White
2,730	Linear Feet 62	26-G003	Thermoplastic Detail Stripe, Yellow
1,450	Linear Feet 6	26-H005	Thermoplastic Legend, White
865	Each 6	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,410	Each 6	327-L001	Two-Way Yellow Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at http://shopmdot.ms.gov at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at http://bidx.com. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online at http://shopmdot.ms.gov at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E. EXECUTIVE DIRECTOR