

**Proposal & Plan Sales Will Begin on June 4, 2018**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For June - June 26, 2018**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JUNE - Tuesday, June 26, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 4, 2018

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 26, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	BR-0006-01(095)/106111302	BOLIVAR
* 02	STP-0008-01(139)/107746301	FORREST
* 03	STP-0014-02(085)/107752301	LAMAR
04	BR-0014-01(058)/106190301	PIKE
05	BR-0060-01(005)/106108301	TUNICA
* 06	IM-0055-04(108) / 107797301 & IM-0055-03(093) / 107797302	YALOBUSHA, PANOLA
07	BR-2904-00(015)/107643301	RANKIN
* 08	STP-9999-01(256)/107711301 & STP-9999-01(255)/107711302	TISHOMINGO, CLAY
* 09	STP-9999-05(033) / 107714301	LAUDERDALE
10	ER-0063-04(006)/106793301	GREENE
11	MP-1025-71(018)/306455301	TISHOMINGO
12	MP-1182-53(003)/306352301 & MP-1182-53(003)/306352302	OKTIBBEHA
* 13	MP-5080-51(023)/306367301	NEWTON
* 14	MP-6053-55(009)/306432301	PEARL RIVER
15	BWO-1195-73(001) / 503075301 & BWO-1197-73(001) / 503075301 & LWO-1031-73(003) / 503075302	UNION



CALL No. 01

Bridge Replacement on SR 32, [Bridge No. 1.6], known as Federal Aid Project No. BR-0006-01(095) / 106111302 in Bolivar County.

PROJECT COMPLETION: MARCH 31, 2019

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1	Lump Sum	202-A001	Removal of Obstructions ,Bridge
54	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
407	Linear Feet	202-B136	Removal of Guard Rail
5	Each	202-B215	Removal of Sign Including Post & Footing
405	Cubic Yard	203-G002	Excess Excavation, LVM, AH
5,490	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
474	Square Yard	216-A001	Solid Sodding
100	Square Yard	217-A001	Ditch Liner
10	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
4	Cubic Yard	221-A001	Concrete Paved Ditch
100	Square Yard	229-A001	Erosion Mat
1,500	Linear Feet	234-A001	Temporary Silt Fence
100	Each	235-A001	Temporary Erosion Checks
100	Linear Feet	237-A002	Wattles, 20"
50	Linear Feet	239-A001	Temporary Slope Drains
100	Linear Feet	245-A001	Silt Dike
100	Linear Feet	246-B002	Rockbags
100	Ton	249-A001	Riprap for Erosion Control
278	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
413	Ton	403-A006	19-mm, ST, Asphalt Pavement
212	Ton	403-A015	9.5-mm, ST, Asphalt Pavement

245	Gallon	407-A001	Asphalt for Tack Coat
68	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
160	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
40	Linear Feet	503-C010	Saw Cut, Full Depth
128	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
52	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
92	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
16	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
225	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1,800	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
900	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
351	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
229	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-F1004	Portable Median Barrier, 60 MPH
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,494	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
780	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
139	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
70	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
153	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
23	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
13	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

43 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
86 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
16 Each	630-F006	Delineators, Guard Rail, White
4 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1 Lump Sum	699-A001	Roadway Construction Stakes

**ALTERNATE GROUP AA NUMBER 1**

5,800 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

5,800 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

5,800 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

55 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
---------------	----------	--

**ALTERNATE GROUP BB NUMBER 2**

55 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
---------------	----------	--

**ALTERNATE GROUP CC NUMBER 1**

240 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-----------------	--------------	--

120 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
-----------------	--------------	---

**ALTERNATE GROUP CC NUMBER 2**

240 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-----------------	----------	---

120 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
-----------------	----------	--

**Bridge Items**

400 Square Yard	501-K001	Transverse Grooving
-----------------	----------	---------------------

1 Each	803-B001	Conventional Static Pile Load Test
--------	----------	------------------------------------

900 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
-----------------	----------	---------------------------------------

845 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
-----------------	----------	---------------------------------------

2 Each	803-I002	PDA Test Pile, Concrete Pile
--------	----------	------------------------------

2 Each	803-J001	Pile Restrike
--------	----------	---------------

51 Cubic Yard	804-A001	Bridge Concrete, Class AA
---------------	----------	---------------------------

110 Cubic Yard	804-A004	Bridge Concrete, Class BD
----------------	----------	---------------------------

1,416 Linear Feet	804-C064	40' Prestressed Concrete Beam, 18" x18"
-------------------	----------	---

28,453 Pounds	805-A001	Reinforcement
---------------	----------	---------------

240 Linear Feet

813-A002 Concrete Railing, 32"

715 Ton

815-A007 Loose Riprap, Size 300

629 Square Yard

815-E001 Geotextile under Riprap

CALL No. 02

Overlay of US 49 from Convention Center Drive to 900' North of Rawls Springs Rd., known as Federal Aid Project No. STP-0008-01(139) / 107746301 in Forrest County.

PROJECT COMPLETION: 44 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

870 Linear Feet	202-B003	Removal of Asphalt Curb
3,000 Linear Feet	202-B240	Removal of Traffic Stripe
200 Ton	304-F003	Size 825B Crushed Stone Base
11,500 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,000 Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
74,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
14,000 Gallon	407-A001	Asphalt for Tack Coat
19,500 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
7 Mile	423-A001	Rumble Strips, Ground In
20 Square Yard	501-A003	9" Reinforced Cement Concrete Pavement, Broom Finish
60 Linear Feet	501-E001	Expansion Joints, Without Dowels
60 Linear Feet	503-C007	Saw Cut, 7-inch
30 Linear Feet	503-C008	Saw Cut, 8-inch
8 Cubic Yard	503-D001	Concrete for Base Repair
30 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
870 Linear Feet	609-B002	Concrete Curb, Header
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
8 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
17 Mile	619-A3001	Temporary Traffic Stripe, Skip White
1 Lump Sum	620-A001	Mobilization
4 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
8 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White



1 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
16,700 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,800 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,950 Square Feet	626-H004	Thermoplastic Legend, White
550 Each	627-C001	Red-Clear Reflective Raised Markers
550 Each	627-D001	Two-Way Yellow Reflective Raised Markers
3 Each	907-626-H002	Thermoplastic Legend, Interstate Shield

CALL No. 03

Overlay of US 98 from Marion County Line to East of Old 24 E, known as Federal Aid Project No. STP-0014-02(085) / 107752301 in Lamar County.

PROJECT COMPLETION: 55 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3,800 Ton	304-F003	Size 825B Crushed Stone Base
18,000 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
12,000 Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
5,500 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
5,000 Gallon	407-A001	Asphalt for Tack Coat
20 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
10 Square Feet	618-B001	Additional Construction Signs
10 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20 Mile	619-A3001	Temporary Traffic Stripe, Skip White
43,700 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,400 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
10 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
10 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
23,300 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
20,400 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,171 Square Feet	626-H004	Thermoplastic Legend, White
1,400 Linear Feet	626-H005	Thermoplastic Legend, White
100 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,600 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,400 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 05

Bridge Replacement on SR 4 between US 61 and SR 3, [Bridge No. 12.1], known as Federal Aid Project No. BR-0060-01(005) / 106108301 in Tunica County.

PROJECT COMPLETION: 150 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
2	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
5,729	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B018	Removal of Box Culvert
548	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
225	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,000	Linear Feet	202-B240	Removal of Traffic Stripe
1,425	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
38,274	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
11,281	Cubic Yard	203-G001	Excess Excavation, FM, AH
281	Cubic Yard	206-A001	Structure Excavation
52	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
14,406	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4	Ton	213-C001	Superphosphate
483	Square Yard	216-A001	Solid Sodding
10	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
5	Cubic Yard	221-A001	Concrete Paved Ditch
7	Acre	223-A001	Mowing
7	Acre	225-A001	Grassing
4	Ton	225-B001	Agricultural Limestone
14	Ton	225-C001	Mulch, Vegetative Mulch
7	Acre	226-A001	Temporary Grassing
5,000	Linear Feet	234-A001	Temporary Silt Fence

2	Each	236-A008	Silt Basin, Type D
30	Linear Feet	237-A002	Wattles, 20"
50	Linear Feet	245-A001	Silt Dike
600	Linear Feet	246-A001	Sandbags
1	Each	247-A001	Temporary Stream Diversion
200	Ton	249-A001	Riprap for Erosion Control
180	Cubic Yard	249-B001	Remove and Reset Riprap
1,341	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
4,430	Ton	304-B002	Granular Material, Class 3, Group D
1,347	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,592	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,355	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
30	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
531	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,196	Gallon	407-A001	Asphalt for Tack Coat
603	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
94	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Mile	423-A001	Rumble Strips, Ground In
202	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
800	Linear Feet	503-C010	Saw Cut, Full Depth
190	Cubic Yard	601-A001	Class "B" Structural Concrete
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
38,715	Pounds	602-A001	Reinforcing Steel
328	Linear Feet	603-ALT003	18" Type A Alternate Pipe
40	Linear Feet	603-ALT006	24" Type A Alternate Pipe
168	Linear Feet	603-ALT009	30" Type A Alternate Pipe
112	Linear Feet	603-ALT011	36" Type A Alternate Pipe
104	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
64	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III

2	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
515	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
104	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
71	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
475	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
534	Square Yard	614-B005	Concrete Driveway, With Reinforcement, 9-inch Thickness
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
18	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
7,859	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
9,630	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,628	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
641	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
110	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
26	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
545	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
240	Linear Feet	619-G4005	Barricades, Type III, Single Faced
111	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,720	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
696	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

19 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
26 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
83 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22 Each	630-F006	Delineators, Guard Rail, White
4 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1 Lump Sum	699-A001	Roadway Construction Stakes
220 Ton	815-A007	Loose Riprap, Size 300
31 Square Yard	815-E001	Geotextile under Riprap
40 Ton	815-F002	Sediment Control Stone
156 Linear Feet	907-253-A001	Coir Fiber Baffle

**ALTERNATE GROUP AA NUMBER 1**

4,857 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

4,857 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

4,857 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

70 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
---------------	----------	--

**ALTERNATE GROUP BB NUMBER 2**

70 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
---------------	----------	--

**Bridge Items**

1,022 Square Yard	501-K001	Transverse Grooving
1 Each	803-B001	Conventional Static Pile Load Test
2,100 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2 Each	803-I002	PDA Test Pile, Concrete Pile
1 Each	803-I004	PDA Test Pile, Steel Pipe Pile
2 Each	803-J001	Pile Restrike
990 Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
115 Cubic Yard	804-A001	Bridge Concrete, Class AA
300 Cubic Yard	804-A004	Bridge Concrete, Class BD
659 Linear Feet	804-C026	110' Prestressed Concrete Beam, Type IV

717 Linear Feet	804-C084 60' Prestressed Concrete Beam, Type II+2
79,302 Pounds	805-A001 Reinforcement
464 Linear Feet	813-A002 Concrete Railing, 32"
408 Ton	815-A007 Loose Riprap, Size 300
426 Square Yard	815-E001 Geotextile under Riprap

CALL No. 06

Fog Seal Approximately 27 miles of I-55 from Cobb Road to 0.4 Miles North of SR 330, known as Federal Aid Project Nos. IM-0055-04(108) & IM-0055-03(093) / 107797301 & 302 in Panola & Yalobusha Counties.

PROJECT COMPLETION: 44 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

22,290	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
55	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
55	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
55	Mile	619-A3001	Temporary Traffic Stripe, Skip White
17,250	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
55	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
55	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
55	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
17,250	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,025	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
118,050	Gallon	907-410-C005	Asphalt for Fog Seal, Grade LD-7 or CHPF-1



CALL No. 07

Bridge Preservation on US 80 near KCS RR, [Bridge No. 56.8A], known as Federal Aid Project No. BR-2904-00(015) / 107643301 in Rankin County.

PROJECT COMPLETION: 28 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
272	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-899-A001	Railway-Highway Provisions

**Bridge Items**

1	Lump Sum	907-824-PP004	Bridge Repair, Per Plans
---	----------	---------------	--------------------------

CALL No. 08

Bridge Joint Repair on US 45 A, [Bridge No. 164.3] and on SR 25, [Bridge No. 215.4], known as Federal Aid Project Nos. STP-9999-01(256) & STP-9999-01(255) / 107711301 & 302 in Clay & Tishomingo Counties.

PROJECT COMPLETION: 132 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

520	Linear Feet	202-B169	Removal of Joint Material
7,890	Linear Feet	202-B240	Removal of Traffic Stripe
232	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1	Lump Sum	618-A001	Maintenance of Traffic
144	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
42	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
26	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1

**ALTERNATE GROUP AA NUMBER 1**

4,010	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,795	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,085	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

4,010	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,795	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,085	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

1,040	Linear Feet	808-A001	Joint Preparation
520	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
280	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,040	Linear Feet	907-823-B001	Saw Cut, Type I
400	Linear Feet	907-823-B002	Saw Cut, Type II
158	Square Feet	907-824-PP003	Bridge Repair, Remove & Replace Concrete Bridge Deck
66	Each	907-824-PP006	Bridge Repair, Cap Cleaning

6	Each	907-824-PP006	Bridge Repair, Finger Joint Cleaning
28	Each	907-824-PP006	Bridge Repair, Scupper Cleaning
79	Linear Feet	907-824-PP008	Bridge Repair, End Wall Removal & Repair

CALL No. 09

Bridge Joint Repair on US 80, [Bridge No. 152.2] and on SR 19. [Bridge No. 21.9], known as Federal Aid Project No. STP-9999-05(033) / 107714301 in Lauderdale County.

PROJECT COMPLETION: 97 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
52	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
592	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
156	Linear Feet	619-G4005	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-899-A001	Railway-Highway Provisions

**Bridge Items**

448	Linear Feet	202-B169	Removal of Joint Material
434	Linear Feet	808-A001	Joint Preparation
434	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
868	Linear Feet	907-823-B001	Saw Cut, Type I
82	Each	907-824-PP006	Bridge Repair, Bearing Replacement
13	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 10

Bridge Preservation on SR 42 at Chickasawhay River, [Bridge No. 107.9], known as Federal Aid Project No. ER-0063-04(006) / 106793301 in Greene County.

PROJECT COMPLETION: 115 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2 Ton	213-C001	Superphosphate
4 Acre	220-A001	Insect Pest Control
4 Acre	223-A001	Mowing
4 Acre	225-A001	Grassing
8 Ton	225-B001	Agricultural Limestone
8 Ton	225-C001	Mulch, Vegetative Mulch
4 Acre	226-A001	Temporary Grassing
3,360 Square Yard	228-A003	Erosion Control Blanket, Type III
4,000 Linear Feet	234-A001	Temporary Silt Fence
2,275 Linear Feet	234-F001	Turbidity Barrier
440 Linear Feet	237-A002	Wattles, 20"
260 Ton	249-A001	Riprap for Erosion Control
5,150 Cubic Yard	304-E005	Granular Material, LVM, Size 57
21 Each	617-A001	Right-of-Way Marker
1 Lump Sum	618-A001	Maintenance of Traffic
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
240 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
2 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	699-A001	Roadway Construction Stakes
9,100 Square Yard	815-E001	Geotextile under Riprap , Type VII, AOS 0.43
24 Station	907-201-C001	Random Clearing and Grubbing , Clearing and Snagging
6 Acre	907-201-C002	Random Clearing and Grubbing , Stream Bank Clearing
6,837 Cubic Yard	907-276-A001	Excavation for Stone Dike and Tiebacks, AEA AH

1,973 Cubic Yard 907-276-B001 Excavation for Stone Revetment, FM, AH

43,100 Ton 907-815-A001 Loose Riprap, Size 300

**ALTERNATE GROUP AA NUMBER 1**

5,150 Cubic Yard 203-EX022 Borrow Excavation, AH, LVM, Class B1

**ALTERNATE GROUP AA NUMBER 2**

5,150 Cubic Yard 203-EX033 Borrow Excavation, AH, LVM, Class B3

CALL No. 11

Mill & Overlay approximately 13 miles of SR 25 from Itawamba County Line to North of Holly Street, known as State Project No. MP-1025-71(018) / 306455301 in Tishomingo County.

PROJECT COMPLETION: 52 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

335	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
612	Linear Feet	202-B240	Removal of Traffic Stripe
225	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,165	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
22,350	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
267,600	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
20,700	Gallon	407-A001	Asphalt for Tack Coat
14	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
49	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
23,215	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,340	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
25	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
620	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
14,835	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,385	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
105	Square Feet	626-H003	Thermoplastic Legend, Blue-ADA
190	Square Feet	626-H004	Thermoplastic Legend, White
7,120	Linear Feet	626-H005	Thermoplastic Legend, White

1,800	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
20	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,840	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

335	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

335	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

335	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

**ALTERNATE GROUP BB NUMBER 1**

306	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-----	-------------	--------------	--

306	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
-----	-------------	--------------	---

**ALTERNATE GROUP BB NUMBER 2**

306	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-----	-------------	----------	---

306	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
-----	-------------	----------	--



CALL No. 12

Mill & Overlay approximately 7 miles of SR 182 from US 82 to SR 25 and from SR 12 to US 82, known as State Project No. MP-1182-53(003) / 306352301 & 302 in Oktibbeha County.

PROJECT COMPLETION: 121 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,100	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
817	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
252	Square Yard	202-B062	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
128	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
2	Each	202-B165	Removal of Inlets, All Sizes
62	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,400	Linear Feet	202-B240	Removal of Traffic Stripe
7,778	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
2,650	Cubic Yard	203-G002	Excess Excavation, LVM, AH
37	Cubic Yard	206-A001	Structure Excavation
6,232	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5,118	Square Yard	216-A001	Solid Sodding
1,150	Square Yard	217-A001	Ditch Liner
103	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
110	Cubic Yard	221-A001	Concrete Paved Ditch
200	Linear Feet	234-A001	Temporary Silt Fence
100	Linear Feet	237-A002	Wattles, 20"
3,320	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
2,245	Ton	403-A005	19-mm, MT, Asphalt Pavement
600	Ton	403-A006	19-mm, ST, Asphalt Pavement
6,219	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
13,500	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
197,700	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
10,942	Gallon	407-A001	Asphalt for Tack Coat

2,757	Linear Feet	503-C010	Saw Cut, Full Depth
7	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
392	Pounds	602-A001	Reinforcing Steel
56	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
16	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
16	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
1	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
500	Pounds	604-B001	Gratings
107	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
87	Linear Feet	609-C001	Concrete Integral Curb, Type 1
931	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
397	Square Yard	614-B001	Concrete Driveway, With Reinforcement
100	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
33	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A3001	Temporary Traffic Stripe, Skip White
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
46,457	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
222	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,618	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
12	Each	619-D3001	Remove and Reset Signs, All Sizes
1	Lump Sum	620-A001	Mobilization
7	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,674	Linear Feet	626-B003	6" Thermoplastic Traffic Stripe, Continuous White
17	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White

5 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2,310 Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
8 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
26,681 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
11,476 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
456 Square Feet	626-H004	Thermoplastic Legend, White
2,218 Linear Feet	626-H005	Thermoplastic Legend, White
250 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,044 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,582 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
9 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
4 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
18 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
5 Each	630-F006	Delineators, Guard Rail, White
15 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
12 Each	635-A059	Traffic Signal Head, Type 1
4 Each	635-A065	Traffic Signal Head, Type 2 FYA
2 Each	635-A070	Traffic Signal Head, Type 3
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2 Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
2 Each	907-632-J001	Power Service Pedestal
2 Each	907-634-A107	Traffic Signal Equipment Pole, Type II, 22' Shaft, 40' Arm
1 Each	907-634-A108	Traffic Signal Equipment Pole, Type II, 22' Shaft, 45' Arm
1 Each	907-634-A113	Traffic Signal Equipment Pole, Type II, 22' Shaft, 70' Arm
1 Each	907-634-A116	Traffic Signal Equipment Pole, Type II, 22' Shaft, 85' Arm
1 Each	907-634-A128	Traffic Signal Equipment Pole, Type II, 30' Shaft, 55' Arm
1 Each	907-634-A132	Traffic Signal Equipment Pole, Type II, 30' Shaft, 75' Arm
1 Each	907-634-B002	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount

24	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1,384	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
159	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
501	Linear Feet	907-636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
8	Each	907-637-A002	Pullbox Enclosure, Type 2
2	Each	907-637-A003	Pullbox Enclosure, Type 3
147	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
58	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
972	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
7	Each	907-639-B001	Type 1 Optical Detector
1,723	Linear Feet	907-639-C001	Type 1 Optical Detector Cable
2	Each	907-639-D001	Multimode Phase Selector
7	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
2,570	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
50	Square Feet	907-653-B001	Street Name Sign
3	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
2	Each	907-663-A001	Network Switch, Type A
1,255	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
<b>ALTERNATE GROUP AA NUMBER 1</b>			
2,028	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>			
2,028	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>			
2,028	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
<b>ALTERNATE GROUP BB NUMBER 1</b>			
280	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,300	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,640	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

44	Linear Feet	907-624-E001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
480	Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

**ALTERNATE GROUP BB NUMBER 2**

280	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,300	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,640	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
44	Linear Feet	628-K001	High Performance Cold Plastic Detail Stripe, White
480	Linear Feet	628-K002	High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 13

Mill & Overlay approximately 10 miles of US 80 from Scott County Line to Scanlan Street, known as State Project No. MP-5080-51(023) / 306367301 in Newton County.

PROJECT COMPLETION: 120 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,618	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
292	Linear Feet	202-B014	Removal of Bituminous Curb
4,946	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,900	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,324	Linear Feet	202-B240	Removal of Traffic Stripe
1,094	Cubic Yard	203-G002	Excess Excavation, LVM, AH
50	Cubic Yard	305-B002	Size I Stabilizer Aggregate, Coarse
25,346	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
4,430	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
450	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
187,641	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
26,898	Gallon	407-A001	Asphalt for Tack Coat
29,062	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
9	Mile	423-A001	Rumble Strips, Ground In
92	Linear Feet	501-E001	Expansion Joints, Without Dowels
8,819	Linear Feet	503-C010	Saw Cut, Full Depth
700	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
450	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
25	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D009	Guard Rail, Bridge End Section, Type C
2	Each	606-D015	Guard Rail, Bridge End Section, Type F
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
6	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
283	Linear Feet	609-E001	Bituminous Curb

1	Lump Sum	618-A001	Maintenance of Traffic
57	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
83,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,780	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
716	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
336	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
19	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
12,400	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
15,500	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
538	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,780	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
574	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,158	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
83	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
62	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
99	Ton	815-A007	Loose Riprap, Size 300
135	Square Yard	815-E001	Geotextile under Riprap
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions
<b>ALTERNATE GROUP AA NUMBER 1</b>			
3,867	Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
3,867	Ton	304-F002	Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

3,867 Ton

304-F003 Size 825B Crushed Stone Base



CALL No. 14

Overlay Approximately 1.9 miles of SR 53 from I-59 to SR 26, known as State Project No. MP-6053-55(009) / 306432301 in Pearl River County.

PROJECT COMPLETION: 19 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

870 Ton	304-F003	Size 825B Crushed Stone Base
3,300 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
475 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,600 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
1,419 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
3,660 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
8 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
372 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1 Lump Sum	620-A001	Mobilization
4 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,400 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
950 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
800 Square Feet	626-H004	Thermoplastic Legend, White
750 Linear Feet	626-H005	Thermoplastic Legend, White
320 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
363 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
775 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 15

Construction of New Albany Headquarters Building, Equipment Shed, and Site Improvements, known as State Project Nos. BWO-1195-73(001), BWO-1197-73(001), & LWO-1031-73(003) / 5030753010, 3011, & 3020 in Union County.

PROJECT COMPLETION: AUGUST 30, 2019

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
2	Each	202-B125	Removal of Fence Gate, All Types, All Sizes
453	Linear Feet	202-B126	Removal of Fence, All Types
138	Linear Feet	202-B191	Removal of Pipe, 8" And Above
500	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
2,200	Cubic Yard	203-G001	Excess Excavation, FM, AH
300	Cubic Yard	206-A001	Structure Excavation
10,426	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
95	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
555	Square Yard	216-B001	Solid Sodding, Bermuda
15	Thousand Gallon	219-A001	Watering
12	Cubic Yard	221-A001	Concrete Paved Ditch
430	Linear Feet	234-A001	Temporary Silt Fence
14	Each	234-D001	Inlet Siltation Guard
350	Linear Feet	237-A001	Wattles, 12"
160	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
200	Ton	403-A006	19-mm, ST, Asphalt Pavement
60	Gallon	407-A001	Asphalt for Tack Coat
186	Square Yard	501-B005	8" Plain Cement Concrete Pavement, Broom Finish
18	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,621	Pounds	602-A001	Reinforcing Steel
354	Linear Feet	603-CA003	15" Reinforced Concrete Pipe, Class III
54	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
3,416	Pounds	604-A001	Castings
2,800	Pounds	604-B001	Gratings

65	Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
449	Linear Feet	605-P007	8" Non-Perforated Sewer Pipe for Underdrains, SDR 26
344	Linear Feet	607-B026	72" Type I Chain Link Fence, Class I , With Top Guard
2	Each	607-G125	Gate, 24' x 6' Double Chain Link w/ Top Guard
28	Each	607-P1018	Line Post, 9' x 2" Galvanized Steel
9	Each	607-P2013	Brace Post, 10' x 2 1/2" Galvanized Steel
4	Each	607-P3009	Gate Post, 9' x 3 1/2" Galvanized Steel
128	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
291	Linear Feet	609-B002	Concrete Curb, Header
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
270	Linear Feet	625-E001	Detail Traffic Stripe
1	Lump Sum	699-A001	Roadway Construction Stakes
2	Each	907-258-N001	Car Stop
1	Each	907-290-A001	Flagpole
84	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
14	Square Feet	907-625-F003	Legend, Blue-ADA
1	Each	907-630-PP003	Handicap Parking Sign, With Post

**ALTERNATE GROUP AA NUMBER 1**

4,700	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

4,700	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

4,700	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

**Building Items**

1	Lump Sum	907-242-A001	Construction of Equipment Shed
1	Lump Sum	907-242-A001	Construction of Shop Building

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR