

Proposal & Plan Sales Will Begin on July 2, 2018



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For July - July 24, 2018

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 24, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 2, 2018

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 24, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
*	01 BR-0008-01(142)/107808301	HARRISON
	02 BR-0022-02(067)/107640301	NEWTON
	03 NH-0055-02(248)/102315302	MADISON
	04 IM-0055-03(091)/107300301	CARROLL
	05 STP-0056-01(078)/104101303	RANKIN
*	06 BR-1681-00(021)/107815301	MADISON
*	07 HSIP-9999-01(254)/107530301	DISTRICT 1
*	08 STP-9999-06(030)/107715301	DISTRICT 6
	09 STP-9999-07(014)/107716301	DISTRICT 7
*	10 MP-3049-67(016)/306478301	SUNFLOWER
*	11 MP-5013-61(003)/306440301	RANKIN
*	12 MP-6000-00(286)/306509301	DISTRICT 6

CALL No. 01

Bridge Painting on US 49 at Big Biloxi River (Bridge No. 13.8B), known as Federal Aid Project No. BR-0008-01(142) / 107808301 in Harrison County.

PROJECT COMPLETION: JANUARY 25, 2019

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

330	Linear Feet	202-B169	Removal of Joint Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

660	Linear Feet	808-A001	Joint Preparation
330	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
660	Linear Feet	907-823-B001	Saw Cut, Type I
15	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 02

Bridge Repair on SR 15 over Potter Chitto Creek (Bridge No. 135.2), known as Federal Aid Project No. BR-0022-02(067) / 107640301 in Newton County.

PROJECT COMPLETION: 112 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

67	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
566	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
770	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
30	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
875	Linear Feet	234-A001	Temporary Silt Fence
875	Linear Feet	237-A002	Wattles, 20"
15	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
19	Ton	403-A005	19-mm, MT, Asphalt Pavement
74	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
20	Square Yard	404-A003	2" Cold Bituminous Pavement, Type Surface
835	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
56	Gallon	407-A001	Asphalt for Tack Coat
93	Linear Feet	503-C010	Saw Cut, Full Depth
350	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
432	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
216	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
108	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
232	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced

2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,112	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
448	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
216	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
14	Each	627-D001	Two-Way Yellow Reflective Raised Markers
22	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes

Bridge Items

48	Linear Feet	503-C001	Saw Cut, 1-inch
11	Cubic Yard	804-A009	Bridge Concrete, Substructure, Class AA
3,069	Pounds	805-A001	Reinforcement
1,309	Linear Feet	808-A001	Joint Preparation
6,018	Ton	815-A007	Loose Riprap, Size 300
3,439	Square Yard	815-E001	Geotextile under Riprap
264	Pounds	907-420-A001	Undersealing
616	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,232	Linear Feet	907-823-B001	Saw Cut, Type I
13,090	Square Feet	907-824-PP003	Bridge Repair, Bridge Deck Crack Sealing, Per Plans
175	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Slab Span Setting, Per Plans
34	Each	907-824-PP006	Bridge Repair, Install Bearings, Per Plans
340	Each	907-824-PP006	Bridge Repair, Longitudinal Restrainer Assembly, Per Plans*
20	Linear Feet	907-824-PP008	Bridge Repair, Removal of End Post, Per Plans

CALL No. 03

Widen, Mill & Overlay I-55 NB and Bridge Widening over I-220 Ramp (Bridge No. 103.1B), known as Federal Aid Project No. NH-0055-02(248) / 102315302 in Madison County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
58	Square Yard	202-B029	Removal of Bridge End Pavement
410	Square Yard	202-B063	Removal of Concrete Paved Ditch
131	Square Yard	202-B083	Removal of Concrete Slope Paving
3,515	Linear Feet	202-B124	Removal of Electrical Conductors
1,782	Linear Feet	202-B136	Removal of Guard Rail
1	Each	202-B163	Removal of Inlet Tops
1	Each	202-B176	Removal of Lighting Controllers
3	Each	202-B185	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
9,083	Square Yard	202-B188	Removal of Pavement, All Types and Depths
13	Linear Feet	202-B191	Removal of Pipe, 8" And Above
5	Each	202-B195	Removal of Pull Box
2	Each	202-B215	Removal of Sign Including Post & Footing
9,083	Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
6,295	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
14,915	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
36,206	Cubic Yard	203-G001	Excess Excavation, FM, AH
805	Square Yard	203-I002	Site Grading
71	Cubic Yard	206-A001	Structure Excavation
23,000	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5	Ton	213-C001	Superphosphate
907	Square Yard	216-A001	Solid Sodding
968	Thousand Gallon	219-A001	Watering
5	Acre	220-A001	Insect Pest Control
293	Cubic Yard	221-A001	Concrete Paved Ditch

216 Acre	223-A001 Mowing
10 Acre	225-A001 Grassing
5 Ton	225-B001 Agricultural Limestone
20 Ton	225-C001 Mulch, Vegetative Mulch
10 Acre	226-A001 Temporary Grassing
14,500 Linear Feet	234-A001 Temporary Silt Fence
1 Each	234-D001 Inlet Siltation Guard
427 Linear Feet	237-A002 Wattles, 20"
250 Each	246-B001 Rockbags
100 Ton	249-A001 Riprap for Erosion Control
2,869 Ton	402-A002 Open Graded Friction Course, 9.5-mm Mixture
4,742 Gallon	402-B001 Bituminous Tack Coat
1,643 Ton	403-A001 12.5-mm, HT, Asphalt Pavement
1,988 Ton	403-A003 12.5-mm, ST, Asphalt Pavement
2,301 Ton	403-A004 19-mm, HT, Asphalt Pavement
5,085 Ton	403-A006 19-mm, ST, Asphalt Pavement
1,323 Ton	403-A015 9.5-mm, ST, Asphalt Pavement
375 Ton	403-B010 9.5-mm, HT, Asphalt Pavement, Leveling
1,689 Ton	403-B012 9.5-mm, ST, Asphalt Pavement, Leveling
1,643 Ton	405-A001 Stone Matrix Asphalt, 12.5 mm Mixture
3,827 Ton	405-A002 Stone Matrix Asphalt, 9.5 mm Mixture
89,086 Square Yard	406-D001 Fine Milling of Bituminous Pavement, All Depths
8,870 Gallon	407-A001 Asphalt for Tack Coat
256 Square Yard	409-A003 Geotextile Fabric For Underseal, Type V
60 Linear Feet	413-E001 Sawing and Sealing Transverse Joints in Asphalt Pavement
4 Mile	423-A001 Rumble Strips, Ground In
104 Square Yard	502-A001 Reinforced Cement Concrete Bridge End Pavement
6,665 Linear Feet	503-C010 Saw Cut, Full Depth
85 Cubic Yard	601-A001 Class "B" Structural Concrete
4 Cubic Yard	601-B001 Class "B" Structural Concrete, Minor Structures

8,122 Pounds	602-A001	Reinforcing Steel
64 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
280 Linear Feet	603-CA053	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
3 Each	603-CB003	18" Reinforced Concrete End Section
2 Each	603-CB005	30" Reinforced Concrete End Section
24 Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
1 Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
250 Pounds	604-B001	Gratings
47 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
88 Linear Feet	605-T001	4" Perforated Pipe for Underdrains
47 Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
3 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
2,194 Linear Feet	606-B001	Guard Rail, Class A, Type 1
6 Each	606-C003	Guard Rail, Cable Anchor, Type 1
2 Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
2 Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
10 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
10 Linear Feet	615-A001	Concrete Bridge End Barrier, 32"
454 Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
1 Lump Sum	618-A001	Maintenance of Traffic
16 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
12 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
12 Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
8,500 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
409 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
110 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
992 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3 Each	619-D3001	Remove and Reset Signs, All Sizes
1 Each	619-E1001	Flashing Arrow Panel, Type C

10,520	Linear Feet	619-F1001	Concrete Median Barrier, Precast
725	Linear Feet	619-F1004	Portable Median Barrier, 60 MPH
3,446	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
20	Linear Feet	619-G4005	Barricades, Type III, Single Faced
74	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-J1004	Impact Attenuator, 60 MPH
4	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
5	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,887	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,093	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
32	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,202	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
70	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
39	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
21	Each	630-F006	Delineators, Guard Rail, White
66	Each	630-F007	Delineators, Guard Rail, Yellow
3	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	630-I015	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Lump Sum	630-I022	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
945	Linear Feet	682-A005	Underground Branch Circuit, AWG 1/0, 3 Conductor
1,040	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
1,095	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
180	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor

535	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
150	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
85	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
13	Each	682-D003	Underground Pull Box
1	Each	682-F001	Secondary Power Controller
1	Lump Sum	699-A001	Roadway Construction Stakes
7	Ton	815-A002	Loose Riprap, Size 100
100	Ton	815-F002	Sediment Control Stone
400	Pounds	907-250-A001	Polyacrylamide (PAM)
2	Each	907-619-E3001	Changeable Message Sign
4	Mile	907-626-U003	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
5	Mile	907-626-V003	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
4	Mile	907-626-X003	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
1,750	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
21	Each	907-630-O004	Remove and Reset Sign, All Sizes
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

2,970	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,970	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,970	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

Bridge Items

194	Linear Feet	202-B169	Removal of Joint Material
1,160	Square Feet	802-C001	Temporary Steel Sheet Piling
144	Linear Feet	803-K003	Drilled Shaft, 30" Diameter
185	Linear Feet	803-K006	Drilled Shaft, 48" Diameter
55	Linear Feet	803-M005	Trial Shaft, 48" Diameter
100	Linear Feet	803-N001	Exploration
91	Cubic Yard	804-A001	Bridge Concrete, Class AA
176	Cubic Yard	804-A004	Bridge Concrete, Class BD

77,850 Pounds	805-A001 Reinforcement
194 Linear Feet	808-A001 Joint Preparation
321,597 Pounds	810-A006 Structural Steel, A 709, Grade 50
391 Linear Feet	813-A002 Concrete Railing, 32"
145 Cubic Yard	815-D001 Concrete Slope Paving
97 Linear Feet	907-823-A002 Preformed Joint Seal, Type II
194 Linear Feet	907-823-B002 Saw Cut, Type II

CALL No. 04

Shoulder Rehabilitation on I-55 from Holmes County Line to 0.5 miles South of SR 35, known as Federal Aid Project No. IM-0055-03(091) / 107300301 in Carroll County.

PROJECT COMPLETION: 72 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

538	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
168	Square Yard	202-B070	Removal of Concrete Pavement, 10" Depth
2	Each	202-B175	Removal of Lighting Assembly
22	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
175,000	Linear Feet	202-B240	Removal of Traffic Stripe
2,935	Linear Feet	202-B251	Removal of Underground Electric Wire
7,850	Ton	304-B002	Granular Material, Class 3, Group D
989	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,489	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
130,000	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
298	Linear Feet	413-C001	Cleaning and Sealing Cracks
29	Mile	423-A001	Rumble Strips, Ground In
48	Linear Feet	501-D001	Expansion Joints, With Dowels
1,800	Linear Feet	503-C010	Saw Cut, Full Depth
45	Cubic Yard	503-D001	Concrete for Base Repair
453	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
48	Each	503-F001	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
100	Cubic Feet	510-A001	Graded Aggregate
100	Gallon	510-B001	Resin
1	Lump Sum	618-A001	Maintenance of Traffic
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
232	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
100	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization

15 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
16 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
150 Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
1,625 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,115 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,528 Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
1,524 Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
90 Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
16 Each	682-D004	Underground Pull Box With Concrete Pad
14 Each	683-B196	Lighting Assembly, Low Mast, LED, Type 30-1-12-274
14 Cubic Yard	684-A003	Pole Foundation, 24" Diameter
10 Linear Feet	684-B003	Slip Casing, 24" Diameter
2 Each	907-259-PP001	Lighting Assembly, Flag Pole Lighting, Per Plans
5,000 Pounds	907-515-A001	Fiber Reinforced Polymer Patching Material
2 Each	907-619-E3001	Changeable Message Sign
2 Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
11 Each	907-683-H1005	Renovation of Low Mast Lighting Assembly, Type 20-1-0-97

CALL No. 05

Construction of New Frontage Road on SR 25 between Dogwood Festival and Dogwood Place, known as Federal Aid Project No. STP-0056-01(078) / 104101303 in Rankin County.

PROJECT COMPLETION: 99 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
253	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
10	Square Yard	202-B063	Removal of Concrete Paved Ditch
60	Linear Feet	202-B092	Removal of Curb, All Types
70	Linear Feet	202-B191	Removal of Pipe, 8" And Above
6,053	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
74,510	Cubic Yard	203-G001	Excess Excavation, FM, AH
513	Cubic Yard	206-A001	Structure Excavation
2,314	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
152	Square Yard	216-A001	Solid Sodding
290	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
86	Cubic Yard	221-A001	Concrete Paved Ditch
6	Acre	223-A001	Mowing
3	Acre	225-A001	Grassing
3	Ton	225-B001	Agricultural Limestone
6	Ton	225-C001	Mulch, Vegetative Mulch
3	Acre	226-A001	Temporary Grassing
7	Each	230-A136	Shrub Planting, Ornamental Lemon Grass
13	Each	230-A137	Shrub Planting, Indica Azalea
6	Each	230-B023	Tree Planting, Crape Myrtle 'Natchez'
5	Each	230-B048	Tree Planting, Leyland Cypress
5	Each	230-B077	Tree Planting, Southern Red Oak

15	Cubic Yard	233-C005	Straw Mulch, Class II
3,000	Linear Feet	234-A001	Temporary Silt Fence
2	Each	236-A008	Silt Basin, Type D
2,000	Linear Feet	237-A002	Wattles, 20"
500	Linear Feet	245-A001	Silt Dike
500	Each	246-B001	Rockbags
500	Ton	249-A001	Riprap for Erosion Control
150	Ton	304-B005	Granular Material, Class 5, Group E
270	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
162	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
1,410	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
100	Gallon	407-A001	Asphalt for Tack Coat
400	Linear Feet	503-C010	Saw Cut, Full Depth
5	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
247	Pounds	602-A001	Reinforcing Steel
440	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
6	Each	603-CB004	24" Reinforced Concrete End Section
500	Pounds	604-B001	Gratings
152	Square Yard	605-AA002	Geotextile for Subsurface Drainage, Type V
200	Linear Feet	605-T001	4" Perforated Pipe for Underdrains
100	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
13	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
14	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
189	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 1 Modified
348	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
515	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
7	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
321	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
355	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow

90	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
275	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
54	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
90	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,158	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,879	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
160	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
13	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
12	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
64	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
297	Ton	815-A007	Loose Riprap, Size 300
59	Ton	815-F002	Sediment Control Stone
72	Linear Feet	907-253-A001	Coir Fiber Baffle

ALTERNATE GROUP AA NUMBER 1

750	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

750	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

750	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 06

Bridge Painting on US 51 at Big Black River (Bridge No. 39.4), known as Federal Aid Project No. BR-1681-00(021) / 107815301 in Madison County.

PROJECT COMPLETION: 93 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Acre	201-D002	Random Clearing
1,170	Linear Feet	202-B169	Removal of Joint Material
1	Lump Sum	618-A001	Maintenance of Traffic
26	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
232	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
54	Linear Feet	619-G4005	Barricades, Type III, Single Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization

Bridge Items

2,340	Linear Feet	808-A001	Joint Preparation
1,170	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,340	Linear Feet	907-823-B001	Saw Cut, Type I
10	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
3	Each	907-824-PP006	Bridge Repair, Beam Repairs
8	Each	907-824-PP006	Bridge Repair, Bearing Repalcements
51	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 07

Installation of Intersection Conflict Warning Systems at numerous intersections across the District, known as Federal Aid Project No. HSIP-9999-01(254) / 107530301 in District 1.

PROJECT COMPLETION: 110 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

85	Each	202-B215	Removal of Sign Including Post & Footing
12,384	Linear Feet	202-B240	Removal of Traffic Stripe
8	Cubic Yard	601-A001	Class "B" Structural Concrete
58	Pounds	602-A001	Reinforcing Steel
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5,811	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
5,681	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,000	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
1,000	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
215	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
208	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
69	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2,480	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
4,886	Linear Feet	626-B003	6" Thermoplastic Traffic Stripe, Continuous White
10,400	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
860	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
18,702	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,695	Linear Feet	626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
10,928	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,609	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
694	Square Feet	626-H004	Thermoplastic Legend, White
1,144	Linear Feet	626-H005	Thermoplastic Legend, White
20	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

68	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
471	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
190	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
381	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
61	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
702	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
120	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
118	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
443	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
96	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
109	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
390	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
4	Each	638-A002	Flashing Assembly, Advanced Warning
7	Each	638-A004	Flasher Assembly, ICWS, Watch For Traffic
18	Each	638-A005	Flasher Assembly, ICWS, Watch For Entering Traffic
3	Each	660-A003	Equipment Cabinet, Type B
330	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
10	Each	907-630-O001	Remove and Reset Sign Assembly
1	Each	907-632-A001	Solid State Traffic Cabinet Assembly, Type I Cabinet, Type 1 Controller
4	Each	907-632-J001	Power Service Pedestal
2	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
11	Each	907-634-F004	Detector Pole with Foundation, 25' Pole
7,670	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
450	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
39	Each	907-637-A002	Pullbox Enclosure, Type 2
4	Each	907-637-A003	Pullbox Enclosure, Type 3
6,460	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
1,626	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
9	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
6	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2

6,235 Linear Feet 907-641-D001 Radar Vehicle Detection Cable

ALTERNATE GROUP AA NUMBER 1

889 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,634 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
50 Linear Feet 907-624-E001 Inverted Profile Thermoplastic Detail Traffic Stripe, White
533 Linear Feet 907-624-E003 Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP AA NUMBER 2

889 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,634 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
50 Linear Feet 628-K001 High Performance Cold Plastic Detail Stripe, White
533 Linear Feet 628-K002 High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 08

Bridge Joint Repairs at various locations throughout the District, known as Federal Aid Project No. STP-9999-06(030) / 107715301 in District 6.

PROJECT COMPLETION: JANUARY 31, 2019

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

344	Linear Feet	202-B169	Removal of Joint Material
220	Gallon	413-A001	Joint Sealer Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

22,664	Linear Feet	808-A001	Joint Preparation
7,560	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
3,348	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
15,600	Linear Feet	907-823-B001	Saw Cut, Type I
6,960	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 09

Bridge Joint Repairs at various locations throughout the District, known as Federal Aid Project No. STP-9999-07(014) / 107716301 in District 7.

PROJECT COMPLETION: 111 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,452	Linear Feet	202-B169	Removal of Joint Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

10,054	Linear Feet	808-A001	Joint Preparation
5,027	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
10,054	Linear Feet	907-823-B001	Saw Cut, Type I
94	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 10

Overlay approximately 7 miles of US 49 W from South of Ruleville to North of Drew, known as State Project No. MP-3049-67(016) / 306478301 in Sunflower County.

PROJECT COMPLETION: 68 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

697	Square Yard	202-B188	Removal of Pavement, All Types and Depths
233	Cubic Yard	203-G001	Excess Excavation, FM, AH
6,977	Ton	304-B005	Granular Material, Class 5, Group E
461	Ton	403-A005	19-mm, MT, Asphalt Pavement
12,540	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
3,000	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
17,090	Gallon	407-A001	Asphalt for Tack Coat
36,960	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
9	Mile	423-A001	Rumble Strips, Ground In
3	Each	613-D005	Adjustment of Manhole
1	Each	613-D011	Adjustment of Water Valve
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
7	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
9	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,424	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint White
5,226	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint Yellow
1,691	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
4,640	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

7 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
11,424 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,226 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,691 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
4,640 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
634 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
152 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,403 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

424 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

424 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

424 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 11

Mill & Overlay approximately 3 miles of SR 13 from the Simpson County Line to SR 18, known as State Project No. MP-5013-61(003) / 306440301 in Rankin County.

PROJECT COMPLETION: 33 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,560 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
1,200 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
520 Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,268 Ton	304-D002	Granular Material, Crushed Stone
100 Cubic Yard	305-B002	Size I Stabilizer Aggregate, Coarse
5,262 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,054 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
45,140 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,250 Gallon	407-A001	Asphalt for Tack Coat
5 Mile	423-A001	Rumble Strips, Ground In
700 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8 Each	606-D005	Guard Rail, Bridge End Section, Type A
8 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
8 Each	606-G003	Special Sections, Special Design Bridge Connector
1 Lump Sum	618-A001	Maintenance of Traffic
17 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
623 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
480 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
234 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
132 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
40 Each	619-F3001	Delineators, Guard Rail, White
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
1 Lump Sum	620-A001	Mobilization

6 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
377 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
126 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
240 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
80 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
348 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 12

Installation of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-6000-00(286) / 306509301 in District 6.

PROJECT COMPLETION: 39 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
15,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
33,575	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
16,725	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR