

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>1</u>	DATED <u>8/20/2018</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. <u>2</u>	DATED <u>8/21/2018</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

Number	Description
1	Revised NTB Nos. 2, & 1002; Revised Bid Items; Revised or Added Plan Sheet Nos. 2,10-11, & 40; Amendment EBS Download Required.
2	Revised Table of Contents; Add NTB No. 1004; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 2
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.
HSIP-0015-01(121)/ 106699301000
Lincoln County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

PROJECT: HSIP-0015-01(121)/106699301 - Lincoln

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#5	Storm Water Discharge Associated with Construction Activities (≥ 1 and < 5 Acres)
#7	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#9	Federal Bridge Formula
#10	DUNS Requirement for Federal Funded Projects
#12	MASH Compliant Devices
#113	Tack Coat
#114	Right-of-Way Plat
#296	Reduced Speed Limit Signs
#445	Mississippi Agent and Qualified Nonresident Agent
#516	Errata and Modifications to the 2017 Standard Specifications
#757	Additional Erosion Control Requirements
#1001	Contract Time
#1002	Specialty Items
#1003	Additional Construction Requirements
#1004	Plan Corrections
906	Required Federal Contract Provisions -- FHWA 1273, w/Supplements

Section 907 - Special Provisions

907-102-2	Bidding Requirements and Conditions
907-103-2	Award and Execution of Contract
907-107-2	Contractor's Erosion Control Plan
907-631-1	Traffic Signal Systems - General
907-632-1	Traffic Signal Cabinet Assemblies
907-634-1	Traffic Signal and ITS Equipment Poles
907-636-2	Electrical Cable
907-637-2	Traffic Signal Conduit and Pull Boxes
907-641-1	Radar Vehicle Detection
907-653-1	Traffic and Street Name Signs
907-663-3	Networking Equipment
907-722-1	Materials for Traffic Signal Installation

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and DUNS Number

PROJECT: HSIP-0015-01(121)/106699301 - Lincoln

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

08/21/2018 03:09 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 1004

CODE: (SP)

DATE: 08/21/2018

SUBJECT: Plan Corrections

PROJECT: HSIP-0015-01(121) / 106699301 – Lincoln County

The Bidder's attention is called to the Summary of Quantities in the Contract Plans. Pay Item 907-634-A104, Traffic Signal Equipment Pole, Type II, 22' Shaft, 25' Arm, is in error. The correct Pay Item is 907-634-A108, Traffic Signal Equipment Pole, Type II, 22' Shaft, 45' Arm. The Bid Sheets in the Proposal are correct.

The Bidder's attention is called to the Pole Schedule Table shown on Working Number TSI-1, Sheet Number 2001 of the plans. For Pole No. B, the Mast Arm Length of 25' is in error. The Mast Arm Length is 45'.

Intersection Improvements on US 84 at Auburn Road, known as Federal Aid Project No. HSIP-0015-01(121) / 106699301 in Lincoln County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		1	Acre	Clearing and Grubbing
0030	202-B007		9,514	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B050		753	Linear Feet	Removal of Concrete Combination Curb & Gutter
0050	202-B052		1,493	Square Yard	Removal of Concrete Driveways, All Depths
0060	202-B059		237	Square Yard	Removal of Concrete Median & Island Pavement, All Depths
0070	202-B063		17	Square Yard	Removal of Concrete Paved Ditch
0080	202-B165		3	Each	Removal of Inlets, All Sizes
0090	202-B191		60	Linear Feet	Removal of Pipe, 8" And Above
0100	202-B215		18	Each	Removal of Sign Including Post & Footing
0110	203-A001	(E)	6,121	Cubic Yard	Unclassified Excavation, FM, AH
0120	203-EX020	(E)	3,080	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0130	206-A001	(S)	328	Cubic Yard	Structure Excavation
0140	209-A005		34,824	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0150	216-A001		11,664	Square Yard	Solid Sodding
0160	217-A001		249	Square Yard	Ditch Liner
0170	219-A001		243	Thousand Gallon	Watering [\$20.00]
0180	221-A001	(S)	25	Cubic Yard	Concrete Paved Ditch
0190	224-A001		84	Square Yard	Soil Reinforcing Mat
0200	226-A001		3	Acre	Temporary Grassing
0210	234-A001		5,000	Linear Feet	Temporary Silt Fence
0220	234-D001		2	Each	Inlet Siltation Guard
0230	234-E001		2	Each	Reset Inlet Siltation Guard
0240	237-A002		487	Linear Feet	Wattles, 20"
0250	245-A001		100	Linear Feet	Silt Dike
0260	246-B001		600	Each	Rockbags
0270	249-A001		100	Ton	Riprap for Erosion Control
0280	304-A007	(GY)	1,358	Cubic Yard	Granular Material, LVM, Class 6, Group C
0290	403-A005	(BA1)	5,471	Ton	19-mm, MT, Asphalt Pavement
0300	403-A014	(BA1)	2,511	Ton	9.5-mm, MT, Asphalt Pavement
0310	403-B005	(BA1)	124	Ton	19-mm, MT, Asphalt Pavement, Leveling
0320	406-D001		14,392	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0330	407-A001	(A2)	2,264	Gallon	Asphalt for Tack Coat

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	423-A001		1	Mile	Rumble Strips, Ground In
0350	503-C010		1,083	Linear Feet	Saw Cut, Full Depth
0360	601-B001	(S)	20	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0370	602-A001	(S)	1,697	Pounds	Reinforcing Steel
0380	603-ALT003	(S)	256	Linear Feet	18" Type A Alternate Pipe
0390	603-CA011	(S)	808	Linear Feet	18" Reinforced Concrete Pipe, Class III
0400	603-CA026	(S)	72	Linear Feet	24" Reinforced Concrete Pipe, Class III
0410	603-CB003	(S)	3	Each	18" Reinforced Concrete End Section
0420	603-CE008	(S)	56	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
0430	604-A001		244	Pounds	Castings
0440	604-B001		827	Pounds	Gratings
0450	609-D001	(S)	118	Linear Feet	Combination Concrete Curb and Gutter Type 1
0460	609-D002	(S)	492	Linear Feet	Combination Concrete Curb and Gutter Type 1 Modified
0470	609-D003	(S)	518	Linear Feet	Combination Concrete Curb and Gutter Type 2
0480	609-D004	(S)	803	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0490	614-B005	(S)	1,182	Square Yard	Concrete Driveway, With Reinforcement, 9-inch Thickness
0500	616-A001	(S)	189	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0510	616-A004	(S)	440	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0520	617-A001		20	Each	Right-of-Way Marker
0530	617-B001		25	Each	Permanent Easement Marker
0540	618-A001		1	Lump Sum	Maintenance of Traffic
0550	619-A1002		11,888	Linear Feet	Temporary Traffic Stripe, Continuous White
0560	619-A2002		10,872	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0570	619-A3002		3,621	Linear Feet	Temporary Traffic Stripe, Skip White
0580	619-A5001		8,726	Linear Feet	Temporary Traffic Stripe, Detail
0590	619-A6002		848	Linear Feet	Temporary Traffic Stripe, Legend
0600	619-D1001		80	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0610	619-D2001		1,024	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0620	619-E1001		2	Each	Flashing Arrow Panel, Type C
0630	619-F1001		800	Linear Feet	Concrete Median Barrier, Precast
0640	619-F2001		450	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0650	619-G4001		18	Linear Feet	Barricades, Type III, Double Faced
0660	619-G4005		192	Linear Feet	Barricades, Type III, Single Faced

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	619-G4006		24	Linear Feet	Barricades, Type III, Single Faced, Permanent
0680	619-G5001		82	Each	Free Standing Plastic Drums
0690	619-G7001		8	Each	Warning Lights, Type "B"
0692	619-J1001		2	Each	Impact Attenuator, 40 MPH
0694	619-J3001		4	Each	Remove and Reset Impact Attenuator
0700	620-A001		1	Lump Sum	Mobilization
0710	626-A003		3,621	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White
0720	626-C001		6,688	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0730	626-E003		4,106	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
0740	626-F002		1,566	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0750	626-G002		13,320	Linear Feet	Thermoplastic Detail Stripe, White
0760	626-G003		3,279	Linear Feet	Thermoplastic Detail Stripe, Yellow
0770	626-H004		193	Square Feet	Thermoplastic Legend, White
0780	626-H005		848	Linear Feet	Thermoplastic Legend, White
0790	627-J001		80	Each	Two-Way Clear Reflective High Performance Raised Markers
0800	627-K001		314	Each	Red-Clear Reflective High Performance Raised Markers
0810	627-L001		138	Each	Two-Way Yellow Reflective High Performance Raised Markers
0820	630-A001		186	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0830	630-A003		198	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0840	630-B002		56	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0850	630-C002		44	Linear Feet	Steel U-Section Posts, 2.0 lb/ft
0860	630-C003		341	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0870	630-D007		34	Linear Feet	Structural Steel Beams, W6 x 15
0880	630-D008		32	Linear Feet	Structural Steel Beams, W6 x 9
0890	630-E001		43	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
0900	630-E002		34	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
0910	630-E004		265	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0920	630-F011		1	Each	Delineators, Post Mounted, Double Yellow
0930	630-F013		6	Each	Delineators, Post Mounted, Single Yellow
0940	630-K001		15	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
0950	630-K002		73	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
0960	630-K003		170	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0970	635-A059		4	Each	Traffic Signal Head, Type 1

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0980	635-A065		2	Each	Traffic Signal Head, Type 2 FYA
0990	635-A073		2	Each	Traffic Signal Head, Type 4
1000	638-A006		4	Each	Flasher Assembly, Prepare To Stop
1010	699-A001		1	Lump Sum	Roadway Construction Stakes
1020	815-A007	(S)	40	Ton	Loose Riprap, Size 300
1030	815-E001	(S)	55	Square Yard	Geotextile under Riprap
1040	907-632-A007		1	Each	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1050	907-632-J001		1	Each	Power Service Pedestal
1060	907-634-A108		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 45' Arm
1070	907-634-A117		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 90' Arm
1080	907-634-A118		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 95' Arm
1090	907-634-C001		12	Cubic Yard	Pole Foundations, Class "B" Concrete
1100	907-636-B013		2,264	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
1110	907-636-B016		674	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1120	907-636-B028		140	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1130	907-636-D005		64	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 4 Conductor
1140	907-636-D008		140	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1150	907-636-D014		276	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1160	907-637-A002		9	Each	Pullbox Enclosure, Type 2
1170	907-637-A003		2	Each	Pullbox Enclosure, Type 3
1180	907-637-C028		1,820	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
1190	907-637-C030		93	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
1200	907-637-D003		416	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1210	907-641-A002		3	Each	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
1220	907-641-B002		2	Each	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1230	907-641-D001		1,146	Linear Feet	Radar Vehicle Detection Cable
1240	907-653-B001		25	Square Feet	Street Name Sign
1250	907-663-C001		1	Each	Cellular Modem

ALTERNATE GROUP AA NUMBER 1

1260	304-F001	(GT)	12,100	Ton	3/4" and Down Crushed Stone Base
------	----------	------	--------	-----	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1270	304-F002	(GT)	12,100	Ton	Size 610 Crushed Stone Base
------	----------	------	--------	-----	-----------------------------

ALTERNATE GROUP AA NUMBER 3

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1280	304-F003	(GT)	12,100	Ton	Size 825B Crushed Stone Base