

Proposal & Plan Sales Will Begin on August 6, 2018



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For August - August 28, 2018

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR AUGUST - Tuesday, August 28, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 6, 2018

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 28, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	HSIP-0015-01(121)/106699301	LINCOLN
* 02	BR-0044-02(038)/107816302	PRETISS
03	BR-0070-04(025)/107639301	LAFAYETTE
04	BR-0231-00(080)/104474301	JACKSON
05	BR-9999-02(263)/107019302	DESOTO
* 06	STP-9999-02(267)/107712301	COAHOMA
* 07	MP-2000-00(090)/306461301	DISTRICT 2
* 08	MP-3000-00(117)/306563301	DISTRICT 3
09	BWO-5174-50(002)/503123301	NESHOBA
10	BWO-6241-30(001)/503010301 & LWO-6037-30(002)/503010303	JACKSON

CALL No. 01

Intersection Improvements on US 84 at Auburn Road, known as Federal Aid Project No. HSIP-0015-01(121) / 106699301 in Lincoln County.

PROJECT COMPLETION: 144 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
9,514	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
753	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
1,493	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
237	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
17	Square Yard	202-B063	Removal of Concrete Paved Ditch
3	Each	202-B165	Removal of Inlets, All Sizes
60	Linear Feet	202-B191	Removal of Pipe, 8" And Above
18	Each	202-B215	Removal of Sign Including Post & Footing
6,121	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
3,080	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
328	Cubic Yard	206-A001	Structure Excavation
34,824	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
11,664	Square Yard	216-A001	Solid Sodding
249	Square Yard	217-A001	Ditch Liner
243	Thousand Gallon	219-A001	Watering
25	Cubic Yard	221-A001	Concrete Paved Ditch
84	Square Yard	224-A001	Soil Reinforcing Mat
3	Acre	226-A001	Temporary Grassing
5,000	Linear Feet	234-A001	Temporary Silt Fence
2	Each	234-D001	Inlet Siltation Guard
2	Each	234-E001	Reset Inlet Siltation Guard
487	Linear Feet	237-A002	Wattles, 20"

100	Linear Feet	245-A001	Silt Dike
600	Each	246-B001	Rockbags
100	Ton	249-A001	Riprap for Erosion Control
1,358	Cubic Yard	304-A007	Granular Material, LVM, Class 6, Group C
5,471	Ton	403-A005	19-mm, MT, Asphalt Pavement
2,511	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
124	Ton	403-B005	19-mm, MT, Asphalt Pavement, Leveling
14,392	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,264	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
1,083	Linear Feet	503-C010	Saw Cut, Full Depth
20	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,697	Pounds	602-A001	Reinforcing Steel
256	Linear Feet	603-ALT003	18" Type A Alternate Pipe
808	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
72	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
3	Each	603-CB003	18" Reinforced Concrete End Section
56	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
244	Pounds	604-A001	Castings
827	Pounds	604-B001	Gratings
118	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
492	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 1 Modified
518	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
803	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
1,182	Square Yard	614-B003	Concrete Driveway, With Reinforcement, 6-inch Thickness
189	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
440	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
20	Each	617-A001	Right-of-Way Marker
25	Each	617-B001	Permanent Easement Marker
1	Lump Sum	618-A001	Maintenance of Traffic

11,888	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
10,872	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,621	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
8,726	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
848	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,024	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
800	Linear Feet	619-F1001	Concrete Median Barrier, Precast
450	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
18	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
24	Linear Feet	619-G4006	Barricades, Type III, Single Faced, Permanent
82	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
3,621	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
6,688	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,106	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,566	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
13,320	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,279	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
193	Square Feet	626-H004	Thermoplastic Legend, White
848	Linear Feet	626-H005	Thermoplastic Legend, White
80	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
314	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
138	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
186	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
198	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted

44	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
341	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
34	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
32	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
43	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
34	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
265	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1	Each	630-F011	Delineators, Post Mounted, Double Yellow
6	Each	630-F013	Delineators, Post Mounted, Single Yellow
15	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
73	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
170	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
4	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A073	Traffic Signal Head, Type 4
4	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	699-A001	Roadway Construction Stakes
40	Ton	815-A007	Loose Riprap, Size 300
55	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A104	Traffic Signal Equipment Pole, Type II, 22' Shaft, 25' Arm
1	Each	907-634-A117	Traffic Signal Equipment Pole, Type II, 22' Shaft, 90' Arm
1	Each	907-634-A118	Traffic Signal Equipment Pole, Type II, 22' Shaft, 95' Arm
12	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
2,264	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
674	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
140	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
64	Linear Feet	907-636-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 4 Conductor
140	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor

276	Linear Feet	907-636-D014	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 8, 3 Conductor
9	Each	907-637-A002	Pullbox Enclosure, Type 2
2	Each	907-637-A003	Pullbox Enclosure, Type 3
1,820	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
93	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
416	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
3	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,146	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
25	Square Feet	907-653-B001	Street Name Sign
1	Each	907-663-C001	Cellular Modem

ALTERNATE GROUP AA NUMBER 1

12,100	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

12,100	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

12,100	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

CALL No. 02

Bridge Painting on SR 30 at Big Brown Creek (Bridge No. 74.5), known as Federal Aid Project No. BR-0044-02(038) / 107816302 in Prentiss County.

PROJECT COMPLETION: 51 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

7	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 03

Bridge Preservation on US 278 over Fourmile Creek (Bridge Nos. 78.9A & 78.9B), known as Federal Aid Project No. BR-0070-04(025) / 107639301 in Lafayette County.

PROJECT COMPLETION: 87 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

373	Square Yard	202-B029	Removal of Bridge End Pavement
816	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2,754	Linear Feet	202-B240	Removal of Traffic Stripe
314	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,307	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
269	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
89	Square Yard	216-A001	Solid Sodding
2	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
12	Cubic Yard	221-A001	Concrete Paved Ditch
1	Acre	225-A001	Grassing
3	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
1,800	Linear Feet	234-A001	Temporary Silt Fence
1,800	Linear Feet	237-A002	Wattles, 20"
1,287	Each	246-A002	Sandbags
143	Gallon	402-B001	Bituminous Tack Coat
62	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
78	Ton	403-A006	19-mm, ST, Asphalt Pavement
47	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
94	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,135	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
183	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement

183	Linear Feet	501-E001	Expansion Joints, Without Dowels
393	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
161	Linear Feet	503-C010	Saw Cut, Full Depth
112	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
201	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
20	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
550	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
209	Cubic Yard	612-A001	Flowable Fill, Excavatable
80	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
1	Lump Sum	618-A001	Maintenance of Traffic
1,390	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
4,080	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1,390	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4,080	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1,390	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
863	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
728	Linear Feet	619-F1001	Concrete Median Barrier, Precast
708	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
128	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-J1004	Impact Attenuator, 60 MPH
1	Lump Sum	620-A001	Mobilization
1,390	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,390	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,390	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

35	Each	627-C001	Red-Clear Reflective Raised Markers
12	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-F007	Delineators, Guard Rail, Yellow
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

250	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

250	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

250	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

7	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
---	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

7	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
---	------------	----------	--

ALTERNATE GROUP BB NUMBER 3

7	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
---	------------	----------	--

Bridge Items

160	Linear Feet	202-B037	Removal of Bridge Railing
528	Linear Feet	503-C001	Saw Cut, 1-inch
5,032	Square Feet	802-A001	Permanent Steel Sheet Piling
18	Cubic Yard	804-A009	Bridge Concrete, Substructure, Class AA
3,478	Pounds	805-A001	Reinforcement
320	Linear Feet	808-A001	Joint Preparation
160	Linear Feet	813-A002	Concrete Railing, 32"
9,793	Ton	815-A007	Loose Riprap, Size 300
4,675	Square Yard	815-E001	Geotextile under Riprap
6,020	Pounds	907-420-A001	Undersealing
160	Linear Feet	907-823-A002	Prefomed Joint Seal, Type II
320	Linear Feet	907-823-B002	Saw Cut, Type II

1 Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
1,916 Square Feet	907-824-PP003	Bridge Repair, Reinforced Fiber Wrap Repair
24 Each	907-824-PP006	Bridge Repair, Remove and Replace Bearings
247 Linear Feet	907-824-PP008	Bridge Repair, Removal of End Bent Endwall
382 Square Yard	907-832-PP003	Concrete Mat

CALL No. 04

Bridge Replacement on SR 613 over Black Creek (Bridge No. 13.6), known as Federal Aid Project No. BR-0231-00(080) / 104474301 in Jackson County.

PROJECT COMPLETION: 124 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
222	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
635	Linear Feet	202-B136	Removal of Guard Rail
109	Linear Feet	202-B191	Removal of Pipe, 8" And Above
4,184	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
24,685	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
126	Cubic Yard	206-A001	Structure Excavation
30	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
8,304	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
100	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
289	Square Yard	216-A001	Solid Sodding
640	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
56	Cubic Yard	221-A001	Concrete Paved Ditch
12	Acre	223-A001	Mowing
1,691	Square Yard	224-A001	Soil Reinforcing Mat
6	Acre	225-A001	Grassing
3	Ton	225-B001	Agricultural Limestone
12	Ton	225-C001	Mulch, Vegetative Mulch
6	Acre	226-A001	Temporary Grassing
5,588	Linear Feet	234-A001	Temporary Silt Fence
450	Linear Feet	234-C001	Super Silt Fence

1,250	Linear Feet	237-A002	Wattles, 20"
20	Ton	249-A001	Riprap for Erosion Control
693	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
942	Ton	403-A006	19-mm, ST, Asphalt Pavement
738	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
250	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
46	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
930	Gallon	407-A001	Asphalt for Tack Coat
94	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
198	Square Yard	501-K001	Transverse Grooving
205	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2	Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
148	Linear Feet	603-ALT003	18" Type A Alternate Pipe
28	Linear Feet	603-ALT006	24" Type A Alternate Pipe
72	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB006	36" Reinforced Concrete End Section
58	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
104	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
20	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
20	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
389	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
343	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5,400	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,700	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
3,426	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
50	Each	627-D001	Two-Way Yellow Reflective Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
99	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
20	Ton	815-A007	Loose Riprap, Size 300
ALTERNATE GROUP AA NUMBER 1			
6,644	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
6,644	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
6,644	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
67	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
67	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items			
933	Square Yard	501-K001	Transverse Grooving
1	Each	803-B001	Conventional Static Pile Load Test
2,940	Linear Feet	803-D005	HP 14 x 117 Steel Piling
2	Each	803-I003	PDA Test Pile, HP Steel Pile
2	Each	803-J001	Pile Restrike
116	Cubic Yard	804-A001	Bridge Concrete, Class AA

269	Cubic Yard	804-A004	Bridge Concrete, Class BD
1,249	Linear Feet	804-C104	70' Prestressed Concrete Beam, Type III
81,180	Pounds	805-A001	Reinforcement
424	Linear Feet	813-A002	Concrete Railing, 32"
3,134	Ton	815-A007	Loose Riprap, Size 300
2,010	Square Yard	815-E001	Geotextile under Riprap

CALL No. 05

Bridge Preservation on SR 304 (Bridge Nos. 1.1A, 1.1B & 7.8A), known as Federal Aid Project No. BR-9999-02(263) / 107019302 in Desoto County.

PROJECT COMPLETION: 146 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

381	Square Yard	202-B029	Removal of Bridge End Pavement
150	Square Yard	202-B063	Removal of Concrete Paved Ditch
1,745	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
11,379	Linear Feet	202-B240	Removal of Traffic Stripe
15	Cubic Yard	221-A001	Concrete Paved Ditch
500	Linear Feet	234-A001	Temporary Silt Fence
500	Linear Feet	237-A002	Wattles, 20"
172	Linear Feet	501-E001	Expansion Joints, Without Dowels
382	Square Yard	501-K001	Transverse Grooving
382	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,745	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D001	Guard Rail, Bridge End Section
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
395	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	618-A001	Maintenance of Traffic
2,400	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,393	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2,400	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,393	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2,400	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,352	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
3,430	Linear Feet	619-F1001	Concrete Median Barrier, Precast
3,430	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast

13	Linear Feet	619-G4005	Barricades, Type III, Single Faced
168	Each	619-G5001	Free Standing Plastic Drums
30	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,400	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,400	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,400	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
75	Each	627-C001	Red-Clear Reflective Raised Markers
56	Each	630-F006	Delineators, Guard Rail, White
56	Each	630-F007	Delineators, Guard Rail, Yellow
2	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Bridge Items

3,727	Square Yard	202-B083	Removal of Concrete Slope Paving
233	Linear Feet	503-C001	Saw Cut, 1-inch
79	Linear Feet	503-C010	Saw Cut, Full Depth
7,214	Square Feet	802-A001	Permanent Steel Sheet Piling
1,016	Linear Feet	808-A001	Joint Preparation
6,000	Pounds	907-420-A001	Undersealing
339	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
169	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
677	Linear Feet	907-823-B001	Saw Cut, Type I
339	Linear Feet	907-823-B002	Saw Cut, Type II
20	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
30	Each	907-824-PP006	Bridge Repair, Cleaning of Bent Caps
177	Linear Feet	907-824-PP008	Bridge Repair, Remove End Bent Endwall
177	Linear Feet	907-824-PP008	Bridge Repair, Replace End Bent Endwall
169	Linear Feet	907-824-PP008	Bridge Repair, Top of Endwall Replacement
3,727	Square Yard	907-832-PP003	Concrete Mat

CALL No. 06

Bridge Repair on US 49 (Bridge No. 336.8), known as Federal Aid Project No. STP-9999-02(267) / 107712301 in Coahoma County.

PROJECT COMPLETION: 105 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

200	Each	907-824-PP006	Bridge Repair, Bearing Replacement
21	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 07

Striping on Various Routes throughout the District, known as State Project No. MP-2000-00(090) / 306461301 in District 2.

PROJECT COMPLETION: 58 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
38	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
56	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
47	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
37	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
22	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
42	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
30	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
41,330	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,012	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
91,265	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
34,231	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
15,403	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
17,625	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
7,648	Square Feet	626-H004	Thermoplastic Legend, White
18,900	Linear Feet	626-H005	Thermoplastic Legend, White

CALL No. 08

Installation of Raised Pavement Markers on various routes throughout the District, known as State Project MP-3000-00(117) / 306563301 in District 3.

PROJECT COMPLETION: 78 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
20,250	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
27,480	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 09

Work Necessary for Renovations to the Philadelphia Project Office, known as State Project No. BWO-5174-50(002) / 503123301 in Neshoba County.

PROJECT COMPLETION: JUNE 28, 2019

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Building Items

1 Lump Sum 1520-A001 Installation of HVAC and Lighting Replacement

CALL No. 10

Construction of Ocean Springs Maintenance Headquarters Building and Site Work, known as State Project Nos. BWO-6241-30(001) / 503010301 & LWO-6037-30(002) / 503010303 in Jackson County.

PROJECT COMPLETION: OCTOBER 31, 2019

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

1 Lump Sum 907-242-A001 Construction of Administration Building

Roadway Items

1 Lump Sum 201-A001 Clearing and Grubbing

1 Lump Sum 202-A001 Removal of Obstructions

110 Linear Feet 202-B123 Removal of Electric Power Cable, Including Hardware

258 Linear Feet 202-B126 Removal of Fence, All Types

1,066 Square Yard 202-B188 Removal of Pavement, All Types and Depths

8 Linear Feet 202-B191 Removal of Pipe, 8" And Above

1 Each 202-B194 Removal of Power/Light Pole

1 Each 202-B210 Removal of Secondary Power Controller

1 Each 202-B211 Removal of Septic Tank, All Sizes

240 Cubic Yard 203-A002 Unclassified Excavation, LVM, AH

480 Cubic Yard 203-EX040 Borrow Excavation, AH, LVM, Class B9

390 Cubic Yard 203-G002 Excess Excavation, LVM, AH

1 Acre 203-I001 Site Grading

2,210 Square Yard 209-A005 Geotextile Stabilization, Type V, Non-Woven

1,545 Square Yard 216-B003 Solid Sodding, St. Augustine

1 Acre 223-A001 Mowing

580 Linear Feet 234-A001 Temporary Silt Fence

64 Linear Feet 237-A002 Wattles, 20"

27 Ton 249-A001 Riprap for Erosion Control

27 Cubic Yard 249-B001 Remove and Reset Riprap

81 Ton 403-A003 12.5-mm, ST, Asphalt Pavement

135 Ton 403-A006 19-mm, ST, Asphalt Pavement

92 Gallon 407-A001 Asphalt for Tack Coat

48	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
385	Linear Feet	607-B026	72" Type I Chain Link Fence, Class I , With Top Guard
3	Each	607-G003	Gate, 4' x 6' Chain Link with Top Guard
34	Each	607-P1018	Line Post, 9' x 2" Galvanized Steel
8	Each	607-P1030	Line Post, 14' x 2" Galvanized Steel
1	Each	607-P2003	Brace Post, 6' x 2" Galvanized Steel
8	Each	607-P2006	Brace Post, 8' x 2 1/2" Galvanized Steel
1	Each	607-P2013	Brace Post, 10' x 2 1/2" Galvanized Steel
6	Each	607-P3008	Gate Post, 9' x 2 1/2" Galvanized Steel
25	Square Feet	608-C001	Detectable Warning Panels
200	Linear Feet	609-B002	Concrete Curb, Header
1	Lump Sum	620-A001	Mobilization
1	Each	622-A004	Engineer's Field Office Building, Type 3
8	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
9	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
1	Each	907-258-F001	Water Hydrant
4	Each	907-258-PP005	Car Stop, Per Plans
217	Square Yard	907-504-A003	4" Fiber-reinforced Concrete Pavement
220	Linear Feet	907-626-B001	4" Thermoplastic Traffic Stripe, Continuous White
105	Linear Feet	907-626-G003	Thermoplastic Detail Stripe, Blue-ADA
1	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
1	Each	907-630-PP003	Handicap Parking Sign, With Post
225	Linear Feet	907-636-G001	Underground Cable and Conduit, Removed
ALTERNATE GROUP AA NUMBER 1			
785	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
785	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			

785 Ton

304-F003 Size 825B Crushed Stone Base

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR