

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>1</u>	DATED <u>9/18/2018</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. <u>2</u>	DATED <u>9/20/2018</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

Number	Description
1	Revised Table of Contents; Add NTB No. 446; Revised Bid Items; Revised or Added Plan Sheet Nos. 2, 27, 28, 29, & 30; Amendment EBS Download Required.
2	Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 2
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.
STP-0011-03(081)/ 107373301000
Lowndes County(ies)

Revised 01/26/2016

Interchange Improvements on US 82 at N. 18th Avenue and Military Road, known as Federal Aid Project No. STP-0011-03(081) / 107373301 in Lowndes County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B007		2,337	Square Yard	Removal of Asphalt Pavement, All Depths
0030	202-B059		1,797	Square Yard	Removal of Concrete Median & Island Pavement, All Depths
0040	202-B063		19	Square Yard	Removal of Concrete Paved Ditch
0050	202-B088		4,642	Linear Feet	Removal of Curb & Gutter, All Types
0060	202-B114		400	Linear Feet	Removal of Debris and Sand From Pipe, All Sizes
0070	202-B165		13	Each	Removal of Inlets, All Sizes
0080	202-B191		254	Linear Feet	Removal of Pipe, 8" And Above
0090	202-B215		54	Each	Removal of Sign Including Post & Footing
0100	202-B240		1,740	Linear Feet	Removal of Traffic Stripe
0110	203-EX020	(E)	4,271	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0120	203-G001	(E)	6,068	Cubic Yard	Excess Excavation, FM, AH
0130	206-A001	(S)	124	Cubic Yard	Structure Excavation
0140	209-A005		7,703	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0150	211-B001	(E)	631	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0160	213-C001		1	Ton	Superphosphate
0170	216-A001		1,747	Square Yard	Solid Sodding
0180	217-A001		48	Square Yard	Ditch Liner
0190	219-A001		30	Thousand Gallon	Watering [\$20.00]
0200	220-A001		1	Acre	Insect Pest Control [\$30.00]
0210	221-A001	(S)	95	Cubic Yard	Concrete Paved Ditch
0220	223-A001		4	Acre	Mowing [\$50.00]
0230	225-A001		2	Acre	Grassing
0240	225-B001		1	Ton	Agricultural Limestone
0250	225-C001		4	Ton	Mulch, Vegetative Mulch
0260	226-A001		2	Acre	Temporary Grassing
0270	234-A001		220	Linear Feet	Temporary Silt Fence
0280	235-A001		92	Each	Temporary Erosion Checks
0290	237-A002		296	Linear Feet	Wattles, 20"
0300	239-A001		100	Linear Feet	Temporary Slope Drains
0310	245-A001		296	Linear Feet	Silt Dike
0320	246-A001		896	Linear Feet	Sandbags

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	304-A002	(GY)	4,592	Cubic Yard	Granular Material, LVM, Class 3, Group C
0340	403-A005	(BA1)	630	Ton	19-mm, MT, Asphalt Pavement
0350	403-A014	(BA1)	3,962	Ton	9.5-mm, MT, Asphalt Pavement
0360	406-D001		2,813	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0370	407-A001	(A2)	2,780	Gallon	Asphalt for Tack Coat
0380	503-C010		4,488	Linear Feet	Saw Cut, Full Depth
0390	601-B001	(S)	88	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0400	602-A001	(S)	6,953	Pounds	Reinforcing Steel
0410	603-A050	(S)	208	Linear Feet	18" Steel Pipe, Jacked or Bored
0420	603-CA011	(S)	616	Linear Feet	18" Reinforced Concrete Pipe, Class III
0430	603-CA026	(S)	192	Linear Feet	24" Reinforced Concrete Pipe, Class III
0440	603-CA040	(S)	48	Linear Feet	30" Reinforced Concrete Pipe, Class III
0450	603-CA055	(S)	16	Linear Feet	36" Reinforced Concrete Pipe, Class III
0460	603-CB003	(S)	10	Each	18" Reinforced Concrete End Section
0470	603-CB004	(S)	3	Each	24" Reinforced Concrete End Section
0480	603-CB005	(S)	1	Each	30" Reinforced Concrete End Section
0490	603-CB006	(S)	2	Each	36" Reinforced Concrete End Section
0500	604-A001		2,075	Pounds	Castings
0510	604-B001		600	Pounds	Gratings
0520	609-B002	(S)	283	Linear Feet	Concrete Curb, Header
0530	609-B003	(S)	759	Linear Feet	Concrete Curb, Special Design
0540	609-D004	(S)	494	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0550	609-D008	(S)	6,231	Linear Feet	Combination Concrete Curb and Gutter Type 3A
0560	612-B001		4	Cubic Yard	Flowable Fill, Non-Excavatable
0570	616-A001	(S)	263	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0580	616-A003	(S)	862	Square Yard	Concrete Median and/or Island Pavement, 12-inch
0590	616-A004	(S)	3,678	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0600	618-A001		1	Lump Sum	Maintenance of Traffic
0610	619-A1004		5	Mile	Temporary Traffic Stripe, Continuous White, Paint
0620	619-A2004		3	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint
0630	619-A5002		7,085	Linear Feet	Temporary Traffic Stripe, Detail, Paint
0640	619-A6001		741	Square Feet	Temporary Traffic Stripe, Legend
0650	619-A6002		1,158	Linear Feet	Temporary Traffic Stripe, Legend
0660	619-D1001		272	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	619-D2001		1,203	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0680	619-G4001		60	Linear Feet	Barricades, Type III, Double Faced
0690	619-G4005		120	Linear Feet	Barricades, Type III, Single Faced
0700	619-G5001		529	Each	Free Standing Plastic Drums
0710	619-G7001		67	Each	Warning Lights, Type "B"
0720	620-A001		1	Lump Sum	Mobilization
0730	626-A004		2	Mile	6" Thermoplastic Traffic Stripe, Skip White
0740	626-B004		3	Mile	6" Thermoplastic Traffic Stripe, Continuous White
0750	626-D004		1,112	Linear Feet	6" Thermoplastic Traffic Stripe, Skip Yellow
0760	626-E004		3	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
0770	626-G002		19,364	Linear Feet	Thermoplastic Detail Stripe, White
0780	626-G003		7,802	Linear Feet	Thermoplastic Detail Stripe, Yellow
0790	626-H004		2,426	Square Feet	Thermoplastic Legend, White
0800	626-H005		2,591	Linear Feet	Thermoplastic Legend, White
0810	627-K001		44	Each	Red-Clear Reflective High Performance Raised Markers
0820	627-L001		106	Each	Two-Way Yellow Reflective High Performance Raised Markers
0830	630-A001		283	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0840	630-A003		159	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0850	630-A005		236	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
0860	630-B002		232	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0870	630-C002		18	Linear Feet	Steel U-Section Posts, 2.0 lb/ft
0880	630-C003		124	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0890	630-D008		213	Linear Feet	Structural Steel Beams, W6 x 9
0900	630-E002		193	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
0910	630-E004		785	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0920	630-K001		403	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
0930	630-K002		130	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
0940	630-K003		216	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0950	635-A059		25	Each	Traffic Signal Head, Type 1
0960	635-A060		1	Each	Traffic Signal Head, Type 1A
0970	635-A065		8	Each	Traffic Signal Head, Type 2 FYA
0980	635-A070		2	Each	Traffic Signal Head, Type 3
0990	635-A079		1	Each	Traffic Signal Head, Type 7R

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1000	646-B001		15	Each	Illuminated Street Name Sign
1010	647-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment
1020	682-A018		2,115	Linear Feet	Underground Branch Circuit, AWG 2, 3 Conductor
1030	682-A025		50	Linear Feet	Underground Branch Circuit, AWG 3/0, 3 Conductor
1040	682-B016		395	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
1050	682-D003		1	Each	Underground Pull Box
1060	682-E003		12	Each	Underground Junction Box With Concrete Pad
1070	682-F001		1	Each	Secondary Power Controller
1080	683-B198		12	Each	Lighting Assembly, Low Mast, LED, Type 39-1-0-376
1090	684-A004		20	Cubic Yard	Pole Foundation, 30" Diameter
1100	699-A001		1	Lump Sum	Roadway Construction Stakes
1110	907-619-E3001		5	Each	Changeable Message Sign
1120	907-632-A007		1	Each	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1130	907-632-A010		2	Each	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1140	907-632-D001		1	Each	Solid State Traffic Actuated Controller, Type 1
1150	907-632-G001		1	Each	Malfunction Management Unit
1160	907-632-J001		3	Each	Power Service Pedestal
1170	907-633-A001		2	Each	Uninterruptable Power Supply
1180	907-634-A043		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm
1190	907-634-A044		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1200	907-634-A045		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
1210	907-634-A046		2	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
1220	907-634-A065		1	Each	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 65' Arm
1230	907-634-A086		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1240	907-634-A239		1	Each	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 35' & 40' Arm
1250	907-634-A254		1	Each	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 40' & 40' Arm
1260	907-634-A271		1	Each	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 50' & 60' Arm
1270	907-634-A398		1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 55' Arms
1280	907-634-C001		35	Cubic Yard	Pole Foundations, Class "B" Concrete
1290	907-636-B003		1,330	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
1300	907-636-B016		2,355	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1310	907-636-B025		185	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
1320	907-636-D001		804	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1330	907-636-D008		935	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1340	907-637-A002		7	Each	Pullbox Enclosure, Type 2
1350	907-637-A003		3	Each	Pullbox Enclosure, Type 3
1360	907-637-A004		2	Each	Pullbox Enclosure, Type 4
1370	907-637-C026		55	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
1380	907-637-C028		210	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
1390	907-637-C030		450	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
1400	907-637-D001		80	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
1410	907-637-D002		620	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1420	907-637-D003		945	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1430	907-639-B001		12	Each	Type 1 Optical Detector
1440	907-639-C001		2,398	Linear Feet	Type 1 Optical Detector Cable
1450	907-639-D001		4	Each	Multimode Phase Selector
1460	907-641-A002		15	Each	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
1470	907-641-B002		11	Each	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1480	907-641-D001		4,605	Linear Feet	Radar Vehicle Detection Cable
1490	907-650-A003		2	Each	On Street Video Equipment, PTZ Type
1500	907-653-A001		44	Square Feet	Traffic Sign
1510	907-661-B002		635	Linear Feet	Fiber Optic Drop Cable, 12 SM
1520	907-662-D002		2	Each	Radio Interconnect, Broadband, Short Range
1530	907-663-A002		3	Each	Network Switch, Type B
ALTERNATE GROUP AA NUMBER 1					
1540	304-H001	(GY)	2,562	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2					
1550	304-H002	(GY)	2,562	Cubic Yard	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3					
1560	304-H003	(GY)	2,562	Cubic Yard	Size 825B Crushed Stone Base, LVM