

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 9/19/2018 </u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

Number	Description
1	Revised Bid Items; Revised or Added Plan Sht. Nos. 2, 4, & 5; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

NH-0056-01(098)/ 107677301000

Winston County(ies)

Revised 01/26/2016

Mill & Overlay approximately 10 miles of SR 25 from Old SR 25 to the Oktibbeha County Line, known as Federal Aid Project No. NH-0056-01(098) / 107677301 in Winston County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
10	202-B007		50	Square Yard	Removal of Asphalt Pavement, All Depths
50	203-G002	(E)	50	Cubic Yard	Excess Excavation, LVM, AH
60	304-A003	(GY)	7,000	Cubic Yard	Granular Material, LVM, Class 3, Group D
70	403-A014	(BA1)	32,000	Ton	9.5-mm, MT, Asphalt Pavement
80	406-D001		373,000	Square Yard	Fine Milling of Bituminous Pavement, All Depths
90	407-A001	(A2)	18,700	Gallon	Asphalt for Tack Coat
100	423-A001		40	Mile	Rumble Strips, Ground In
140	618-A001		1	Lump Sum	Maintenance of Traffic
150	618-B001		1	Square Feet	Additional Construction Signs [\$10.00]
160	619-A1001		40	Mile	Temporary Traffic Stripe, Continuous White
170	619-A2001		34	Mile	Temporary Traffic Stripe, Continuous Yellow
180	619-A3001		42	Mile	Temporary Traffic Stripe, Skip White
190	619-A5001		70,800	Linear Feet	Temporary Traffic Stripe, Detail
200	619-A6002		6,300	Linear Feet	Temporary Traffic Stripe, Legend
210	620-A001		1	Lump Sum	Mobilization
220	626-A004		21	Mile	6" Thermoplastic Traffic Stripe, Skip White
230	626-C004		20	Mile	6" Thermoplastic Edge Stripe, Continuous White
240	626-F003		17	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
250	626-G002		18,000	Linear Feet	Thermoplastic Detail Stripe, White
260	626-G003		26,400	Linear Feet	Thermoplastic Detail Stripe, Yellow
270	626-H005		6,900	Linear Feet	Thermoplastic Legend, White
280	627-J001		225	Each	Two-Way Clear Reflective High Performance Raised Markers
290	627-K001		2,430	Each	Red-Clear Reflective High Performance Raised Markers
300	627-L001		170	Each	Two-Way Yellow Reflective High Performance Raised Markers
ALTERNATE GROUP AA NUMBER 1					
330	907-624-A002		1,258	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
340	907-624-B002		1,258	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
350	907-624-D002		1,258	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP AA NUMBER 2					
360	628-G001		1,258	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
370	628-H001		1,258	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
380	628-J001		1,258	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ADDENDUM

STATE	PROJECT NO.
MISS.	NH-0056-01(098)

DESCRIPTION OF SHEET	REVISION DATE	WKG. NO.	SH. NO.
TITLE SHEET (1)			1
DETAIL INDEX & GENERAL NOTES (1)		DI-1	2
TYPICAL OVERLAY SECTIONS (1)			
TYPICAL OVERLAY SECTION FOUR LANE ROADWAY HWY 45		TS-1	3
QUANTITY SHEETS (2)			
SUMMARY OF QUANTITIES		SQ-1	4
SUMMARY OF QUANTITIES		SQ-2	5
SPECIAL DESIGN-ROADWAY ITEMS (2)			
DETAIL OF CONSTRUCTION SIGNS HWY 25		DSC-1	6
DETAIL OF CONSTRUCTION SIGNS HWY 25		DSC-2	7
STANDARD DRAWINGS - ROADWAY SHEETS (16)			
PAVEMENT MARKING DETAIL FOR 2-LANE AND 4-LANE DIVIDED HIGHWAYS		PM-1	6051
TYPICAL PAVEMENT MARKING DETAIL MEDIAN CROSSEOVERS		PM-9	6059
2-WAY RAISED PAVEMENT MARKERS AT INTERSECTING ROADS (4-LANE)		PM-12	6062
RUMBLE STRIPES 4-LANE HIGHWAYS (ASPHALT LANES, 2-FT OR WIDER ASPHALT SHOULDERS)		RS-2	6065
GUARDRAIL: "W" BEAM (STEEL POST)		GR-1B	6203
GUARDRAIL: BRIDGE END SECTION TYPE "H" (STEEL POST)		GR-2D	6208
GUARDRAIL: TYPICAL INSTALLATION AT BRIDGE APPROACHES FOR DIVIDED HIGHWAYS		GR-4	6214
GUARDRAIL: MISCELLANEOUS HARDWARE		GR-HW	6221
TYPICAL GUARDRAIL DELINEATION		SN-8C	6317
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 OR 70 MPH (INTERSTATE AND OTHER 4-LANE DIVED HIGHWAYS) (MEDIAN LANE OR OUTSIDE LANE CLOUSER) (EXTENDED PERIOD)		TCP-4	6354
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 OR 70 MPH (INTERSTATE AND OTHER 4-LANE DIVIDED HIGHWAYS) (MEDIAN LANE OR OUTSIDELANE CLOSURE) (WORK DAY ONLY)		TCP-5	6355
HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS		TCP-8	6358
TRAFFIC CONTROL PLAN MOBILE OPERATIONS MULTILANE ROADS AND TWO LANE ROADS		TCP-9	6359
TRAFFIC CONTROL PLAN UNEVEN PAVEMENT DETAILS		TCP-12	6362
TEMPORARY STRIPING FOR TRAFFIC CONTROL 2-LANE AND 4-LANE DIVIDED HIGHWAYS		TCP-13	6363
LOCATION OF R16-3 SIGNS		TCP-15	6365


GENERAL NOTES:

- ① WHERE MILLING OF THE ROADWAY LANES IS REQUIRED, THE CONTRACTOR SHALL PROVIDE OUTLETS IN THE EXISTING SHOULDERS AT SUFFICIENT INTERVALS TO PREVENT POOLING OR STANDING WATER ON THE MILLED SURFACE. (ABSORBED COST)
- ② FLUORESENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED ON THE PLANS TO BE BLACK LEGEND AND BORDER ON THE WHITE BACKGROUND.
- ③ THE LOCATION AND SPACING OF SIGNS, SHOWN ON THE TRAFFIC CONTROL PLANS, ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.
- ④ ALL TRAFFIC CONTROL DEVICES ON THIS PROJECT SHALL COMPLY WITH PART VI OF THE MUTCD (LATEST EDITION).
- ⑤ THIS CONTRACT IS TO INCLUDE FINE GRADING OF EXISTING AGGREGATE BASE
- ⑥ REMOVAL OF RAISED PAVEMENT MARKERS THAT ARE IN CONFLICT WITH REQUIRED CONSTRUCTION IS NOT CONSIDERED A SEPARATE PAY ITEM. COST TO BE ABSORBED INTO OTHER ITEMS BID.
- ⑦ BIDDERS ARE ADVISED THAT HARD COPIES OF ANY ADDENDA FOR THIS PROJECT WILL NO LONGER BE MAILED. ALL ADDENDA FOR THIS PROJECT WILL BE POSTED TO www.mdot.ms.gov UNDER THE PROPOSAL ADDENDA COLUMN. IT IS THE BIDDERS RESPONSIBILITY TO CHECK AND SEE IF ANY ADDENDA HAVE BEEN POSTED FOR THIS PROJECT. PLEASE CONTACT CONTRACT ADMINISTRATION DIVISION AT 601-359-7700 FOR ANY QUESTION REGARDING ELECTRONIC ADDENDA.

SEQUENCE OF OPERATIONS

- ① REPAIR OF FAILED AREAS AS DIRECTED
- ② FINE MILLING
- ③ PLACEMENT OF TEMPORARY STRIPE.
- ④ PRE-LEVELING AS DIRECTED
- ⑤ PLACEMENT OF SURFACE COURSE
- ⑥ PLACEMENT OF TEMPORARY STRIPE.
- ⑦ PLACEMENT OF PERMANENT STRIPE.

DISTRICT 1		
PS & E PLANS-DATE 7/11/2018		
FMS CON. # 107677/301000		
REVISIONS		
DATE	SHEET NO.	BY
9/19/2018	4, 5	DSP

REVISION	MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
	DETAILED INDEX	
	PROJECT NO.: NH-0056-01(098)	
	COUNTY: WINSTON	
	WORKING NUMBER	 DI-1
	SHEET NUMBER	
	FILENAME: HWY 25 N WINSTON CO. 2018.DWG	2
	DESIGN TEAM	CHECKED
		DATE


6/22/2018 07:07:11 HWY 25 N WINSTON CO. 2018.DWG MISSISSIPPI DEPARTMENT OF TRANSPORTATION

ADDENDUM

STATE	PROJECT NO.
MISS	NH-0056-01(098)

SUMMARY OF QUANTITIES (SHEET 1)					
PAY ITEM NO.	PAY ITEM	UNIT	WINSTON : 107677-301000		
			Prelim	Final	
202-B007	Removal of Asphalt Pavement, All Depths	SY	50		① ⚠
203-G002	Excess Excavation, LVM, AH	CY	50		① ⚠
304-A003	Granular Material, LVM, Class 3, Group D	CY	7,000		① ② ⚠
403-A014	9.5-mm, MT, Asphalt Pavement	TON	32,000		③ ⚠
406-D001	Fine Milling of Bituminous Pavement, All Depths	SY	373,000		⚠
407-A001	Asphalt for Tack Coat	GAL	18,700		⚠
423-A001	Rumble Strips, Ground In	MI	40		⚠
618-A001	Maintenance of Traffic	LS	1		⚠
618-B001	Additional Construction Signs	SF	1		⚠
619-A1001	Temporary Traffic Stripe, Continuous White	MI	40		④ ⚠
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	34		④ ⚠
619-A3001	Temporary Traffic Stripe, Skip White	MI	42		④ ⚠
619-A5001	Temporary Traffic Stripe, Detail	LF	70,800		⚠
619-A6002	Temporary Traffic Stripe, Legend	LF	6,300		⚠
620-A001	Mobilization	LS	1		⚠
907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White	LF	1,258		
907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White	LF	1,258		
907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow	LF	1,258		
	OR				
628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White	LF	1,258		
628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White	LF	1,258		
628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow	LF	1,258		
626-A004	6" Thermoplastic Traffic Stripe, Skip White	MI	21		⚠
626-C004	6" Thermoplastic Edge Stripe, Continuous White	MI	20		⚠
626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow	MI	17		⚠
626-G002	Thermoplastic Detail Stripe, White	LF	18,000		⚠
626-G003	Thermoplastic Detail Stripe, Yellow	LF	26,400		⚠
626-H005	Thermoplastic Legend, White	LF	6,900		⚠
627-J001	Two-Way Clear Reflective High Performance Raised Markers	EA	225		⚠


- ① ESTIMATED QUANTITY. ACTUAL QUANTITY AND PLACEMENT TO BE AS DIRECTED BY THE ENGINEER.
- ② QUANTITY INCLUDES 50% SHRINKAGE FACTOR.
- ③ QUANTITY ICLUDES 1,450 TONS FOR DRIVEWAY PADS AND LOCAL ROADS.
- ④ OFFSET TEMPORARY STRIPE ACCORDING TO PAVING AND FINE MILLING OPERATIONS.

09/19/2018 DELETED ALL GUARDRAIL ITEMS	DP	By		
	Revision			
	Date	PROJ No: NH-0056-01(098) County: WINSTON		Working Number SQ-1
	Design Team	Checked	Date	FILENAME : 107677/301000 Sheet Number 4

ADDENDUM

STATE	PROJECT NO.
MISS	NH-0056-01(098)

SUMMARY OF QUANTITIES (SHEET 2)					
PAY ITEM NO.	PAY ITEM	UNIT	WINSTON : 107677-301000		
			Prelim	Final	
627-K001	Red-Clear Reflective High Performance Raised Markers	EA	2,430		⚠
627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	170		⚠

09/19/2018 DELETED ALL GUARDRAIL ITEMS ⚠	DP By	MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES		
	Revision	Proj No: NH-0056-01(098) County: WINSTON		
Date	FILENAME : 107677/301000		Design Team	Sheet Number 5
		Checked	Date	