


Proposal & Plan Sales Will Begin on September 3, 2018



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For September - September 25, 2018



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR SEPTEMBER - Tuesday, September 25, 2018

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 3, 2018

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, September 25, 2018; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
01	IM-0006-03(040)/107328301	ITAWAMBA
* 02	NH-0014-03(073)/107652301	PERRY
03	STP-0011-03(081)/107373301	LOWNDES
* 04	STP-0041-02(023)/107840301	CARROLL
* 05	BR-0054-01(056)/107817302	COPIAH
06	NH-0056-01(098)/107677301	WINSTON
07	BR-0914-00(008)/100299302	MARSHALL
* 08	STP-9999-03(016)/107713301	DISTRICT 3
* 09	STP-9999-06(030)/107715301	DISTRICT 6
10	STP-9999-07(014)/107716301	DISTRICT 7
11	BWO-9725-23(001) /503079301	HANCOCK

CALL No. 01

Mill & Overlay approximately 4 Miles of I-22 from SR 25 S Fulton to SR 25 N Belmont, known as Federal Aid Project No. IM-0006-03(040) / 107328301 in Itawamba County.

PROJECT COMPLETION: 129 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

5,738	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,623	Linear Feet	202-B240	Removal of Traffic Stripe
9,058	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,088	Square Yard	204-A003	Geogrid, Type II, Biaxial
4,870	Square Yard	209-A001	Geotextile Stabilization, Type III
4,742	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
14	Cubic Yard	221-A001	Concrete Paved Ditch
8,388	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
7,630	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
4,257	Ton	403-A004	19-mm, HT, Asphalt Pavement
2,474	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
7,050	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
125,484	Linear Feet	403-S002	Joint Sealant
12,209	Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
11,694	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
214,886	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
19,169	Gallon	407-A001	Asphalt for Tack Coat
250	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
15	Mile	423-A001	Rumble Strips, Ground In
9,243	Linear Feet	503-C010	Saw Cut, Full Depth
5,443	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
2,755	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1,386	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1	Lump Sum	618-A001	Maintenance of Traffic

1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A3001	Temporary Traffic Stripe, Skip White
104,315	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,915	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
9	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
34,308	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,850	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
214	Square Feet	626-H004	Thermoplastic Legend, White
3,616	Linear Feet	626-H005	Thermoplastic Legend, White
103	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,015	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
134	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
1,236	Linear Feet	907-640-A001	Vehicle Loop Assemblies
ALTERNATE GROUP AA NUMBER 1			
3,952	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
3,952	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
3,952	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
1,208	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,208	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,208	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
1,208	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White

1,208 Linear Feet

628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

1,208 Linear Feet

628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Overlay on US 98 from Forrest County Line to 1 Mile East of SR 29 , known as Federal Aid Project No. NH-0014-03(073) / 107652301 in Perry County.

PROJECT COMPLETION: 64 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

70	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
60	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,500	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
7,000	Ton	304-F003	Size 825B Crushed Stone Base
3,500	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
11,700	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
19,000	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
45,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
26,000	Gallon	407-A001	Asphalt for Tack Coat
14	Mile	423-A001	Rumble Strips, Ground In
1,200	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D001	Guard Rail, Bridge End Section
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
190	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
70	Square Feet	608-C001	Detectable Warning Panels
70	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
31	Mile	619-A3001	Temporary Traffic Stripe, Skip White
50,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
16	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

13 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
21,000 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
19,500 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,105 Square Feet	626-H004	Thermoplastic Legend, White
400 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,000 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
900 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2 Each	635-A076	Traffic Signal Head, Type 6
1 Each	907-632-B007	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller
1 Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1 Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
446 Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
10 Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
724 Linear Feet	907-640-A001	Vehicle Loop Assemblies
2 Each	907-645-B001	Accessible Pedestrian Detection Assembly

CALL No. 03

Interchange Improvements on US 82 at N. 18th Avenue and Military Road, known as Federal Aid Project No. STP-0011-03(081) / 107373301 in Lowndes County.

PROJECT COMPLETION: 136 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2,337	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,797	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
19	Square Yard	202-B063	Removal of Concrete Paved Ditch
4,642	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
400	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
13	Each	202-B165	Removal of Inlets, All Sizes
254	Linear Feet	202-B191	Removal of Pipe, 8" And Above
54	Each	202-B215	Removal of Sign Including Post & Footing
1,740	Linear Feet	202-B240	Removal of Traffic Stripe
4,271	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
6,068	Cubic Yard	203-G001	Excess Excavation, FM, AH
124	Cubic Yard	206-A001	Structure Excavation
7,703	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
631	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
1,747	Square Yard	216-A001	Solid Sodding
48	Square Yard	217-A001	Ditch Liner
30	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
95	Cubic Yard	221-A001	Concrete Paved Ditch
4	Acre	223-A001	Mowing
2	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
4	Ton	225-C001	Mulch, Vegetative Mulch

2	Acre	226-A001	Temporary Grassing
220	Linear Feet	234-A001	Temporary Silt Fence
92	Each	235-A001	Temporary Erosion Checks
296	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	239-A001	Temporary Slope Drains
296	Linear Feet	245-A001	Silt Dike
896	Linear Feet	246-A001	Sandbags
3,674	Ton	304-B001	Granular Material, Class 3, Group C
630	Ton	403-A005	19-mm, MT, Asphalt Pavement
3,962	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,813	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,780	Gallon	407-A001	Asphalt for Tack Coat
4,488	Linear Feet	503-C010	Saw Cut, Full Depth
88	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
6,953	Pounds	602-A001	Reinforcing Steel
208	Linear Feet	603-A050	18" Steel Pipe, Jacked or Bored
616	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
192	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
48	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
10	Each	603-CB003	18" Reinforced Concrete End Section
3	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
2,075	Pounds	604-A001	Castings
600	Pounds	604-B001	Gratings
283	Linear Feet	609-B002	Concrete Curb, Header
759	Linear Feet	609-B003	Concrete Curb, Special Design
494	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
6,231	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A

4	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
263	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
862	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
3,678	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
7,085	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
741	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,158	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
272	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,203	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
60	Linear Feet	619-G4001	Barricades, Type III, Double Faced
120	Linear Feet	619-G4005	Barricades, Type III, Single Faced
529	Each	619-G5001	Free Standing Plastic Drums
67	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
1,112	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
19,629	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
7,802	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,426	Square Feet	626-H004	Thermoplastic Legend, White
2,591	Linear Feet	626-H005	Thermoplastic Legend, White
44	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
106	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
283	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
159	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

236	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
232	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
124	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
213	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
193	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
785	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
403	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
130	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
216	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
25	Each	635-A059	Traffic Signal Head, Type 1
1	Each	635-A060	Traffic Signal Head, Type 1A
8	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
1	Each	635-A079	Traffic Signal Head, Type 7R
15	Each	646-B001	Illuminated Street Name Sign
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
2,115	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
50	Linear Feet	682-A025	Underground Branch Circuit, AWG 3/0, 3 Conductor
395	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
1	Each	682-D003	Underground Pull Box
12	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
12	Each	683-B198	Lighting Assembly, Low Mast, LED, Type 39-1-0-376
20	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
5	Each	907-619-E3001	Changeable Message Sign
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
2	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1

1	Each	907-632-G001	Malfunction Management Unit
3	Each	907-632-J001	Power Service Pedestal
2	Each	907-633-A001	Uninterruptable Power Supply
1	Each	907-634-A043	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm
1	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1	Each	907-634-A045	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
2	Each	907-634-A046	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
1	Each	907-634-A065	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 65' Arm
1	Each	907-634-A086	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-634-A240	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 35' & 40' Arm
1	Each	907-634-A254	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 40' & 40' Arm
1	Each	907-634-A271	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 50' & 60' Arm
1	Each	907-634-A398	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 55' Arms
35	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1,330	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2,355	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
185	Linear Feet	907-636-B025	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
804	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
935	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
7	Each	907-637-A002	Pullbox Enclosure, Type 2
3	Each	907-637-A003	Pullbox Enclosure, Type 3
2	Each	907-637-A004	Pullbox Enclosure, Type 4
55	Linear Feet	907-637-C026	Traffic Signal Conduit, Underground, Type 4, 1"
210	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
450	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
80	Linear Feet	907-637-D001	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
620	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
945	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
12	Each	907-639-B001	Type 1 Optical Detector
2,398	Linear Feet	907-639-C001	Type 1 Optical Detector Cable

4	Each	907-639-D001	Multimode Phase Selector
15	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
11	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
4,605	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
2	Each	907-650-A003	On Street Video Equipment, PTZ Type
44	Square Feet	907-653-A001	Traffic Sign
635	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
3	Each	907-663-A002	Network Switch, Type B

ALTERNATE GROUP AA NUMBER 1

2,050	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,050	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,050	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 04

Bridge Painting on US 35 (Bridge No. 176.7), known as Federal Aid Project No. STP-0041-02(023) / 107840301 in Carroll County.

PROJECT COMPLETION: 43 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

- | | | | |
|---|----------|----------|------------------------|
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Lump Sum | 620-A001 | Mobilization |

Bridge Items

- | | | | |
|---|----------|--------------|-----------------------------------|
| 1 | Lump Sum | 907-845-A001 | Coating Existing Structural Steel |
|---|----------|--------------|-----------------------------------|

CALL No. 05

Bridge Painting on SR 27 at Copiah Creek (Bridge No. 65.8), known as Federal Aid Project No. BR-0054-01(056) / 107817302 in Copiah County.

PROJECT COMPLETION: 66 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

308	Linear Feet	202-B169	Removal of Joint Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization

Bridge Items

616	Linear Feet	808-A001	Joint Preparation
308	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
616	Linear Feet	907-823-B001	Saw Cut, Type I
9	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 06

Mill & Overlay approximately 10 miles of SR 25 from Old SR 25 to the Oktibbeha County Line, known as Federal Aid Project No. NH-0056-01(098) / 107677301 in Winston County.

PROJECT COMPLETION: 80 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4 Each	202-B138	Removal of Guard Rail Bridge End Section
700 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4 Each	202-B152	Removal of Guard Rail Terminal End Section
50 Cubic Yard	203-G002	Excess Excavation, LVM, AH
7,000 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
32,000 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
373,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,700 Gallon	407-A001	Asphalt for Tack Coat
40 Mile	423-A001	Rumble Strips, Ground In
700 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
4 Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
40 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42 Mile	619-A3001	Temporary Traffic Stripe, Skip White
70,800 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,300 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
21 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
20 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
17 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
18,000 Linear Feet	626-G002	Thermoplastic Detail Stripe, White

26,400	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
6,900	Linear Feet	626-H005	Thermoplastic Legend, White
225	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,430	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
170	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow

ALTERNATE GROUP AA NUMBER 1

1,258	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,258	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,258	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,258	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,258	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,258	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 07

Bridge Replacements on SR 309 between SR 4 & US 78 (Bridge Nos. 8.4, 8.5, 8.7, 12.8, & 13.0), known as Federal Aid Project No. BR-0914-00(008) / 100299302 in Marshall County.

PROJECT COMPLETION: 488 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
5	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
943	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
25,363	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
36	Linear Feet	202-B019	Removal of Box Culvert
234	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
3,251	Linear Feet	202-B136	Removal of Guard Rail
1,038	Linear Feet	202-B191	Removal of Pipe, 8" And Above
29,896	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
140,951	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
76,529	Cubic Yard	203-G001	Excess Excavation, FM, AH
312	Cubic Yard	206-A001	Structure Excavation
59	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
25,795	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
25	Ton	213-C001	Superphosphate
747	Square Yard	216-A001	Solid Sodding
2,620	Square Yard	217-A001	Ditch Liner
37	Thousand Gallon	219-A001	Watering
25	Acre	220-A001	Insect Pest Control
93	Cubic Yard	221-A001	Concrete Paved Ditch
51	Acre	223-A001	Mowing
930	Square Yard	224-A001	Soil Reinforcing Mat
52	Acre	225-A001	Grassing
152	Ton	225-B001	Agricultural Limestone

103	Ton	225-C001	Mulch, Vegetative Mulch
51	Acre	226-A001	Temporary Grassing
260	Linear Feet	234-A001	Temporary Silt Fence
3,228	Linear Feet	234-C001	Super Silt Fence
2,100	Linear Feet	234-F001	Turbidity Barrier
66	Each	235-A001	Temporary Erosion Checks
10	Each	236-A008	Silt Basin, Type D
110	Linear Feet	237-A002	Wattles, 20"
260	Linear Feet	245-A001	Silt Dike
260	Linear Feet	246-A001	Sandbags
2	Each	247-A001	Temporary Stream Diversion
234	Ton	249-A001	Riprap for Erosion Control
87	Cubic Yard	249-B001	Remove and Reset Riprap
18,600	Ton	304-B002	Granular Material, Class 3, Group D
3,633	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
4,444	Ton	403-A006	19-mm, ST, Asphalt Pavement
3,025	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
9,553	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
5,885	Gallon	407-A001	Asphalt for Tack Coat
494	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5	Mile	423-A001	Rumble Strips, Ground In
494	Linear Feet	501-E001	Expansion Joints, Without Dowels
1,027	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
389	Linear Feet	503-C010	Saw Cut, Full Depth
480	Cubic Yard	601-A001	Class "B" Structural Concrete
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
88,805	Pounds	602-A001	Reinforcing Steel
160	Linear Feet	603-ALT003	18" Type A Alternate Pipe
816	Linear Feet	603-ALT006	24" Type A Alternate Pipe
280	Linear Feet	603-ALT011	36" Type A Alternate Pipe

168	Linear Feet	603-ALT016	48" Type A Alternate Pipe
192	Linear Feet	603-CA119	72" Reinforced Concrete Pipe, Class III
6	Each	603-CB012	72" Reinforced Concrete End Section
80	Linear Feet	603-CE044	88" x 54" Concrete Arch Pipe, Class A III
4	Each	603-CF010	88" x 54" Concrete Arch Pipe End Section
269	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
510	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
95	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
20	Each	605-Z001	Underdrain Appurtenances, Concrete Apron, Precast or Cast-In-Place
20	Each	605-Z006	Underdrain Appurtenances, Small Animal Guard
1,425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-D022	Guard Rail, Bridge End Section, Type I
20	Each	606-E005	Guard Rail, Terminal End Section, Flared
789	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
200	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
57	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
24,938	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
24,114	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10,007	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
127	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
186	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,279	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,150	Linear Feet	619-F1001	Concrete Median Barrier, Precast
450	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
552	Linear Feet	619-G4005	Barricades, Type III, Single Faced
196	Each	619-G5001	Free Standing Plastic Drums
17	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization

24,494	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10,007	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
24,114	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
594	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
127	Linear Feet	626-H005	Thermoplastic Legend, White
33	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
155	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
53	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
108	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
106	Each	630-F006	Delineators, Guard Rail, White
20	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
13,958	Ton	815-A007	Loose Riprap, Size 300
15,800	Square Yard	815-E001	Geotextile under Riprap
281	Ton	815-F002	Sediment Control Stone
400	Pounds	907-250-A001	Polyacrylamide (PAM)
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
11,650	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
11,650	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
11,650	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
22	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
ALTERNATE GROUP BB NUMBER 2			
22	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 3			
22	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

Bridge Items

8,340	Square Yard	501-K001	Transverse Grooving
5	Each	803-B001	Conventional Static Pile Load Test
2,360	Linear Feet	803-D002	HP 12 x 53 Steel Piling
7,570	Linear Feet	803-D007	HP 14 x 89 Steel Piling
7	Each	803-I003	PDA Test Pile, HP Steel Pile
9	Each	803-I004	PDA Test Pile, Steel Pipe Pile
10	Each	803-J001	Pile Restrike
1,700	Linear Feet	803-P002	24" Steel Pipe Piling, Wall Thickness 0.750"
6,255	Linear Feet	803-P004	30" Steel Pipe Piling, Wall Thickness 0.750"
1,190	Linear Feet	803-P006	36" Steel Pipe Piling, Wall Thickness 0.750"
1,038	Cubic Yard	804-A001	Bridge Concrete, Class AA
2,572	Cubic Yard	804-A004	Bridge Concrete, Class BD
1,531	Linear Feet	804-C024	110' Prestressed Concrete Beam, Type BT-54
905	Linear Feet	804-C051	130' Prestressed Concrete Beam, Type BT-72
1,922	Linear Feet	804-C058	138' Prestressed Concrete Beam, Type BT-72
1,652	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
556	Linear Feet	804-C121	80' Prestressed Concrete Beam, Type III
1,320	Linear Feet	804-C149	95' Prestressed Concrete Beam, Type BT-54
1,322	Linear Feet	804-C153	96' Prestressed Concrete Beam, Type BT-54
1,533	Linear Feet	804-C161	111' Prestressed Concrete Beam, Type BT-54
1,106	Linear Feet	804-C162	41' Prestressed Concrete Beam, Type I+2
1,112	Linear Feet	804-C163	81' Prestressed Concrete Beam, Type III
609,373	Pounds	805-A001	Reinforcement
32,205	Pounds	805-B002	Reinforcement, Corrosion Resistant
3,753	Linear Feet	813-A002	Concrete Railing, 32"
12,814	Ton	815-A007	Loose Riprap, Size 300
10,829	Square Yard	815-E001	Geotextile under Riprap

CALL No. 08

Bridge Joint Repairs at various locations throughout the District, known as Federal Aid Project No. STP-9999-03(016) / 107713301 in District 3.

PROJECT COMPLETION: 123 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

18,514	Linear Feet	808-A001	Joint Preparation
5,840	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
3,417	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
11,680	Linear Feet	907-823-B001	Saw Cut, Type I
6,834	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 09

Bridge Joint Repairs at various locations throughout the District, known as Federal Aid Project No. STP-9999-06(030) / 107715301 in District 6.

PROJECT COMPLETION: APRIL 30, 2019

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

344	Linear Feet	202-B169	Removal of Joint Material
220	Gallon	413-A001	Joint Sealer Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

22,664	Linear Feet	808-A001	Joint Preparation
7,560	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
3,348	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
15,600	Linear Feet	907-823-B001	Saw Cut, Type I
6,960	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 10

Bridge Joint Repairs at various locations throughout the District, known as Federal Aid Project No. STP-9999-07(014) / 107716301 in District 7.

PROJECT COMPLETION: 111 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,452	Linear Feet	202-B169	Removal of Joint Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

10,054	Linear Feet	808-A001	Joint Preparation
5,027	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
10,054	Linear Feet	907-823-B001	Saw Cut, Type I
94	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 11

Installation of Weigh Station Building on I-10 (Westbound) near Pearlington, known as State Project No. BWO-9725-23(001) / 503079301 in Hancock County.

PROJECT COMPLETION: APRIL 26, 2019

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	1520-A001	Installation of Weigh Station Building
---	----------	-----------	----------------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR