

**Proposal & Plan Sales Will Begin on December 31, 2018**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For January - January 23, 2019**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JANUARY - Wednesday, January 23, 2019

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON DECEMBER 31, 2018

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, January 23, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
	01 STP-0014-01(074)/107802301	WILKINSON
*	02 NH-0014-02(080)/107663301	LAMAR
	03 STP-0022-03(047)/107674301	CHICKASAW
	04 STP-0037-01(062)/107801301	JEFFERSON DAVIS
	05 IM-0055-03(089)/107070301	GRENADA
	06 NH-0059-01(075)/102334301	FORREST
	07 IM-0059-01(120)/107578301	PEARL RIVER
*	08 IM-0059-03(095)/107299301	LAUDERDALE
*	09 IM-0069-00(034)/107576301	DESOTO
*	10 STP-0658-00(010)/107625301	NOXUBEE
	11 NHPP-9999-06(018)/106720302 & NHPP-9999-06(018)/106720303 & NHPP-9999-06(018)/106720304	DESOTO, PANOLA, TATE
*	12 STP-9999-06(030)/107715301 & STP-9999-07(014)/107716301	DISTRICT 6, DISTRICT 7



CALL No. 01

Scrub Seal and Overlay approximately 13 miles of SR 24 from JCT US 61 (Woodville) East to JCT S. Cosby Street (Centreville), known as Federal Aid Project No. STP-0014-01(074) / 107802301 in Wilkinson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

462	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
7,407	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
114	Ton	403-A005	19-mm, MT, Asphalt Pavement
18,009	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,260	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
933	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,585	Gallon	407-A001	Asphalt for Tack Coat
252	Square Feet	412-A001	Pre-Grinding
25	Mile	423-A001	Rumble Strips, Ground In
76	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
54	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
25	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,589	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,504	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
25	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,329	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,260	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,504	Linear Feet	626-H005	Thermoplastic Legend, White

1,111	Each	627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
546	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,195	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
177,770	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

156	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

156	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

156	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 02

Overlay approximately 6 miles of US 98 from Old Highway 24 East to 0.4 miles West of SR 589, known as Federal Aid Project No NH-0014-02(080) / 107663301 in Lamar County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4	Each	202-B138	Removal of Guard Rail Bridge End Section
550	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4	Each	202-B152	Removal of Guard Rail Terminal End Section
1,500	Linear Feet	202-B240	Removal of Traffic Stripe
6,600	Ton	304-F003	Size 825B Crushed Stone Base
17,000	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,300	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10,000	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
6,000	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
20,000	Gallon	407-A001	Asphalt for Tack Coat
480	Square Feet	412-A001	Pre-Grinding
22	Mile	423-A001	Rumble Strips, Ground In
550	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
26	Mile	619-A3001	Temporary Traffic Stripe, Skip White
39,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,171	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
13	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White

13 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
19,500 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
19,900 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,171 Square Feet	626-H004	Thermoplastic Legend, White
1,250 Linear Feet	626-H005	Thermoplastic Legend, White
320 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,200 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,040 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 03

Mill and Overlay approximately 10 miles of SR 15 from Webster County Line to near Beginning of Four Lane South of SR 8, known as Federal Aid Project No. STP-0022-03(047) / 107674301 in Chickasaw County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,024	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,132	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,464	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,767	Linear Feet	202-B240	Removal of Traffic Stripe
3,155	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,100	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
21,420	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
81,644	Linear Feet	403-S002	Joint Sealant
209,649	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
14,675	Gallon	407-A001	Asphalt for Tack Coat
19	Mile	423-A001	Rumble Strips, Ground In
1,600	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
8	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
39	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
23	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
14	Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
27,410	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
205	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,644	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
88	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
20	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White



12 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
18,843 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,567 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
206 Square Feet	626-H004	Thermoplastic Legend, White
2,644 Linear Feet	626-H005	Thermoplastic Legend, White
1,146 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
16 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,190 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

2,768 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

2,768 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

2,768 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

1,246 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
623 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
331 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

1,246 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
623 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
331 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 04

Scrub Seal and Overlay approximately 10 miles of SR 13 From JCT US 84 North to Simpson County Line, known as Federal Aid Project No. STP-0037-01(062) / 107801301 in Jefferson Davis County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

740	Linear Feet	202-B240	Removal of Traffic Stripe
5,256	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
18,035	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,033	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,950	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,855	Gallon	407-A001	Asphalt for Tack Coat
552	Square Feet	412-A001	Pre-Grinding
21	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
43	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,235	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
160	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,940	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,574	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,661	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
160	Square Feet	626-H004	Thermoplastic Legend, White

1,940	Linear Feet	626-H005	Thermoplastic Legend, White
1,372	Each	627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
638	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
112	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,421	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
151,421	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

650	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
325	Linear Feet	907-624-C003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow, High Contrast

**ALTERNATE GROUP AA NUMBER 2**

650	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
325	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 05

Mill and Overlay approximately 8 miles of I-55 from 0.5 miles South of SR 8 to Yalobusha County Line, known as Federal Aid Project No. IM-0055-03(089) / 107070301 in Grenada County.

PROJECT COMPLETION: 97 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1 Lump Sum	201-A001	Clearing and Grubbing
4,000 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4,000 Square Yard	202-B045	Removal of Cement Treated Base, All Depths
73 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
310 Linear Feet	202-B060	Removal of Concrete Median Barrier
172 Linear Feet	202-B092	Removal of Curb, All Types
2,000 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4 Each	202-B152	Removal of Guard Rail Terminal End Section
6,500 Linear Feet	202-B240	Removal of Traffic Stripe
12,385 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
4,000 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,200 Cubic Yard	203-G001	Excess Excavation, FM, AH
8,000 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
19,360 Square Yard	212-B001	Standard Ground Preparation
2 Ton	213-C001	Superphosphate
20 Square Yard	216-A001	Solid Sodding
400 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
2 Cubic Yard	221-A001	Concrete Paved Ditch
4 Acre	225-A001	Grassing
8 Ton	225-B001	Agricultural Limestone
8 Ton	225-C001	Mulch, Vegetative Mulch
2 Acre	226-A001	Temporary Grassing
4,000 Linear Feet	234-A001	Temporary Silt Fence
100 Linear Feet	237-A002	Wattles, 20"

250 Linear Feet	246-A001 Sandbags
250 Ton	249-A001 Riprap for Erosion Control
25,500 Ton	304-B002 Granular Material, Class 3, Group D
16,004 Ton	402-A002 Open Graded Friction Course, 9.5-mm Mixture
28,500 Gallon	402-B001 Bituminous Tack Coat
470 Ton	403-A001 12.5-mm, HT, Asphalt Pavement
11,900 Ton	403-A003 12.5-mm, ST, Asphalt Pavement
646 Ton	403-A004 19-mm, HT, Asphalt Pavement
518 Ton	403-A006 19-mm, ST, Asphalt Pavement
4,420 Ton	403-A013 9.5-mm, HT, Asphalt Pavement
10,000 Ton	403-A015 9.5-mm, ST, Asphalt Pavement
33 Mile	403-S001 Joint Sealant
31,949 Ton	405-A001 Stone Matrix Asphalt, 12.5 mm Mixture
23,960 Ton	405-A002 Stone Matrix Asphalt, 9.5 mm Mixture
441,000 Square Yard	406-A002 Cold Milling of Bituminous Pavement, All Depths
41,483 Gallon	407-A001 Asphalt for Tack Coat
403 Linear Feet	413-E001 Sawing and Sealing Transverse Joints in Asphalt Pavement
34 Mile	423-A001 Rumble Strips, Ground In
6 Cubic Yard	601-B001 Class "B" Structural Concrete, Minor Structures
636 Pounds	602-A001 Reinforcing Steel
24 Linear Feet	603-CA040 30" Reinforced Concrete Pipe, Class III
1 Each	603-CB005 30" Reinforced Concrete End Section
500 Pounds	604-B001 Gratings
7 Each	606-A003 Guard Posts
2,800 Linear Feet	606-B001 Guard Rail, Class A, Type 1
2 Each	606-C003 Guard Rail, Cable Anchor, Type 1
4 Each	606-D022 Guard Rail, Bridge End Section, Type I
4 Each	606-E005 Guard Rail, Terminal End Section, Flared
2 Each	606-E007 Guard Rail, Terminal End Section, Non-Flared
2,755 Each	606-F003 Guard Rail, Replace Metal Blockout

406	Linear Feet	615-A023	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
1	Lump Sum	618-A001	Maintenance of Traffic
75	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
75	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
68	Mile	619-A3001	Temporary Traffic Stripe, Skip White
16,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
650	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
88	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
664	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
50	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
17	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
22	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
22	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,390	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,104	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
22	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
706	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
250	Each	627-G001	Yellow-Clear Reflective Raised Markers
1,990	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
133	Linear Feet	630-D004	Structural Steel Beams, W10 x 26
152	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
200	Each	630-F006	Delineators, Guard Rail, White
100	Each	630-F007	Delineators, Guard Rail, Yellow

240	Each	630-F010	Delineators, Post Mounted, Double White
120	Each	630-F011	Delineators, Post Mounted, Double Yellow
120	Each	630-F012	Delineators, Post Mounted, Single White
60	Each	630-F013	Delineators, Post Mounted, Single Yellow
1	Lump Sum	699-A001	Roadway Construction Stakes
25	Ton	815-F002	Sediment Control Stone
2	Each	907-619-E3001	Changeable Message Sign
4	Each	907-630-O004	Remove and Reset Sign, All Sizes
2	Each	907-683-G1002	Renovation of High Mast Lighting Assembly, Type 130-8-S
6	Each	907-683-G1003	Renovation of High Mast Lighting Assembly, Type 100-6-S
1	Each	907-683-G1004	Renovation of High Mast Lighting Assembly, Type 100-4-S
5	Each	907-683-H1003	Renovation of Low Mast Lighting Assembly, Type 40-1-20-255
5	Each	907-683-H1004	Renovation of Low Mast Lighting Assembly, Type 40-2-20-255
1	Each	907-688-A001	Traffic Recorder WIM Kistler System
520	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

4,450	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

4,450	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

4,450	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 06

Interchange construction on I-59 at SR 42, known as Federal Aid Project No. NH-0059-01(075) / 102334301 in Forrest County.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
34,044	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
410	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
120	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
827	Linear Feet	202-B136	Removal of Guard Rail
287	Linear Feet	202-B191	Removal of Pipe, 8" And Above
173	Each	202-B215	Removal of Sign Including Post & Footing
3,700	Linear Feet	202-B240	Removal of Traffic Stripe
65,950	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
446,250	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
1,000	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
16,250	Cubic Yard	203-G001	Excess Excavation, FM, AH
923	Cubic Yard	206-A001	Structure Excavation
565	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
170,295	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
500	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
24	Ton	213-C001	Superphosphate
1,263	Square Yard	216-A001	Solid Sodding
450	Square Yard	217-A001	Ditch Liner
26	Thousand Gallon	219-A001	Watering
24	Acre	220-A001	Insect Pest Control
41	Cubic Yard	221-A001	Concrete Paved Ditch
94	Acre	223-A001	Mowing
47	Acre	225-A001	Grassing



24 Ton	225-B001	Agricultural Limestone
94 Ton	225-C001	Mulch, Vegetative Mulch
47 Acre	226-A001	Temporary Grassing
47 Acre	227-A001	Hydroseeding
72,500 Linear Feet	234-A001	Temporary Silt Fence
2 Each	234-D001	Inlet Siltation Guard
29 Each	236-A008	Silt Basin, Type D
3,000 Linear Feet	237-A002	Wattles, 20"
50 Linear Feet	246-B002	Rockbags
500 Ton	249-A001	Riprap for Erosion Control
9,629 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
4,858 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,114 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
10,592 Ton	403-A004	19-mm, HT, Asphalt Pavement
7,894 Ton	403-A005	19-mm, MT, Asphalt Pavement
12,220 Ton	403-A006	19-mm, ST, Asphalt Pavement
5,718 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
3,643 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
821 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,000 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
15,809 Gallon	407-A001	Asphalt for Tack Coat
118 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
13 Mile	423-A001	Rumble Strips, Ground In
258 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
478 Cubic Yard	601-A001	Class "B" Structural Concrete
55 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
74,216 Pounds	602-A001	Reinforcing Steel
316 Linear Feet	603-ALT003	18" Type A Alternate Pipe
408 Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
272 Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets

568	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
320	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
80	Linear Feet	603-CA067	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
96	Linear Feet	603-CA077	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
10	Each	603-CB003	18" Reinforced Concrete End Section
6	Each	603-CB004	24" Reinforced Concrete End Section
13	Each	603-CB005	30" Reinforced Concrete End Section
5	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CB007	42" Reinforced Concrete End Section
2	Each	603-CB008	48" Reinforced Concrete End Section
744	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
128	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
128	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
168	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
16	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
4	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
4	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
1	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
500	Pounds	604-B001	Gratings
67	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
120	Linear Feet	605-T001	4" Perforated Pipe for Underdrains
5	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
5	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
650	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section
5	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
18,550	Linear Feet	607-B020	60" Type II Chain Link Fence, Class II

900	Each	607-P1008	Line Post, 7' x 1 1/2" Galvanized Steel
900	Each	607-P2004	Brace Post, 7 1/2' x 2" Galvanized Steel
4,501	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
175	Square Yard	614-B001	Concrete Driveway, With Reinforcement
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
158	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
2,673	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
90	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
11	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
21,261	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
87	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,115	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
472	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,279	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
288	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
207	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G7001	Warning Lights, Type "B"
51	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
374	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
18,174	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

11,263	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
883	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,021	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
162	Each	627-B001	Two-Way Clear Reflective Raised Markers
250	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
775	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
362	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,622	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
3,128	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
190	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
186	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
2,234	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
347	Linear Feet	630-D003	Structural Steel Beams, W10 x 22
38	Linear Feet	630-D006	Structural Steel Beams, W6 x 12
398	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
381	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
62	Linear Feet	630-D010	Structural Steel Beams, W8 x 21
456	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
477	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
591	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
1,281	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
32	Each	630-F006	Delineators, Guard Rail, White
126	Each	630-F010	Delineators, Post Mounted, Double White
77	Each	630-F011	Delineators, Post Mounted, Double Yellow
66	Each	630-F012	Delineators, Post Mounted, Single White
40	Each	630-F013	Delineators, Post Mounted, Single Yellow
14	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
120	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"

289	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
411	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
38	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1,484	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
4,350	Linear Feet	907-253-A001	Coir Fiber Baffle
6	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-630-L001	Pedestal Sign Support, Assembly No 1, Contractor Designed
1	Lump Sum	907-630-L002	Pedestal Sign Support, Assembly No 2, Contractor Designed
1	Lump Sum	907-630-M001	Post Sign Support, Assembly No 1, Contractor Designed
1	Lump Sum	907-630-M002	Post Sign Support, Assembly No 2, Contractor Designed
1	Each	907-632-J001	Power Service Pedestal
5	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
85	Linear Feet	907-636-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
925	Linear Feet	907-636-B051	Electric Cable, Underground in Conduit, THHN, AWG #4, 4 Conductor
2,915	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
20	Each	907-637-A002	Pullbox Enclosure, Type 2
28	Each	907-637-A004	Pullbox Enclosure, Type 4
26	Each	907-637-A005	Pullbox Enclosure, Type 5
160	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
365	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
2,495	Linear Feet	907-637-H002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
36,915	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
2,330	Linear Feet	907-637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
1,985	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
2	Each	907-641-C001	ITS Radar Detection Sensor
14	Each	907-650-A002	On Street Video Equipment, Fixed Type
8	Each	907-650-A003	On Street Video Equipment, PTZ Type
1,040	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

62,600 Ton 304-F001 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

62,600 Ton 304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

62,600 Ton 304-F003 Size 825B Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 1**

88 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

**ALTERNATE GROUP BB NUMBER 2**

88 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

**Bridge Items**

28 Cubic Yard 221-A001 Concrete Paved Ditch

1,716 Square Yard 501-K001 Transverse Grooving

3 Each 803-I004 PDA Test Pile, Steel Pipe Pile

2 Each 803-J001 Pile Restrike

3,775 Linear Feet 803-P001 24" Steel Pipe Piling, Wall Thickness 0.500"

2,360 Linear Feet 804-C167 99' Prestressed Concrete Beam, Type BT-54

162,682 Pounds 805-A001 Reinforcement

8,525 Square Feet 809-A001 Retaining Wall System

598 Linear Feet 813-A002 Concrete Railing, 32"

266 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

485 Cubic Yard 907-804-A004 Bridge Concrete, Class BD

CALL No. 07

Pavement Restoration on I-59 from Louisiana State Line to 0.521 miles North of the Louisiana State Line, known as Federal Aid Project No. IM-0059-01(120) / 107578301 in Pearl River County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

54	Square Yard	202-B068	Removal of Concrete Pavement Punchouts, 9" Depth
475	Linear Feet	202-B136	Removal of Guard Rail
866	Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
1,365	Gallon	402-B001	Bituminous Tack Coat
281	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
683	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
358	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
973	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3	Mile	403-S001	Joint Sealant
1,819	Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
1,587	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
2,707	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
267	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
3,056	Gallon	407-A001	Asphalt for Tack Coat
6,448	Linear Feet	413-D002	Cleaning and Filling Joints
6,448	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Mile	423-A001	Rumble Strips, Ground In
48	Each	501-G001	Dowels, Drilled and Installed
54	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
40	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
48	Linear Feet	503-C009	Saw Cut, 9-inch
20	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
350	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-E005	Guard Rail, Terminal End Section, Flared

1	Lump Sum	618-A001	Maintenance of Traffic
20,019	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
20,205	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18,240	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
288	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
6,080	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
6,673	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,735	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,058	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
128	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
8	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-F007	Delineators, Guard Rail, Yellow
2	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
28,000	Pounds	907-420-A002	Undersealing Concrete Pavement
4	Each	907-619-E3001	Changeable Message Sign

**ALTERNATE GROUP AA NUMBER 1**

498	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

498	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

498	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------



CALL No. 08

Mill and Overlay approximately 6 miles of I-59 from 65th Avenue bridge to US 45, known as Federal Aid Project No. IM-0059-03(095) / 107299301 in Lauderdale County.

PROJECT COMPLETION: 149 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,565	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
82	Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
2,647	Linear Feet	202-B147	Removal of Guard Rail Double Faced Rail Including Rail & Posts
16,793	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1	Each	202-B162	Removal of Impact Attenuator
1,389	Linear Feet	202-B169	Removal of Joint Material
335	Square Feet	202-B172	Removal of Legend, All Types
33,927	Linear Feet	202-B240	Removal of Traffic Stripe
607	Cubic Yard	203-G002	Excess Excavation, LVM, AH
280	Square Yard	203-I002	Site Grading
227	Acre	223-A001	Mowing
2,006	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
10,954	Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
23,377	Gallon	402-B001	Bituminous Tack Coat
2,078	Ton	403-A004	19-mm, HT, Asphalt Pavement
2,945	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
26,088	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
70,738	Linear Feet	403-S002	Joint Sealant
20,010	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
662	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
580,807	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
58,093	Gallon	407-A001	Asphalt for Tack Coat
1,356	Linear Feet	413-D003	Cleaning and Filling Joints in PCC Pavement
8,164	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
14	Mile	423-A001	Rumble Strips, Ground In

34	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
48	Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
62	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
24	Linear Feet	503-C004	Saw Cut, 3-inch
2,542	Linear Feet	503-C010	Saw Cut, Full Depth
5	Cubic Yard	503-D001	Concrete for Base Repair
102	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
720	Each	512-A001	Holes
11,280	Pounds	512-B002	Cement Pressure Grout Slurry, Type 6
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
150	Pounds	602-A001	Reinforcing Steel
14,050	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2,713	Linear Feet	606-B007	Guard Rail, Class A, Type 1, Double Faced, Metal Post
169	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
2	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
27	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
9	Each	606-D005	Guard Rail, Bridge End Section, Type A
35	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
42	Each	606-E001	Guard Rail, Terminal End Section
1	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
1	Lump Sum	618-A001	Maintenance of Traffic
59	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
60	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
54	Mile	619-A3001	Temporary Traffic Stripe, Skip White
70,989	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,526	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
5,292	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
6,775	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
992	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

1,730	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,233	Each	619-F3004	Delineators, Median Barrier Mounted, Yellow
65	Each	619-F5001	Snap-Back Delineator, Replacement
66	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Each	619-J1004	Impact Attenuator, 60 MPH
1	Lump Sum	620-A001	Mobilization
22	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
32	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,996	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
21	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
56,939	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
12,938	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,526	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,292	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
6,775	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,278	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
199	Each	630-F004	Delineators, Guard Rail, Double White
383	Each	630-F006	Delineators, Guard Rail, White
73	Each	630-F007	Delineators, Guard Rail, Yellow
479	Each	630-F010	Delineators, Post Mounted, Double White
86	Each	630-F011	Delineators, Post Mounted, Double Yellow
313	Each	630-F012	Delineators, Post Mounted, Single White
261	Each	630-F013	Delineators, Post Mounted, Single Yellow
15	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
30	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
600	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
3	Each	682-D003	Underground Pull Box

2	Each	907-619-E3001	Changeable Message Sign
9	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
35	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4,350	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-687-A001	Traffic Recorder Classification Permanent System
720	Hours	907-906001	Trainees

**Bridge Items**

1,388	Linear Feet	907-808-A002	Joint Repair
1,153	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
236	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,305	Linear Feet	907-823-B001	Saw Cut, Type I
472	Linear Feet	907-823-B002	Saw Cut, Type II
1	Lump Sum	907-824-PP004	Bridge Repair, Median Wall Repair
15	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete for Bridge Joint Repair
250	Linear Feet	907-824-PP008	Bridge Repair, End Wall Repair

CALL No. 09

Mill and Overlay approximately 3 miles of I-69 from 0.5 miles South of Church Road to beginning of concrete section, known as Federal Aid Project No. IM-0069-00(034) / 107576301 in Desoto County.

PROJECT COMPLETION: 127 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

757	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
757	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1	Each	202-B152	Removal of Guard Rail Terminal End Section
28	Linear Feet	202-B169	Removal of Joint Material
5,400	Linear Feet	202-B240	Removal of Traffic Stripe
250	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,910	Ton	304-B002	Granular Material, Class 3, Group D
4,450	Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
11,000	Gallon	402-B001	Bituminous Tack Coat
1,575	Ton	403-A004	19-mm, HT, Asphalt Pavement
3,175	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
4,370	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
5	Mile	403-S001	Joint Sealant
6,450	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
153,100	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
250	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
151,775	Gallon	407-A001	Asphalt for Tack Coat
10	Mile	423-A001	Rumble Strips, Ground In
1	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A3001	Temporary Traffic Stripe, Skip White
102,415	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
50	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

320	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
36	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
6	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12,660	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
23,200	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
450	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,226	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
6,037	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Each	630-F006	Delineators, Guard Rail, White
56	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
56	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-824-PP004	Bridge Repair, Endwall

**ALTERNATE GROUP AA NUMBER 1**

725	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

725	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

725	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 10

Mill and Overlay approximately 10 miles of SR 388 from US 45A to Cliftonville, known as Federal Aid Project No. STP-0658-00(010) / 107625301 in Noxubee County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,490	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
125	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,500	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
50	Cubic Yard	304-A006	Granular Material, LVM, Class 5, Group E
50	Cubic Yard	304-E002	Granular Material, LVM, Crushed Concrete Type 1
50	Cubic Yard	304-E002	Granular Material, LVM, Crushed Concrete Type 2
50	Cubic Yard	304-E002	Granular Material, LVM, Crushed Concrete Type 3
50	Cubic Yard	304-E004	Granular Material, LVM, RAP Cold Milling
50	Cubic Yard	304-E004	Granular Material, LVM, RAP Fine Milling
50	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
50	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
50	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
100	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
18,000	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,250	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
157,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,700	Gallon	407-A001	Asphalt for Tack Coat
17	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
27	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,200	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
818	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

212	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
17	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,800	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
950	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,600	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
50	Cubic Yard	907-304-PP001	Granular Material, LVM, Steel Slag Type 1
50	Cubic Yard	907-304-PP001	Granular Material, LVM, Steel Slag Type 2
50	Cubic Yard	907-304-PP001	Granular Material, LVM, Steel Slag Type 3
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips



CALL No. 11

Bridge Preservation on I-55 from Batesville to Hernando, known as Federal Aid Project Nos. NHPP-9999-06(018) / 106720302, 106720303, & 106720304 in Desoto, Panola, & Tate Counties.

PROJECT COMPLETION: 126 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	202-A001	Removal of Obstructions
2,250	Square Yard	202-B083	Removal of Concrete Slope Paving
3,328	Linear Feet	202-B126	Removal of Fence, All Types
6,975	Linear Feet	202-B136	Removal of Guard Rail
36	Each	202-B137	Removal of Guard Rail Bridge Connector
38	Each	202-B148	Removal of Guard Rail End Section, All Types
15,392	Square Yard	203-I002	Site Grading
8,070	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5	Ton	213-A001	Agricultural Limestone
872	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
9	Acre	223-A001	Mowing
9	Acre	225-A001	Grassing
12,390	Linear Feet	234-A001	Temporary Silt Fence
2,880	Linear Feet	237-A001	Wattles, 12"
630	Each	246-A002	Sandbags
225	Ton	249-A001	Riprap for Erosion Control
1,510	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
542	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
968	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
17,997	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
6,975	Linear Feet	606-B001	Guard Rail, Class A, Type 1
38	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
36	Each	606-D005	Guard Rail, Bridge End Section, Type A
18	Each	606-E005	Guard Rail, Terminal End Section, Flared

20	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,784	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
400	Linear Feet	607-B001	120" Type I Chain Link Fence, Class I
12	Each	607-G027	Gate, 6' x 12' Aluminum
1	Lump Sum	618-A001	Maintenance of Traffic
337	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
5,252	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
18	Each	619-E1001	Flashing Arrow Panel, Type C
11,868	Linear Feet	619-F1001	Concrete Median Barrier, Precast
11,868	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
170	Each	619-F3001	Delineators, Guard Rail, White
126	Each	619-F3002	Delineators, Guard Rail, Yellow
108	Linear Feet	619-G4001	Barricades, Type III, Double Faced
240	Linear Feet	619-G4005	Barricades, Type III, Single Faced
480	Each	619-G5001	Free Standing Plastic Drums
38	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
7,484	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7,484	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7,484	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
196	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
18	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
18	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
194,400	Pounds	907-420-A001	Undersealing Deep Injection
117,000	Pounds	907-420-A002	Undersealing Concrete Pavement
8	Each	907-619-E3001	Changeable Message Sign
4	Each	907-687-A001	Traffic Recorder Classification Permanent System
520	Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>			
1,008	Ton	304-F001	3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

1,008 Ton 304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

1,008 Ton 304-F003 Size 825B Crushed Stone Base

**Bridge Items**

70	Square Yard	202-B026	Removal of Bridge Deck
8,898	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
18	Each	907-202-B002	Removal of Debris
849	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
996	Linear Feet	907-808-A002	Joint Repair
468	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
79	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
82	Each	907-824-PP006	Bridge Repair, Clean Bent Caps
14	Each	907-824-PP006	Bridge Repair, Repair and Close Access Hatches
276	Each	907-824-PP006	Bridge Repair, Replacement Bearings
92	Each	907-824-PP006	Bridge Repair, Seismic Retrofit (Steel Bearing Extension-Type I)
18	Each	907-824-PP006	Bridge Repair, Temporary Shoring
85	Linear Feet	907-824-PP008	Bridge Repair, Concrete Railing
1,072	Linear Feet	907-824-PP008	Bridge Repair, End Wall Repair
180	Linear Feet	907-824-PP008	Bridge Repair, Epoxy Crack Repair
15,392	Square Yard	907-832-PP003	Concrete Mat

CALL No. 12

Bridge Joint Repairs at various locations throughout the District, known as Federal Aid Project Nos. STP-9999-06(030) / 107715301 & STP-9999-07(014) / 107716301 in District 6 & District 7.

PROJECT COMPLETION: 149 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,344	Linear Feet	202-B169	Removal of Joint Material
542	Gallon	413-A001	Joint Sealer Material
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

**Bridge Items**

28,760	Linear Feet	907-808-A002	Joint Repair
9,692	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
4,208	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
19,392	Linear Feet	907-823-B001	Saw Cut, Type I
8,600	Linear Feet	907-823-B002	Saw Cut, Type II
110	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-899-A001	Railway-Highway Provisions

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR