

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| | | | |
|-----------------------|------------------------|--------------------|-------------|
| ADDENDUM NO. <u>1</u> | DATED <u>2/20/2019</u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. <u>2</u> | DATED <u>2/21/2019</u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. <u>3</u> | DATED <u>2/21/2019</u> | ADDENDUM NO. _____ | DATED _____ |

| Number | Description |
|--------|--|
| 1 | Revised Wage Rates; Amendment EBS Download Required. |
| 2 | Revised Table of Contents; Added NTB No. 1273; Revised Bid Items; Amendment EBS Download Required. |
| 3 | Revised Table of Contents; Deleted NTB No. 1273; Revised or Added Plan Sheet Nos. 2-5, 8001-8002; Amendment EBS Download Required. |

TOTAL ADDENDA: 3
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

| | |
|--------------------|------------------|
| _____ President | _____ Address |
| _____ Secretary | _____ Address |
| _____ Treasurer | _____ Address |

The following is my (our) itemized proposal.

BR-7314-00(030)/ 107569301000 & BR-7314-00(030)/ 107569301100
Hinds & Rankin County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

**PROJECT: BR-7314-00(030)/107569301 - Hinds
BR-7314-00(030)/107569301 - Rankin**

Section 901 - Advertisement

Section 904 - Notice to Bidders

| | |
|-------|---|
| #1 | Governing Specification |
| #2 | Status of ROW, w/ Attachments |
| #3 | Final Cleanup |
| #7 | Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement |
| #9 | Federal Bridge Formula |
| #296 | Reduced Speed Limit Signs |
| #445 | Mississippi Agent and Qualified Nonresident Agent |
| #516 | Errata and Modifications to the 2017 Standard Specifications |
| #977 | DUNS Requirement For Federal Funded Projects |
| #1206 | MASH Compliant Devices |
| #1225 | Early Notice to Proceed |
| #1226 | Material Storage Under Bridges |
| #1241 | Fuel and Material Adjustments |
| #1269 | Contract Time |
| #1270 | Specialty Items |
| #1271 | Lane Closure Restrictions |
| #1272 | Temporary Construction Signs |
| 906 | Required Federal Contract Provisions -- FHWA 1273, w/Supplements |

Section 907 - Special Provisions

| | |
|-----------|--------------------------------------|
| 907-102-2 | Bidding Requirements and Conditions |
| 907-103-2 | Award and Execution of Contract |
| 907-701-1 | Hydraulic Cement |
| 907-702-4 | Bituminous Materials |
| 907-703-1 | Gradation |
| 907-705-1 | Stone Riprap |
| 907-711-2 | Plain Steel Wire |
| 907-720-2 | Acceptance Procedure for Glass Beads |
| 907-808-1 | Joint Repair |
| 907-823-5 | Preformed Joint Seal |

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and DUNS Number

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

PROJECT: BR-7314-00(030)/107569301 - Hinds
BR-7314-00(030)/107569301 - Rankin

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

02/21/2019 02:09 PM

DESCRIPTION OF SHEET


- TITLE SHEET (1)
- DETAILED INDEX & GENERAL NOTES (1)
- DETAILED INDEX & GENERAL NOTES
- SUMMARY OF QUANTITIES (3)
- SUMMARY OF QUANTITIES – HINDS COUNTY
- SUMMARY OF QUANTITIES – RANKIN COUNTY
- SUMMARY OF QUANTITIES – TOTAL
- ESTIMATED QUANTITIES (1)
- TRAFFIC CONTROL PLAN QUANTITIES
- SPECIAL DESIGN SHEETS (4)
- DETAIL CONSTRUCTION SIGNING
- TRAFFIC CONTROL – US 80 – PHASE 1
- TRAFFIC CONTROL – US 80 – PHASE 2
- PROJECT ACCESS
- ROADWAY STANDARD DRAWINGS (25)
- PAVEMENT MARKING DETAILS FOR 3-LANE 4-LANE AND 5-LANE UNDIVIDED ROADWAYS
- TYPICAL TEMPORARY EROSION/SILT SEDIMENT CONTROL APPLICATION
- DETAILS OF SEDIMENT BARRIER APPLICATIONS
- DETAILS OF SILT FENCE INSTALLATION
- DITCH CHECK STRUCTURES, TYPICAL APPLICATIONS AND DETAILS
- TEMPORARY EROSION SEDIMENT AND WATER POLLUTION CONTROL SILT FENCE AND HAY BALE DITCH CHECKS
- DETAILS OF EROSION CONTROL WATTLE DITCH CHECKS
- DETAILS OF EROSION CONTROL SILT DIKE DITCH CHECK
- ROCK DITCH CHECK
- ROCK FILTER DAM
- ROCK DITCH CHECK WITH SUMP EXCAVATION AND ROCK FILTER DAM
- INLET PROTECTION TYPICAL APPLICATIONS AND DETAILS
- INLET PROTECTION DETAILS FOR COARSE AGGREGATE ON GRADES & SAGS
- INLET PROTECTION DETAILS OF WATTLES
- INLET PROTECTION DETAILS OF MANUFACTURED INLET PROTECTION DEVICE
- INLET PROTECTION DETAILS OF SAND BAG
- STABILIZED CONSTRUCTION ENTRANCE
- TEMPORARY CULVERT STREAM CROSSING
- TEMPORARY STREAM DIVERSION
- TEMPORARY STREAM DIVERSION (BOX EXTENSIONS)
- FLOATING TURBIDITY CURTAIN
- DETAILS OF EROSION CONTROL SANDBAG DITCH CHECK
- SEDIMENT RETENTION BARRIER
- HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS
- LOCATION OF R16-3 SIGNS (SPEEDING FINES DOUBLED)
- SEE BRIDGE PLANS FOR BRIDGE DETAILED INDEX (36)
- TOTAL SHEETS (71)


WKG. NO. SH. NO.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- DCS-1
- TC-1
- TC-2
- PA-1
- PM-2
- ECD-1
- ECD-2
- ECD-3
- ECD-4
- ECD-5
- ECD-6
- ECD-7
- ECD-8
- ECD-9
- ECD-10
- ECD-11
- ECD-12
- ECD-13
- ECD-14
- ECD-15
- ECD-16
- ECD-17
- ECD-18
- ECD-19
- ECD-20
- ECD-21
- ECD-22
- TCP-8
- TCP-15

GENERAL NOTES

1. THE LOCATION AND SPACING OF SIGNS SHOWN ON THE TRAFFIC CONTROL PLANS ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT THE FIELD CONDITIONS.
2. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO PROTECT EXISTING STRUCTURES SUCH AS PIPES, INLETS, APRONS, BRIDGES, ETC. FROM DAMAGE WHICH MIGHT OCCUR DURING CONSTRUCTION. THE CONTRACTOR SHALL REPLACE OR REPAIR, AS DIRECTED BY THE ENGINEER, ANY STRUCTURES DAMAGED DURING THE LIFE OF THE CONTRACT. NO PAYMENT WILL BE MADE FOR REPLACEMENT OR REPAIR OF DAMAGED ITEMS.
3. MISSISSIPPI STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, ENGLISH 2017 EDITION, PUBLISHED BY THE MISSISSIPPI DEPARTMENT OF TRANSPORTATION SHALL GOVERN THIS PROJECT UNLESS OTHERWISE NOTED BY SPECIAL PROVISIONS, NOTICE TO BIDDERS, OR PLAN NOTES.
4. ALL POST LENGTHS FOR SIGNS SHALL BE VERIFIED IN THE FIELD PRIOR TO FABRICATION.
5. ALL SIGNS, PAVEMENT MARKINGS AND TEMPORARY TRAFFIC CONTROL DEVICES SHALL CONFORM WITH THE LATEST EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES. ALL ITEMS CONTAINED IN THIS PLAN SET THAT ARE NOT EXPLICITLY COVERED BY A PAY ITEM NUMBER ARE COST ABSORBED.
6. FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED IN PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.
7. ROADWAY SIGNS THAT ARE IN CONFLICT WITH CONSTRUCTION OF THIS PROJECT SHALL BE REMOVED AND RELOCATED BY THE CONTRACTOR AS DIRECTED BY THE ENGINEER, THE COST OF WHICH IS TO BE ABSORBED ON OTHER ITEMS BID.
8. WIRE FENCE BACKING WILL BE REQUIRED FOR ALL SILT FENCE.
9. THE EROSION CONTROL DEVICES REFERENCED IN THESE PLANS ARE A MINIMUM REQUIREMENT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT SILT DOES NOT LEAVE THE RIGHT OF WAY OR CONTAMINATE WATERS OF THE U.S. DURING CONSTRUCTION.
10. BIDDERS ARE ADVISED THAT HARD COPIES OF ANY ADDENDA FOR THIS PROJECT WILL NO LONGER BE MAILED. ALL ADDENDA FOR THIS PROJECT WILL BE POSTED TO WWW.MDOT.MS.GOV UNDER THE PROPOSAL ADDENDA COLUMN. IT IS THE BIDDERS' RESPONSIBILITY TO CHECK AND SEE IF ANY ADDENDA HAVE BEEN POSTED FOR THIS PROJECT. PLEASE CONTACT CONTRACT ADMINISTRATION DIVISION AT 601-359-7700 FOR ANY QUESTIONS REGARDING ELECTRONIC ADDENDA.

| | |
|---|-----------|
|  | |
| PS & E PLANS-12/12/18 FMS COM. # 107569/301000 & 107569/301100 | |
| REVISIONS | |
| DATE | SHEET NO. |
| 02/21/19 | 3-5,8002 |
| BY | JCR |
| | |
| | |
| | |



DATE: 12/11/18



| | |
|---|---------------------|
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION DETAILED INDEX AND GENERAL NOTES | |
| US 80 OVER PEARL RIVER | |
| COUNTY: HINDS & RANKIN PROJ. NUM.: BR-7314-00(030) | |
| DATE | FILENAME: DI-1.DGN |
| | DESIGN TEAM STANTEC |
| | CHECKED |
| | DATE |
| | SHEET NUMBER |
| | DI-1 |
| | CONSTRUCTION |
| | NOT FOR |
| | PRELIMINARY |

ADDENDUM

| | |
|-------|---------------------------------|
| STATE | PROJECT NO. |
| MISS | BR-7314-00(030)/BR-7314-00(030) |


SUMMARY OF QUANTITIES (SHEET 1)

| PAY ITEM NO. | PAY ITEM | UNIT | HINDS : 107569-301000 | |
|---------------|--|------|-----------------------|-------|
| | | | Prelim | Final |
| 618-A001 | Maintenance of Traffic | LS | 1 | |
| 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet | SF | 26 | |
| 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | SF | 132 | |
| 619-E1001 | Flashing Arrow Panel, Type C | EA | 2 | |
| 619-G4001 | Barricades, Type III, Double Faced | LF | 12 | |
| 619-G5001 | Free Standing Plastic Drums | EA | 103 | |
| 619-G7001 | Warning Lights, Type "B" | EA | 2 | |
| 620-A001 | Mobilization | LS | 1 | |
| 907-808-A002 | Joint Repair | LF | 1,350 | |
| 907-823-A001 | Preformed Joint Seal, Type I | LF | 675 | |
| 907-823-B001 | Saw Cut, Type I | LF | 1,350 | |
| 907-824-PP003 | Bridge Repair, Concrete Patching | SF | 400 | |
| 907-824-PP006 | Bridge Repair, Remove Collar Retrofit | EA | 14 | |
| 907-824-PP006 | Bridge Repair, Beam Hanger Assembly (Exterior) | EA | 28 | |
| 907-824-PP006 | Bridge Repair, Beam Hanger Assembly (Interior) | EA | 42 | |
| 907-824-PP006 | Bridge Repair, Beam End Bearing Repair | EA | 2 | |
| 907-824-PP006 | Bridge Repair, Cap Cleaning | EA | 2 | |
| 907-824-PP008 | Bridge Repair, Concrete Patching (Joint) | LF | 8 | |
| 907-824-PP008 | Bridge Repair, Rail Repair | LF | 16 | |

- ① Bents 1, 16, 19, & 27
- ② Items billed as free standing plastic drums are to be 42" tall traffic "grabber" cones.

①
②



| | | | |
|---|------------|-----------------|-----|
| CR | 02/21/2019 | REVISD QUANTITY | GR |
| BY | | Revision | |
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION | | | |
| SUMMARY OF QUANTITIES | | | |
|  | | | |
| PROJ NO: BR-7314-00(030) | | Working Number | |
| COUNTY: HINDS | | SQ-1 | |
| FILENAME: SQ.DGN | | Sheet Number | |
| Design Team | STANTEC | Checked | JCR |
| Date | 12/12/18 | 3 | |

ADDENDUM


| | |
|-------|---------------------------------|
| STATE | PROJECT NO. |
| MISS | BR-7314-00(030)/BR-7314-00(030) |

SUMMARY OF QUANTITIES (SHEET 2)

| PAY ITEM NO. | PAY ITEM | UNIT | RANKIN : 107569-301100 | |
|---------------|--|------|------------------------|-------|
| | | | Prelim | Final |
| 618-A001 | Maintenance of Traffic | LS | 1 | |
| 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet | SF | 26 | |
| 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | SF | 116 | |
| 619-E1001 | Flashing Arrow Panel, Type C | EA | 1 | |
| 619-G4001 | Barricades, Type III, Double Faced | LF | 12 | |
| 619-G5001 | Free Standing Plastic Drums | EA | 80 | |
| 619-G7001 | Warning Lights, Type "B" | EA | 2 | |
| 620-A001 | Mobilization | LS | 1 | |
| 907-808-A002 | Joint Repair | LF | 720 | |
| 907-823-A001 | Preformed Joint Seal, Type I | LF | 360 | |
| 907-823-B001 | Saw Cut, Type I | LF | 720 | |
| 907-824-PP003 | Bridge Repair, Concrete Patching | SF | 450 | |
| 907-824-PP006 | Bridge Repair, Remove Collar Retrofit | EA | 7 | |
| 907-824-PP006 | Bridge Repair, Beam Hanger Assembly (Exterior) | EA | 14 | |
| 907-824-PP006 | Bridge Repair, Beam Hanger Assembly (Interior) | EA | 21 | |
| 907-824-PP006 | Bridge Repair, Beam End Bearing Repair | EA | 0 | |
| 907-824-PP006 | Bridge Repair, Cap Cleaning | EA | 2 | |
| 907-824-PP008 | Bridge Repair, Concrete Patching (Joint) | LF | 17 | |
| 907-824-PP008 | Bridge Repair, Rail Repair | LF | 16 | |

- ① Bents 1, 16, 19, & 27
- ② Items billed as free standing plastic drums are to be 42" tall traffic "grabber" cones.



| | | | |
|---|----------|----------------|-----|
| CR | REVISION | DATE | BY |
| GR | REVISION | DATE | BY |
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION | | | |
| SUMMARY OF QUANTITIES | | | |
|  | | | |
| PROJ NO: BR-7314-00(030) | | Working Number | |
| COUNTY: RANKIN | | SQ-2 | |
| FILENAME: SQ.DGN | | Sheet Number | |
| Design Team | SIANTEC | Checked | JCR |
| Date | 12/12/18 | Date | |
| | | 4 | |

ADDENDUM

| | |
|-------|---------------------------------|
| STATE | PROJECT NO. |
| MISS | BR-7314-00(030)/BR-7314-00(030) |

SUMMARY OF QUANTITIES (SHEET 3)


| PAY ITEM NO. | PAY ITEM | UNIT | Total Amount | |
|---------------|--|------|--------------|-------|
| | | | Prelim | Final |
| 618-A001 | Maintenance of Traffic | LS | 1 | |
| 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet | SF | 52 | |
| 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | SF | 248 | |
| 619-E1001 | Flashing Arrow Panel, Type C | EA | 3 | |
| 619-G4001 | Barricades, Type III, Double Faced | LF | 24 | |
| 619-G5001 | Free Standing Plastic Drums | EA | 183 | |
| 619-G7001 | Warning Lights, Type "B" | EA | 4 | |
| 620-A001 | Mobilization | LS | 1 | |
| 907-808-A002 | Joint Repair | LF | 2,070 | |
| 907-823-A001 | Preformed Joint Seal, Type I | LF | 1,035 | |
| 907-823-B001 | Saw Cut, Type I | LF | 2,070 | |
| 907-824-PP003 | Bridge Repair, Concrete Patching | SF | 850 | |
| 907-824-PP006 | Bridge Repair, Beam End Bearing Repair | EA | 2 | |
| 907-824-PP006 | Bridge Repair, Beam Hanger Assembly (Exterior) | EA | 42 | |
| 907-824-PP006 | Bridge Repair, Beam Hanger Assembly (Interior) | EA | 63 | |
| 907-824-PP006 | Bridge Repair, Cap Cleaning | EA | 4 | |
| 907-824-PP006 | Bridge Repair, Remove Collar Retrofit | EA | 21 | |
| 907-824-PP008 | Bridge Repair, Concrete Patching (Joint) | LF | 25 | |
| 907-824-PP008 | Bridge Repair, Rail Repair | LF | 32 | |

- ① Bents 1, 16, 19, & 27
- ② Items billed as free standing plastic drums are to be 42" tall traffic "grabber" cones.

①

②



| | | |
|--|--|----------|
| CR | REVISION | DATE |
| BY | REVISION | DATE |
|  | | |
| MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES - PROJECT TOTALS | | |
| Working Number | PROJ NO: BR-7314-00(030)/BR-7314-00(030) | |
| Sheet Number | FMS: 107569-301000/107569-301100 | |
| Sheet Number | FILENAME: SQ.DGN | |
| Design Team | Checked | Date |
| STANTEC | JCR | 12/12/18 |
| | | 5 |

