

Proposal & Plan Sales Will Begin on March 4, 2019



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For March - March 26, 2019

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MARCH - Tuesday, March 26, 2019

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 4, 2019

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 26, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

| CALL | CONTRACT | COUNTY |
|------|-----------------------------|----------|
| 01 | NH-0002-05(090)/107676301 | MONROE |
| 02 | NHPP-0010-01(162)/107876301 | HARRISON |
| * 03 | NH-0014-03(075)/107791301 | GEORGE |
| 04 | IM-0055-03(091)/107300301 | CARROLL |
| 05 | BR-0058-01(037)/107860301 | CLAY |
| * 06 | STP-0060-02(022)/107771301 | TATE |
| 07 | BR-2839-00(020)/107859301 | LEE |
| * 08 | NH-7338-00(007)/107624301 | RANKIN |

CALL No. 01

Mill & Overlay approximately 10 miles of US 45 from Aberdeen North Corp Limit to Dryden Road, also known as Federal Aid Project No. NH-0002-05(090) / 107676301 in Monroe County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

| | | | |
|---------|-------------|-----------|--|
| 3,700 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 5,500 | Cubic Yard | 304-A003 | Granular Material, LVM, Class 3, Group D |
| 38,500 | Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 230,000 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 23,000 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 38 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 38 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 38 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 38 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 14,500 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 1,500 | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 19 | Mile | 626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 19 | Mile | 626-F003 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 17,500 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 25,000 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 3,300 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 250 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 2,400 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 14 | Each | 630-F006 | Delineators, Guard Rail, White |
| 14 | Each | 630-F007 | Delineators, Guard Rail, Yellow |
| 48 | Each | 630-F015 | Delineators, Surface Mounted, Yellow |

143,000 Square Yard

907-414-A001 Scrub Seal

ALTERNATE GROUP AA NUMBER 1

825 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

825 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

825 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

825 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

825 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

825 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Interchange Improvements on I-10 at Country Farm Road, known as Federal Aid Project No. NHPP-0010-01(162) / 107876301 in Harrison County.

PROJECT COMPLETION: 51 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|-------|-------------|-----------|--|
| 189 | Square Yard | 202-B059 | Removal of Concrete Median & Island Pavement, All Depths |
| 802 | Linear Feet | 202-B088 | Removal of Curb & Gutter, All Types |
| 3 | Each | 202-B129 | Removal of Flared End Section, All Sizes |
| 2,539 | Square Yard | 202-B188 | Removal of Pavement, All Types and Depths |
| 4 | Each | 202-B213 | Removal of Sign |
| 650 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 5,643 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 100 | Cubic Yard | 203-EX037 | Borrow Excavation, AH, LVM, Class B7 |
| 8 | Cubic Yard | 206-A001 | Structure Excavation |
| 8 | Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
| 8,012 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 20 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 1 | Acre | 223-A001 | Mowing |
| 2 | Acre | 225-A001 | Grassing |
| 1,500 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 800 | Linear Feet | 237-A002 | Wattles, 20" |
| 97 | Ton | 403-A001 | 12.5-mm, HT, Asphalt Pavement |
| 998 | Ton | 403-A002 | 12.5-mm, MT, Asphalt Pavement |
| 1,075 | Ton | 403-A005 | 19-mm, MT, Asphalt Pavement |
| 1,173 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 77 | Ton | 403-A013 | 9.5-mm, HT, Asphalt Pavement |
| 1,038 | Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 2,255 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 1,315 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 685 | Linear Feet | 503-C010 | Saw Cut, Full Depth |

| | | | |
|-------|-------------|-----------|---|
| 2 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 24 | Linear Feet | 603-CA027 | 24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 2 | Each | 603-CB004 | 24" Reinforced Concrete End Section |
| 16 | Linear Feet | 603-CE014 | 36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 1 | Each | 603-CF004 | 36" x 23" Concrete Arch Pipe End Section |
| 775 | Linear Feet | 606-B003 | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post |
| 2 | Each | 606-C001 | Guard Rail, Cable Anchor Type 1, Metal Post |
| 2 | Each | 606-E007 | Guard Rail, Terminal End Section, Non-Flared |
| 513 | Linear Feet | 609-D003 | Combination Concrete Curb and Gutter Type 2 |
| 1,121 | Linear Feet | 609-D014 | Combination Concrete Curb and Gutter Type 3B Modified |
| 36 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 10-inch |
| 297 | Square Yard | 616-A004 | Concrete Median and/or Island Pavement, 4-inch |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 7,329 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 3,991 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 3,837 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 463 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 32 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 240 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 1,304 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 1,293 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast |
| 24 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 177 | Each | 619-G5001 | Free Standing Plastic Drums |
| 4 | Each | 619-J1001 | Impact Attenuator, 40 MPH |
| 2 | Each | 619-J2001 | Impact Attenuator, 40 MPH, Replacement Package |
| 4 | Each | 619-J3001 | Remove and Reset Impact Attenuator |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1,198 | Linear Feet | 626-B003 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 3,142 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 1,420 | Linear Feet | 626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |

| | | | |
|-------|-------------|--------------|---|
| 646 | Linear Feet | 626-F002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 3,495 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 4,996 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 484 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 463 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 163 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 234 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 30 | Each | 630-F006 | Delineators, Guard Rail, White |
| 1,857 | Square Yard | 907-240-A001 | Interlocking Flexible Block Erosion Control System |
| 14 | Each | 907-630-O004 | Remove and Reset Sign, All Sizes |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|-------|-----|----------|----------------------------------|
| 2,840 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-------|-----|----------|----------------------------------|

ALTERNATE GROUP AA NUMBER 2

| | | | |
|-------|-----|----------|-----------------------------|
| 2,840 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-------|-----|----------|-----------------------------|

ALTERNATE GROUP AA NUMBER 3

| | | | |
|-------|-----|----------|------------------------------|
| 2,840 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-------|-----|----------|------------------------------|

CALL No. 03

Overlay approximately 7 miles of US 98 from East ROW of SR 63 to SR 198 E Lucedale, known as Federal Aid Project No. NH-0014-03(075) / 107791301 in George County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-------------|-----------|---|
| 34 | Square Yard | 202-B063 | Removal of Concrete Paved Ditch |
| 26 | Square Yard | 216-A001 | Solid Sodding |
| 57 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 5,706 | Ton | 304-F003 | Size 825B Crushed Stone Base |
| 16,567 | Ton | 403-A013 | 9.5-mm, HT, Asphalt Pavement |
| 4,182 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 9,940 | Ton | 403-B010 | 9.5-mm, HT, Asphalt Pavement, Leveling |
| 2,060 | Ton | 403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling |
| 19,940 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 28,919 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 240 | Square Feet | 412-A001 | Pre-Grinding |
| 24 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 27 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 23 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 29 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 61,260 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 416 | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 1,144 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 15 | Mile | 626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 14 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 12 | Mile | 626-F001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 26,320 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |

| | | | |
|--------|-------------|--------------|---|
| 16,708 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 917 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 1,144 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 3,220 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 664 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 126 | Each | 627-M001 | One-Way Clear Reflective High Performance Raised Markers |
| 648 | Linear Feet | 907-640-A001 | Vehicle Loop Assemblies |

CALL No. 04

Shoulder Rehabilitation on I-55 from Holmes County Line to 0.5 miles South of SR 35, known as Federal Aid Project No. IM-0055-03(091) / 107300301 in Carroll County.

PROJECT COMPLETION: 101 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|---------|-------------|-----------|--|
| 168 | Square Yard | 202-B070 | Removal of Concrete Pavement, 10" Depth |
| 2 | Each | 202-B175 | Removal of Lighting Assembly |
| 22 | Each | 202-B178 | Removal of Low Mast Lighting Assembly and Foundation |
| 175,000 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 2,935 | Linear Feet | 202-B251 | Removal of Underground Electric Wire |
| 7,850 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 7,489 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 130,000 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 29 | Mile | 423-A001 | Rumble Strips, Ground In |
| 48 | Linear Feet | 501-D001 | Expansion Joints, With Dowels |
| 152 | Square Yard | 503-A004 | 10" and Variable Jointed Concrete Pavement |
| 1,800 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 25 | Cubic Yard | 503-D001 | Concrete for Base Repair |
| 453 | Each | 503-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 48 | Each | 503-F001 | 1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 32 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 232 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 48 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 100 | Each | 619-G5001 | Free Standing Plastic Drums |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 15 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 16 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 16 | Mile | 626-F001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 1,115 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |

| | | | |
|-------|-------------|---------------|---|
| 1,528 | Linear Feet | 682-A034 | Underground Branch Circuit, AWG 6, 3 Conductor |
| 1,524 | Linear Feet | 682-A039 | Underground Branch Circuit, AWG 8, 3 Conductor |
| 90 | Linear Feet | 682-B037 | Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor |
| 16 | Each | 682-D004 | Underground Pull Box With Concrete Pad |
| 14 | Each | 683-B196 | Lighting Assembly, Low Mast, LED, Type 30-1-12-274 |
| 14 | Cubic Yard | 684-A003 | Pole Foundation, 24" Diameter |
| 10 | Linear Feet | 684-B003 | Slip Casing, 24" Diameter |
| 2 | Each | 907-259-PP001 | Lighting Assembly, Flag Pole Lighting, Per Plans |
| 5,000 | Pounds | 907-515-A001 | Fiber Reinforced Polymer Patching Material |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |
| 11 | Each | 907-683-H1005 | Renovation of Low Mast Lighting Assembly, Type 20-1-0-97 |

CALL No. 05

Bridge Preservation on SR 50 over Chuquatonchee Creek (Bridge No. 69.9), known as Federal Aid Project No. BR-0058-01(037) / 107860301 in Clay County.

PROJECT COMPLETION: 189 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|-----|-------------|----------|-------------------------------|
| 180 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 1 | Lump Sum | 620-A001 | Mobilization |

Bridge Items

| | | | |
|-------|-------------|---------------|--|
| 730 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 540 | Square Yard | 815-E001 | Geotextile under Riprap |
| 1,108 | Linear Feet | 907-808-A002 | Joint Repair , Without Epoxy |
| 554 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 1,108 | Linear Feet | 907-823-B001 | Saw Cut, Type I |
| 35 | Cubic Feet | 907-824-PP005 | Bridge Repair, Epoxy Repair, Per Plans |
| 8 | Each | 907-824-PP006 | Bridge Repair, Bearing Plate Replacement, Per Plans |
| 22 | Each | 907-824-PP006 | Bridge Repair, Cap Cleaning, Per Plans |
| 7 | Each | 907-824-PP006 | Bridge Repair, Exterior Girder Support Plates, Per Plans |
| 6 | Each | 907-824-PP006 | Bridge Repair, Interior Girder Support Plates, Per Plans |
| 14 | Each | 907-824-PP006 | Bridge Repair, Riser Repair Plates, Per Plans |
| 104 | Each | 907-824-PP006 | Bridge Repair, Steel Pile Connecting Angles, Per Plans |
| 1 | Lump Sum | 907-845-A001 | Coating Existing Structural Steel |

CALL No. 06

Mill & Overlay approximately 8 miles of SR 4 from E Side of I-55 R/W to SR 305, known as Federal Aid Project No. STP-0060-02(022) / 107771301 in Tate County.

PROJECT COMPLETION: 57 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|-------------------|-----------|---|
| 88 Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 2,705 Linear Feet | 202-B158 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 1,150 Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 10,900 Ton | 304-B002 | Granular Material, Class 3, Group D |
| 12,670 Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 8,625 Ton | 403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling |
| 186 Ton | 403-C003 | 19-mm, ST, Asphalt Pavement, Trench Widening |
| 6,000 Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 15,325 Gallon | 407-A001 | Asphalt for Tack Coat |
| 16 Mile | 423-A001 | Rumble Strips, Ground In |
| 1,605 Linear Feet | 606-B002 | Guard Rail, Class A, Type 1, 'W' Beam |
| 16 Each | 606-D019 | Guard Rail, Bridge End Section, Type H |
| 20 Each | 606-E001 | Guard Rail, Terminal End Section |
| 300 Linear Feet | 609-B002 | Concrete Curb, Header |
| 300 Linear Feet | 609-D008 | Combination Concrete Curb and Gutter Type 3A |
| 6 Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 10-inch |
| 121 Square Yard | 616-A004 | Concrete Median and/or Island Pavement, 4-inch |
| 1 Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 Square Feet | 618-B001 | Additional Construction Signs |
| 31 Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 15 Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 14 Mile | 619-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 5,775 Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 152 Each | 619-F3001 | Delineators, Guard Rail, White |
| 1 Lump Sum | 620-A001 | Mobilization |

| | | | |
|-------|-------------|--------------|--|
| 1,575 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 16 | Mile | 626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 785 | Linear Feet | 626-D002 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 7 | Mile | 626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 191 | Linear Feet | 626-E002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 7 | Mile | 626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 7,100 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 500 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 814 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 20 | Each | 630-G004 | Type 3 Object Markers, OM-3R or OM-3L |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |

CALL No. 07

Bridge Preservation on SR 145 between SR 245 and US 45, known as Federal Aid Project No. BR-2839-00(020) / 107859301 in Lee County.

PROJECT COMPLETION: 202 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|-------|-------------|--------------|---|
| 450 | Square Yard | 203-I002 | Site Grading |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 40 | Linear Feet | 626-B003 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 40 | Linear Feet | 626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 2 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 8,700 | Pounds | 907-420-A002 | Undersealing Concrete Pavement |
| 1 | Lump Sum | 907-899-A001 | Railway-Highway Provisions |

Bridge Items

| | | | |
|-----|-------------|---------------|---|
| 554 | Linear Feet | 907-808-A002 | Joint Repair , Without Epoxy |
| 277 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 554 | Linear Feet | 907-823-B001 | Saw Cut, Type I |
| 33 | Cubic Feet | 907-824-PP005 | Bridge Repair, Epoxy Repair, Per Plans |
| 4 | Each | 907-824-PP006 | Bridge Repair, Cap Cleaning, Per Plans |
| 8 | Each | 907-824-PP006 | Bridge Repair, Masonry Plate Replacement & Bearing Reset, Per Plans |
| 16 | Each | 907-824-PP006 | Bridge Repair, Pin and Hanger Tightening, Per Plans |
| 2 | Each | 907-824-PP006 | Bridge Repair, Pressure Relief Joint, Per Plans |
| 42 | Each | 907-824-PP006 | Bridge Repair, Repair and Replace Pipe Drains, Per Plans |
| 10 | Each | 907-824-PP006 | Bridge Repair, Replace Secondary Steel Members, Per Plans |
| 450 | Square Yard | 907-832-PP003 | Concrete Mat |
| 1 | Lump Sum | 907-845-A001 | Coating Existing Structural Steel |

CALL No. 08

Mill & Overlay approximately 2 miles SR 475 from SR 468 to I-20, known as Federal Aid Project No. NH-7338-00(007) / 107624301 in Rankin County.

PROJECT COMPLETION: 76 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|--------------------|-----------|--|
| 250 Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 250 Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 600 Cubic Yard | 304-A004 | Granular Material, LVM, Class 5, Group C |
| 100 Cubic Yard | 305-B002 | Size I Stabilizer Aggregate, Coarse |
| 4,700 Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 100 Ton | 403-B002 | 12.5-mm, MT, Asphalt Pavement, Leveling |
| 1,100 Ton | 403-C002 | 19-mm, MT, Asphalt Pavement, Trench Widening |
| 45,104 Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 2,170 Gallon | 407-A001 | Asphalt for Tack Coat |
| 1 Lump Sum | 618-A001 | Maintenance of Traffic |
| 8 Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 1 Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 1 Mile | 619-A3003 | Temporary Traffic Stripe, Skip White, Paint |
| 6 Mile | 619-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 6,885 Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 77 Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 1,440 Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 56 Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 94 Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 36 Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 1 Lump Sum | 620-A001 | Mobilization |
| 1 Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 4 Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 2 Mile | 626-D001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 1 Mile | 626-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |

| | | | |
|-------|-------------|--------------|--|
| 2,645 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 5,822 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 77 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 1,500 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 150 | Each | 627-B001 | Two-Way Clear Reflective Raised Markers |
| 100 | Each | 627-C001 | Red-Clear Reflective Raised Markers |
| 400 | Each | 627-D001 | Two-Way Yellow Reflective Raised Markers |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |
| 3 | Each | 907-641-A002 | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2 |
| 300 | Linear Feet | 907-641-D001 | Radar Vehicle Detection Cable |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR