

Proposal & Plan Sales Will Begin on May 6, 2019



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For May - May 29, 2019

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Wednesday, May 29, 2019

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 6, 2019

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, May 29, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
01	HSIP-0008-01(131)/106777301	FORREST
02	HSIP-0019-02(057)/102168305	LAFAYETTE
* 03	NH-0016-01(035)/107765301	BOLIVAR
* 04	STP-0017-02(015)/107697301	PANOLA
05	BR-0019-02(055)/106969301	YALOBUSHA
06	NH-0056-01(102)/108015301	HINDS
07	BR-0060-03(020)/105333301	MARSHALL
08	BR-0072-05(009)/103330301	TATE
09	BR-0349-00(028)/106977301	CLARKE
10	BR-0742-00(017)/106975301	CHICKASAW
11	BR-2905-00(001)/103328301	BENTON
* 12	STP-9999-03(018)/107913301 & STP-9999-03(018)/107913302	HOLMES, YAZOO
13	MP-1025-71(019) / 306681301	TISHOMINGO
14	MP-1182-78(002)/306678301	WEBSTER
15	MP-1363-41(003)/306676301	LEE
* 16	MP-2012-04(008)/306650301	ATTALA
* 17	MP-2032-68(008)/306647301	TALLAHATCHIE

*	18	MP-3027-15(008)/306701301	COPIAH
*	19	MP-3051-26(008)/306702301 & MP-3012-26(014)/306702302 & MP-3019-26(001)/306702303	HOLMES
*	20	MP-5878-40(001)/306660301 & MP-5492-40(003)/306660302	LEAKE
*	21	MP-6000-34(301)/306698301	JONES
*	22	MP-6028-34(005)/306697301	JONES
	23	MP-7035-65(013)/306411301	SMITH
	24	MP-7035-46(009)/306644301	MARION

CALL No. 01

Intersection Improvements on US 49 at MS 42 West, known as Federal Aid Project No. HSIP-0008-01(131) / 106777301 in Forrest County.

PROJECT COMPLETION: JULY 17, 2020

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2,850	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
115	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
291	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
250	Linear Feet	202-B092	Removal of Curb, All Types
9	Each	202-B129	Removal of Flared End Section, All Sizes
1	Each	202-B165	Removal of Inlets, All Sizes
507	Linear Feet	202-B191	Removal of Pipe, 8" And Above
100	Linear Feet	202-B240	Removal of Traffic Stripe
1,000	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
47,266	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
26,900	Cubic Yard	203-G001	Excess Excavation, FM, AH
732	Cubic Yard	206-A001	Structure Excavation
26	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
11,312	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
700	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-C001	Superphosphate
300	Square Yard	217-A001	Ditch Liner
10	Cubic Yard	221-A001	Concrete Paved Ditch
9	Acre	223-A001	Mowing
9	Acre	225-A001	Grassing
5	Ton	225-B001	Agricultural Limestone
18	Ton	225-C001	Mulch, Vegetative Mulch
9	Acre	227-A001	Hydroseeding

10,000	Linear Feet	234-A001	Temporary Silt Fence
500	Linear Feet	237-A002	Wattles, 20"
934	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
1,245	Ton	403-A004	19-mm, HT, Asphalt Pavement
2,178	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
300	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,578	Gallon	407-A001	Asphalt for Tack Coat
787	Linear Feet	503-C010	Saw Cut, Full Depth
25	Cubic Yard	601-A001	Class "B" Structural Concrete
37	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
5,929	Pounds	602-A001	Reinforcing Steel
1,344	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
424	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
9	Each	603-CB003	18" Reinforced Concrete End Section
7	Each	603-CB004	24" Reinforced Concrete End Section
3,416	Pounds	604-A001	Castings
2,800	Pounds	604-B001	Gratings
2,563	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
532	Linear Feet	609-D014	Combination Concrete Curb and Gutter Type 3B Modified
257	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
3,289	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
22	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
15,295	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
7,954	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
50	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
723	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
245	Linear Feet	619-G4005	Barricades, Type III, Single Faced
48	Linear Feet	619-G4007	Barricades, Type III, Single Faced, Permanent, Red/White

95	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1,840	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,756	Linear Feet	626-B003	6" Thermoplastic Traffic Stripe, Continuous White
5,837	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,190	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,112	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,090	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,652	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
431	Square Feet	626-H004	Thermoplastic Legend, White
256	Linear Feet	626-H005	Thermoplastic Legend, White
105	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
197	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
78	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
118	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
74	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
62	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
44	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
241	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
42	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
143	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
4	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	699-A001	Roadway Construction Stakes
15	Ton	815-A007	Loose Riprap, Size 300
685	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal

1	Each	907-634-A082	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	907-634-A089	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
1	Each	907-634-A144	Traffic Signal Equipment Pole, Type II, 40' Shaft, 55' Arm
2	Each	907-634-A540	Traffic Signal Equipment Pole, Type V, 14' Shaft
17	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1,719	Linear Feet	907-636-B006	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
1,135	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
8	Linear Feet	907-636-B027	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
215	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
6	Each	907-637-A001	Pullbox Enclosure, Type 1
6	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
14	Each	907-637-A004	Pullbox Enclosure, Type 4
15	Each	907-637-A005	Pullbox Enclosure, Type 5
1,475	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
24	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
775	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
204	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
23,430	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
4	Each	907-639-B001	Type 1 Optical Detector
796	Linear Feet	907-639-C001	Type 1 Optical Detector Cable
1	Each	907-639-D001	Multimode Phase Selector
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1	Each	907-641-C001	ITS Radar Detection Sensor
1,096	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Lump Sum	907-641-E001	Radar Vehicle Detection Training
4	Each	907-650-A002	On Street Video Equipment, Fixed Type
3	Each	907-650-A003	On Street Video Equipment, PTZ Type
28	Square Feet	907-653-B001	Street Name Sign

23,430	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
377	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
3	Each	907-663-A001	Network Switch, Type A

ALTERNATE GROUP AA NUMBER 1

5,028	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

5,028	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

5,028	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 02

Construction of a Roundabout on SR 7 at SR 9W, known as Federal Aid Project No. HSIP-0019-02(057) / 102168305 in Lafayette County.

PROJECT COMPLETION: 65 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
4,481	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
530	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
2	Each	202-B165	Removal of Inlets, All Sizes
600	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1	Each	202-B206	Removal of Right-Of-Way Marker
35	Each	202-B215	Removal of Sign Including Post & Footing
470	Linear Feet	202-B240	Removal of Traffic Stripe
5,885	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
21,415	Cubic Yard	203-G001	Excess Excavation, FM, AH
295	Cubic Yard	206-A001	Structure Excavation
9,344	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
446	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-A001	Agricultural Limestone
1	Ton	213-C001	Superphosphate
2,624	Square Yard	216-B001	Solid Sodding, Bermuda
52	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
118	Cubic Yard	221-A001	Concrete Paved Ditch
625	Square Yard	224-A001	Soil Reinforcing Mat
2	Acre	225-A001	Grassing
3	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing
12	Each	230-B102	Tree Planting, Southern Magnolia, Saint Mary
2,250	Linear Feet	234-A001	Temporary Silt Fence

7	Each	235-A001	Temporary Erosion Checks
2	Each	236-A008	Silt Basin, Type D
2,400	Linear Feet	237-A002	Wattles, 20"
51	Linear Feet	245-A001	Silt Dike
340	Linear Feet	246-A001	Sandbags
20	Ton	249-A001	Riprap for Erosion Control
10	Cubic Yard	249-B001	Remove and Reset Riprap
2,200	Ton	304-B002	Granular Material, Class 3, Group D
481	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
616	Ton	403-A005	19-mm, MT, Asphalt Pavement
753	Ton	403-A006	19-mm, ST, Asphalt Pavement
591	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
940	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
3,610	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
998	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
1,405	Linear Feet	503-C010	Saw Cut, Full Depth
10	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
906	Pounds	602-A001	Reinforcing Steel
64	Linear Feet	603-ALT006	24" Type A Alternate Pipe
200	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
32	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
152	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
1	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
79	Pounds	604-A001	Castings
440	Linear Feet	609-B003	Concrete Curb, Special Design
380	Linear Feet	609-C001	Concrete Integral Curb, Type 1
3,656	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified

65	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
409	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
590	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
9	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
2,505	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,985	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8,566	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
569	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
76	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
640	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,052	Linear Feet	619-F1001	Concrete Median Barrier, Precast
158	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
180	Linear Feet	619-G4005	Barricades, Type III, Single Faced
90	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,183	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,472	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,955	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,812	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
27	Square Feet	626-H004	Thermoplastic Legend, White
303	Linear Feet	626-H005	Thermoplastic Legend, White
74	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
202	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
153	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
114	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
170	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted

27	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
390	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
133	Linear Feet	630-D009	Structural Steel Beams, W8 x 18
114	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
155	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
185	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1	Each	638-C001	Flasher Assembly - Solar Powered
5,300	Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 3 Conductor
300	Linear Feet	682-B010	Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor
110	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
4	Each	682-E002	Underground Junction Box
14	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
23	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
226	Ton	815-A007	Loose Riprap, Size 300
37	Square Yard	815-E001	Geotextile under Riprap
41	Ton	815-F002	Sediment Control Stone
284	Linear Feet	907-253-A001	Coir Fiber Baffle
6	Each	907-619-E3001	Changeable Message Sign
2	Each	907-630-O006	Remove and Reset Signs, Ground Mounted
14	Each	907-683-PP001	Lighting Assembly, Per Plans

ALTERNATE GROUP AA NUMBER 1

3,350	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,350	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,350	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 03

Mill & Overlay approximately 2 Miles of SR 8 from the start of the 5-lane section to US 61, known as Federal Aid Project No. NH-0016-01(035) / 107765301 in Bolivar County.

PROJECT COMPLETION: 45 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,000	Ton	403-A005	19-mm, MT, Asphalt Pavement
6,800	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
3,937	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
25,768	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
6,200	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16,500	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
16,320	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
18,400	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
5,900	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
1,335	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint White
4,400	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint Yellow
2,000	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
4,608	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
18,400	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
16,500	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
5,900	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
16,320	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,335	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,400	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow Yellow
2,000	Square Feet	626-H004	Thermoplastic Legend, White
4,608	Linear Feet	626-H005	Thermoplastic Legend, White
619	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

1,155	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
28	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
3,085	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

ALTERNATE GROUP AA NUMBER 1

250	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

250	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

250	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 04

Mill & Overlay approximately 9 miles of SR 315 from US 51 to Pleasant Grove, known as Federal Aid Project No. STP-0017-02(015) / 107697301 in Panola County.

PROJECT COMPLETION: 118 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,496	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,155	Linear Feet	202-B240	Removal of Traffic Stripe
9,650	Ton	304-B002	Granular Material, Class 3, Group D
19,500	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
400	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
535	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
22,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,800	Gallon	407-A001	Asphalt for Tack Coat
58,900	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,100	Cubic Yard	410-B004	Seal Aggregate Cover Material, Size 89, Limestone
2,046	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-D019	Guard Rail, Bridge End Section, Type H
16	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs
59	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
27	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
8,250	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
1,435	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
20	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
720	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

2,750	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,675	Linear Feet	626-H005	Thermoplastic Legend, White
500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
907	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
6,600	Ton	907-411-A001	Ultra Thin Asphalt Pavement
133,600	Square Yard	907-424-A001	Roadbed Reclamation with Cement
2,250	Ton	907-424-B001	Cement
6	Each	907-619-E3001	Changeable Message Sign

CALL No. 05

Bridge Replacement on SR 7 over Cypress Creek, Bridge No. 85.9, known as Federal Aid Project No. BR-0019-02(055) / 106969301 in Yalobusha County.

PROJECT COMPLETION: 197 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
4,738	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
430	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
50	Linear Feet	202-B191	Removal of Pipe, 8" And Above
7,419	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
15,133	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
10,895	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,582	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
84	Square Yard	212-B001	Standard Ground Preparation
5	Ton	213-C001	Superphosphate
84	Square Yard	216-A001	Solid Sodding
334	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
14	Cubic Yard	221-A001	Concrete Paved Ditch
22	Acre	223-A001	Mowing
12	Acre	225-A001	Grassing
26	Ton	225-B001	Agricultural Limestone
22	Ton	225-C001	Mulch, Vegetative Mulch
12	Acre	226-A001	Temporary Grassing
8,400	Linear Feet	234-A001	Temporary Silt Fence
624	Linear Feet	234-C001	Super Silt Fence
1	Each	236-A008	Silt Basin, Type D
960	Linear Feet	237-A002	Wattles, 20"

248	Linear Feet	239-A001	Temporary Slope Drains
960	Linear Feet	245-A001	Silt Dike
252	Each	246-A002	Sandbags
500	Ton	249-A001	Riprap for Erosion Control
2,875	Ton	304-B002	Granular Material, Class 3, Group D
802	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,058	Ton	403-A005	19-mm, MT, Asphalt Pavement
989	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
32	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
5,110	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
609	Gallon	407-A001	Asphalt for Tack Coat
94	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
205	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
54	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
96	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
40	Each	606-E005	Guard Rail, Terminal End Section, Flared
10	Each	617-B001	Permanent Easement Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
2,089	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
2	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
3,534	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint

50	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
106	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
321	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
8	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
8,000	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,000	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
20	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
460	Ton	815-A007	Loose Riprap, Size 300
369	Square Yard	815-E001	Geotextile under Riprap
27	Ton	815-F002	Sediment Control Stone
77	Linear Feet	907-253-A001	Coir Fiber Baffle

ALTERNATE GROUP AA NUMBER 1

351	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

351	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

351 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

70 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

70 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

Bridge Items

1,600 Square Yard 501-K001 Transverse Grooving

1,550 Linear Feet 803-P001 24" Steel Pipe Piling, Wall Thickness 0.500"

1,235 Linear Feet 803-P003 30" Steel Pipe Piling, Wall Thickness 0.500"

1,952 Linear Feet 804-C059 140' Prestressed Concrete Beam, Type BT-72

558 Linear Feet 804-C121 80' Prestressed Concrete Beam, Type III

125,740 Pounds 805-A001 Reinforcement

724 Linear Feet 813-A002 Concrete Railing, 32"

1,195 Square Yard 815-A008 Loose Riprap, Size 300

817 Square Yard 815-E001 Geotextile under Riprap

3 Each 907-803-I004 PDA Test Pile, Steel Pipe Pile

2 Each 907-803-J001 Pile Restrike

149 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

470 Cubic Yard 907-804-A004 Bridge Concrete, Class BD

CALL No. 06

Bridge Repair on MS 25 over I-55, known as Federal Aid Project No. NH-0056-01(102) / 108015301 in Hinds County.

PROJECT COMPLETION: 35 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5	Square Yard	202-B063	Removal of Concrete Paved Ditch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Cubic Yard	815-D001	Concrete Slope Paving
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

140	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
1	Lump Sum	907-824-PP004	Bridge Repair, Cleaning
25	Linear Feet	907-824-PP008	Bridge Repair, FRP Wrap, Per Plans

CALL No. 07

Bridge Replacement on SR 4 over the BNSF Railway & MS Central Rail Road Company, Bridge No. 75.3, known as Federal Aid Project No. BR-0060-03(020) / 105333301 in Marshall County.

PROJECT COMPLETION: 186 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
6,024	Square Yard	202-B005	Removal of Asphalt Paved Ditch, All Depths
802	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
421	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
461	Square Yard	202-B080	Removal of Concrete Sidewalk
6	Each	202-B165	Removal of Inlets, All Sizes
767	Linear Feet	202-B191	Removal of Pipe, 8" And Above
16	Each	202-B215	Removal of Sign Including Post & Footing
12,417	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
7,944	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
500	Cubic Yard	203-G001	Excess Excavation, FM, AH
848	Cubic Yard	206-A001	Structure Excavation
7,763	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,543	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
1,018	Square Yard	216-A001	Solid Sodding
10	Square Yard	217-A001	Ditch Liner
453	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
30	Cubic Yard	221-A001	Concrete Paved Ditch
7	Acre	223-A001	Mowing
1,200	Square Yard	224-A001	Soil Reinforcing Mat
7	Acre	225-A001	Grassing

4 Ton	225-B001	Agricultural Limestone
15 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing
2,500 Linear Feet	234-A001	Temporary Silt Fence
2,728 Linear Feet	237-A002	Wattles, 20"
800 Linear Feet	239-A001	Temporary Slope Drains
1,300 Linear Feet	246-A001	Sandbags
100 Ton	249-A001	Riprap for Erosion Control
3,610 Ton	304-B002	Granular Material, Class 3, Group D
1,047 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,178 Ton	403-A006	19-mm, ST, Asphalt Pavement
768 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
854 Gallon	407-A001	Asphalt for Tack Coat
70 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
149 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
60 Linear Feet	503-C010	Saw Cut, Full Depth
44 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2 Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
3,198 Pounds	602-A001	Reinforcing Steel
528 Linear Feet	603-ALT003	18" Type A Alternate Pipe
936 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
792 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
4 Each	603-CB003	18" Reinforced Concrete End Section
2 Each	603-CB004	24" Reinforced Concrete End Section
40 Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
64 Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
32 Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
2 Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
2 Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
2 Each	603-CF007	58" x 36" Concrete Arch Pipe End Section

1,027 Pounds	604-A001 Castings
36 Square Yard	605-AA003 Geotextile for Subsurface Drainage, Type V, Non-Woven
64 Linear Feet	605-O003 4" Perforated Sewer Pipe for Underdrains, SDR 35
52 Linear Feet	605-P003 4" Non-perforated Sewer Pipe for Underdrains, SDR 35
2 Cubic Yard	605-W001 Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
175 Linear Feet	606-B001 Guard Rail, Class A, Type 1
4 Each	606-D022 Guard Rail, Bridge End Section, Type I
4 Each	606-E007 Guard Rail, Terminal End Section, Non-Flared
1,010 Square Yard	608-B001 Concrete Sidewalk, With Reinforcement
78 Linear Feet	609-D001 Combination Concrete Curb and Gutter Type 1
1,314 Linear Feet	609-D012 Combination Concrete Curb and Gutter Type 3A Modified
24 Cubic Yard	612-B001 Flowable Fill, Non-Excavatable
7 Each	613-D005 Adjustment of Manhole
600 Square Yard	614-A001 Concrete Driveway, Without Reinforcement
253 Square Yard	614-B001 Concrete Driveway, With Reinforcement
40 Linear Feet	615-A002 Concrete Bridge End Barrier, 33.5"
48 Each	617-A001 Right-of-Way Marker
1 Lump Sum	618-A001 Maintenance of Traffic
5,291 Linear Feet	619-A1003 Temporary Traffic Stripe, Continuous White, Paint
5,822 Linear Feet	619-A2003 Temporary Traffic Stripe, Continuous Yellow, Paint
349 Linear Feet	619-A5002 Temporary Traffic Stripe, Detail, Paint
311 Linear Feet	619-A6004 Temporary Traffic Stripe, Legend, Paint
221 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
224 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
12 Linear Feet	619-G4001 Barricades, Type III, Double Faced
72 Linear Feet	619-G4005 Barricades, Type III, Single Faced
60 Each	619-G5001 Free Standing Plastic Drums
3 Each	619-G7001 Warning Lights, Type "B"
1 Lump Sum	620-A001 Mobilization

5,291	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,822	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
349	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
311	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
63	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
97	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
22	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
25	Ton	815-A007	Loose Riprap, Size 300
67	Square Yard	815-E001	Geotextile under Riprap
12	Ton	815-F002	Sediment Control Stone
4	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

7,513	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

7,513	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

7,513	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

16	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

16	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

853	Square Yard	501-K001	Transverse Grooving
2,550	Linear Feet	803-D007	HP 14 x 89 Steel Piling
845	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"

764	Linear Feet	804-C026	110' Prestressed Concrete Beam, Type IV
902	Linear Feet	804-C095	65' Prestressed Concrete Beam, Type IV
97,542	Pounds	805-A001	Reinforcement
484	Linear Feet	813-A002	Concrete Railing, 32"
480	Linear Feet	813-B001	Concrete-Steel Railing
95	Cubic Yard	815-D001	Concrete Slope Paving
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
1	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
226	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
336	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

CALL No. 08

Bridge Replacements on SR 3 from the Panola County Line to the Tunica County Line Bridge Nos. 181.6 & 181.9, known as Federal Aid Project No. BR-0072-05(009) / 103330301 in Tate County.

PROJECT COMPLETION: 354 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
58	Linear Feet	202-B019	Removal of Box Culvert
6,222	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
4,978	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
1,629	Linear Feet	202-B136	Removal of Guard Rail
80	Linear Feet	202-B191	Removal of Pipe, 8" And Above
16,076	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
80,585	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,000	Cubic Yard	203-G001	Excess Excavation, FM, AH
812	Cubic Yard	206-A001	Structure Excavation
21,380	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4	Ton	213-C001	Superphosphate
45	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
21	Cubic Yard	221-A001	Concrete Paved Ditch
14	Acre	223-A001	Mowing
7	Acre	225-A001	Grassing
12	Ton	225-B001	Agricultural Limestone
14	Ton	225-C001	Mulch, Vegetative Mulch
7	Acre	226-A001	Temporary Grassing
6,000	Linear Feet	234-A001	Temporary Silt Fence
1,500	Linear Feet	234-C001	Super Silt Fence

400 Linear Feet	234-F001	Turbidity Barrier
6 Each	236-A008	Silt Basin, Type D
400 Linear Feet	237-A002	Wattles, 20"
200 Linear Feet	245-A001	Silt Dike
200 Linear Feet	246-A001	Sandbags
1 Each	247-A001	Temporary Stream Diversion
150 Ton	249-A001	Riprap for Erosion Control
8,800 Ton	304-B002	Granular Material, Class 3, Group D
1,983 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
2,561 Ton	403-A006	19-mm, ST, Asphalt Pavement
1,675 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,401 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,879 Gallon	407-A001	Asphalt for Tack Coat
485 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2 Mile	423-A001	Rumble Strips, Ground In
497 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,625 Linear Feet	503-C010	Saw Cut, Full Depth
78 Cubic Yard	601-A001	Class "B" Structural Concrete
2 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
13,255 Pounds	602-A001	Reinforcing Steel
256 Linear Feet	603-ALT003	18" Type A Alternate Pipe
328 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
96 Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
4 Each	603-CB004	24" Reinforced Concrete End Section
2 Each	603-CB008	48" Reinforced Concrete End Section
127 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
228 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
8 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
450 Linear Feet	606-B001	Guard Rail, Class A, Type 1

8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
667	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
80	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
43	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
211	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
17	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
6,642	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,336	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
2,212	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
112	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
88	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
172	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
343	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
168	Linear Feet	619-G4005	Barricades, Type III, Single Faced
46	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
351	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9,645	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,650	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4,801	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,861	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,319	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
200	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
592	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
9	Each	627-C001	Red-Clear Reflective Raised Markers

336	Each	627-D001	Two-Way Yellow Reflective Raised Markers
108	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
90	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
43	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
36	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
261	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
93	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
44	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
29	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1	Lump Sum	699-A001	Roadway Construction Stakes
3,700	Ton	815-A007	Loose Riprap, Size 300
1,902	Square Yard	815-E001	Geotextile under Riprap
195	Ton	815-F002	Sediment Control Stone
782	Linear Feet	907-253-A001	Coir Fiber Baffle
720	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

8,200	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

8,200	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

8,200	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

169	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

169	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

636	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,040	Square Yard	501-K001	Transverse Grooving
2,105	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2,665	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling

4,385	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,956	Linear Feet	804-C059	140' Prestressed Concrete Beam, Type BT-72
5,576	Linear Feet	804-C165	100' Prestressed Concrete Beam, Type BT-54
442,556	Pounds	805-A001	Reinforcement
2,170	Linear Feet	813-A002	Concrete Railing, 32"
20,519	Ton	815-A007	Loose Riprap, Size 300
14,424	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I002	PDA Test Pile, Concrete Pile
6	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
4	Each	907-803-J001	Pile Restrike
414	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,537	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

CALL No. 09

Bridge Replacement on SR 512 over Stream, Bridge No. 16.0, known as Federal Aid Project No. BR-0349-00(028) / 106977301 in Clarke County.

PROJECT COMPLETION: 100 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
4,376	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
312	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
123	Linear Feet	202-B191	Removal of Pipe, 8" And Above
20	Each	202-B213	Removal of Sign
5,277	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
10,694	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
80	Cubic Yard	206-A001	Structure Excavation
70	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,198	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
100	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
29	Square Yard	216-A001	Solid Sodding
533	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
4	Cubic Yard	221-A001	Concrete Paved Ditch
10	Acre	223-A001	Mowing
222	Square Yard	224-A001	Soil Reinforcing Mat
5	Acre	225-A001	Grassing
3	Ton	225-B001	Agricultural Limestone
10	Ton	225-C001	Mulch, Vegetative Mulch
5	Acre	226-A001	Temporary Grassing
4,000	Linear Feet	234-A001	Temporary Silt Fence

400	Linear Feet	234-C001	Super Silt Fence
7,000	Linear Feet	237-A002	Wattles, 20"
100	Each	246-B001	Rockbags
500	Ton	249-A001	Riprap for Erosion Control
600	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
812	Ton	403-A006	19-mm, ST, Asphalt Pavement
501	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
14	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
933	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
452	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	501-E001	Expansion Joints, Without Dowels
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-A001	Class "B" Structural Concrete
232	Linear Feet	603-ALT003	18" Type A Alternate Pipe
192	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
4	Each	603-CB005	30" Reinforced Concrete End Section
76	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
68	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
5	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
588	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
3	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
71	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
23	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
3,186	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White

2,364	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
840	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
763	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
170	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
238	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
412	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
66	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,966	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
840	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2,144	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
378	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
165	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
170	Linear Feet	626-H005	Thermoplastic Legend, White
55	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
36	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
32	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
153	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
8	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
412	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
25	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
100	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

3,100	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,100 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

3,100 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

220 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

220 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

220 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

220 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP CC NUMBER 1

115 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP CC NUMBER 2

115 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

Bridge Items

489 Square Yard 501-K001 Transverse Grooving

2,255 Linear Feet 803-D005 HP 14 x 117 Steel Piling

878 Linear Feet 804-C024 110' Prestressed Concrete Beam, Type BT-54

52,491 Pounds 805-A001 Reinforcement

225 Linear Feet 813-A002 Concrete Railing, 32"

2,491 Ton 815-A007 Loose Riprap, Size 300

1,502 Square Yard 815-E001 Geotextile under Riprap

1 Each 907-803-B001 Conventional Static Pile Load Test

2 Each 907-803-I003 PDA Test Pile, HP Steel Pile

2 Each 907-803-J001 Pile Restrike

93 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

151 Cubic Yard 907-804-A004 Bridge Concrete, Class BD

CALL No. 10

Bridge Replacements on SR 389 over Chewawah Creek, Bridge No. 6.8, and over Cane Creek, Bridge No. 6.7, known as Federal Aid Project No. BR-0742-00(017) / 106975301 in Chickasaw County.

PROJECT COMPLETION: 205 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
6,894	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Each	202-B023	Removal of Bridge
193	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
971	Linear Feet	202-B136	Removal of Guard Rail
120	Linear Feet	202-B191	Removal of Pipe, 8" And Above
11,211	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
31,758	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
6,020	Cubic Yard	203-G001	Excess Excavation, FM, AH
20	Cubic Yard	206-A001	Structure Excavation
12,926	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4,376	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-C001	Superphosphate
944	Square Yard	216-A001	Solid Sodding
1,500	Square Yard	217-A001	Ditch Liner
19	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
59	Cubic Yard	221-A001	Concrete Paved Ditch
18	Acre	223-A001	Mowing
9	Acre	225-A001	Grassing
18	Ton	225-B001	Agricultural Limestone
18	Ton	225-C001	Mulch, Vegetative Mulch
9	Acre	226-A001	Temporary Grassing
4,000	Linear Feet	234-A001	Temporary Silt Fence

800	Linear Feet	234-C001	Super Silt Fence
1	Each	236-A008	Silt Basin, Type D
300	Linear Feet	237-A002	Wattles, 20"
108	Linear Feet	245-A001	Silt Dike
108	Linear Feet	246-A001	Sandbags
60	Ton	249-A001	Riprap for Erosion Control
30	Cubic Yard	249-B001	Remove and Reset Riprap
617	Cubic Yard	304-C001	Granular Material, AEA, Class 3, Group C
2,776	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,388	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,700	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
692	Gallon	407-A001	Asphalt for Tack Coat
159	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Mile	423-A001	Rumble Strips, Ground In
325	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
80	Linear Feet	603-ALT006	24" Type A Alternate Pipe
88	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
88	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
69	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
125	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
20	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
5	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
704	Linear Feet	606-B001	Guard Rail, Class A, Type 1
77	Linear Feet	606-B005	Guard Rail, Class A, Type 1, Curved Rail
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
160	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2

6	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
80	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
12	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
4	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,006	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,888	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
872	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
82	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
83	Each	619-G5001	Free Standing Plastic Drums
25	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
614	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
665	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
276	Linear Feet	626-H005	Thermoplastic Legend, White
61	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
93	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
39	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
52	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
216	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
40	Each	630-F006	Delineators, Guard Rail, White

1 Lump Sum	699-A001	Roadway Construction Stakes
3,005 Ton	815-A007	Loose Riprap, Size 300
3,414 Square Yard	815-E001	Geotextile under Riprap
38 Ton	815-F002	Sediment Control Stone
ALTERNATE GROUP AA NUMBER 1		
4,694 Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2		
4,694 Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3		
4,694 Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1		
113 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2		
113 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
ALTERNATE GROUP CC NUMBER 1		
972 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
972 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP CC NUMBER 2		
972 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
972 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
Bridge Items		
1,366 Square Yard	501-K001	Transverse Grooving
3,025 Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,325 Linear Feet	803-D005	HP 14 x 117 Steel Piling
499 Linear Feet	804-C002	100' Prestressed Concrete Beam, Type IV
398 Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
249 Linear Feet	804-C072	50' Prestressed Concrete Beam, Type II + 2
898 Linear Feet	804-C142	90' Prestressed Concrete Beam, Type IV
119,237 Pounds	805-A001	Reinforcement
828 Linear Feet	813-A002	Concrete Railing, 32"
3,664 Ton	815-A007	Loose Riprap, Size 300
3,225 Square Yard	815-E001	Geotextile under Riprap

2	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
247	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
427	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

CALL No. 11

Bridge Replacements on SR 178 between Potts Camp and Myrtle, Bridge Nos. 47.1, 50.9, & 51.3, known as Federal Aid Project No. BR-2905-00(001) / 103328301 in Benton County.

PROJECT COMPLETION: 228 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
7,135	Square Yard	202-B062	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
2,076	Linear Feet	202-B136	Removal of Guard Rail
97	Linear Feet	202-B191	Removal of Pipe, 8" And Above
13,238	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
2,148	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
500	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,046	Cubic Yard	206-A001	Structure Excavation
138	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
7,007	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
12	Ton	213-C001	Superphosphate
27	Square Yard	216-A001	Solid Sodding
3,000	Square Yard	217-A001	Ditch Liner
1	Thousand Gallon	219-A001	Watering
12	Acre	220-A001	Insect Pest Control
11	Cubic Yard	221-A001	Concrete Paved Ditch
23	Acre	223-A001	Mowing
23	Acre	225-A001	Grassing
69	Ton	225-B001	Agricultural Limestone
46	Ton	225-C001	Mulch, Vegetative Mulch
23	Acre	226-A001	Temporary Grassing
1,000	Linear Feet	234-A001	Temporary Silt Fence
1,200	Linear Feet	234-C001	Super Silt Fence

3	Each	236-A008	Silt Basin, Type D
1,000	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	245-A001	Silt Dike
100	Linear Feet	246-A001	Sandbags
1	Each	247-A001	Temporary Stream Diversion
90	Ton	249-A001	Riprap for Erosion Control
33	Cubic Yard	249-B001	Remove and Reset Riprap
4,000	Ton	304-B002	Granular Material, Class 3, Group D
1,139	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,093	Ton	403-A006	19-mm, ST, Asphalt Pavement
4,838	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
187	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
404	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
144	Linear Feet	503-C010	Saw Cut, Full Depth
77,317	Pounds	602-A001	Reinforcing Steel
32	Linear Feet	603-ALT006	24" Type A Alternate Pipe
126	Square Yard	605-AA002	Geotextile for Subsurface Drainage, Type V
192	Linear Feet	605-T001	4" Perforated Pipe for Underdrains
36	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
8	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
488	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
80	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
25	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
17,900	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
8,950	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

478	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
52	Each	619-D3001	Remove and Reset Signs, All Sizes
192	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
8,950	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,475	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
56	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
60	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
45	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
2,405	Ton	815-A007	Loose Riprap, Size 300
1,253	Square Yard	815-E001	Geotextile under Riprap
103	Ton	815-F002	Sediment Control Stone
413	Linear Feet	907-253-A001	Coir Fiber Baffle
6	Each	907-619-E3001	Changeable Message Sign
438	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

3,200	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,200	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,200	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

78	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

78	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

1,405	Square Yard	501-K001	Transverse Grooving
4,615	Linear Feet	803-D006	HP 14 x 73 Steel Piling
880	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
940	Linear Feet	804-C168	80' Prestressed Concrete Beam, Type FIB-45
595	Linear Feet	804-C169	100' Prestressed Concrete Beam, Type FIB-45
795	Linear Feet	804-C170	135' Prestressed Concrete Beam, Type FIB-54
153,142	Pounds	805-A001	Reinforcement
3,390	Pounds	805-C001	Reinforcement, Corrosion Resistant
790	Linear Feet	813-A002	Concrete Railing, 32"
8,488	Ton	815-A007	Loose Riprap, Size 300
7,806	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
1	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
440	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
217	Cubic Yard	907-804-A002	Bridge Concrete, Class AA

CALL No. 12

Bridge Joint Repair on various routes throughout Holmes & Yazoo Counties, known as Federal Aid Project Nos. STP-9999-03(018) / 107913301 & STP-9999-03(018) / 107913302 in Holmes & Yazoo Counties.

PROJECT COMPLETION: 121 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

18,792	Linear Feet	907-808-A002	Joint Repair Without Epoxy
3,351	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
6,045	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
6,702	Linear Feet	907-823-B001	Saw Cut, Type I
12,090	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 13

Mill & Overlay Approximately 11 miles of SR 25 from Holly Street to Iuka, known as State Project No. MP-1025-71(019) / 306681301 in Tishomingo County

PROJECT COMPLETION: 63 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,269	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
96	Cubic Yard	203-G001	Excess Excavation, FM, AH
1	Acre	225-A001	Grassing
2	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
3,984	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
13,440	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
161,701	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,128	Gallon	407-A001	Asphalt for Tack Coat
18	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,264	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
11	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,792	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
20	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
9	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,610	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,684	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
197	Square Feet	626-H004	Thermoplastic Legend, White

2,720	Linear Feet	626-H005	Thermoplastic Legend, White
820	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,418	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

144	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

144	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

144	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 14

Mill & Overlay approximately 5 miles of SR 182 from US 82 to US 82, known as State Project No. MP-1182-78(002) / 306678301 in Webster County.

PROJECT COMPLETION: 58 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
50 Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,000 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
11,700 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
109,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,300 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
10,200 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
600 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,800 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
10 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
56 Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
2,800 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,000 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
400 Square Feet	626-H004	Thermoplastic Legend, White
3,800 Linear Feet	626-H005	Thermoplastic Legend, White
230 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
70 Each	627-K001	Red-Clear Reflective High Performance Raised Markers

626	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

CALL No. 15

Ultra Thin Overlay of SR 363 from the Railroad in Saltillo to Itawamba County Line, known as State Project No. MP-1363-41(003) / 306676301 in Lee County.

PROJECT COMPLETION: 42 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,340	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
1,550	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,885	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
1,435	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
16	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,160	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,095	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,890	Linear Feet	626-H005	Thermoplastic Legend, White
780	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
250	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,675	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 16

Mill & Overlay approximately 9 miles of SR 12 from Kosciusko to Ethel, known as State Project No. MP-2012-04(008) / 306650301 in Attala County.

PROJECT COMPLETION: 65 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,130	Linear Feet	202-B240	Removal of Traffic Stripe
1,400	Ton	304-B002	Granular Material, Class 3, Group D
12,995	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
500	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
157,100	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,400	Gallon	407-A001	Asphalt for Tack Coat
240	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
17	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,750	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,168	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
960	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
17	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
480	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,875	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,584	Linear Feet	626-H005	Thermoplastic Legend, White
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

66 Linear Feet

907-619-B001 Temporary Portable Rumble Strips

CALL No. 17

Overlay approximately 3 miles of MS 32 from SR 35 to the end of the 4-Lane, known as State Project No. MP-2032-68(008) / 306647301 in Tallahatchie County.

PROJECT COMPLETION: 53 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

735	Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,680	Linear Feet	202-B240	Removal of Traffic Stripe
125	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,050	Ton	304-B002	Granular Material, Class 3, Group D
500	Ton	403-A006	19-mm, ST, Asphalt Pavement
7,040	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
525	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
63,680	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,700	Gallon	407-A001	Asphalt for Tack Coat
15,500	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
100	Each	606-F003	Guard Rail, Replace Metal Blockout
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3001	Temporary Traffic Stripe, Skip White
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,660	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
840	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
420	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow

420	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
65	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
4,150	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
420	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
675	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,830	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
112	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
352	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 18

Overlay approximately 9 miles of SR 27 from Lawrence County Line to SR 28 Intersection at Georgetown, known as State Project No. MP-3027-15(008) / 306701301 in Copiah County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,410 Ton	304-B004	Granular Material, Class 5, Group D
14,390 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,000 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
8,300 Gallon	407-A001	Asphalt for Tack Coat
16 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
17 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
8 Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
2,150 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,310 Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1 Lump Sum	620-A001	Mobilization
17 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,163 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
5,824 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,277 Linear Feet	626-H005	Thermoplastic Legend, White
300 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
890 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

960 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-----------------	----------	---

480 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

960 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

480 Linear Feet 907-624-C001 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

CALL No. 19

Overlay approximately 13 miles of US 51 South of MDOT Maintenance Lot to Holmes/Carroll County Line, & 2 miles of SR 12 from US 51 to Attala County Line, & 1 mile of SR 19 from US 51 to Attala County Line, known as State Project Nos. MP -3051-26(008) / 306702301, MP-3012-26(014) / 306702302, & MP-3019-26(001) / 306702303 in Holmes County.

PROJECT COMPLETION: 78 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,695	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,664	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
377	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,366	Ton	304-B004	Granular Material, Class 5, Group D
15,367	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,852	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
21,478	Gallon	407-A001	Asphalt for Tack Coat
36,953	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
28	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
10	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
13	Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
7,668	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
413	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
3,234	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
29	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
13	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,717	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,641	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
413	Square Feet	626-H001	Thermoplastic Double Drop Legend, White

4,312	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
434	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,328	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,264	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
636	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
636	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
636	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
8,010	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,005	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP BB NUMBER 2			
8,010	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
4,005	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

CALL No. 20

Mill & Overlay approximately 1 mile of SR 878 through the Town of Walnut Grove, and 2 miles of SR 492 through the Town of Walnut Grove, known as State Project Nos. MP-5878-40(001) / 306660301 & MP-5492-40(003) / 306660302 in Leake County.

PROJECT COMPLETION: 55 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,123	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
456	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
52	Square Yard	202-B080	Removal of Concrete Sidewalk
8	Each	202-B138	Removal of Guard Rail Bridge End Section
960	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1	Each	202-B165	Removal of Inlets, All Sizes
273	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,576	Linear Feet	202-B240	Removal of Traffic Stripe
200	Cubic Yard	203-G001	Excess Excavation, FM, AH
128	Cubic Yard	206-A001	Structure Excavation
113	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
44	Square Yard	216-A001	Solid Sodding
371	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
275	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
4,850	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
163	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
40,660	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,090	Gallon	407-A001	Asphalt for Tack Coat
871	Linear Feet	503-C010	Saw Cut, Full Depth
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
70	Pounds	602-A001	Reinforcing Steel
15	Linear Feet	603-ALT001	12" Type A Alternate Pipe
118	Linear Feet	603-ALT003	18" Type A Alternate Pipe
22	Linear Feet	603-ALT006	24" Type A Alternate Pipe
31	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III

87	Linear Feet	603-CE015	36" x 23" Concrete Arch Pipe, Class A IV
180	Pounds	604-B001	Gratings
560	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
9	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1	Lump Sum	618-A001	Maintenance of Traffic
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,216	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,510	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
214	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
502	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
575	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
4,441	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,092	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
955	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
660	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
335	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
32	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

3 Each 907-619-E3001 Changeable Message Sign
7 Each 907-626-H001 Thermoplastic Legend, Blue-ADA Handicap Symbol

ALTERNATE GROUP AA NUMBER 1

15 Cubic Yard 304-G001 Size 3/4" and Down Crushed Stone Base, AEA

ALTERNATE GROUP AA NUMBER 2

15 Cubic Yard 304-G002 Size 610 Crushed Stone Base, AEA

ALTERNATE GROUP AA NUMBER 3

15 Cubic Yard 304-G003 Size 825B Crushed Stone Base, AEA

Bridge Items

828 Linear Feet 907-808-A002 Joint Repair
273 Linear Feet 907-823-A001 Preformed Joint Seal, Type I
141 Linear Feet 907-823-A002 Preformed Joint Seal, Type II
546 Linear Feet 907-823-B001 Saw Cut, Type I
282 Linear Feet 907-823-B002 Saw Cut, Type II

CALL No. 21

Ultra Thin Overlay approximately 25 miles on SR 533 from SR 28 North to the Jasper County Line, SR 537 from Buck Temple Road North to Mayfield Drive, SR 588 from the Covington County Line East to SR 29, & SR 590 from 0.35 miles West of Leaf River Relief Bridge East to I-59, known as State Project No. MP-6000-34(301) / 306698301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

240	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
7,400	Linear Feet	202-B240	Removal of Traffic Stripe
2,025	Ton	304-F003	Size 825B Crushed Stone Base
165	Ton	403-A006	19-mm, ST, Asphalt Pavement
4,300	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
35,000	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
47	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,320	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
47	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
34	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,800	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,500	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,320	Linear Feet	626-H005	Thermoplastic Legend, White
1,340	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18,900	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

4,800	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
310	Linear Feet	628-C002	6" Cold Plastic Traffic Stripe, Skip Yellow
2,350	Linear Feet	628-D002	6" Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

4,800	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
310	Mile	907-624-C002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,350	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 22

Widen & Ultra Thin Overlay approximately 7 miles on SR 28 from Smith County Line East to 1 mile East of SR 29, known as State Project No. MP-6028-34(005) / 306697301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

581	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4	Each	202-B138	Removal of Guard Rail Bridge End Section
1,482	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
722	Linear Feet	202-B240	Removal of Traffic Stripe
1,320	Ton	304-F003	Size 825B Crushed Stone Base
213	Ton	403-A006	19-mm, ST, Asphalt Pavement
9,633	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
8,666	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
21,338	Gallon	407-A001	Asphalt for Tack Coat
624	Square Feet	412-A001	Pre-Grinding
13	Mile	423-A001	Rumble Strips, Ground In
1,032	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
27	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,255	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,684	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

1,949	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,306	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,684	Linear Feet	626-H005	Thermoplastic Legend, White
440	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
742	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
56	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
6,717	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

702	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
351	Linear Feet	628-C002	6" Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

702	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
351	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

CALL No. 23

Overlay approximately 3 miles of SR 35 from JCT SR 37 to JCT SR 18 in Raleigh, known as State Project No. MP-7035-65(013) / 306411301 in Smith County.

PROJECT COMPLETION: 32 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

350	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
4,786	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
238	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
16,056	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,351	Gallon	407-A001	Asphalt for Tack Coat
816	Square Feet	412-A001	Pre-Grinding
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7,086	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
38	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,636	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
191	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
4,125	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,770	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
38	Square Feet	626-H004	Thermoplastic Legend, White
3,636	Linear Feet	626-H005	Thermoplastic Legend, White
170	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
437	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

3 Each

907-626-H001 Thermoplastic Legend, Blue-ADA Handicap Symbol

CALL No. 24

Overlay approximately 5 miles of SR 35 from Delancey Robinson Road to Goss Bunker Hill Road, known as State Project No. MP-7035-46(009) / 306644301 in Marion County.

PROJECT COMPLETION: 41 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

605	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,866	Linear Feet	202-B240	Removal of Traffic Stripe
81	Cubic Yard	203-G002	Excess Excavation, LVM, AH
2,043	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
76	Ton	403-A005	19-mm, MT, Asphalt Pavement
7,664	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
851	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
9,728	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,860	Gallon	407-A001	Asphalt for Tack Coat
2,748	Square Feet	412-A001	Pre-Grinding
1	Mile	423-A001	Rumble Strips, Ground In
225	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
20,318	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
77	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,430	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White

2 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,395 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
14,923 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
77 Square Feet	626-H004	Thermoplastic Legend, White
1,430 Linear Feet	626-H005	Thermoplastic Legend, White
443 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
26 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,645 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20 Each	630-F006	Delineators, Guard Rail, White
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,083 Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
300 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
483 Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

ALTERNATE GROUP AA NUMBER 2

1,083 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
300 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
483 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 1

8 Mile	907-626-C010	Thermoplastic Audible Bump Edge Stripe
--------	--------------	--

ALTERNATE GROUP BB NUMBER 2

8 Mile	907-626-C003	Thermoplastic Audible Edge Stripe
--------	--------------	-----------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR