

Proposal & Plan Sales Will Begin on July 1, 2019



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For July - July 23, 2019

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 23, 2019

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 1, 2019

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 23, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
01	BR-0044-02(039)/107864301	TISHOMINGO
02	STP-0052-01(010)/107684301	COAHOMA
03	STBG-0055-03(095)/108028301	CARROLL
04	BR-0472-00(017)/107861301 & BR-0472-00(018)/107865301	LAUDERDALE
* 05	STP-9999-01(259)/107911303	LEE
* 06	MP-2178-47(003)/306649301	MARSHALL
* 07	MP-5471-61(002)/306549301	RANKIN
* 08	MP-6000-00(303)/306751301	DISTRICT 6
09	MP-7013-64(004)/306646301	SIMPSON
10	MP-7035-65(013)/306411301	SMITH

CALL No. 01

Bridge Preservation on SR 30 between CR 121 and SR 793, Bridge No. 85, known as Federal Aid Project No. BR-0044-02(039) / 107864301 in Tishomingo County.

PROJECT COMPLETION: 112 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

4,660	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
6,170	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
8,440	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
96	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
70	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
216	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,270	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,270	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
27	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
13	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
440	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
1,280	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
1,280	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
24	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

3,688	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,428	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,260	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

3,688	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-------	-------------	----------	---

1,428	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,260	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

7,577	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
10,000	Pounds	907-420-A001	Undersealing
331	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
405	Linear Feet	907-808-A002	Joint Repair Without Epoxy
165	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
42	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
330	Linear Feet	907-823-B001	Saw Cut, Type I
84	Linear Feet	907-823-B002	Saw Cut, Type II
205	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
395	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
30	Each	907-824-PP006	Bridge Repair, Bearing Replacements
13	Each	907-824-PP006	Bridge Repair, Cap Cleaning
12	Each	907-824-PP006	Bridge Repair, Splice Plate Debris Removal

CALL No. 02

Installation of a Intersection Collision Warning System at the intersection of SR 1 and Friars Point Road, known as Federal Aid Project No. STP-0052-01(010) / 107684301 in Coahoma County.

PROJECT COMPLETION: 80 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

78	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2	Each	202-B217	Removal of Sign Post and Footing
783	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
961	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1	Acre	225-A001	Grassing
1	Ton	225-C001	Mulch, Vegetative Mulch
1,220	Linear Feet	234-A001	Temporary Silt Fence
260	Linear Feet	237-A002	Wattles, 20"
73	Ton	304-B002	Granular Material, Class 3, Group D
154	Ton	403-A005	19-mm, MT, Asphalt Pavement
388	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,400	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
412	Gallon	407-A001	Asphalt for Tack Coat
152	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
16	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
2	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
152	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
38	Square Yard	616-A002	Concrete Median and/or Island Pavement, 11-inch
1	Lump Sum	618-A001	Maintenance of Traffic
70	Square Feet	618-B001	Additional Construction Signs
60	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
120	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Lump Sum	620-A001	Mobilization

2,292	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
603	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
50	Square Feet	626-H004	Thermoplastic Legend, White
651	Linear Feet	626-H005	Thermoplastic Legend, White
14	Each	627-C001	Red-Clear Reflective Raised Markers
24	Each	627-D001	Two-Way Yellow Reflective Raised Markers
107	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
40	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2	Each	638-A004	Flasher Assembly, ICWS, Watch For Traffic
2	Each	638-A005	Flasher Assembly, ICWS, Watch For Entering Traffic
1	Each	660-A003	Equipment Cabinet, Type B
1	Lump Sum	699-A001	Roadway Construction Stakes
1	Each	907-630-O001	Remove and Reset Sign Assembly
1	Each	907-632-J001	Power Service Pedestal
4	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
2,272	Linear Feet	907-636-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 5 Conductor
310	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
5	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
1,732	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
50	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
295	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
450	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
ALTERNATE GROUP AA NUMBER 1			
645	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
645	Ton	304-F002	Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

645 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 03

Bridge Repair on I-55 over Slough, Bridge No. 169.9B, known as Federal Aid Project No. STBG-0055-03(095) / 108028301 in Carroll County.

PROJECT COMPLETION: 22 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

205	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
138	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-D019	Guard Rail, Bridge End Section, Type H
1	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
128	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
440	Linear Feet	619-F1001	Concrete Median Barrier, Precast
10	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
320	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
320	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
320	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10	Each	627-B001	Two-Way Clear Reflective Raised Markers
1	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted

Bridge Items

39	Linear Feet	503-C001	Saw Cut, 1-inch
44	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
222	Linear Feet	907-808-A002	Joint Repair Without Epoxy
122	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
244	Linear Feet	907-823-B001	Saw Cut, Type I
21	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
5	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair

8 Linear Feet

907-824-PP008 Bridge Repair, FRP Wrap, Per Plans

28 Linear Feet

907-824-PP008 Bridge Repair, New Construction of Bridge Railing and Overhag, Per Plans

28 Linear Feet

907-824-PP008 Bridge Repair, Removal of Bridge Railing and Overhang, Per Plans

CALL No. 04

Bridge Preservation on US 80 over Cow Creek (Bridge No. 126.2) and Tallhatta Creek (Bridge No. 125.6), known as Federal Aid Project Nos. BR-0472-00(017) / 107861301 & BR-0472-00(018) / 107865301 in Lauderdale County.

PROJECT COMPLETION: 258 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

112	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
96	Square Yard	202-B029	Removal of Bridge End Pavement OVERLAID IN ASPHALT
525	Linear Feet	202-B136	Removal of Guard Rail
4,030	Linear Feet	202-B240	Removal of Traffic Stripe
250	Linear Feet	234-A001	Temporary Silt Fence
400	Linear Feet	234-F001	Turbidity Barrier
150	Linear Feet	237-A002	Wattles, 20"
100	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
125	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
935	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
280	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
58	Linear Feet	501-E001	Expansion Joints, Without Dowels
129	Square Yard	502-A002	Reinforced Cement Concrete Bridge End Pavement, 13 inch
56	Linear Feet	503-C010	Saw Cut, Full Depth
573	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E001	Guard Rail, Terminal End Section
4	Each	606-G003	Special Sections, Special Design Bridge Connector
106	Cubic Yard	612-A001	Flowable Fill, Excavatable
1	Lump Sum	618-A001	Maintenance of Traffic
1,320	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
660	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
830	Linear Feet	619-A4007	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
477	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

22	Each	619-F3001	Delineators, Guard Rail, White
42	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
3,120	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,490	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
38	Each	627-D001	Two-Way Yellow Reflective Raised Markers
2	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Bridge Items

165	Linear Feet	202-B037	Removal of Bridge Railing
240	Linear Feet	813-E011	Steel Pipe Railing
1,162	Ton	815-A007	Loose Riprap, Size 300
394	Square Yard	815-E001	Geotextile under Riprap
464	Linear Feet	907-808-A002	Joint Repair
1,050	Linear Feet	907-808-A002	Joint Repair Without Epoxy
815	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,514	Linear Feet	907-823-B001	Saw Cut, Type I
5	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair, Per Plans
10	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair, Per Plans
5	Each	907-824-PP006	Bridge Repair, Bearing Plate Replacement and Bearing Reset, Per Plans
15	Each	907-824-PP006	Bridge Repair, Cap Cleaning, Per Plans
6	Each	907-824-PP006	Bridge Repair, Cleaning of Bent Caps, Per Plans
6	Each	907-824-PP006	Bridge Repair, Girder Support Plates, 40 Foot Spans, Per Plans
3	Each	907-824-PP006	Bridge Repair, Midspan Diaphragm Replacement, Per Plans
40	Each	907-824-PP006	Bridge Repair, Pile Repair Plate and Encasement, Per Plans
48	Each	907-824-PP006	Bridge Repair, Remove and Replace Secondary Steel Members, Per Plans
20	Each	907-824-PP006	Bridge Repair, Steel Riser and Bearing Assembly, Per Plans
1	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete

372	Linear Feet	907-824-PP008	Bridge Repair, Install Pile Encasement, Per Plans
60	Linear Feet	907-824-PP008	Bridge Repair, Remove End Bent Endwall, Per Plans
60	Linear Feet	907-824-PP008	Bridge Repair, Replace End Bent Endwall, Per Plans
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 05

Bridge Preservation on US Highway 45 and SR 348, Bridge Nos. 232.1A, 232.1B, 233.9A, 233.9B, & 20.6, known as Federal Aid Project No. STP-9999-01(259) / 107911303 in Lee County.

PROJECT COMPLETION: 93 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

80	Linear Feet	202-B169	Removal of Joint Material
1,844	Linear Feet	907-808-A002	Joint Repair Without Epoxy
764	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
252	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
658	Linear Feet	907-823-B001	Saw Cut, Type I
498	Linear Feet	907-823-B002	Saw Cut, Type II
5	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
38	Each	907-824-PP006	Bridge Repair, Bearing Replacement
10	Each	907-824-PP006	Bridge Repair, Cap Cleaning
3	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
40	Linear Feet	907-824-PP008	Bridge Repair, End Wall Removal and Repair
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 06

Mill & Overlay approximately 4 miles of SR 178 from 1 mile west of US Highway 78 to the Benton County Line, known as State Project No. MP-2178-47(003) / 306649301 in Marshall County.

PROJECT COMPLETION: 32 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

525 Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,680 Linear Feet	202-B240	Removal of Traffic Stripe
175 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,600 Ton	304-B002	Granular Material, Class 3, Group D
8,560 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
360 Ton	403-A006	19-mm, ST, Asphalt Pavement
450 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
77,500 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,750 Gallon	407-A001	Asphalt for Tack Coat
12,200 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
16 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,228 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
980 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
840 Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
840 Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,137 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
527 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

113 Square Feet	626-H004 Thermoplastic Legend, White
490 Linear Feet	626-H005 Thermoplastic Legend, White
192 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
758 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001 Temporary Portable Rumble Strips

CALL No. 07

Mill & Overlay approximately 5 miles of SR 471 from Grant's Ferry Road to SR 25, known as State Project No. MP-5471-61(002) / 306549301 in Rankin County.

PROJECT COMPLETION: APRIL 15, 2020

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

110	Linear Feet	202-B003	Removal of Asphalt Curb
3,293	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
353	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,340	Ton	304-D002	Granular Material, Crushed Stone
50	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
11,265	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
3,235	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
93,545	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,188	Gallon	407-A001	Asphalt for Tack Coat
110	Linear Feet	609-E001	Bituminous Curb
1	Lump Sum	618-A001	Maintenance of Traffic
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,256	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
16,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
819	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,452	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
195	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
500	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1,650	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,800	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White

1 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
11,250 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,900 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
820 Square Feet	626-H004	Thermoplastic Legend, White
2,970 Linear Feet	626-H005	Thermoplastic Legend, White
600 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
85 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
930 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
4 Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
300 Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 08

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-6000-00(303) / 306751301, in District 6.

PROJECT COMPLETION: 94 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
35,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
54,000	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
44,960	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 09

Scrub Seal & Thin Lift approximately 4 miles of SR 13 from Bowen Road to East Street, known as State Project No. MP-7013-64(004) /306646301 in Simpson County.

PROJECT COMPLETION: 45 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,260	Linear Feet	202-B240	Removal of Traffic Stripe
109	Cubic Yard	203-G002	Excess Excavation, LVM, AH
861	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
587	Ton	403-A006	19-mm, ST, Asphalt Pavement
948	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
12,715	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,528	Gallon	407-A001	Asphalt for Tack Coat
1,416	Square Feet	412-A001	Pre-Grinding
6	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
10,520	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
28	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,364	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
6	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,340	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,180	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
28	Square Feet	626-H004	Thermoplastic Legend, White
2,364	Linear Feet	626-H005	Thermoplastic Legend, White

500	Each	627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
440	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
864	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
5,408	Ton	907-411-A001	Ultra Thin Asphalt Pavement
38,031	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,452	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
80	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
800	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,452	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
80	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
800	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 1

2	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
---	------	--------------	-----------------------------------

ALTERNATE GROUP BB NUMBER 2

2	Mile	907-626-C010	Thermoplastic Audible Bump Edge Stripe
---	------	--------------	--

CALL No. 10

Overlay approximately 3 miles of SR 35 from SR 37 to SR 18 in Raleigh, known as State Project No. MP-7035-65(013) / 306411301 in Smith County.

PROJECT COMPLETION: 40 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

350	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
4,786	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
238	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
16,056	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,351	Gallon	407-A001	Asphalt for Tack Coat
816	Square Feet	412-A001	Pre-Grinding
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7,086	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
38	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,636	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
191	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
4,125	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,770	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
38	Square Feet	626-H004	Thermoplastic Legend, White
3,636	Linear Feet	626-H005	Thermoplastic Legend, White
170	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
437	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

3 Each

907-626-H001 Thermoplastic Legend, Blue-ADA Handicap Symbol

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR