

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u>1</u>	DATED	<u>8/20/2019</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	<u>2</u>	DATED	<u>8/21/2019</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____

Number	Description
1	Revised Plan Sheet Nos. 8001, 8024, & 8030; Amendment EBS Download Required.
2	Revised Table of Contents; Added NTB No. 1748; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 2  
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____	President	Address
_____	Secretary	Address
_____	Treasurer	Address

The following is my (our) itemized proposal.

SP-0020-01(171)/ 104299301000

Warren County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION  
TABLE OF CONTENTS**

**PROJECT: SP-0020-01(171)/104299301 - Warren**

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#6	Storm Water Discharge Associated with Construction Activity (> 5 Acres)
#9	Federal Bridge Formula
#14	Railway-Highway Provision, w/Supplement
#20	Temporary Steel Bracing
#21	Intermediate Diaphragms
#29	Payroll Requirements for General Obligation Bond Projects
#113	Tack Coat
#114	Right-of-Way Plat
#246	Kansas City Southern Construction Requirements
#296	Reduced Speed Limit Signs
#445	Mississippi Agent and Qualified Nonresident Agent
#516	Errata and Modifications to the 2017 Standard Specifications
#757	Additional Erosion Control Requirements
#948	Use of Polyacrylamide (PAM)
#1206	MASH Compliant Devices
#1225	Early Notice to Proceed
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#1434	Erosion Control Plan
#1718	Contract Time
#1719	Placement of Fill Material in Federally Regulated Areas
#1720	Specialty Items
#1721	A+C Bidding
#1722	Additional Construction Requirements
#1723	Lane Closure Restrictions
#1746	Work Restrictions Associated with the Railroad
#1747	Liquidated Damages
#1748	Pay Item Correction

Section 907 - Special Provisions

907-102-2	Bidding Requirements and Conditions
907-103-2	Award and Execution of Contract
907-107-2	Contractor's Erosion Control Plan
907-109-1	Measurement and Payment
907-110-1	Required Contract Provisions for General Obligation Bond Projects
907-202-3	Removal of Bridge Deck
907-250-2	Polyacrylamide (PAM)
907-253-1	Coir Fiber Baffle
907-619-5	Traffic Control for Construction Zones

**PROJECT: SP-0020-01(171)/104299301 - Warren**

907-624-1	Inverted Profile Thermoplastic Traffic Stripe
907-701-1	Hydraulic Cement
907-702-4	Bituminous Materials
907-703-1	Gradation
907-705-1	Stone Riprap
907-707-2	Joint Material
907-708-2	Reinforced Concrete Pipe
907-711-2	Plain Steel Wire
907-720-2	Acceptance Procedure for Glass Beads
907-803-4	Test Piles
907-804-6	Concrete Bridges and Structures
907-808-1	Joint Repair
907-823-6	Preformed Joint Seal
907-845-2	Coating Existing Structural Steel
907-899-1	Railway-Highway Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal  
State Board of Contractors Requirement  
State Certification Regarding Non-Collusion, Debarment and Suspensions  
Section 902 - Contract Form  
Section 903 - Contract Bond Forms

Pile Data Form

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

08/21/2019 11:03 AM

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 1748**

**CODE: (SP)**

**DATE: 8/21/2019**

**SUBJECT: Pay Item Correction**

**PROJECT: SP-0020-01(171) / 104299301 – Warren County**

The Bidder's attention is called to the Summary of Quantities in the Contract Plans.

Pay Item 202-B240, Removal of Traffic Stripe, 15,000 LF, was inadvertently omitted from the plans.

The Bid Sheets are correct.

Construction of I-20 South Frontage Road Extension to US 80 & I-20 Bridge Repairs, known as State Project No. SP-0020-01(171) / 104299301 in Warren County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		1	Acre	Clearing and Grubbing
0030	202-B007		7,316	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B052		428	Square Yard	Removal of Concrete Driveways, All Depths
0050	202-B063		975	Square Yard	Removal of Concrete Paved Ditch
0060	202-B080		542	Square Yard	Removal of Concrete Sidewalk
0070	202-B088		2,922	Linear Feet	Removal of Curb & Gutter, All Types
0080	202-B126		1,291	Linear Feet	Removal of Fence, All Types
0090	202-B158		116	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0100	202-B165		8	Each	Removal of Inlets, All Sizes
0110	202-B191		238	Linear Feet	Removal of Pipe, 8" And Above
0112	202-B240		15,000	Linear Feet	Removal of Traffic Stripe
0120	203-EX020	(E)	490,371	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0130	206-A001	(S)	4,071	Cubic Yard	Structure Excavation
0140	206-B001	(E)	8,281	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0150	209-A005		25,700	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0160	211-B001	(E)	10,657	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0170	213-A001		39	Ton	Agricultural Limestone
0180	213-C001		10	Ton	Superphosphate
0190	216-A001		3,156	Square Yard	Solid Sodding
0200	219-A001		64	Thousand Gallon	Watering [\$20.00]
0210	221-A001	(S)	307	Cubic Yard	Concrete Paved Ditch
0220	223-A001		20	Acre	Mowing [\$50.00]
0230	225-A001		20	Acre	Grassing
0240	225-C001		39	Ton	Mulch, Vegetative Mulch
0250	226-A001		20	Acre	Temporary Grassing
0260	229-A001		6,000	Square Yard	Erosion Mat
0270	234-A001		11,850	Linear Feet	Temporary Silt Fence
0280	234-D001		12	Each	Inlet Siltation Guard
0290	235-A001		584	Each	Temporary Erosion Checks
0300	236-A008		4	Each	Silt Basin, Type D
0310	237-A002		4,000	Linear Feet	Wattles, 20"

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	245-A001		97	Linear Feet	Silt Dike
0330	246-B001		16,251	Each	Rockbags
0340	249-A001		1,078	Ton	Riprap for Erosion Control
0350	304-B004	(GT)	5,593	Ton	Granular Material, Class 5, Group D
0360	307-C004	(M)	2,945	Square Yard	6" Soil-Lime-Water Mixing, Class C
0370	307-D001		40	Ton	Lime
0380	307-S001	(A3)	737	Gallon	Bituminous Curing Seal
0390	308-A001		25	Ton	Cement
0400	308-B003	(M)	2,945	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
0410	308-S001	(A3)	737	Gallon	Bituminous Curing Seal
0420	403-A001	(BA1)	2,645	Ton	12.5-mm, HT, Asphalt Pavement
0430	403-A004	(BA1)	3,619	Ton	19-mm, HT, Asphalt Pavement
0440	403-A006	(BA1)	314	Ton	19-mm, ST, Asphalt Pavement
0450	403-A013	(BA1)	2,121	Ton	9.5-mm, HT, Asphalt Pavement
0460	407-A001	(A2)	2,382	Gallon	Asphalt for Tack Coat
0470	502-A001	(C)	418	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0480	503-C010		412	Linear Feet	Saw Cut, Full Depth
0490	601-A001	(S)	807	Cubic Yard	Class "B" Structural Concrete
0500	601-B001	(S)	37	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0510	602-A001	(S)	171,901	Pounds	Reinforcing Steel
0520	603-ALT003	(S)	120	Linear Feet	18" Type A Alternate Pipe
0530	603-ALT006	(S)	16	Linear Feet	24" Type A Alternate Pipe
0540	603-CA003	(S)	16	Linear Feet	15" Reinforced Concrete Pipe, Class III
0550	603-CA011	(S)	296	Linear Feet	18" Reinforced Concrete Pipe, Class III
0560	603-CA026	(S)	144	Linear Feet	24" Reinforced Concrete Pipe, Class III
0570	603-CA035	(S)	680	Linear Feet	24" Reinforced Concrete Pipe, Class V
0580	603-CA040	(S)	72	Linear Feet	30" Reinforced Concrete Pipe, Class III
0590	603-CA042	(S)	136	Linear Feet	30" Reinforced Concrete Pipe, Class IV
0600	603-CA048	(S)	264	Linear Feet	30" Reinforced Concrete Pipe, Class V
0610	603-CA138	(S)	16	Linear Feet	12" Reinforced Concrete Pipe, Class V
0620	603-CB003	(S)	2	Each	18" Reinforced Concrete End Section
0630	603-CB004	(S)	3	Each	24" Reinforced Concrete End Section
0640	603-CB005	(S)	5	Each	30" Reinforced Concrete End Section
0650	603-SB036	(S)	1	Each	30" Branch Connections, Stub into Box Culvert

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0660	604-A001		790	Pounds	Castings
0670	604-B001		274	Pounds	Gratings
0680	606-B001		370	Linear Feet	Guard Rail, Class A, Type 1
0690	606-D022		12	Each	Guard Rail, Bridge End Section, Type I
0700	606-E005		2	Each	Guard Rail, Terminal End Section, Flared
0710	606-E007		1	Each	Guard Rail, Terminal End Section, Non-Flared
0720	608-B001	(S)	1,187	Square Yard	Concrete Sidewalk, With Reinforcement
0730	609-B002	(S)	350	Linear Feet	Concrete Curb, Header
0740	609-D004	(S)	2,053	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0750	609-D008	(S)	2,192	Linear Feet	Combination Concrete Curb and Gutter Type 3A
0760	613-D005		4	Each	Adjustment of Manhole
0770	614-B003	(S)	685	Square Yard	Concrete Driveway, With Reinforcement, 6-inch Thickness
0780	615-B001	(S)	580	Linear Feet	Precast Concrete Median Barrier
0790	616-A001	(S)	91	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0800	616-A004	(S)	284	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0810	617-A001		58	Each	Right-of-Way Marker
0820	618-A001		1	Lump Sum	Maintenance of Traffic
0830	619-A1003		4,724	Linear Feet	Temporary Traffic Stripe, Continuous White, Paint
0840	619-A2003		6,541	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Paint
0850	619-A6004		48	Linear Feet	Temporary Traffic Stripe, Legend, Paint
0860	619-C10001		316	Each	Yellow-Clear Reflective High Performance Raised Marker
0870	619-D1001		327	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0880	619-D2001		1,151	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0890	619-F1001		637	Linear Feet	Concrete Median Barrier, Precast
0900	619-F2001		377	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0910	619-F3003		30	Each	Delineators, Median Barrier Mounted, White
0920	619-G4001		529	Linear Feet	Barricades, Type III, Double Faced
0930	619-G5001		66	Each	Free Standing Plastic Drums
0940	619-J1001		1	Each	Impact Attenuator, 40 MPH
0950	619-J2001		1	Each	Impact Attenuator, 40 MPH, Replacement Package
0960	619-J3001		1	Each	Remove and Reset Impact Attenuator
0970	620-A001		1	Lump Sum	Mobilization
0980	626-C003		8,017	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0990	626-D004		1,081	Linear Feet	6" Thermoplastic Traffic Stripe, Skip Yellow
1000	626-E003		6,927	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
1010	626-G002		6,039	Linear Feet	Thermoplastic Detail Stripe, White
1020	626-G003		11,345	Linear Feet	Thermoplastic Detail Stripe, Yellow
1030	626-H004		258	Square Feet	Thermoplastic Legend, White
1040	626-H005		144	Linear Feet	Thermoplastic Legend, White
1050	627-K001		25	Each	Red-Clear Reflective High Performance Raised Markers
1060	627-L001		728	Each	Two-Way Yellow Reflective High Performance Raised Markers
1070	630-A001		164	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1080	630-A003		211	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1090	630-C003		473	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
1100	630-E004		114	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1110	630-F006		17	Each	Delineators, Guard Rail, White
1120	630-K001		33	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
1130	630-K003		91	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
1140	699-A001		1	Lump Sum	Roadway Construction Stakes
1150	815-A002	(S)	89	Ton	Loose Riprap, Size 100
1160	815-A007	(S)	6,319	Ton	Loose Riprap, Size 300
1170	815-E001	(S)	11,552	Square Yard	Geotextile under Riprap
1180	815-F002	(S)	186	Ton	Sediment Control Stone
1190	907-250-A001		800	Pounds	Polyacrylamide (PAM)
1200	907-253-A001		800	Linear Feet	Coir Fiber Baffle
1210	907-619-E3001		7	Each	Changeable Message Sign
1220	907-899-A001		1	Lump Sum	Railway-Highway Provisions
<b>ALTERNATE GROUP AA NUMBER 1</b>					
1230	304-F001	(GT)	13,203	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
1240	304-F002	(GT)	13,203	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
1250	304-F003	(GT)	13,203	Ton	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP CC NUMBER 1</b>					
1260	907-624-B002		661	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1270	907-624-D002		2,182	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP CC NUMBER 2</b>					



Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1280	628-H001		661	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1290	628-J001		2,182	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
<b>Bridge Items</b>					
1300	202-B169		1,610	Linear Feet	Removal of Joint Material
1310	203-G001	(E)	120	Cubic Yard	Excess Excavation, FM, AH
1320	221-A001	(S)	10	Cubic Yard	Concrete Paved Ditch
1330	229-A001		178	Square Yard	Erosion Mat
1340	304-D004	(GT)	195	Ton	Granular Material, Size 57
1350	501-K001		2,697	Square Yard	Transverse Grooving
1360	803-C002	(S)	3,120	Linear Feet	14" x 14" Prestressed Concrete Piling
1370	804-C118	(S)	1,550	Linear Feet	78' Prestressed Concrete Beam, Type IV
1380	804-C130	(S)	1,703	Linear Feet	86' Prestressed Concrete Beam, Type IV
1390	805-A001	(S)	264,450	Pounds	Reinforcement
1400	809-A001	(S)	2,979	Square Feet	Retaining Wall System
1410	813-A002	(S)	661	Linear Feet	Concrete Railing, 32"
1420	815-D001	(S)	197	Cubic Yard	Concrete Slope Paving
1430	907-202-B001		32	Square Yard	Removal of Bridge Deck, Hydrodemolition
1440	907-607-PP001		160	Linear Feet	Safety Fence
1450	907-803-B001	(S)	1	Each	Conventional Static Pile Load Test [\$5,000.00]
1460	907-803-I002	(S)	2	Each	PDA Test Pile, Concrete Pile
1470	907-803-I004	(S)	2	Each	PDA Test Pile, Steel Pipe Pile
1480	907-803-J001	(S)	2	Each	Pile Restrike
1490	907-803-PP003		1,340	Linear Feet	30" Steel Pipe Piling, Wall Thickness 0.500"
1500	907-804-A002	(S)	607	Cubic Yard	Bridge Concrete, Class AA
1510	907-804-A004	(S)	745	Cubic Yard	Bridge Concrete, Class BD
1520	907-808-A002	(S)	979	Linear Feet	Joint Repair
1530	907-823-A001		1,142	Linear Feet	Preformed Joint Seal, Type I
1540	907-823-A002		237	Linear Feet	Preformed Joint Seal, Type II
1550	907-823-B001		2,226	Linear Feet	Saw Cut, Type I
1560	907-823-B002		466	Linear Feet	Saw Cut, Type II
1570	907-824-PP003		2,005	Square Feet	Bridge Repair, Painting of Steel Piling
1580	907-824-PP004		1	Lump Sum	Bridge Repair, Remove & Replace Bridge Railing & Deck, Per Plans
1590	907-824-PP006		20	Each	Bridge Repair, Concrete Pile Encasement Wall Removal

<b>Line No.</b>	<b>Item Code</b>	<b>Adj Code</b>	<b>Quantity</b>	<b>Units</b>	<b>Description [Fixed Unit Price]</b>
1600	907-824-PP006		40	Each	Bridge Repair, Installation of Connection Angle
1610	907-824-PP006		10	Each	Bridge Repair, Pressure Relief Joint, Per Plans
1620	907-824-PP006		7	Each	Bridge Repair, Pressure Washing & Cleaning Bent Caps
1630	907-824-PP006		20	Each	Bridge Repair, Steel Piling Repair for Bent 2-5
1640	907-824-PP007		21	Cubic Yard	Bridge Repair, Elastomeric Concrete
1650	907-824-PP008		336	Linear Feet	Bridge Repair, Pile Encasement
1660	907-845-A001	(S)	1	Lump Sum	Coating Existing Structural Steel